

```
SQL Plus
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> CREATE TABLE EMP
2  (
3  ENO NUMBER(3),
4  ENAME VARCHAR2(30),
5  DEPT VARCHAR2(50),
6  SALARY NUMBER
7  );

Table created.

SQL> INSERT INTO EMP VALUES(1,'RAJU','PHILOSOPHY',90000);

1 row created.

SQL>
SQL> INSERT INTO EMP VALUES(2,'AKILA','ENGLISH',80000);

1 row created.

SQL>
SQL> INSERT INTO EMP VALUES(3,'PADMA','HISTORY',60000);

1 row created.

SQL>
SQL> INSERT INTO EMP VALUES(4,'SANJAY','MECH',100000);

1 row created.

SQL>
SQL> INSERT INTO EMP VALUES(5,'LATHA','BIOLOGY',50000);

1 row created.
```

SQL Plus

```
SQL> SET LINESIZE 200;
SQL> SET PAGESIZE 100;
SQL>
SQL> COLUMN ENAME FORMAT A15;
SQL> COLUMN DEPT FORMAT A20;
SQL> SELECT * FROM EMP;
```

ENO	ENAME	DEPT	SALARY
1	RAJU	PHILOSOPHY	90000
2	AKILA	ENGLISH	80000
3	PADMA	HISTORY	60000
4	SANJAY	MECH	100000
5	LATHA	BIOLOGY	50000

```
SQL> SELECT AVG(SALARY) FROM EMP;
```

AVG(SALARY)
76000

```
SQL>
SQL> SELECT MIN(SALARY) FROM EMP;
```

MIN(SALARY)
50000

```
SQL>
SQL> SELECT MAX(SALARY) FROM EMP;
```

MAX(SALARY)
100000

```
SQL>
```

```
SQL>  
SQL> SELECT COUNT(ENO) FROM EMP;
```

```
COUNT(ENO)  
-----  
5
```

```
SQL>  
SQL> SELECT SUM(SALARY) FROM EMP;
```

```
SUM(SALARY)  
-----  
380000
```

```
SQL>  
SQL> SELECT ABS(20) FROM DUAL;
```

```
ABS(20)  
-----  
20
```

```
SQL>  
SQL> SELECT ROUND(1738.56) FROM DUAL;
```

```
ROUND(1738.56)  
-----  
1739
```

```
SQL>  
SQL> SELECT POWER(3,2) FROM DUAL;
```

```
POWER(3,2)  
-----  
9
```

```
SQL>  
SQL> SELECT SQRT(25) FROM DUAL;
```

```
SQL>  
SQL> SELECT SQRT(25) FROM DUAL;
```

```
      SQRT(25)  
-----  
          5
```

```
SQL>  
SQL> SELECT EXP(5) FROM DUAL;
```

```
      EXP(5)  
-----  
148.413159
```

```
SQL>  
SQL> SELECT EXTRACT(YEAR FROM DATE '2018-07-07') FROM DUAL;
```

```
EXTRACT(YEARFROMDATE'2018-07-07')  
-----  
                2018
```

```
SQL>  
SQL> SELECT EXTRACT(MONTH FROM SYSDATE) FROM DUAL;
```

```
EXTRACT(MONTHFROMSYSDATE)  
-----  
          7
```

```
SQL>  
SQL> SELECT GREATEST(4,10,20) FROM DUAL;
```

```
GREATEST(4,10,20)  
-----  
                20
```

```
SQL>  
SQL> SELECT LEAST(4,10,20) FROM DUAL;
```

```
SQL>
SQL> SELECT LEAST(4,10,20) FROM DUAL;
```

```
LEAST(4,10,20)
-----
4
```

```
SQL>
SQL> SELECT MOD(15,8) FROM DUAL;
```

```
MOD(15,8)
-----
7
```

```
SQL>
SQL> SELECT TRUNC(138.356,1) FROM DUAL;
```

```
TRUNC(138.356,1)
-----
138.3
```

```
SQL>
SQL> SELECT FLOOR(28.6) FROM DUAL;
```

```
FLOOR(28.6)
-----
28
```

```
SQL>
SQL> SELECT CEIL(38.6) FROM DUAL;
```

```
CEIL(38.6)
-----
39
```

```
SQL>
SQL> SELECT LOWER(ENAME) FROM EMP;
```

```
CEIL(38.6)
```

```
-----  
39
```

```
SQL>  
SQL> SELECT LOWER(ENAME) FROM EMP;
```

```
LOWER(ENAME)
```

```
-----  
raju  
akila  
padma  
sanjay  
latha
```

```
SQL>  
SQL> SELECT UPPER(ENAME) FROM EMP;
```

```
UPPER(ENAME)
```

```
-----  
RAJU  
AKILA  
PADMA  
SANJAY  
LATHA
```

```
SQL>  
SQL> SELECT SUBSTR('WELCOME',3,2) FROM DUAL;
```

```
SU  
--  
LC
```

```
SQL>  
SQL> SELECT ASCII('A') FROM DUAL;
```

```
ASCII('A')
```

31-JUL-26

SQL>
SQL> SELECT ADD_MONTHS(SYSDATE,5) FROM DUAL;

ADD_MONTH

12-DEC-26

SQL>
SQL> SELECT MONTHS_BETWEEN(DATE '1992-10-08', DATE '1992-02-02') FROM DUAL;

MONTHS_BETWEEN(DATE'1992-10-08',DATE'1992-02-02')

8.19354839

SQL>
SQL> SELECT NEXT_DAY(DATE '2018-07-04', 'MONDAY') FROM DUAL;

NEXT_DAY(

09-JUL-18

SQL>
SQL> SELECT LTRIM(' TABLE NAME') FROM DUAL;

LTRIM('TAB

TABLE NAME

SQL>
SQL> SELECT RTRIM('TABLE NAME ') FROM DUAL;

RTRIM('TAB

TABLE NAME