

```
SQL Plus
SQL*Plus: Release 21.0.0.0.0 - Production on Sun Jul 12 16:33:38 2026
Version 21.3.0.0.0

Copyright (c) 1982, 2021, Oracle. All rights reserved.

Enter user-name: system
Enter password:
ERROR:
ORA-01017: invalid username/password; logon denied

Enter user-name: system
Enter password:
Last Successful login time: Sun Jul 12 2026 16:26:34 +05:30

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> CREATE TABLE DATAFLAIR
 2 (
 3 EMPID VARCHAR2(5) PRIMARY KEY,
 4 NAME VARCHAR2(50),
 5 LOCATION VARCHAR2(20),
 6 EXPERIENCE NUMBER
 7 );

Table created.

SQL> INSERT INTO DATAFLAIR VALUES(1,'ABI','CHENNAI',1);

1 row created.

SQL>
SQL> INSERT INTO DATAFLAIR VALUES(2,'AADHI','COIMBATORE',2);
```

Table created.

```
SQL> INSERT INTO DATAFLAIR VALUES(1,'ABI','CHENNAI',1);
```

1 row created.

```
SQL>
```

```
SQL> INSERT INTO DATAFLAIR VALUES(2,'AADHI','COIMBATORE',2);
```

1 row created.

```
SQL>
```

```
SQL> INSERT INTO DATAFLAIR VALUES(3,'SAKTHI','ERODE',2);
```

1 row created.

```
SQL>
```

```
SQL> INSERT INTO DATAFLAIR VALUES(4,'SIVA','TRICHY',1);
```

1 row created.

```
SQL>
```

```
SQL> INSERT INTO DATAFLAIR VALUES(5,'RAJ','SALEM',3);
```

1 row created.

```
SQL>
```

```
SQL> COMMIT;
```

Commit complete.

```
SQL> CREATE TABLE LOCATION
```

```
2 (
3  LOCATION_ID VARCHAR2(5) PRIMARY KEY,
4  LOCATION VARCHAR2(50),
5  OFFICE_SIZE NUMBER,
```

```
SQL Plus
5 OFFICE_SIZE NUMBER,
6 EMPID VARCHAR2(5),
7 FOREIGN KEY(EMPID) REFERENCES DATAFLAIR(EMPID)
8 );

Table created.

SQL> INSERT INTO LOCATION VALUES(123,'CHENNAI',5,1);

1 row created.

SQL>
SQL> INSERT INTO LOCATION VALUES(124,'COIMBATORE',10,2);

1 row created.

SQL>
SQL> INSERT INTO LOCATION VALUES(125,'TRICHY',15,4);

1 row created.

SQL>
SQL> INSERT INTO LOCATION VALUES(126,'ERODE',20,3);

1 row created.

SQL>
SQL> INSERT INTO LOCATION VALUES(127,'SALEM',25,5);

1 row created.

SQL>
SQL> COMMIT;

Commit complete.

SQL> SET LINESIZE 200;
```

```
SQL>
SQL> INSERT INTO LOCATION VALUES(127,'SALEM',25,5);
1 row created.
```

```
SQL>
SQL> COMMIT;
Commit complete.
```

```
SQL> SET LINESIZE 200;
SQL> SET PAGESIZE 100;
SQL>
SQL> COLUMN NAME FORMAT A15;
SQL> COLUMN LOCATION FORMAT A20;
SQL> SELECT * FROM DATAFLAIR;
```

EMPID	NAME	LOCATION	EXPERIENCE
1	ABI	CHENNAI	1
2	AADHI	COIMBATORE	2
3	SAKTHI	ERODE	2
4	SIVA	TRICHY	1
5	RAJ	SALEM	3

```
SQL>
SQL> SELECT * FROM LOCATION;
```

LOCAT	LOCATION	OFFICE_SIZE	EMPID
123	CHENNAI	5	1
124	COIMBATORE	10	2
125	TRICHY	15	4
126	ERODE	20	3
127	SALEM	25	5

```
SQL> |
```