

WEKA

ARFF file:

RFF files have two distinct sections. The first section is the **Header** information, which is followed the **Data** information.

The **Header** of the ARFF file contains the name of the relation, a list of the attributes (the columns in the data), and their types.

Lines that begin with a % are comments. The **@RELATION**, **@ATTRIBUTE** and **@DATA** declarations are case insensitive.

The @relation Declaration

The relation name is defined as the first line in the ARFF file. The format is:

```
@relation <relation-name>
```

where <relation-name> is a string. The string must be quoted if the name includes spaces.

The @attribute Declarations

Attribute declarations take the form of an ordered sequence of **@attribute** statements. Each attribute in the data set has its own **@attribute** statement which uniquely defines the name of that attribute and its data type. The order the attributes are declared indicates the column position in the data section of the file. For example, if an attribute is the third one declared then Weka expects that all that attributes values will be found in the third comma delimited column.

The format for the **@attribute** statement is:

```
@attribute <attribute-name> <datatype>
```

The <datatype> can be any of the four types currently (version 3.2.1) supported by Weka:

- numeric
- <nominal-specification>
- string
- date [<date-format>]

Experiment 1:

No.	outlook Nominal	temperature Numeric	humidity Numeric	windy Nominal	play Nominal
1	sunny	85.0	85.0	FALSE	no
2	sunny	80.0	90.0	TRUE	no
3	overcast	83.0	86.0	FALSE	yes
4	rainy	70.0	96.0	FALSE	yes
5	rainy	68.0	80.0	FALSE	yes
6	rainy	65.0	70.0	TRUE	no
7	overcast	64.0	65.0	TRUE	yes

@relation weather

@attribute outlook {sunny, overcast, rainy}

@attribute temperature real

@attribute humidity real

@attribute windy {TRUE, FALSE}

@attribute play {yes, no}

@data

sunny,85,85,FALSE,no

sunny,80,90,TRUE,no

overcast,83,86,FALSE,yes

rainy,70,96,FALSE,yes

rainy,68,80,FALSE,yes

rainy,65,70,TRUE,no

overcast,64,65,TRUE,yes

Experiment 2:

No.	sepalength Numeric	sepalwidth Numeric	petallength Numeric	petalwidth Numeric	class Nominal
1	5.1	3.5	1.4	0.2	Iris-se...
10	4.9	3.1	1.5	0.1	Iris-se...
2	4.9	3.0	1.4	0.2	Iris-se...
3	4.7	3.2	1.3	0.2	Iris-se...
4	4.6	3.1	1.5	0.2	Iris-se...
5	5.0	3.6	1.4	0.2	Iris-se...
6	5.4	3.9	1.7	0.4	Iris-se...
7	4.6	3.4	1.4	0.3	Iris-se...
8	5.0	3.4	1.5	0.2	Iris-se...
9	4.4	2.9	1.4	0.2	Iris-se...

```
@RELATION iris
```

```

@ATTRIBUTE sepalength    NUMERIC
@ATTRIBUTE sepalwidth    NUMERIC
@ATTRIBUTE petallength   NUMERIC
@ATTRIBUTE petalwidth    NUMERIC
@ATTRIBUTE class         {Iris-setosa,Iris-versicolor,Iris-virginica}

```

The **Data** of the ARFF file looks like the following:

```

@DATA
5.1,3.5,1.4,0.2,Iris-setosa
4.9,3.0,1.4,0.2,Iris-setosa
4.7,3.2,1.3,0.2,Iris-setosa
4.6,3.1,1.5,0.2,Iris-setosa
5.0,3.6,1.4,0.2,Iris-setosa
5.4,3.9,1.7,0.4,Iris-setosa
4.6,3.4,1.4,0.3,Iris-setosa
5.0,3.4,1.5,0.2,Iris-setosa
4.4,2.9,1.4,0.2,Iris-setosa
4.9,3.1,1.5,0.1,Iris-setosa

```