

AP02 reserve compounds: potency and selectivity

BW25_0600 | Avernoelwick Pharmaceuticals Ltd | Client readout, 26 January 2026

Summary

- 24 reserve compounds tested in the Primary potency assay (10-point, ATP at Km)
 - Best IC50 8.7 nM; staurosporine control within range on every plate
- Selectivity sweep at 1 μ M on six representatives against 16 off-target kinases
- Recommendation: progress the compound with the narrowest off-target fingerprint (slide 7)


Plate acceptance

- All plates: $Z' \geq 0.6$, staurosporine IC50 within historical range
- No compound showed signal interference in the counter-read
- Two compounds repeated on day 2 after a dispensing error; repeat data reported

Primary potency (first 12 compounds)

Compound	IC50 (nM)	Hill slope
AP02-01400	751	1.02
AP02-01410	617	1.15
AP02-01416	126	1.13
AP02-01418	855	0.87
AP02-01428	287	1.12
AP02-01430	144	1.07
AP02-01440	132	1.00
AP02-01446	383	0.99
AP02-01452	111	1.13
AP02-01458	211	1.21
AP02-01460	29	1.13
AP02-01466	1344	1.07

Potency across the screening set




Selectivity sweep: % inhibition at 1 μ M

Kinase	AP02-01400	AP02-01410	AP02-01416	AP02-01418	AP02-01428	AP02-01430
ABL1	27	8	47	11	7	96
AURKA	39	0	0	36	69	31
CDK2	69	26	0	0	27	33
CHEK1	14	0	62	55	13	31
EGFR	3	20	18	96	65	39
FLT3	38	9	0	29	5	22
GSK3B	36	31	29	27	72	25
JAK2	0	23	0	61	17	0
KDR	6	58	27	0	61	16
LCK	12	0	58	11	17	23
MAPK14	0	18	21	6	0	0
PIK3CA	29	50	20	52	56	12
SRC	72	0	56	52	11	36
SYK	18	29	0	14	24	0
BTK	33	36	0	0	28	0
ROCK1	66	6	57	54	61	31


Ranking

- Potency alone does not separate the top compounds
- The off-target fingerprint does: one compound hits fewer panel kinases above 50%
- Two potent compounds carry broad off-target inhibition and are not recommended


Compounds in the sweep




AP02-01400




AP02-01410




AP02-01416



AP02-01418



AP02-01428



AP02-01430

Next steps

- Avernoelwick to choose the reserve compound for the next chemistry round
- Optional: full concentration response on the off-targets above 50%
- Data package: run sheets and summary workbook sent with this readout
- Contact: Dr B. Rowcroft, Screening Operations Director