

NM-84: dosing-lot exposure bridge

MV-2023-288 | Nimbravelle Medicines Inc

11/27/2023 | Megan Larkin | Final R1

Merrivoss Bioanalysis Inc, a Tarnovell company

Study question

- Does the dosing-lot change alter the exposure basis of the existing efficacy interpretation?
- Study MV-2023-288; accession M23/BIO/06630.
- Rat exposure with tandem-MS bioanalysis addresses the lot bridge, rather than a new efficacy question.

Species and matrix context

- Species: rat. Retain the original dosing and sampling context with the lot comparison.
- Interpret concentrations within the sampled matrix and its matching calibration conditions.
- Do not transfer the conclusion to another species or matrix.

Matrix acceptance before exposure

- Consider calibration, matrix controls and sample handling together.
- Compare the dosing lots through measurements suitable for the same analytical question.
- Helen Marchwood is the Bioanalytical Quality Manager for this study.


Analytical limits

- Tandem-MS response supports measurement; signal alone does not establish vial identity.
- A result below the quantitation limit is qualified, not a measured zero.
- Javier Quintana is the Mass-Spectrometry Manager.
- No numerical lower limit is stated in this presentation.

Accession lots and dosing linkage

- Preserve the original lot designation alongside dosing and analytical entries.
- Use M23/BIO/06630 to trace study material.
- The NM-84 name alone does not establish interchangeability.
- Keep the dosing-lot change visible in the analyte card.

Study sequence



Reading the exposure bridge

- The comparison concerns exposure across the original and replacement dosing lots.
- Retain dose, route and sampling assumptions when quoting the conclusion.
- Integrated exposure is expressed in ng·h/mL; no numerical AUC values are reproduced here.

Completed study finding

- Comparable exposure across the two lots allowed Nimbravelle Medicines Inc to retain the original efficacy interpretation.
- The lot change did not require a revised exposure explanation for the efficacy observation.
- This conclusion is specific to NM-84 and the completed bridge.

Boundaries of the decision

- The bridge does not establish efficacy in another model.
- A new formulation, route or species requires its own exposure assessment.
- Future accession lots still require their own material and analytical records.

DMPK memo handoff

- Megan Larkin: retain the original efficacy interpretation with this bridge cited.
- Javier Quintana: preserve analytical linkage in the study record.
- Helen Marchwood: retain matrix acceptance documentation with the assay worksheet.
- Quote project and accession identifiers together.

Final disposition | 11/27/2023

- MV-2023-288 is completed.
- Nimbraville Medicines Inc may retain the original efficacy interpretation on the basis of comparable lot exposure.
- Carry analytical assumptions with the conclusion whenever it is reused.