

安装RaiDrive

文件在指南目录下, 你也可以自行下载

配置

最简单只需要填 refreshToken(建议改端口 防止被占用)



获取refreshToken

1. 登录阿里云

2. 浏览器打开开发者模式(F12)



3. 获取refreshToken

The screenshot shows the Chrome DevTools Application tab. The left sidebar is expanded to 'Storage' > 'Local Storage'. A red box highlights the entry for 'https://www.aliyundrive.com'. A red arrow points from this entry to the 'token' key in the 'Key' column of the storage table. The 'Value' column shows a JSON object with a 'refresh_token' field, which is also highlighted by a red box.

Key	Value
last-active-t...	
shareToken	
token	{ "domain_id": "...", "exist_link": ..., "expire_time": ..., "expires_in": ..., "is_first_lc": ..., "need_link": ..., "need_to_ver": ..., "nick_name": "...", "pin_setup": "...", "refresh_token": "...", "role": "user" }
APLUS_CNA	
ADRIE_LA...	
isg_...	
APLUS_LS_...	
ADRIE_VI...	
APLUS_S_C...	

```
{  
  "domain_id": "...",  
  "exist_link": ...,  
  "expire_time": ...,  
  "expires_in": ...,  
  "is_first_lc": ...,  
  "need_link": ...,  
  "need_to_ver": ...,  
  "nick_name": "...",  
  "pin_setup": "...",  
  "refresh_token": "...",  
  "role": "user"  
}
```