TEAM ID:PNT2022TMID41505

Final output

Import datagenerator to train and test

In [83]:

from tensorflow.keras.preprocessing.image import ImageDataGenerator

In [847:

train_datagen = ImageDataGenerator(rescale =

1./255, shear range=0.2, zoom range=

0. 2, horizontal_flip=True, vertical_flip=False)

In [85]:

test_datagen = ImageDataGenerator(rescale = 1./255)

In [82]:

import tensorflow as tfimport osfrom tensorflow.keras.models import
Sequentialfrom tensorflow.keras.layers import Dense, Conv2D,
Flatten, Dropout, MaxPooling2Dfrom

tensorflow.keras.preprocessing.image import

ImageDataGeneratorimport numpy as npimport matplotlib.pyplot as pltimport IPython.display as displayfrom PIL import Imageimport pathlib

Apply ImageDataGenerator Functionality To Train And Test set

In [867:

from google.colab import drive

In [87]:

from tensorflow.keras.preprocessing.image import
ImageDataGeneratorprint("This dataset has been created and uploaded
by IBM-TeamID-IBM-Project-22773-1659857836")

This dataset has been created and uploaded by IBM-TeamID-IBM-Project-22773-1659857836

In [88]:

x_train=

train_datagen.flow_from_directory(r"/content/drive/MyDrive/dataset/dataset/training_set", target_size=(64,64), class_mode="categorical", batch_size=48)

Found 10324 images belonging to 9 classes.

In [89]:

```
test_datagen.flow_from_directory(r"/content/drive/MyDrive/dataset/d
ataset/test set", target size= (64,64), class mode=
"categorical", batch size=48)
Found 2280 images belonging to 9 classes.
                                                                In [90]:
x_train.class_indices
                                                                Out[90]:
{'A': 0, 'B': 1, 'C': 2, 'D': 3, 'E': 4, 'F': 5, 'G': 6, 'H': 7, 'I':
8}
                                                                In [51]:
x_test.class_indices
                                                                Out[51]:
{'A': 0, 'B': 1, 'C': 2, 'D': 3, 'E': 4, 'F': 5, 'G': 6, 'H': 7, 'I':
8}
MODEL BUILDING
                                                                In [91]:
from keras. models import Sequentialfrom keras. layers import
Densefrom keras.layers import Convolution2Dfrom
tensorflow.keras.layers import Conv2D, MaxPooling2Dfrom
keras. layers import Dropoutfrom keras. layers import Flatten
                                                                In [92]:
model=Sequential()
                                                                 In [93]:
model.add(Convolution2D(32, (3, 3), input shape=(64, 64, 1), activation
= 'relu'))
                                                                In [94]:
model.add(MaxPooling2D(pool size=(2,2)))
                                                                In [95]:
model.add(Flatten())
                                                                In [96]:
model.add(Dense(units=512, activation='relu'))
                                                                In [97]:
model.add(Dense(units=9, activation='softmax'))
                                                                In [98]:
```

 $x_test =$

```
model.compile(loss='categorical_crossentropy', optimizer='adam',
metrics=['accuracy'])
                                                                In [99]:
model.save('Realtime.h5')
                                                                  In []:
a=len(x_train)b=len(x_test)
Length of training and testing data
                                                                  In []:
print(a)print(b)
216
48
TEST THE MODEL
                                                                In [31]:
from tensorflow.keras.models import load_modelfrom
tensorflow.keras.preprocessing import imageimport numpy as npimport
cv2
                                                                In [32]:
img =
image.load_img('/content/drive/MyDrive/dataset/dataset/test_set/F/1
07. png', target_size = (500, 500))img
                                                               Out[32]:
```



In [102]:

```
from skimage.transform import resizedef detect(frame):
    img=image.img_to_array(frame)
    img = resize(img, (64, 64, 1))
    img = np. expand_dims(img, axis=0)
    pred=np.argmax(model.predict(img))
    op=['A','B','C','D','E','F','G','H','I']
    print("THE PREDICTED LETTER IS ",op[pred])

### [101]:

from skimage.transform import resizedef detect(frame):
    img=resize(frame, (64, 64, 1))
    img=np.expand_dims(img, axis=0)
    if(np.max(img)>1):
        prediction=model.predict(img)
        print(prediction)
        prediction=model.predict_classes(img)
```

print(prediction)

In [39]:

arr= image.img_to_array(img)

In [34]:

frame=cv2.imread('/content/drive/MyDrive/dataset/dataset/test_set/F/107.png')data=detect(frame)from google.colab.patches import cv2_imshowcv2_imshow(frame)cv2.waitKey(0)cv2.destroyAllWindows()

1/1 [======] - 0s 285ms/step

THE PREDICTED LETTER IS I



In [79]:

frame=cv2.imread('/content/drive/MyDrive/dataset/dataset/test_set/C
/12.png')data=detect(frame)from google.colab.patches import
cv2_imshowcv2_imshow(frame)cv2.waitKey(0)cv2.destroyAllWindows()

1/1 [======] - 0s 78ms/step

THE PREDICTED LETTER IS A



In [103]:

frame=cv2.imread('/content/drive/MyDrive/dataset/dataset/training_s et/D/1008.png')data=detect(frame)from google.colab.patches import cv2_imshowcv2_imshow(frame)cv2.waitKey(0)cv2.destroyAllWindows()

1/1 [======] - 0s 75ms/step

THE PREDICTED LETTER IS E

