

L^AT_EX Template | Beautiful Homework

1 Basic Advanced Usage

1.1 Enumerate

Enumerate can be used like this:

```
\begin{enumerate}[(a)]
  \item one
  \item deux
  \setcounter{enumi}{4}
  \item fünf
  \begin{enumerate}[i.]
    \item and you can
    \item nest them.
  \end{enumerate}
  \item[item6] Custom item.
\end{enumerate}
```

The code will become:

- (a) 一
- (b) deux
- (e) fünf
 - i. and you can
 - ii. nest them.

item6 Custom item label.

1.2 Math symbols

There are some new symbols defined in this template:

```
\[
\N \Z \Q \R \C \contra
\abs{a}, \ceil{b}, \floor{c}, \inner{x}, \norm{y}, \set{1, 2, \frac{3}{7}}
a * b = c, x \ast y = z
\]
```

$$\text{NZQRC} \not\sim |a|, \lceil b \rceil, \lfloor c \rfloor, \langle x \rangle, \|y\|, \left\{1, 2, \frac{3}{7}\right\} a \cdot b = c, x * y = z$$

You can also use `*` for product, no more `\cdot`!

If you want to have equations with multiple lines and be aligned, you can use `align*`:

$$\begin{aligned} & \int_0^3 |v(t)| dt \\ &= \int_0^1 -v(t) dt + \int_1^3 v(t) dt \\ &= \left(\frac{1}{3}t^3 + \frac{3}{2}t^2 - 4t \right) \Big|_1^0 + \left(\frac{1}{3}t^3 + \frac{3}{2}t^2 - 4t \right) \Big|_1^3 \\ &= \left[0 - \left(\frac{1}{3} + \frac{3}{2} - 4 \right) \right] + \left[\left(9 + \frac{27}{2} - 12 \right) - \left(\frac{1}{3} + \frac{3}{2} - 4 \right) \right] \\ &= \frac{89}{6} \end{aligned}$$

Remember to use `\left(` `x` `\right)` for parantheses autoscaling, and `\limits` to put things on top of / under \sum and more! More examples:

$$\left| 1 + \frac{x}{y} \right|^2$$

$$\left| \frac{1}{1 - \lambda h} \right| \leq 1 \quad \text{and} \quad \bigcup_{i=1}^n \left\{ z \in \mathbb{C} \left| |z - a_{ii}| \leq \sum_{j \neq i} |a_{ij}| \right. \right\}.$$

1.3 Text ornaments

```
\textbf{Bold text}, \textit{Italic \footnote{Actually it's oblique.} text} with
↪ footnote or \textsl{Slanted text}, \texttt{Teletype text}, \emph{Emphasis
↪ with underline}, \underline{Underlined}, \sout{Strike through} work like
↪ this.
```

Bold text, *Italic*¹ text with footnote or *Slanted text*, **Teletype text**, Emphasis with underline, Underlined, ~~Strike through~~ work like this.

¹Actually it's oblique.

1.4 URLs and hyperrefs

```
URLs like this: \url{https://tex.stackexchange.com/questions/61015/
↪ how-to-use-different-colors-for-different-href-commands}\
\href{https://en.wikibooks.org/wiki/LaTeX/Counters}{And hyperref like this.}
```

URLs like this: <https://tex.stackexchange.com/questions/61015/how-to-use-different-colors-for-different-href-commands>

And hyperref like this.

2 Blocks

2.1 Theorems, Lemmas, ...

```
\begin{theorem}
  Theorem 1. \blindtext
\end{theorem}

\begin{lemma}
  Lemma 1. They have seperate numbers.
\end{lemma}

\begin{observation}
  My observation. You can make \verb|\label{}|s...
  \label{myob}
\end{observation}

\begin{lemma}[My lemma]
  ...give them names, and reference them like this:\
  According to \cref{myob}...
\end{lemma}
```

Theorem 1. Theorem 1. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lemma 1. Lemma 1. They have seperate numbers.

Observation 1. My observation. You can make `\label{}`s...

Lemma 2. (My lemma) ...give them names, and reference them like this:

According to Observation 1...

2.2 Problems!

This might be the most useful command of all!

```
\begin{problem}
  This is a problem.
\end{problem}
\problem You can also use without \verb|\begin| and \verb|\end|.
\problem* If you don't want \verb|\problem| to start on a new page, you can add
  ↪ an asterisk after them. It's unlike other commands, where adding an
  ↪ asterisk disables numbering.
\problem*[C8763 --- Starburst] You can also number them yourself!
\problem* Problem numbering is independent, too.
```

Problem 1

This is a problem.

Problem 2

You can also use without `\begin` and `\end`.

Problem 3

If you don't want `\problem` to start on a new page, you can add an asterisk after them. It's unlike other commands, where adding an asterisk disables numbering.

Problem C8763 — Starburst

You can also number them yourself!

Problem 5

Problem numbering is independent, too.

Why do problems start on new page? Because it's more convenient when dealing with GradeScope!

2.3 Code Blocks

You can input code files like this:

```
% \CodeFile[minted options]{lang}{filename}{caption}{label}
\CodeFile[firstline=2]{cpp}{a.cpp}{Example code}{ex}
And refer to them as \cref{code:ex}!
```

```
2 // 這個會出現...
3 // Test comment font
4 #include <bits/stdc++.h>
5 #define MAXN 7122
6
7 int main() {
8     std::cin.tie(0)->sync_with_stdio(0);
9     std::cin.exceptions(std::cin.failbit);
10
11     int a = 998244353;
12     const char c = 'x';
13
14     std::cout << "Hello world!" << std::endl;
15
16     return 0;
17 }
```

Code 1: Example code

And refer to them as Code 1!

Or write code inside the tex file like this:

```
\begin{Code}{cpp}
#include <iostream>
int main() {}
\end{Code} % extra e cause it won't compile
```

```
#include <iostream>
int main() {}
```

```
for (int i = 0; i < 'a'; ++i) cout << zisk;
```

2.4 Images

Though you can manually add images by `\includegraphics`, I've made a command here:

```
% \Image{filename}{caption}{label}
\Image{cactus.jpeg}{Cactus!}{cactus}
And refer to them like \cref{img:cactus}.
```



Figure 1: Cactus!

And refer to them like Figure 1.

3 TikZ

I don't know how to teach TikZ in a short-enough-to-fit-in-this-document length, so here's one example:

```

1 \documentclass[class=minimal,border=1pt]{standalone}
2 \usepackage{tikz}
3
4 \usetikzlibrary{calc}
5
6 \begin{document}
7 \begin{tikzpicture}
8
9   \draw (0, 0) ellipse (2 and 2);
10
11  \foreach \n [count=\i from 0] in {$e^0$,
    ↪ $e^{i\frac{\pi}{3}}$, $e^{i\frac{2\pi}{3}}$, $e^{i\frac{3\pi}{3}}$, ,
    ↪ $e^{i\frac{4\pi}{3}}$, $e^{i\frac{5\pi}{3}}$}
    ↪ {
12    \pgfmathtruncatemacro{\a}{360.0 / 6 * \i};
13    \coordinate (z\i) at ($(\a:2 and 2)$);
14    \node [draw,circle,fill=white,outer sep=1mm] at (z\i) {\n};
15  }
16
17 \end{tikzpicture}
18 \end{document}

```

Code 2: TikZ example

It looks like this:




Figure 2: TikZ example result

I always compile them as different files and input them with figures. However, they can also be done inside the same tex file.

4 Lorem Ipsums

4.1 Chinese lorem

顏色香半，綸海知，舉臥之斯文大…萬里送，*Lorem ipsum dolor* sit amet, consectetur adipiscing elit. 幾度九華帳山色之難難，楚能余亦之難難夜日行陽為君。萬事仙臥月南風何十怨遙夜…風沙，師落葉滿秋，歲閣自照露，征柳啾啾月一曲然不得有殷勤，遠不到酒稀清輝。腸何時還，行路難獨夜南…羅微鳳路雪虛征戰。鳴看煙，衣裳多斜馬，相見秋松下孤城君不見西羽歲王孫：見臨烽火桃李但見茫茫獨，問見得城月涕淚長可聖兒夢不成，掩至今歌。雖識月明如此，曲夢在新到天秋一，寂昔不逢闌干，窗東流水腸斷角不見清天與故人，下兒雨千門微遲里劍閣白，石鼓。

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

4.2 Ipsum

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

沒有好棒，別鳴哈哈，都這個實說不然也不，的人的什麼最好。經不院可以去為什麼有，沒該會人嗎亡如果是，再次存跟我試圖，只有直接說這是放到最近的影片…陌生人…也

知道個月的。其覺得是起來跟不可能也很，畫面待喔好天的簡單很不是聽起來，然已經就聖我的話的聲。再然後道了嗎傍晚時害的，男的話就需要一，或許是的男，去的方法我愛次自行要跟 … 了沒好會的角色這邊，一把的人會出們看記 …