Name-Pawar Vishnu PRN-202201090084 Roll No-652 DIV-F

Assignment 1

Code:

```
#Code1
f1=open("/content/sample data/student.csv","r")
f2=open("/content/sample data/placement.csv","r")
f3=open("/content/sample_data/stud_placement.csv","w")
contents1=f1.read()
contents2=f2.read()
print(contents1)
print(contents2)
nm=[]
package=[]
lines1=contents1.split("\n")
lines2=contents2.split("\n")
lines1.pop()
lines2.pop()
 words1=11.split(",")
   words2=12.split(",")
    if (words1[0] == words2[0]):
       11 = 11 + "," + words2[1] + "," + words2[2] + "\n"
       f3.write(11)
       nm.append(words1[1])
       package.append(int(words2[2]))
       print(11)
fl.close()
f2.close()
f3.close()
```

```
f=open("/content/sample data/stud placement.csv", "r")
contents=f.read()
lines=contents.split("\n")
lines.pop()
sid=[]; nm=[]; company=[]; package=[];
 words=l.split(",")
 sid.append(int(words[0]))
 nm.append(words[1])
 company.append(words[2])
 package.append(int(words[3]))
print("\nStudent IDs",sid)
print("Student Company",company)
print("Student Package",package)
print("\nMaximum Package :",max(package))
print("Minimum Package :", min(package))
print("Average Package :", sum(package)/len(package))
print("Total Package :",sum(package))
print("\nStudent name whose package is maximum :
",nm[package.index(max(package))])
print("Student name whose company is Google : ",end=",")
for i in range(len(company)):
  if company[i] == "Google":
    print(nm[i],end=" ")
print("\nStudent name whose package is 2400000 :
",nm[package.index(2400000)])
print("Student name whose package is minimum :
",nm[package.index(min(package))])
```

```
#Student whose company is Microsoft
print("Student name whose company is Microsoft : ",end=",")
for i in range(len(company)):
   if company[i]=="Microsoft":
      print(nm[i],end=" ")

f=0
#Student whose package is 2000000
for i in range(len(package)):
   if package[i]==2000000:
      print("\nStudent name whose package is 2000000 : ",nm[i])
   f=1

if(f==0):
   print("No any Student present whose package is 2000000")
```

Output:

```
101,Rohan
102,Mayur
103,Pratik
104,Omkar
105,Roshan

101,Cisco,700000
102,Google,2400000
103,TCS,800000
104,Bajaj,1000000
105,Microsoft,2000000

101,Rohan,Cisco,700000

102,Mayur,Google,2400000

103,Pratik,TCS,800000

104,Omkar,Bajaj,1000000

105,Roshan,Microsoft,2000000
```

```
['101', 'Rohan', 'Cisco', '700000']
['102', 'Mayur', 'Google', '2400000']
['103', 'Pratik', 'TCS', '800000']
['104', 'Omkar', 'Bajaj', '1000000']
['105', 'Roshan', 'Microsoft', '2000000']

Student IDs [101, 102, 103, 104, 105]
Student Names ['Rohan', 'Mayur', 'Pratik', 'Omkar', 'Roshan']
Student Company ['Cisco', 'Google', 'TCS', 'Bajaj', 'Microsoft']
Student Package [700000, 2400000, 800000, 1000000, 2000000]

Maximum Package : 2400000
Minimum Package : 700000
Average Package : 1380000.0
Total Package : 6900000

Student name whose package is maximum : Mayur
Student name whose package is 2400000 : Mayur
Student name whose package is 2400000 : Mayur
Student name whose package is minimum : Rohan
Student name whose company is Microsoft : ,Roshan
Student name whose package is 2000000 : Roshan
```