

Ruby Unless and Until

660710592 Chaiyaphat Thathon

Until

คำสั่ง until นั้นจะทำงานก็ต่อเมื่อในขณะนั้นเงื่อนไขเป็น เท็จและก็จะทำงานจนกว่าเงื่อนไขจะเป็นจริง ซึ่งคำสั่ง until นั้นจะตรงกับข้ามกับคำสั่ง while ที่จะทำงานก็ต่อ เมื่อเงื่อนไขในขณะนั้นเป็นจริง Syntax ของคำสั่ง until นั้นจะเหมือนกับคำสั่ง while ต่างกันแค่เงื่อนไขที่จะ ทำงาน กับเปลี่ยนคำว่า while เป็นคำว่า until แทน



Basic Syntax

```
until condition do code end
```

Example Code

```
i = 10
until i == 5 do
   puts i
   i = i - 1
end
```

<u>Output</u>

10

9

8

7

6



Modifier Form

code until conditional

or

begin code

end until conditional

Example Code

```
    i = 10
    begin
    puts i
    i = i - 1
    end until i == 5
```

Output

10

9

8

7

6



เปรียบเทียบคำสั่ง until ของภาษา Ruby กับภาษา Java , C , Python

• Ruby Example Code

```
var = 7
until var == 11
do
   puts var * 10
   var = var + 1
end
```

• <u>Java Example Code</u>

```
public class UntilExample {
    public static void main(String[]
    args) {
        int var = 7;
        while (!(var == 11)) {
            System.out.println(var * 10);
            var = var + 1;
        }
    }
}
```

• Python Example Code

```
var = 7
while var != 11:
    print(var *
10)
    var = var + 1
```

• <u>C Example Code</u>

```
#include <stdio.h>
int main() {
   int var = 7;
   while (var != 11) {
      printf("%d\n", var *
10);
      var = var + 1;
   }
   return 0;
```

<u>Output</u>



สรุปผลการเปรียบเทียบภาษา Ruby กับภาษา Java , C , Python

ในภาษา java , c , python นั้นไม่มีคำสั่ง until ถ้าต้องการใช้งานให้ได้ผลลัพธ์ แบบเดียวกันต้องใช้ผ่านคำสั่ง while ที่ตั้งเงื่อนตรงกันข้ามกับคำสั่ง while ปกติ ซึ่งก็คือการตั้งเงื่อนไขเริ่มต้นที่จะทำให้โปรแกรมทำงานนั้นเป็นเท็จนั้นเอง

Unless

คำสั่ง uless นั้นจะทำงานก็ต่อเมื่อเงื่อนไขเป็นเท็จ ซึ่งจะ เป็นคำสั่งที่ตรงข้ามกับคำสั่ง if ที่คำสั่ง if นั้นจะทำงาน ก็ต่อเมื่อเงื่อนไขนั้นเป็นจริง



Basic Syntax

```
unless conditional then code else code end
```

Example Code

```
x = 1
y = 3
unless x == y
  puts "x is not equal to y"
else
  puts "x equal to y"
end
```

<u>Output</u>

x is not equal to y



Modifier Form

code unless conditional

Output

x is not equal to y

Example Code

$$\mathbf{x} = \mathbf{1}$$

$$y = 3$$

puts "x is not equal to y" unless x == y



เปรียบเทียบคำสั่ง unless ของภาษา Ruby กับภาษา Java , C , Python

• Ruby Example Code

```
x = 1
unless x>=2
  puts "x is less than 2"
else
  puts "x is greater than 2"
end
```

• Python Example Code

```
x = 1
if not (x >= 2):
    print("x is less than 2")
else:
    print("x is greater than 2")
    Output
```

x is less than 2

• <u>Java Example Code</u>

```
public class UnlessExample {
  public static void main(String[] args) {
    int x = 1;
    if (!(x >= 2)) {
       System.out.println("x is less than 2");
    } else {
       System.out.println("x is greater than 2");
    }
}
```

• <u>C Example Code</u>

```
#include <stdio.h>
int main() {
   int x = 1;
   if (!(x >= 2)) {
      printf("x is less than 2\n");
   } else {
      printf("x is greater than 2\n");
   }
   return 0;
}
```



สรุปผลการเปรียบเทียบภาษา Ruby กับภาษา Java , C , Python

เช่นเดียวกับคำสั่ง until ในภาษา java , c , python นั้นก็ไม่มีคำสั่ง unless เช่นกัน ดังนั้นถ้าต้องการใช้งานให้ได้ผลลัพธ์แบบเดียวกันต้องใช้คำสั่ง if ที่จะทำเมื่อ เงื่อนไขเป็นเท็จแทน java , c จะใช้ ! ในเงื่อนไข ในขณะที่ python จะใช้ คำสั่ง if not

References

- Smyth, N. (2016, October 27). Ruby while and until loops. Techotopia. Retrieved September 2, 2025, from https://www.techotopia.com/index.php/Ruby_While_and_Until_Loops
- Ruby Core Team. (n.d.). Control expressions: unless expression. Ruby documentation. Retrieved September 2, 2025,

from https://docs.ruby-lang.org/en/master/syntax/control_expressions_rdoc.html#label-unless+Expression

- Ruby Core Team. (n.d.). Control expressions: until loop. Ruby documentation. Retrieved September 2, 2025, from https://docs.ruby-lang.org/en/master/syntax/control_expressions_rdoc.html#label-until+Loop
- Cooper, P. (2016). Beginning Ruby: From novice to professional (3rd ed.), Apress.
 from https://github.com/maniramakumar/the-best-ruby-books/blob/master/books/Beginning%20Ruby %20-%20From%20Novice%20to%20Professional%20-%20Third%20Edition.pdf
- Tutorialspoint. (n.d.). Ruby loops. Tutorialspoint. Retrieved September 2, 2025, from https://www.tutorialspoint.com/ruby/ruby_loops.htm
- Tutorialspoint. (n.d.). Ruby if...else,case,unless. Tutorialspoint. Retrieved September 2, 2025, from https://www.tutorialspoint.com/ruby/ruby_if_else.htm
- GeeksforGeeks. (2025, 11 Jul). Ruby loops (for, while, do while, until). GeeksforGeeks. Retrieved September 2, 2025,

from https://www.geeksforgeeks.org/ruby/ruby-loops-for-while-do-while-until/

• GeeksforGeeks. (2018, 26 Oct). Ruby unless Statement and unless Modifier. GeeksforGeeks. Retrieved September 2, 2025,

from https://www.geeksforgeeks.org/ruby/ruby-unless-statement-and-unless-modifier/

References JAVA, C, PYTHON

- Python Software Foundation. (n.d.). The while statement. In Python documentation (version 3).
 Retrieved September 3, 2025,
 from https://docs.python.org/3/reference/compound_stmts.html#the-while-statement
- Oracle. (n.d.). The while statement. In The Java™ Tutorials. Retrieved September 3, 2025, from https://docs.oracle.com/javase/tutorial/java/nutsandbolts/while.html
- cppreference.com. (n.d.). while statement (C). Retrieved September 3, 2025, from https://en.cppreference.com/w/c/language/while.html=
- Oracle. (n.d.). The if-then-else Statement. Oracle Java Tutorials.Retrieved September 3, 2025, from https://docs.oracle.com/javase/tutorial/java/nutsandbolts/if.html
- ISO C / cppreference. if statement (C). Retrieved September 3, 2025, from https://en.cppreference.com/w/c/language/if.html
- Python Software Foundation. (n.d.). The if statement. Python Docs. Retrieved September 3, 2025, from https://docs.python.org/3/reference/compound_stmts.html#if