# Hello!



Sergiusz Lebedyn



Backend Developer w







# Laravel Queues Are Awesome







#### tourradar No account yet?

Create an account to log in to TourRadar

COMPANY NAME  e.g. Wild Adventures  COMPANY EMAIL  e.g. company@office.com  CHOOSE PASSWORD	(	Once you've created an account, you can log in and complete your onboarding at any time.
Next →		

# Co jest ważne dla strony internetowej? tourradar












### Czym jest kolejka


sekwencja zadań, które oczekują na przetworzenie








## tourradar\*






## tourradar\*





#### Strona rejestracji zrobione o 1 w nocy






#### Controller który obsługuje formularz

```
class RegistrationController extends Controller
{
    public function register(Request $request)
    {
        $this->dispatch(new CreateAsanaTasks($request->input( key: 'company_name')));
        $this->dispatch(new SendConfirmationEmail());
        return view( view: 'welcome', ['success' => true]);
    }
}
```



#### Tabeli 'jobs' i 'failed\_jobs' w bazie danych MySql



```
class CreateAsanaTasks implements ShouldQueue
   use InteractsWithQueue, Queueable, SerializesModels;
   private $companyName;
    public function construct(string $companyName)
       $this->companyName = $companyName;
    public function handle()
        sleep ( seconds: 5);
       if ($this->companyName === 'janusze biznesu' && $this->attempts() === 1) {
            throw new \RuntimeException( message: 'u mnie działa');
```

```
class SendConfirmationEmail implements ShouldQueue
{
   use Dispatchable, InteractsWithQueue, Queueable, SerializesModels;

   public function handle()
   {
       sleep( seconds: 1);
   }
}
```

root@f9c6ed4048a4:/var/www# php artisan make:job CreateAsanaTasks





#### Plik konfiguracji środowiska .env

#### Synchronicznie

Asynchronicznie


```
APP NAME=Laravel
APP NAME=Laravel
                                                                            APP ENV=local
APP ENV=local
                                                                            APP KEY=base64:/d06TvM2fe68rSq9Vp0CovE/1ESEJQS79oB3U0pGkTc=
APP KEY=base64:/d06TvM2fe68rSg9Vp0CovE/1ESEJQS79oB3U0pGkTc=
                                                                            APP DEBUG=true
APP DEBUG=true
                                                                            APP URL=http://localhost
APP URL=http://localhost
                                                                            LOG CHANNEL=stack
LOG CHANNEL=stack
                                                                            DB CONNECTION=mysql
DB CONNECTION=mysql
                                                                            DB HOST=mysql
DB HOST=mysql
                                                                            DB PORT=3306
DB PORT=3306
                                                                            DB DATABASE=default
DB DATABASE=default
                                                                            DB USERNAME=default
DB USERNAME=default
                                                                            DB PASSWORD=secret
DB PASSWORD=secret
                                                                            BROADCAST DRIVER=log
BROADCAST_DRIVER=log
                                                                            CACHE DRIVER=file
CACHE DRIVER=file
                                                                            QUEUE CONNECTION=database
QUEUE CONNECTION=sync
                                                                            SESSION DRIVER=file
SESSION DRIVER=file
                                                                            SESSION LIFETIME=120
SESSION LIFETIME=120
                                                                            REDIS HOST=redis
REDIS HOST=redis
                                                                            REDIS PORT=6379
REDIS PORT=6379
```

root@bf2a24f973fc:/var/www# php artisan queue:work database

php artisan queue:work **vs**php artisan queue:listen



#### Skalowalność



#### Niezawodność

```
root@bf2a24f973fc:/var/www
root@bf2a24f973fc:/var/www# php artisan queue:work database --tries=1
[2018-12-05 15:05:08][49] Processing: App\Jobs\CreateAsanaTasks
[2018-12-05 15:05:08][49] Failed: App\Jobs\CreateAsanaTasks
[2018-12-05 15:05:08][50] Processing: App\Jobs\SendConfirmationEmail
[2018-12-05 15:05:08][50] Processed: App\Jobs\SendConfirmationEmail
```

```
root@bf2a24f973fc:/var/www# php artisan queue:retry all
The failed job [1] has been pushed back onto the queue!
root@bf2a24f973fc:/var/www# _
```

```
root@bf2a24f973fc:/var/www

root@bf2a24f973fc:/var/www# php artisan queue:work database --tries=1

[2018-12-05 15:05:08][49] Processing: App\Jobs\CreateAsanaTasks

[2018-12-05 15:05:08][50] Processing: App\Jobs\SendConfirmationEmail

[2018-12-05 15:05:08][50] Processed: App\Jobs\SendConfirmationEmail

[2018-12-05 15:07:17][51] Processing: App\Jobs\CreateAsanaTasks

[2018-12-05 15:07:22][51] Processed: App\Jobs\CreateAsanaTasks
```





## Thanks!

lebedyn.sergij@gmail.com

https://github.com/lebedyncrs/lublin-it-6



