EGCI 213 Midterm (open book + calculator, no electronic device)

** Student uniform + student card

** Big and clear handwriting

1. **Variable** ➔ lifetime & program's address space, scope
   - Local variable — stack frame of method (in runtime stack) — local scope
   - Static member — static area — allocated to class — visibility level
   - Non-static member — heap — allocated to object — visibility level
   - Final variable — local, static, or non-static that is constant

2. **Array of objects** ➔ creation, usage

3. **Class & object**
   - Member variable — static, non-static
   - Member method — static, non-static
   - Visibility level — public > protected > default (no prefix) > private
   - Constructor — default constructor, constructor chain
   - Overloading — methods/constructors in the same class ➔ different parameters

4. **Inheritance**
   - From parent to child — all parent's components except constructor
   - java.lang.Object — default inheritance
   - Overriding — methods in parent & child ➔ same parameters, >= visibility in child
   - Using parent's member — static ➔ class.member
     non-static ➔ super.member (parent's method must be concrete)
   - Final class — no inheritance
   - Final method — no overriding

```
class Man extends java.lang.Object {
    public Man ( )                  { super( ); }
    public Man (String name)        { this( ); other instructions }
}
```

5. **Abstraction** ➔ pointer type allowed, object creation not allowed
   - Abstract class — constructor, abstract (non-static) method, concrete (static & non-static) method
     static & non-static variable, any visibility
   - Interface — abstract (non-static) method, static final variable, public visibility
   - Child class — class Child extends AbstractParent — single parent class
     class Child implements MomInterface, DadInterface — multiple parent interfaces
   - Inheritance — class extends class, interface extends interface, class implements interface

6. **Polymorphism**
   - Pointer rules — Parent p = new Child ( ); Object p = new Child ( );
     ((Child) p).childMethod( );
     if (p instanceof Child) System.out.println("Child object");
   - Polymorphism rules — all classes have polymorphic method, use parent pointer for all objects
     By class — all classes extend same parent class — parent pointer = parent class
     By interface — all classes implement same interface — parent pointer = interface

7. **Generic & sorting**

- ArrayList<E> E = Child keep 1 type of objects
  E = Parent, ParentInterface keep >1 types of objects for polymorphism
  Usage add ( ), get (int index), size ( )

Man [ ] allPersons = new Man[3]; allPersons[0] = new Man(…) allPersons[1] = new Woman(…); allPersons[2] = new Man(…); Arrays.sort(allPersons); for(Man m : allPersons) m.speak();	ArrayList<Man> allPersons = new ArrayList<Man>(); ArrayList<Man> allPersons = new ArrayList<>(); allPersons.add(new Man(…)); allPersons.add(new Woman(…)); allPersons.add(new Man(…)); Collections.sort(allPersons); for(Man m : allPersons) m.speak();

- Sorting requirement class implements Comparable ➔ method compareTo to return -1, 0, 1

```
class Man implements Comparable<Man> {
    public int compareTo (Man other) {
        if (this.age < other.age)        return -1;    // this is placed before other
        else if (this.age > other.age)   return 1;     // this is placed after other
        else                             return 0;
    }
}
```

8. **Exception**

- Checked exception extend Exception ➔ IOException, FileNotFoundException, InterruptedException
- Unchecked exception extend RuntimeException ➔ NullPointerException, NumberFormatException, ArrayIndexOutOfBoundsException
- Actual type of exception

```
try { … }
catch(Exception e)  { System.err.println( e.getClass().getName() ); }
```

- Method throwing exception checked vs. unchecked exception
- Propagation checked vs. unchecked exception
- Try-catch-finally

9. **Basic coding** ➔ Maven project (src/main/java/…)

- Folder structure & package instruction
- File name & class name
- File path

Questions

Q1. Given a program

- Add proper package instruction, class/file name, file path
- See 9

Q2. Given a program

- Trace the program ➔ output = ? ** only the first n lines will be graded
- Explain properties of some variables or methods in the program
- See 1, 2, 3

Q3. Given interfaces, abstract classes, concrete classes

- Explain inheritance rules ➔ what if some instructions/keywords are added, removed, changed ?
- Explain constructor chain ➔ what if some instructions/keywords are added, removed, changed ?
- Write a few instructions in main method ➔ using ArrayList, object creation, polymorphism, sorting
- See 4, 5, 6, 7

Q4. Given a program with possible exceptions

- Trace the program ➔ why an exception occurs (by which instruction)
  where it is handled (by which catch)
- Output from the program ➔ normal results (System.out) + exception messages (System.err)
  ** only the first n lines will be graded
- What if some instructions/exceptions are added, removed, changed ?
- See 8

** In all questions, when explain the existing / lacking of certain property that causes error (or no error):

- Don't just give a keyword e.g. because this variable is final
- But explain what this keyword means e.g. this variable is final, which means its value can't be changed