

1. ไม่แนบ Token

GET http://localhost:3000/api/v1/auth/me Send

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body 401 Unauthorized • 23 ms • 1.05 KB • ...

{ } JSON Preview Pass the correct auth credentials

```
1 {
2   "error": {
3     "code": "NO_TOKEN",
4     "message": "กรุณาเข้าสู่ระบบก่อนใช้งาน"
5   }
6 }
```

2. Token ถูกต้อง (ดูข้อมูลตนเอง)

GET ▼ http://localhost:3000/api/v1/auth/me Send ▼

Docs Params **Authorization** ● Headers 9 Body ● Scripts Settings Cookies

Auth Type

Bearer Token ▼

The authorization header will be automatically generated when you send the request. [Learn more about Bearer Token](#)

Token

..... 👁 🔒

Body ▼ 200 OK • 10 ms • 1.04 KB • 🌐 ...

{} JSON ▼ ▶ Preview 🖼 Visualize ▼ 🔧 ≡ 🔍 📄 🔗

```
1  {
2      "message": "สำเร็จ",
3      "data": {
4          "id": 1,
5          "email": "test1@example.com",
6          "role": "student",
7          "iat": 1787924785,
8          "exp": 1787928385
9      }
10 }
```

3.ลบข้อมูลด้วยบทบาท student

DELETE ▼ http://localhost:3000/api/v1/students/1 Send

Docs Params **Authorization** Headers 9 Body ● Scripts Settings C

Auth Type
Bearer Token ▼

The authorization header will be automatically generated when you send the request. [Learn more about Bearer Token](#)

Token
.....  

Body ▼ **403 Forbidden** • 8 ms • 1.06 KB • 

{ } JSON ▼ ▶ Preview |  Try with different auth credentials ▼   C

```
1  {
2    "error": {
3      "code": "FORBIDDEN",
4      "message": "คุณไม่มีสิทธิ์เข้าถึงทรัพยากรนี้"
5    }
6  }
```

4.ลบข้อมูลด้วยบทบาท admin

DELETE ▼ http://localhost:3000/api/v1/students/1 Send

Docs Params **Authorization** Headers 9 Body ● Scripts Settings Co

Auth Type
Bearer Token ▼

The authorization header will be automatically generated when you send the request. [Learn more about Bearer Token](#)

Token

.....  

Body ▼ 200 OK • 25 ms • 997 B • 

{ } JSON ▼  Preview  Visualize ▼    

```
1 {  
2   "message": "ลบข้อมูลสำเร็จ"  
3 }
```

5.Token ที่ถูกแก้ไข

GET



http://localhost:3000/api/v1/auth/me

Send

Docs Params **Authorization** Headers 9 Body Scripts Settings

Auth Type

Bearer Token



The authorization header will be automatically generated when you send the request. [Learn more about Bearer Token](#)

Token

.....



Show

Body

401 Unauthorized • 5 ms • 1.04 KB

{ } JSON

Preview



Pass the correct auth credentials



```
1  {
2    "error": {
3      "code": "INVALID_TOKEN",
4      "message": "Token ไม่ถูกต้องหรือหมดอายุ"
5    }
6  }
```