





KITTIPONG SIMLA's Workspace
Search
Invite
Upgrade
No environment
Connect to workspace
Give Postman permission to connect this folder to this workspace. You can set up Git separately for branch-based sync.
Connect to workspace
student-api
.git
node_modules
.env
.env.example
index.js
package-lock.json
package.json
resolvers.js
schema.js
บันทึกผล-attack-scenario.md
ผลการทดสอบ-header-error.pdf
http://localhost:3000/api/v1/students
Save
Share
GET
http://localhost:3000/api/v1/students
Send
Docs
Params
Authorization
Headers 7
Body
Scripts
Settings
Cookies
Headers
Hide auto-generated headers
Key
Value
Description
Bulk Edit
Presets
Postman-Token
<calculated when request is sent>
Host
<calculated when request is sent>
User-Agent
PostmanRuntime/7.55.1
Accept
/
Accept-Encoding
gzip, deflate, br
Connection
keep-alive
Origin
http://malicious-site.example.com
Body
Cookies
Headers 18
Test Results
404 Not Found
3 ms
995 B
Content-Security-Policy
default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;ob...
Cross-Origin-Opener-Policy
same-origin
Cross-Origin-Resource-Policy
same-origin
Origin-Agent-Cluster
?1
Referrer-Policy
no-referrer
Strict-Transport-Security
max-age=31536000; includeSubDomains
X-Content-Type-Options
nosniff
X-DNS-Prefetch-Control
off
X-Download-Options
noopen
X-Frame-Options
SAMEORIGIN
X-Permitted-Cross-Domain-Policies
none
X-XSS-Protection
0
Activate Windows
Go to Settings to activate Windows.
Switch to Local
Terminal
Console
Globals
Vault
Tools


KITTIPONG SIMLA's Workspace
Search
Invite
Upgrade
No environment
Connect to workspace
Give Postman permission to connect this folder to this workspace. You can set up Git separately for branch-based sync.
Connect to workspace
student-api
.git
node_modules
รูปlab04
.env
.env.example
index.js
package-lock.json
package.json
resolvers.js
schema.js
บันทึกผล-attack-scenario.md
ผลการทดสอบ-header-error.pdf
http://localhost:3000/api/v1/unknown-route
Save
Share
GET
http://localhost:3000/api/v1/unknown-route
Send
Docs
Params
Authorization
Headers 7
Body
Scripts
Settings
Cookies
Headers
Hide auto-generated headers
Key
Value
Description
Bulk Edit
Presets
Postman-Token
<calculated when request is sent>
Host
<calculated when request is sent>
User-Agent
PostmanRuntime/7.55.1
Accept
/
Accept-Encoding
gzip, deflate, br
Connection
keep-alive
Origin
http://malicious-site.example.com
Body
Cookies
Headers 18
Test Results
404 Not Found
3 ms
995 B
JSON
Preview
Debug with AI
{
"error": {
"code": "ROUTE_NOT_FOUND",
"message": "ไม่พบเส้นทางที่ร้องขอ"
}
}
Activate Windows
Go to Settings to activate Windows.
Switch to Local
Terminal
Console
Globals
Vault
Tools


KITTIPONG SIMLA's Workspace
Search
Invite
Upgrade
No environment
Connect to workspace
Give Postman permission to connect this folder to this workspace. You can set up Git separately for branch-based sync.
Connect to workspace
student-api
.git
node_modules
รูปlab04
.env
.env.example
index.js
package-lock.json
package.json
resolvers.js
schema.js
บันทึกผล-attack-scenario.md
ผลการทดสอบ-header-error.pdf
GET http://localhost:3000/a
http://localhost:3000/api/v1/students/999
Save
Share
GET
http://localhost:3000/api/v1/students/999
Send
Docs
Params
Authorization
Headers 7
Body
Scripts
Settings
Cookies
Headers
Hide auto-generated headers
Key
Value
Description
Bulk Edit
Presets
Postman-Token
<calculated when request is sent>
Host
<calculated when request is sent>
User-Agent
PostmanRuntime/7.55.1
Accept
/
Accept-Encoding
gzip, deflate, br
Connection
keep-alive
Origin
http://malicious-site.example.com
Body
Cookies
Headers 18
Test Results
404 Not Found
3 ms
995 B
JSON
Preview
Debug with AI
{
"error": {
"code": "ROUTE_NOT_FOUND",
"message": "ไม่พบเส้นทางที่ร้องขอ"
}
}
Activate Windows
Go to Settings to activate Windows.
Switch to Local
Terminal
Console
Globals
Vault
Tools


KITTIPONG SIMLA's Workspace
Search
Invite
Upgrade
POST http://localhost:3000/
http://localhost:3000/api/v1/students
Save
Share
POST
http://localhost:3000/api/v1/students
Send
Docs Params Authorization Headers 9 Body Scripts Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
{
"email": "test@example.com"
}
Connect to workspace
Give Postman permission to connect this folder to this workspace. You can set up Git separately for branch-based sync.
Connect to workspace
student-api
.git
node_modules
รูปlab04
.env
.env.example
index.js
package-lock.json
package.json
resolvers.js
schema.js
บันทึกผล-attack-scenario.md
ผลการทดสอบ-header-error.pdf
Body Cookies Headers 18 Test Results
404 Not Found · 3 ms · 995 B
JSON Preview Debug with AI
{
"error": {
"code": "ROUTE_NOT_FOUND",
"message": "ไม่พบเส้นทางที่ร้องขอ"
}
}
Activate Windows
Go to Settings to activate Windows.
Switch to Local Terminal Console 0 0
Globals Vault Tools


KITTIPONG SIMLA's Workspace
Search
Invite
Upgrade
POST http://localhost:3000/
http://localhost:3000/api/v1/students
Save
Share
POST
http://localhost:3000/api/v1/students
Send
Docs Params Authorization Headers 9 Body Scripts Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
{
"name": "Test Student",
"email": "somying@example.com"
}
Connect to workspace
Give Postman permission to connect this folder to this workspace. You can set up Git separately for branch-based sync.
Connect to workspace
student-api
.git
node_modules
รูปlab04
.env
.env.example
index.js
package-lock.json
package.json
resolvers.js
schema.js
บันทึกผล-attack-scenario.md
ผลการทดสอบ-header-error.pdf
Body Cookies Headers 18 Test Results
404 Not Found · 3 ms · 995 B
JSON Preview Debug with AI
{
"error": {
"code": "ROUTE_NOT_FOUND",
"message": "ไม่พบเส้นทางที่ร้องขอ"
}
}
Activate Windows
Go to Settings to activate Windows.
Switch to Local Terminal Console 0 0
Globals Vault Tools