

ไมแนบ Token 401

week06 > Token ที่ถูกแก้ไข 401 > ไมแนบ Token 401

GET http://localhost:3000/api/v1/auth/me

Params Headers Body

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Headers 20 Status Code 401 Unauthorized

Raw Preview

```
1 {
2   "error": {
3     "code": "NO_TOKEN",
4     "message": "กรุณาเข้าสู่ระบบก่อนใช้งาน"
5   }
6 }
```

Connect Git Terminal Console

Globals Vault Tools

12:03 AM 8/28/2026

Token ถูกต้อง (ดูข้อมูลตนเอง) 200

week06 > Token ที่ถูกแก้ไข 401 > Token ถูกต้อง (ดูข้อมูลตนเอง) 200

GET http://localhost:3000/api/v1/auth/me

Params Headers Body

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Headers 20 Status Code 200 OK

Raw Preview

```
1 {
2   "message": "สำเร็จ",
3   "data": {
4     "id": 1,
5     "email": "student1@example.com",
6     "role": "student",
7     "iat": 1787847888,
8     "exp": 1787859688
9   }
10 }
```

Connect Git Terminal Console

Globals Vault Tools

12:03 AM 8/28/2026

ลบข้อมูลด้วยบทบาท student 403

The screenshot shows the Postman interface with a workspace named "WIRADA INSUAN's Workspace". On the left, under "COLLECTIONS", the "week06" collection is expanded, and the "ลบข้อมูลด้วยบทบาท student 403" item is selected. The main panel displays a DELETE request to the URL "http://localhost:3000/api/v1/students/1". The "Body" tab is active, showing a raw JSON response. The status code is "403 Forbidden".

Query Params:

Key	Value	Description
Key	Value	Description

Body:

```
1 {
2   "error": {
3     "code": "FORBIDDEN",
4     "message": "คุณไม่มีสิทธิ์เข้าถึงทรัพยากรนี้"
5   }
6 }
```

Status Code: 403 Forbidden

ลบข้อมูลด้วยบทบาท admin 200

The screenshot shows the Postman interface with the same workspace. The "week06" collection is expanded, and the "ลบข้อมูลด้วยบทบาท admin 200" item is selected. The main panel displays a DELETE request to the URL "http://localhost:3000/api/v1/students/3". The "Body" tab is active, showing a raw JSON response. The status code is "200 OK".

Query Params:

Key	Value	Description
Key	Value	Description

Body:

```
1 {
2   "message": "ลบข้อมูลสำเร็จ"
3 }
```

Status Code: 200 OK

Token ที่ถูกแก้ไข 401

The screenshot shows the Postman interface with a workspace named "WIRADA INSUAN's Workspace". The left sidebar displays a collection of API requests, including "Token ที่ถูกแก้ไข 401". The main panel shows a GET request to "http://localhost:3000/api/v1/auth/me". The status code is "401 Unauthorized". The response body is a JSON object with an error message: "Token ไม่ถูกต้องหรือหมดอายุ".

Request Details:

- Method: GET
- URL: http://localhost:3000/api/v1/auth/me
- Status Code: 401 Unauthorized

Response Body (Raw):

```
1 {
2   "error": {
3     "code": "INVALID_TOKEN",
4     "message": "Token ไม่ถูกต้องหรือหมดอายุ"
5   }
6 }
```