Ultra Miniature Ceramic SMD Crystal

ABM8-272-T3

Request Samples | Check Inventory

3.2 x 2.5 x 0.8mm
RoHS/RoHS II Compliant
MSL Level = 1

Features

- 3.2 x 2.5 x 0.8 mm miniature package
- Suitable for RoHS compliant reflow
- Wide Operating Temperature (-40ºC to +85ºC)

Applications

- Crystal approved for use with Raspberry Pi RP2040 microcontroller

Key Electrical Specifications

Parameters	Minimum	Typical	Maximum	Units	Notes
Center Frequency		12.000		MHz	
Operation Mode		Fundamental-AT			
Operating Temperature	-40		+85	ºC	
Storage Temperature	-55		+125	ºC	
Frequency Tolerance at +25 ºC	-30		+30	ppm	
Frequency Stability over the Operating Temperature (ref. to +25°C)	-30		+30	ppm	
Equivalent series resistance (R1)			50	Ω	
Shunt Capacitance (C0)			3.0	pF	
Load capacitance (CL)		10		pF	
Drive Level		10	200	µW	
Aging	-5		+5	ppm	@25±3°C, 1st year
Insulation Resistance	500			MΩ	@100Vdc±15V

ABM8-272-T3 is RoHS/RoHS II Compliant and Pb free

Moisture Sensitivity Level (MSL) – This product is Hermetically Sealed and not Moisture Sensitive - MSL = 1

ABRACON

5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 01-18-24

ABRACON IS
ISO9001-2015
CERTIFIED


Ultra Miniature Ceramic SMD Crystal

ABM8-272-T3

Request Samples | Check Inventory

3.2 x 2.5 x 0.8mm
RoHS/RoHS II Compliant
MSL Level = 1

Mechanical Dimensions



Note: Due to material availability, the chamfer could be located on pin #1, 3, or 4. Be advised that the chamfer location has no impact on the electrical performance of the device.

Dimensions: mm

ABRACON

5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 01-18-24

ABRACON IS ISO9001-2015 CERTIFIED

Ultra Miniature Ceramic SMD Crystal


ABM8-272-T3


Request Samples | Check Inventory

3.2 x 2.5 x 0.8mm
RoHS/RoHS II Compliant
MSL Level = 1

Packaging

Tape and Reel (3,000pcs/reel)





Dimensions: mm

ABRACON

5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 01-18-24

ABRACON IS ISO9001-2015 CERTIFIED