

AI Tool Usage Record

Popparit Promwungkwa · Part 1: ChatGPT · Part 2: Claude

Part 1 — ChatGPT (AI Board Game Assistant: Coup)

Log 01: Requirements Clarification

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

“ช่วยวางโครงสร้างเว็บไซต์ AI Board Game Assistant ที่ค้นหาบอร์ดเกมได้หลายเกม และแสดงกฎของเกมที่ใช้เลือก โดยมี AI Tutor, Practice และ Learning Progress”

PROMPT (ENGLISH GLOSS)

“Help define the structure of a multi-game AI Board Game Assistant that allows users to search for board games, view the rules of a selected game, ask questions through an AI Tutor, practice with simulated scenarios, and track learning progress.”

OUTPUT RECEIVED

A proposed application structure consisting of a home page, board game search, game-specific information, an AI Tutor, practice scenarios, and a learning progress section.

VERIFIED AGAINST

The intended project scope and the application's planned user workflow.

EDITS MADE

The application concept was clarified as a multi-game platform rather than a website dedicated exclusively to Coup. Coup was retained as the first game implemented in the prototype, while other games were presented as future extensions.

Log 02: User Interface Design

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

“ช่วยออกแบบ UI ใหม่ให้เป็นหน้าแรกสำหรับค้นหาบอร์ดเกม และค่อยแสดงกฎของเกมหลังจากผู้ใช้เลือกเกม โดยมีเมนูเปลี่ยนภาษาไทยและอังกฤษ”

PROMPT (ENGLISH GLOSS)

“Redesign the user interface around a searchable board game home page. Display game-specific rules and learning features after the user selects a game, and include a Thai-English language switch.”

OUTPUT RECEIVED

A proposed Streamlit layout with a search field, game cards, game details, navigation tabs, and language settings.

VERIFIED AGAINST

The intended navigation flow and the requirement for Thai and English support.

EDITS MADE

The UI structure was adapted to the existing Streamlit application. Game cards were associated with individual game entries, and the language selection was designed to update the interface text.

Log 03: Python and Streamlit Development

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยตรวจสอบและปรับปรุงโค้ด app.py สำหรับหน้าแรก การค้นหาเกม เมนูเกม AI Tutor Practice และ Learning Progress"

PROMPT (ENGLISH GLOSS)

"Review and improve the Streamlit app.py code for the home page, game search, game rules, AI Tutor, practice scenarios, and learning progress."

OUTPUT RECEIVED

Suggested Python code for page configuration, session state, language dictionaries, game listings, tabs, and interactive components.

VERIFIED AGAINST

Python syntax, Streamlit component usage, session state behavior, and the application's intended navigation.

EDITS MADE

The code was organized into sections for configuration, translations, game data, RAG integration, and the main interface. Debugging was still necessary where indentation, variable names, and function calls did not match across files.

Log 04: Bilingual Interface

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยทำเมนูเปลี่ยนภาษาไทยและอังกฤษ และให้ข้อความในแต่ละหน้าสลับตามภาษาที่เลือก"

PROMPT (ENGLISH GLOSS)

"Implement a Thai-English language selector and ensure that the interface text changes according to the selected language."

OUTPUT RECEIVED

A translation dictionary and a proposed language-selection mechanism using Streamlit session state.

VERIFIED AGAINST

The available translation keys and the behavior of the language selector.

EDITS MADE

Interface labels were organized into Thai and English dictionaries. Missing keys and incorrect language references needed to be checked to prevent runtime errors.

Log 05: Knowledge Base Preparation

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยออกแบบโครงสร้าง Knowledge Base สำหรับกฎเกม Coup ในรูปแบบ JSON เพื่อใช้แสดงกฎและค้นหาข้อมูลที่เกี่ยวข้องกับคำถามของผู้เล่น"

PROMPT (ENGLISH GLOSS)

"Help design a JSON knowledge base for Coup rules that can display game rules and retrieve information relevant to players' questions."

OUTPUT RECEIVED

A proposed structured rule format containing rule identifiers, topics, rule descriptions, and keywords.

VERIFIED AGAINST

The project's JSON structure and the authoritative rules available for the game.

EDITS MADE

The rule data was organized for programmatic retrieval. Game rules and numerical values must be checked against a reliable rulebook before being treated as authoritative.

Log 06: Retrieval-Augmented Generation (RAG)

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

“ช่วยตรวจสอบ rag.py ให้ค้นหาข้อมูลที่เกี่ยวข้องจาก Knowledge Base ด้วย semantic search แล้วส่งบริบทให้ Ollama สร้างคำตอบภาษาเดียว กับคำถามของผู้ใช้ พร้อมส่งคืนแหล่งข้อมูล RAG”

PROMPT (ENGLISH GLOSS)

“Review rag.py so that it retrieves relevant rules from the knowledge base using semantic search, passes the retrieved context to Ollama, generates an answer in the user's language, and returns the supporting RAG sources.”

OUTPUT RECEIVED

A proposed RAG pipeline involving knowledge base loading, embedding generation, semantic similarity search, prompt construction, local language model inference, and source reporting.

VERIFIED AGAINST

The expected input and output of the RAG functions, the installed Python packages, the Ollama model name, and the actual response returned by the local model.

EDITS MADE

The RAG logic was separated from the Streamlit interface. The application was intended to receive an answer and a list of retrieved sources. Function signatures and return values needed to remain consistent between app.py and rag.py.

Log 07: AI Tutor Integration

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

“ช่วยเชื่อม AI Tutor ใน app.py กับฟังก์ชัน ask_ai จาก rag.py ให้แสดงทั้งคำอธิบายจาก AI และ RAG Sources โดยไม่ทำให้หน้าเว็บหยุดทำงานเมื่อเกิดข้อผิดพลาด”

PROMPT (ENGLISH GLOSS)

“Connect the AI Tutor in app.py to the ask_ai function in rag.py so that it displays both the AI-generated explanation and the RAG sources, while handling errors without crashing the application.”

OUTPUT RECEIVED

Suggested integration code using function imports, exception handling, a loading indicator, chat history, and source expanders.

VERIFIED AGAINST

The actual function signature, the returned data structure, the availability of the Ollama service, and the rendered chat response.

EDITS MADE

The integration needed to use consistent function names and arguments. Error messages were used to identify problems involving undefined functions, incorrect variables, indentation, and model invocation.

Log 08: Debugging and Error Analysis

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยวิเคราะห์และแก้ข้อผิดพลาดที่เกิดขึ้นใน app.py และ rag.py เช่น IndentationError, NameError, KeyError และปัญหาที่ AI Tutor ไม่สามารถสร้างคำตอบได้"

PROMPT (ENGLISH GLOSS)

"Analyze and help resolve errors in app.py and rag.py, including IndentationError, NameError, KeyError, and failures in generating AI Tutor responses."

OUTPUT RECEIVED

Explanations of common Python errors and suggested corrections involving indentation, variable definitions, translation dictionary keys, function calls, and exception handling.

VERIFIED AGAINST

The traceback shown by Streamlit, the relevant source code, and whether the application ran successfully after each change.

EDITS MADE

Code sections were reviewed to align indentation levels and variable names. Further testing was required after changes because correcting one error did not guarantee that the complete application worked correctly.

Log 09: Local Language Model Configuration

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยตรวจสอบการเรียกใช้ Ollama และโมเดลภาษาท้องถิ่นสำหรับ AI Tutor รวมถึงการตั้งค่า timeout และจำนวน token ที่ใช้สร้างคำตอบ"

PROMPT (ENGLISH GLOSS)

"Review the Ollama integration and local language model configuration for the AI Tutor, including timeout settings and the number of tokens used to generate responses."

OUTPUT RECEIVED

Suggestions for checking the Ollama service, model availability, request parameters, response extraction, and error handling.

VERIFIED AGAINST

The locally installed Ollama model, the service's actual response, and the application's measured response time.

EDITS MADE

The model name and API usage needed to match the installed environment. Response-time improvements were to be evaluated through actual tests rather than assumed from configuration changes.

Log 10: Practice and Learning Progress

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยสร้างสถานการณ์ฝึกฝนกฎเกม Coup พร้อมตัวเลือกคำตอบ ตรวจสอบคำตอบ และแสดงคะแนนความถูกต้องในหน้า Learning Progress"

PROMPT (ENGLISH GLOSS)

"Create Coup practice scenarios with answer choices, answer checking, and accuracy scores displayed on the Learning Progress page."

OUTPUT RECEIVED

A proposed practice-question data structure and Streamlit controls for answer selection and score calculation.

VERIFIED AGAINST

The game rules, the correct answer for each scenario, the answer-index mapping, and the score calculation.

EDITS MADE

Practice questions were structured as reusable data. Scoring needed to be checked to ensure that the displayed accuracy reflected submitted answers and did not incorrectly imply mastery based on unsubmitted or unreviewed work.

Log 11: Documentation and AI Usage Reporting

TOOL USED ChatGPT

PROMPT (AS USED, THAI)

"ช่วยจัดทำ AI Usage Log เป็นภาษาอังกฤษตามรูปแบบ Tool Used, Prompt, Output Received, Verified Against และ Edits Made เพื่อบันทึกการใช้ AI ในการพัฒนาโครงการ"

PROMPT (ENGLISH GLOSS)

"Prepare an English AI Usage Log using the fields Tool Used, Prompt, Output Received, Verified Against, and Edits Made to document AI assistance during project development."

OUTPUT RECEIVED

A structured AI usage log describing the purpose of each AI-assisted development activity, its output, verification method, and subsequent changes.

VERIFIED AGAINST

The actual prompts used, available code, project requirements, observed errors, and tests that were genuinely performed.

EDITS MADE

The log should be revised to reflect the real development history. Unverified test results and AI-generated suggestions must not be reported as confirmed achievements.

Part 2 — Claude (Board Game Tutor Prototype)

Log 01: Requirements Analysis and Initial Prototype

TOOL USED Claude

PROMPT (AS USED, THAI)

"ผมจะทำเว็บเป็นตัวโปรโตไทป์ นี่คือนเอกสาร SRS ผมอยากใช้ภาษา HTML CSS และ JavaScript เท่านั้นในการเขียน ผมมีตัวอย่างหน้าเว็บที่ออกแบบแล้วให้คุณดู คุณช่วยออกแบบเพิ่มเติมตามธีมเพลตที่ผมให้ไปให้เสร็จสมบูรณ์"

PROMPT (ENGLISH GLOSS)

"I am building the website as a prototype. This is the SRS document. I want to write it using only HTML, CSS, and JavaScript. I have an example of a page design for you to look at. Please complete the design by extending it according to the template I provided."

OUTPUT RECEIVED

A single-file HTML/CSS/JavaScript prototype of the Board Game Tutor covering the seven functional requirements in the SRS (FR-1 to FR-7): game search, step-by-step lessons, scenario practice, quizzes, keyword rule search, learning progress, and an admin page. Two sample games (Ticket to Ride and Carcassonne) were used as placeholder content.

VERIFIED AGAINST

The SRS document and the list of functional requirements. The design template had not actually been attached at this point, so the visual style was chosen by the AI rather than copied from the template. The JavaScript was not opened in a real browser.

EDITS MADE

The prototype was kept as a draft so that it could be restyled once the template was provided. The sample game content was treated as unverified and was to be checked against the official rules before real use. It was also noted that progress stored in the browser's localStorage and the simulated admin login are prototype-only and not real user accounts.

Log 02: Redesign Following the Provided Template

TOOL USED Claude

PROMPT (AS USED, THAI)

"นี่คือตัวอย่างเทมเพลต สร้างให้ผมใหม่"

PROMPT (ENGLISH GLOSS)

"This is the example template. Please create it again for me."

OUTPUT RECEIVED

A redesigned prototype that follows the template: a collapsible left sidebar with a logout button, a capsule-shaped search bar at the top, a "popular games" card, and four colored category tiles that filter the games. Additional pages were designed in the same style: user profile, history, suggestions, learning progress, and admin management.

VERIFIED AGAINST

The layout of the template image and the SRS requirements. The JavaScript was checked for syntax errors, but it had not yet been opened in a real browser.

EDITS MADE

Carcassonne was chosen as the popular game because its number of players and playing time matched the template. The Party category was left empty with a placeholder message until the admin adds a game to it. The logout button only exits admin mode because the prototype has no real user accounts.

Log 03: Source Code Export for GitHub

TOOL USED Claude

PROMPT (AS USED, THAI)

"ผมต้องการโค้ดทั้งหมดเพื่อเอาไป commit ใน GitHub"

PROMPT (ENGLISH GLOSS)

"I need all of the code so that I can commit it to GitHub."

OUTPUT RECEIVED

The code split into four files (index.html, style.css, script.js, and README.md), together with the git commands for committing and pushing, and instructions for hosting the page with GitHub Pages. The README described the project, how to run it, and a table of features mapped to the SRS.

VERIFIED AGAINST

The files were checked for JavaScript syntax errors, and the file structure was compared with the original single-file version. They were not opened in a real browser after being split. The Thai font is loaded from Google Fonts, so an Internet connection is needed on first use. The SRS lists the GitHub repository as NONE, so the repository link still has to be added after creating it.

EDITS MADE

The files were downloaded into one folder, and index.html was opened by double-clicking before committing. The README was written in Thai and can be edited to fit the project.

Log 04: Single-File Version for VS Code

TOOL USED Claude

PROMPT (AS USED, THAI)

"ผมอยากได้โค้ดทั้งหมดที่ก๊อปปี้ใน VS Code ในโฟลเดอร์ที่มีนามสกุล .html แล้วใช้ได้เลย ทำได้มั้ยถ้าทำไม่ได้บอกวิธีอื่นเพิ่มเติมด้วย"

PROMPT (ENGLISH GLOSS)

"I want all of the code in a form that I can copy into VS Code, save in a folder with an .html extension, and use immediately. Is that possible? If not, please tell me other methods as well."

OUTPUT RECEIVED

Confirmation that the HTML, CSS, and JavaScript are contained in a single index.html file of about 24 KB, with steps for copying it into VS Code, saving it, and opening it with Live Server or by double-clicking. Alternative methods were also given: downloading the file directly, using the four-file folder for GitHub, and viewing the published page link.

VERIFIED AGAINST

The file size and contents of the single-file version, and the copy-and-save steps. An Internet connection is needed on first load for the Thai font; without it the page still works with a system font.

EDITS MADE

No changes were made to the code. The single-file version was used for local testing, and the four-file folder was kept for committing to GitHub.

Log 05: Replacing the Sample Games

TOOL USED Claude

PROMPT (AS USED, THAI)

"ผมอยากให้เอาโค้ดเดิม มาเขียน และเปลี่ยนทั้งหมดเกมต่อไปนี้เข้าไปให้ผมหน่อย 1.Exploding Kittens 2.Werewolf 3.Mogel Motte 4.คำต้องห้าม และ 5.Spyfall ช่วยเพิ่มเกมเหล่านี้ลงไปในเว็บไซต์ของผมหน่อย"

PROMPT (ENGLISH GLOSS)

"Please take the existing code and replace all of the games with the following: 1. Exploding Kittens, 2. Werewolf, 3. Mogel Motte, 4. Forbidden Words, and 5. Spyfall. Please add these games to my website."

OUTPUT RECEIVED

The code updated with five new games, each with its own lessons, practice scenarios, quiz questions, and searchable rules. The four categories were filled, and the updated files were provided both as a single index.html and as a four-file folder.

VERIFIED AGAINST

The updated code was checked for JavaScript syntax errors. The rules of Mogel Motte and Spyfall were compared with rules found online, while Exploding Kittens and Werewolf were written from standard published rules. For Forbidden Words, only the core mechanics were confirmed: each player has a forbidden word on their forehead, may not say their own word, and must get other players to say it. The player counts ("3+") and playing time ("15-30") were not confirmed, and the penalties and scoring were not confirmed.

EDITS MADE

The storage key used in the browser was renamed so the new games appear immediately; previously saved learning progress is reset. The Werewolf lessons were kept to the basic roles (villager, werewolf, seer), and the unconfirmed details of Forbidden Words were to be checked against the rules in the game box and corrected if needed.

Log 06: Adding Illustrations to Rule Explanations

TOOL USED Claude

PROMPT (AS USED, THAI)

"ผมอยากให้การอธิบายกฎเกมมีภาพประกอบด้วยช่วยให้เข้าใจง่ายขึ้น ยกตัวอย่าง เช่น Werewolf เวลาอธิบาย role ให้มีการ์ดขึ้นมาให้ดูประกอบด้วย"

PROMPT (ENGLISH GLOSS)

"I want the game rule explanations to include illustrations that make them easier to understand. For example, when Werewolf explains the roles, a card should appear for the user to look at."

OUTPUT RECEIVED

Card graphics added to the lessons, the game rule sections, and the rule search results. They are drawn in the code with emoji, colors, and text, so no image files are needed. Examples include the four role cards in Werewolf, the Attack, Skip, Favor, Shuffle, See the Future, Nope, and Defuse cards in Exploding Kittens, the numbered 1-5 cards in Mogel Motte, the location cards in Spyfall, and the hidden word card in Forbidden Words.

VERIFIED AGAINST

The pages were tested in a simulated browser with no errors reported. The layout has not been viewed on a real screen, so the card size and appearance still need to be checked by eye.

EDITS MADE

The browser storage key was renamed again, so the saved progress resets when the new version is first opened. The emoji cards can be replaced with real images or icons if the image files are provided.