

Plrecipe-Post API 명세서

API and SDK Documentation

Version: v1

plrecipe 게시글 서비스 api 명세서

PostRestApiTest

deletePage

GET

/hashtag/delete

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GETW
"http://localhost:8080/hashtag/delete"

Parameters

Responses

Status: 200 - OK

deletePost

PATCH

/delete/{postId}

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X PATCHW
-H "Accept: */*"W
-H "Content-Type: application/json"W
"http://localhost:8080/delete/{postId}"

Parameters

Path parameters

Name	Description
postId*	Integer (int32) Required

Body parameters

Name	Description
------	-------------

body *	<div><div>▼ { []</div><div><div>postId:integer (int32)</div><div>postTitle:string</div><div>postContent:string</div><div>postDate:string</div><div>postDeleteDate:string</div><div>memberId:integer (int32)</div><div>courseId:integer (int32)</div><div>isPostPublic:string</div><div>memberCount:string</div><div>Enum:ONE, TWO, MANY</div></div></div>
	}

Responses

Status: 200 - OK

Schema
<div><div>▼ { []</div><div><div>postId:integer (int32)</div><div>postTitle:string</div><div>postContent:string</div><div>postDate:string</div><div>postDeleteDate:string</div><div>memberId:integer (int32)</div><div>courseId:integer (int32)</div><div>isPostPublic:string</div><div>memberCount:string</div><div>Enum:ONE, TWO, MANY</div></div></div>
}

deletePostHashTag

DELETE

/hashtag/delete/{postHashtagId}

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
curl -X DELETEDW -H "Accept: */*"W "http://localhost:8080/hashtag/delete/{postHashtagId}"								

Parameters

Path parameters

Name	Description
postHashtagId*	Integer (int32) Required

Responses

Status: 200 - OK

Schema
<div><div>▼ { []</div></div>

```
    postHashtagId: integer (int32)
    hashtagId:      integer (int32)
    postId:         integer (int32)
  }
```

modifyPost

PATCH

/modify/{postId}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PATCH\
-H "Accept: */*" \
-H "Content-Type: application/json" \
"http://localhost:8080/modify/{postId}"
```

Parameters

Path parameters

Name	Description
postId*	Integer (int32) Required

Body parameters

Name	Description
body *	<div><div>▼ { []</div><div><div>postId: integer (int32)</div><div>postTitle: string</div><div>postContent: string</div><div>postDate: string</div><div>postDeleteDate: string</div><div>memberId: integer (int32)</div><div>courselId: integer (int32)</div><div>isPostPublic: string</div><div>memberCount: string</div><div>Enum: <div>ONE</div>, <div>TWO</div>, <div>MANY</div></div></div></div>

Responses

Status: 200 - OK

- Schema

▼ { }

postId:integer (int32)

postTitle:string

postContent:string

postDate:string

postDeleteDate:string

memberId:integer (int32)

courseId:integer (int32)

isPostPublic:string

memberCount:string

Enum:ONE, TWO, MANY

}

postLike

POST

/like

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: */*" \
-H "Content-Type: application/json" \
"http://localhost:8080/like"
```

Parameters

Body parameters

Name	Description
body *	<div><div>▼ { }</div><div><div>postId:integer (int32)</div><div>postTitle:string</div><div>postContent:string</div><div>postDate:string</div><div>postDeleteDate:string</div><div>memberId:integer (int32)</div><div>courseId:integer (int32)</div><div>isPostPublic:string</div><div>memberCount:string</div><div>Enum:ONE, TWO, MANY</div></div><div>}</div></div>

Responses

Status: 200 - OK

Schema

▼ { }

postId:integer (int32)

postTitle:string

postContent:string

postDate:string

postDeleteDate:string

memberId:integer (int32)

```

    courseId:      integer (int32)
    isPostPublic:  string
    memberCount:   string
    Enum: ONE, TWO, MANY
  }
}
```

registHashTag

POST

/regist/hashtag

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: */*" \
-H "Content-Type: application/json" \
"http://localhost:8080/regist/hashtag"
```

Parameters

Body parameters

Name	Description
body *	<div>▼ { }</div> <div>hashtagId: integer (int32)</div> <div>hashtagTitle: string</div> <div>}</div>

Responses

Status: 200 - OK

Schema
<div>▼ { }</div> <div>hashtagId: integer (int32)</div> <div>hashtagTitle: string</div> <div>}</div>

registPost

POST

/regist

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: */*" \
-H "Content-Type: application/json" \
"http://localhost:8080/regist"
```

Parameters

Body parameters

Name	Description
body *	<div><div>▼ { []</div><div><div>postId:integer (int32)</div><div>postTitle:string</div><div>postContent:string</div><div>postDate:string</div><div>postDeleteDate:string</div><div>memberId:integer (int32)</div><div>courseId:integer (int32)</div><div>isPostPublic:string</div><div>memberCount:string</div><div>Enum:<div>ONE, TWO, MANY</div></div></div></div>

Responses

Status: 200 - OK

Schema
<div><div>▼ { []</div><div><div>postId:integer (int32)</div><div>postTitle:string</div><div>postContent:string</div><div>postDate:string</div><div>postDeleteDate:string</div><div>memberId:integer (int32)</div><div>courseId:integer (int32)</div><div>isPostPublic:string</div><div>memberCount:string</div><div>Enum:<div>ONE, TWO, MANY</div></div></div></div>

registPostAndHashtag

POST

/regist_both

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: */*"
-H "Content-Type: application/json"
"http://localhost:8080/regist_both"
```

Parameters

Body parameters

Name	Description
------	-------------

body *

▼ { }

post:

▼ { }

postId: integer

postTitle: string

postContent: string

postDate: string

postDeleteDate: string

memberId: integer

courseId: integer

isPostPublic: string

memberCount: string

hashtagId: ▼ []

integer (int32)

Responses

Status: 200 - OK

Schema

▼ { }

selectAllPost

GET

/posts

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: */*"
"http://localhost:8080/posts"
```

Parameters

Responses

Status: 200 - OK

Schema

▼ []

▼ { }

postId: integer (int32)

postTitle: string

postContent: string

postDate: string

postDeleteDate: string

memberId: integer (int32)

courseId: integer (int32)

isPostPublic: string

memberCount: string

Enum:

ONE

,

TWO

,

MANY

```
member: {
  memberId: integer (int32)
  memberName: string
  memberNickname: string
  memberGrade: string
  Enum: [ROLL_MEMBER, ROLL_ADMIN]
}
```

selectMemberPosts

GET

/posts/{memberId}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: */*" \
"http://localhost:8080/posts/{memberId}"
```

Parameters

Path parameters

Name	Description
memberId*	Integer (int32) Required

Responses

Status: 200 - OK

Schema


```
▼ [ ]
  ▼ { }
    postId: integer (int32)
    postTitle: string
    postContent: string
    postDate: string
    postDeleteDate: string
    memberId: integer (int32)
    courseId: integer (int32)
    isPostPublic: string
    memberCount: string
      Enum: ONE , TWO , MANY
    member: ▼ { }
      memberId: integer (int32)
      memberName: string
      memberNickname: string
      memberGrade: string
      Enum: ROLL_MEMBER , ROLL_ADMIN
    }
  }
}
```

selectPostHashtags

GET

/hashtag/{postId}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: */*" \
"http://localhost:8080/hashtag/{postId}"
```

Parameters

Path parameters

Name	Description
postId*	Integer (int32) Required

Responses

Status: 200 - OK

Schema

```
▼ [ ]
  ▼ { }
    postHashtagId: integer (int32)
    postDTO: ▼ { }
      postId: integer (int32)
      postTitle: string
      postContent: string
      postDate: string
      postDeleteDate: string
```

```

    memberId:      integer (int32)
    courseId:      integer (int32)
    isPostPublic:  string
    memberCount:   string
                  Enum: ONE, TWO, MANY
    member:        ▼ { []
                    memberId:      integer (int32)
                    memberName:    string
                    memberNickname: string
                    memberGrade:   string
                                  Enum: ROLL_MEMBER, ROLL_ADMIN
                  }
  }
  hashtagDTO: ▼ { []
    hashtagId: integer (int32)
    hashtagTitle: string
  }
}
]
```

selectPostsByLikes

GET

/likes/{postId}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: */*" \
"http://localhost:8080/likes/{postId}"
```

Parameters

Path parameters

Name	Description
postId*	Integer (int32) Required

Responses

Status: 200 - OK

Schema

▼ [[]
 ▼ { []
 postLikeld: integer (int32)
 memberId: integer (int32)
 postId: integer (int32)
 }
]

selectPostsByMemberCounts

GET

/memberCounts/{memberCounts}

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\
-H "Accept: */*" \
"http://localhost:8080/memberCounts/{memberCounts}"
```

Parameters

Path parameters

Name	Description
memberCounts*	String Required

Responses

Status: 200 - OK

Schema

▼ [{}

▼ { {}

postId: integer (int32)

postTitle: string

postContent: string

postDate: string

postDeleteDate: string

memberId: integer (int32)

courseld: integer (int32)

isPostPublic: string

memberCount: string

Enum: ONE , TWO , MANY

member: ▼ { {}

memberId: integer (int32)

memberName: string

memberNickname: string

memberGrade: string

Enum: ROLL_MEMBER , ROLL_ADMIN

selectPostsByStatus

GET

/status/{postStatus}

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\
-H "Accept: */*" \
"http://localhost:8080/status/{postStatus}"
```

Parameters

Path parameters

Name	Description
postStatus*	String Required

Responses

Status: 200 - OK

Schema

▼ [{}

▼ { {}

postId: integer (int32)

postTitle: string

postContent: string

postDate: string

postDeleteDate: string

memberId: integer (int32)

courselId: integer (int32)

isPostPublic: string

memberCount: string

Enum: ONE, TWO, MANY

member: ▼ { {}

memberId: integer (int32)

memberName: string

memberNickname: string

memberGrade: string

Enum: ROLL_MEMBER, ROLL_ADMIN

}

]