# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for contents of text-input area**

Checker Input

Show ☑ source  ☐ outline  ☐ image report   [Options…]

Check by [text input ▾] ☐ css

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <!-- CSRF Token -->
        <meta name="csrf-token"
content="leO47qWNnyWVZxwfE3lODf0xvMsjZ69VIn9C5PHC">

        <title>UPConnect</title>

        <!-- Styles -->
        <link href="http://localhost:8000/css/milligram.min.css"
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 16, column 9; to line 16, column 39]

   >↵          <script type="text/javascript">↵

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 20, column 9; to line 20, column 86]

   >↵          <script type="text/javascript"
   src="http://localhost:8000/js/app.js" defer="">↵

3. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 22, column 9; to line 22, column 89]

   >↵          <script type="text/javascript"
   src="http://localhost:8000/js/search.js" defer=""> ↵

4.  **Warning** **Section lacks heading. Consider using** `h2 - h6` **elements to** **add**

    **identifying headings to all sections, or else use a** `div` **element instead for any**

    **cases where no heading is needed.**

    From line 39, column 13; to line 39, column 34

    ```
    <section id="content">⏎
    ```

**Document checking completed.**

## Source

```
 1.  <!DOCTYPE html>⏎
 2.  <html lang="en">⏎
 3.      <head>⏎
 4.          <meta charset="utf-8">⏎
 5.          <meta http-equiv="X-UA-Compatible" content="IE=edge">⏎
 6.          <meta name="viewport" content="width=device-width, initial-
     scale=1">⏎
 7.  ⏎
 8.          <!-- CSRF Token -->⏎
 9.          <meta name="csrf-token"
     content="leO47qWNnyWVZxwfE3lODf0xvMsjZ69VIn9C5PHC">⏎
10.  ⏎
11.          <title>UPConnect</title>⏎
12.  ⏎
13.          <!-- Styles -->⏎
14.          <link href="http://localhost:8000/css/milligram.min.css"
     rel="stylesheet">⏎
15.          <link href="http://localhost:8000/css/app.css"
     rel="stylesheet">⏎
16.          <script type="text/javascript">⏎
17.              // Fix for Firefox autofocus CSS bug⏎
18.              // See: http://stackoverflow.com/questions/18943276/html-5-
     autofocus-messes-up-css-loading/18945951#18945951⏎
19.          </script>⏎
20.          <script type="text/javascript"
     src="http://localhost:8000/js/app.js" defer="">⏎
21.          </script>⏎
22.          <script type="text/javascript"
     src="http://localhost:8000/js/search.js" defer=""> ⏎
23.          </script>⏎
24.      </head>⏎
25.      <body>⏎
26.          <main>⏎
27.              <header>⏎
28.                  <div>⏎
29.                      <h1><a
     href="http://localhost:8000/feed">UPConnect</a></h1>⏎
30.                      <span class="tooltip">(?)<span
     class="tooltiptext">Return to the Main Page at any time by clicking
     UPConnect</span></span>⏎
31.                  </div>⏎
32.                              <div>⏎
33.                      <a class="button"
     href="http://localhost:8000/logout"> Logout </a> ⏎
34.                          <a href="http://localhost:8000/user/3">
     <span>client</span> </a>⏎
35.                          <span class="tooltip">(?)<span
     class="tooltiptext">You are logged in! Logout or click on your username
     to see your profile!</span></span>⏎
36.                  </div>⏎
37.                                      <a class="button"
     id="search_button" href="http://localhost:8000/searchQuestionForm">
     Search </a>⏎
38.              </header>⏎
39.          <section id="content">⏎
40.              <section id="feed">⏎
```

```
41.  ↵
42.  <a class="button" href="http://localhost:8000/questions/create"> Post
     Question </a>↵
43.  ↵
44.  <span class="tooltip">(?)<span class="tooltiptext">This is your main
     feed! Click the button to post a new question (you will need to have an
     account) or just keep browsing!</span></span> ↵
45.  ↵
46.  <div id="aba_buttons">↵
47.      <button onclick="openTab('topQuestions')">Top</button>↵
48.      <button onclick="openTab('newQuestions')">New</button>↵
49.      <button onclick="openTab('followedQuestions')">Followed</button>↵
50.      <span class="tooltip">(?)<span class="tooltiptext">Choose a feed of
     Questions to see! Most upvoted, newest, or from accounts/ tags that you
     follow!</span></span>↵
51.  </div>↵
52.  ↵
53.  ↵
54.  ↵
55.      <div id="topQuestions" class="tab-content" style="display: block;">↵
56.          <h2>Top Questions</h2>↵
57.                  <div class="question">↵
58.              <a href="http://localhost:8000/questions/1">↵
59.                  <h2>Is the building open?</h2>↵
60.                  <p>Score:12 | posted by admin on 2023-12-19
     11:39:42.997082 </p>↵
61.                  </a>↵
62.              </div>↵
63.                  <div class="question">↵
64.              <a href="http://localhost:8000/questions/3">↵
65.                  <h2>What are your favourite programming languages?
     </h2>↵
66.                  <p>Score:8 | posted by client on 2023-12-19
     11:39:42.997082 </p>↵
67.                  </a>↵
68.              </div>↵
69.                  <div class="question">↵
70.              <a href="http://localhost:8000/questions/2">↵
71.                  <h2>What are some questions science actually still
     cant answer?</h2>↵
72.                  <p>Score:7 | posted by mod on 2023-12-19
     11:39:42.997082 </p>↵
73.                  </a>↵
74.              </div>↵
75.              </div>↵
76.  ↵
77.      <div id="newQuestions" class="tab-content" style="display: none;">↵
78.          <h2>New Questions</h2>↵
79.                  <div class="question">↵
80.              <a href="http://localhost:8000/questions/2">↵
81.                  <h2>What are some questions science actually still
     cant answer?</h2>↵
82.                  <p>Score:7 | posted by mod on 2023-12-19
     11:39:42.997082 </p>↵
83.                  </a>↵
84.              </div>↵
85.                  <div class="question">↵
86.              <a href="http://localhost:8000/questions/3">↵
87.                  <h2>What are your favourite programming languages?
     </h2>↵
88.                  <p>Score:8 | posted by client on 2023-12-19
     11:39:42.997082 </p>↵
89.                  </a>↵
90.              </div>↵
91.                  <div class="question">↵
92.              <a href="http://localhost:8000/questions/1">↵
93.                  <h2>Is the building open?</h2>↵
94.                  <p>Score:12 | posted by admin on 2023-12-19
     11:39:42.997082 </p>↵
95.                  </a>↵
96.              </div>↵
97.              </div>↵
98.              <div id="followedQuestions" class="tab-content"
     style="display: none;">↵
99.          <h2>Followed Questions</h2>↵
100.                 <div class="question">↵
```

```
101.                    <a href="http://localhost:8000/questions/2">↵
102.                        <h2>What are some questions science actually still
        cant answer?</h2>↵
103.                        <p>Score:7 | posted by mod on 2023-12-19
        11:39:42.997082 </p>↵
104.                    </a>↵
105.                </div>↵
106.                    <div class="question">↵
107.                    <a href="http://localhost:8000/questions/1">↵
108.                        <h2>Is the building open?</h2>↵
109.                        <p>Score:12 | posted by admin on 2023-12-19
        11:39:42.997082 </p>↵
110.                    </a>↵
111.                </div>↵
112.                    </div>↵
113.        </section>↵
114.        <script src="http://localhost:8000/js/feed_tab.js"></script>↵
115. </section>↵
116.                ↵
117.            </main>↵
118.            <footer>↵
119.                <nav>↵
120.                    <a href="http://localhost:8000/tags">Tags</a>↵
121.                    <a href="http://localhost:8000/aboutus">About Us</a>↵
122.                    <a href="http://localhost:8000/mainfeatures">Main
        Features</a>↵
123.                    <a href="http://localhost:8000/contacts">Contacts
        Page</a>↵
124.                </nav>↵
125.            </footer>↵
126.        ↵
127. ↵
128. </body></html>
```

Used the HTML parser.

Total execution time 9 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 23.11.28

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for contents of text-input area**

---

**Checker Input**

Show ☑ source ☐ outline ☐ image report [ Options… ]

Check by [ text input ⌄ ] ☐ css

```
                        <li>Moderator</li>
                </ul>
    </a>
</article>          </section>
    </section>
    <section id="managetags">
        <h2>Tag Management</h2>
        <a class="button" href="/tags/create">Create New Tag</a>
        <section id="tag_listing">
            Current Tags:
            <ul>
                                <li><a
href="http://localhost:8000/tags/1">Technology</a></li>
                                <li><a
href="http://localhost:8000/tags/2">Science</a></li>
```

[ Check ]

---

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[ Message Filtering ]

1. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   [From line 15, column 9; to line 15, column 39](#)

   >↵          <script type="text/javascript">↵

2. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   [From line 19, column 9; to line 19, column 86](#)

   >↵          <script type="text/javascript"
   src="http://localhost:8000/js/app.js" defer="">↵

3. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   [From line 21, column 9; to line 21, column 89](#)

   >↵          <script type="text/javascript"
   src="http://localhost:8000/js/search.js" defer=""> ↵

4.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 62, column 13; to line 62, column 34](#)

    ```
            <article class="user">↵       <
    ```

5.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 71, column 11; to line 71, column 32](#)

    ```
    </article><article class="user">↵       <
    ```

6.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 80, column 11; to line 80, column 32](#)

    ```
    </article><article class="user">↵       <
    ```

7.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 89, column 11; to line 89, column 32](#)

    ```
    </article><article class="user">↵       <
    ```

8.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 98, column 11; to line 98, column 32](#)

    ```
    </article><article class="user">↵       <
    ```

9.  **Warning**  **Article lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all articles](#).**

    [From line 107, column 11; to line 107, column 32](#)

    ```
    </article><article class="user">↵       <
    ```

10. **Warning**  **Section lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all sections](#), or else use a** `div` **element instead for any cases where no heading is needed.**

    [From line 61, column 9; to line 61, column 35](#)

    ```
    >↵          <section id="user_listing">↵
    ```

11. **Warning**  **Section lacks heading. Consider using** `h2 - h6` **elements to [add identifying headings to all sections](#), or else use a** `div` **element instead for any cases where no heading is needed.**

    [From line 121, column 9; to line 121, column 34](#)

```
>↵
                <section id="tag_listing">↵
```

12.  **Warning**   Section lacks heading. Consider using $h2$ - $h6$ elements to [add identifying headings to all sections](#), or else use a $div$ element instead for any cases where no heading is needed.

[From line 40, column 17; to line 40, column 41](#)

```
            <section id="admin_dash">↵     <
```

13.  **Warning**   Section lacks heading. Consider using $h2$ - $h6$ elements to [add identifying headings to all sections](#), or else use a $div$ element instead for any cases where no heading is needed.

[From line 39, column 13; to line 39, column 34](#)

```
            <section id="content">↵
```

**Document checking completed.**

## Source

```
1.   <!DOCTYPE html>↵
2.   <html lang="en"><head>↵
3.         <meta charset="utf-8">↵
4.         <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
5.         <meta name="viewport" content="width=device-width, initial-
     scale=1">↵
6.   ↵
7.         <!-- CSRF Token -->↵
8.         <meta name="csrf-token"
     content="K8Guc6g7x0Wnmn5EHS4uTZ5EiPD8vTMJlq9olaab">↵
9.   ↵
10.        <title>UPConnect</title>↵
11.  ↵
12.        <!-- Styles -->↵
13.        <link href="http://localhost:8000/css/milligram.min.css"
     rel="stylesheet">↵
14.        <link href="http://localhost:8000/css/app.css"
     rel="stylesheet">↵
15.        <script type="text/javascript">↵
16.            // Fix for Firefox autofocus CSS bug↵
17.            // See: http://stackoverflow.com/questions/18943276/html-5-
     autofocus-messes-up-css-loading/18945951#18945951↵
18.        </script>↵
19.        <script type="text/javascript"
     src="http://localhost:8000/js/app.js" defer="">↵
20.        </script>↵
21.        <script type="text/javascript"
     src="http://localhost:8000/js/search.js" defer=""> ↵
22.        </script>↵
23.     </head>↵
24.     <body>↵
25.        <main>↵
26.           <header>↵
27.              <div>↵
28.                 <h1><a
     href="http://localhost:8000/feed">UPConnect</a></h1>↵
29.                 <span class="tooltip">(?)<span
     class="tooltiptext">Return to the Main Page at any time by clicking
     UPConnect</span></span>↵
30.              </div>↵
31.                              <div>↵
```

```
32.                           <a class="button"
      href="http://localhost:8000/logout"> Logout </a> ↵
33.                           <a href="http://localhost:8000/user/1">
      <span>admin</span> </a>↵
34.                           <span class="tooltip">(?)<span
      class="tooltiptext">You are logged in! Logout or click on your username
      to see your profile!</span></span>↵
35.                       </div>↵
36.                                             <a class="button"
      href="http://localhost:8000/admindashboard">Admin Dashboard</a>↵
37.                                 <a class="button" id="search_button"
      href="http://localhost:8000/searchQuestionForm"> Search </a>↵
38.           </header>↵
39.           <section id="content">↵
40.               <section id="admin_dash">↵
41.      <section id="manageusers">↵
42.        <h2>User Management</h2>↵
43.        <a class="button" href="/manageusers/create">Create User
      Account</a>↵
44.        <header>↵
45.          <form>↵
46.            <label for="user_search_query">Search for user:</label>↵
47.            <div id="search_container">↵
48.                  <input type="search" id="user_search_query"
      placeholder="Search by name">↵
49.                  <button type="submit" id="submitUserSearch"> Go
      </button>↵
50.            </div>↵
51.          </form>↵
52.        </header>↵
53.        <div class="users_table">↵
54.          <ul>↵
55.            <li>Name</li>↵
56.            <li>ID</li>↵
57.            <li>Email</li>↵
58.            <li>Role</li>↵
59.          </ul>↵
60.        </div>↵
61.        <section id="user_listing">↵
62.          <article class="user">↵
63.      <a href="http://localhost:8000/user/1">↵
64.          <ul>↵
65.            <li>admin</li>↵
66.            <li>#1</li>↵
67.            <li>admin@admin.com</li>↵
68.                    <li>Administrator</li>↵
69.            </ul>↵
70.      </a>↵
71. </article><article class="user">↵
72.      <a href="http://localhost:8000/user/2">↵
73.          <ul>↵
74.            <li>mod</li>↵
75.            <li>#2</li>↵
76.            <li>mod@mod.com</li>↵
77.                    <li>Moderator</li>↵
78.            </ul>↵
79.      </a>↵
80. </article><article class="user">↵
81.      <a href="http://localhost:8000/user/3">↵
82.          <ul>↵
83.            <li>client</li>↵
84.            <li>#3</li>↵
85.            <li>client@client.com</li>↵
86.                    <li>User</li>↵
87.            </ul>↵
88.      </a>↵
89. </article><article class="user">↵
90.      <a href="http://localhost:8000/user/4">↵
91.          <ul>↵
92.            <li>John Doe</li>↵
93.            <li>#4</li>↵
94.            <li>john@example.com</li>↵
95.                    <li>User</li>↵
96.            </ul>↵
97.      </a>↵
98. </article><article class="user">↵
```

```
99.        <a href="http://localhost:8000/user/5">↵
100.           <ul>↵
101.               <li>Jane Smith</li>↵
102.               <li>#5</li>↵
103.               <li>jane@example.com</li>↵
104.                           <li>User</li>↵
105.                   </ul>↵
106.        </a>↵
107. </article><article class="user">↵
108.       <a href="http://localhost:8000/user/6">↵
109.           <ul>↵
110.               <li>Alice Johnson</li>↵
111.               <li>#6</li>↵
112.               <li>alice@example.com</li>↵
113.                           <li>Moderator</li>↵
114.                   </ul>↵
115.        </a>↵
116. </article>          </section>↵
117.        </section>↵
118.        <section id="managetags">↵
119.           <h2>Tag Management</h2>↵
120.           <a class="button" href="/tags/create">Create New Tag</a>↵
121.           <section id="tag_listing">↵
122.              Current Tags:↵
123.              <ul>↵
124.                               <li><a
      href="http://localhost:8000/tags/1">Technology</a></li>↵
125.                               <li><a
      href="http://localhost:8000/tags/2">Science</a></li>↵
126.                               <li><a
      href="http://localhost:8000/tags/3">Programming</a></li>↵
127.                              </ul>↵
128.          </section>↵
129.       </section>↵
130. </section>↵
131.           </section>↵
132.       </main>↵
133.       <footer>↵
134.          <nav>↵
135.              <a href="http://localhost:8000/tags">Tags</a>↵
136.              <a href="http://localhost:8000/aboutus">About Us</a>↵
137.              <a href="http://localhost:8000/mainfeatures">Main
      Features</a>↵
138.              <a href="http://localhost:8000/contacts">Contacts
      Page</a>↵
139.          </nav>↵
140.       </footer>↵
141.      ↵
142.  ↵
143. </body></html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

About this checker • Report an issue • Version: 23.11.28

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for contents of text-input area**

Checker Input

Show ☑ source ☐ outline ☐ image report | Options…

Check by [ text input ▼ ] ☐ css

```
id="search_button" href="http://localhost:8000/searchQuestionForm"> Search
</a>
            </header>
            <section id="content">
                    <section id="profile">
        <h1>Username: client</h1>
                <p>Email: client@client.com</p>
        <p>Score: 1</p>
                    <a class="button"
href="http://localhost:8000/user/3/edit">Edit Profile</a>
            <a class="button"
href="http://localhost:8000/user/3/questions">View My Questions</a>
            <a class="button"
href="http://localhost:8000/user/3/answers">View My Answers</a>
            <form method="POST"
```

[ Check ]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[ Message Filtering ]

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 16, column 9; to line 16, column 39

   `>↵          <script type="text/javascript">↵`

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 20, column 9; to line 20, column 86

   `>↵          <script type="text/javascript"`
   `src="http://localhost:8000/js/app.js" defer="">↵`

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 22, column 9; to line 22, column 89

   `>↵          <script type="text/javascript"`
   `src="http://localhost:8000/js/search.js" defer=""> ↵`

4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 41, column 9; to line 41, column 12

```
>↵          <h1>Userna
```

5. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

From line 48, column 84; to line 48, column 186

```
            <input type="hidden" name="_token"
value="leO47qWNnyWVZxwfE3lODf0xvMsjZ69VIn9C5PHC" autocomplete="off">
```

6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 39, column 13; to line 39, column 34

```
            <section id="content">↵
```

**Document checking completed.**

## Source

```
1.  <!DOCTYPE html>↵
2.  <html lang="en">↵
3.  <head>↵
4.          <meta charset="utf-8">↵
5.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.          <meta name="viewport" content="width=device-width, initial-
    scale=1">↵
7.  ↵
8.          <!-- CSRF Token -->↵
9.          <meta name="csrf-token"
    content="leO47qWNnyWVZxwfE3lODf0xvMsjZ69VIn9C5PHC">↵
10. ↵
11.         <title>UPConnect</title>↵
12. ↵
13.         <!-- Styles -->↵
14.         <link href="http://localhost:8000/css/milligram.min.css"
    rel="stylesheet">↵
15.         <link href="http://localhost:8000/css/app.css"
    rel="stylesheet">↵
16.         <script type="text/javascript">↵
17.             // Fix for Firefox autofocus CSS bug↵
18.             // See: http://stackoverflow.com/questions/18943276/html-5-
    autofocus-messes-up-css-loading/18945951#18945951↵
19.         </script>↵
20.         <script type="text/javascript"
    src="http://localhost:8000/js/app.js" defer="">↵
21.         </script>↵
22.         <script type="text/javascript"
    src="http://localhost:8000/js/search.js" defer=""> ↵
23.         </script>↵
24.     </head>↵
25.     <body>↵
26.         <main>↵
```

```
27.              <header>↵
28.                  <div>↵
29.                      <h1><a
    href="http://localhost:8000/feed">UPConnect</a></h1>↵
30.                      <span class="tooltip">(?)<span
    class="tooltiptext">Return to the Main Page at any time by clicking
    UPConnect</span></span>↵
31.                  </div>↵
32.                              <div>↵
33.                      <a class="button"
    href="http://localhost:8000/logout"> Logout </a> ↵
34.                          <a href="http://localhost:8000/user/3">
    <span>client</span> </a>↵
35.                          <span class="tooltip">(?)<span
    class="tooltiptext">You are logged in! Logout or click on your username
    to see your profile!</span></span>↵
36.                  </div>↵
37.                                  <a class="button"
    id="search_button" href="http://localhost:8000/searchQuestionForm">
    Search </a>↵
38.              </header>↵
39.              <section id="content">↵
40.                  <section id="profile">↵
41.          <h1>Username: client</h1>↵
42.                  <p>Email: client@client.com</p>↵
43.          <p>Score: 1</p>↵
44.                  <a class="button"
    href="http://localhost:8000/user/3/edit">Edit Profile</a>↵
45.              <a class="button"
    href="http://localhost:8000/user/3/questions">View My Questions</a>↵
46.              <a class="button"
    href="http://localhost:8000/user/3/answers">View My Answers</a>↵
47.              <form method="POST"
    action="http://localhost:8000/user/3/delete">↵
48.                  <input type="hidden" name="_method" value="DELETE">
    <input type="hidden" name="_token"
    value="leO47qWNnyWVZxwfE3lODf0xvMsjZ69VIn9C5PHC" autocomplete="off">
    <button type="submit">Delete my account</button>↵
49.              </form>↵
50.                  </section>↵
51.              </section>↵
52.          </main>↵
53.          <footer>↵
54.              <nav>↵
55.                  <a href="http://localhost:8000/tags">Tags</a>↵
56.                  <a href="http://localhost:8000/aboutus">About Us</a>↵
57.                  <a href="http://localhost:8000/mainfeatures">Main
    Features</a>↵
58.                  <a href="http://localhost:8000/contacts">Contacts
    Page</a>↵
59.              </nav>↵
60.          </footer>↵
61.      ↵
62. ↵
63. </body></html>
```

Used the HTML parser.

Total execution time 16 milliseconds.

About this checker • Report an issue • Version: 23.12.19