Progress Report: Make NDN Congestion Control work in ndnSIM

6th NDN Hackathon

Klaus Schneider, Ashiqur Rahman, Chavoosh Ghasemi

May 13, 2018

The University of Arizona

Motivation

- NFD congestion detection doesn't work in ndnSIM (no real TCP/UDP/Unix faces)

Motivation

- NFD congestion detection doesn't work in ndnSIM (no real TCP/UDP/Unix faces)
- Tasks: Fix that.

Solution Steps

1. **ndnSIM doesn't use real TCP or UDP faces.**
   $\Rightarrow$ NetDeviceTransport: override virtual function(s) for congestion control.

Solution Steps

1. **ndnSIM doesn't use real TCP or UDP faces.**
   $\Rightarrow$ NetDeviceTransport: override virtual function(s) for congestion control.
2. **CongestionMarks sent over NDNLP:** Already works!

Solution Steps

1. **ndnSIM doesn't use real TCP or UDP faces.**
   $\Rightarrow$ NetDeviceTransport: override virtual function(s) for congestion control.
2. **CongestionMarks sent over NDNLP:** Already works!
3. **Implement Consumer App** that reacts to congestion marks (AIMD and TCP CUBIC)

Evaluation Scenario

Very simple scenario:



- 1 Consumer, Runtime: 40s
- RTT: 40ms
- Bottleneck capacity: 50 Mbit/s

How ndnSIM performs right now

ConsumerWindow App:

- On Data: $m_{cwnd}{+}{+}$ (constant slow start!)
- On Timeout: $m_{cwnd} \leftarrow 2$

How ndnSIM performs right now

ConsumerWindow App:

- On Data: $m_{cwnd}{+}{+}$ (constant slow start!)
- On Timeout: $m_{cwnd} \leftarrow 2$



How ndnSIM performs right now

60,000 Timeouts!!!



Improved ConsumerWindow (no congestion marks)



Improved ConsumerWindow (no congestion marks)





Improved ConsumerWindow (no congestion marks)



ConsumerPCON – AIMD



No Timeouts!, Shorter “sawtooth” patterns (about 15s)

ConsumerPCON – AIMD



No Timeouts!, Shorter “sawtooth” patterns (about 15s)



ConsumerPCON – CUBIC



ConsumerPCON – CUBIC



Even Shorter Sawtooths (about 7s)!

Future Work

Congestion Detection via adapted CoDelQueue:

- Worked well in ns3 3.23 (PCON simulation code)

Future Work

Congestion Detection via adapted CoDelQueue:

- Worked well in ns3 3.23 (PCON simulation code)
- Doesn't work anymore in ns3 3.27 (current ndnSIM)

Future Work

Congestion Detection via adapted CoDelQueue:

- Worked well in ns3 3.23 (PCON simulation code)
- Doesn't work anymore in ns3 3.27 (current ndnSIM)

NS-3 separated queuing in traffic-control module as:



Summary

Current ndnSIM consumer apps very limited!

$\Rightarrow$ **Works much better now!**

Summary

Current ndnSIM consumer apps very limited!

$\Rightarrow$ **Works much better now!**

Mechanisms:

1. Slow start + Congestion avoidance

Summary

Current ndnSIM consumer apps very limited!

$\Rightarrow$ **Works much better now!**

Mechanisms:

1. Slow start + Congestion avoidance
2. Fast recovery + Conservative Window Adaptation

Summary

Current ndnSIM consumer apps very limited!

$\Rightarrow$ **Works much better now!**

Mechanisms:

1. Slow start + Congestion avoidance
2. Fast recovery + Conservative Window Adaptation
3. **Explicit Congestion Marks**

Summary

Current ndnSIM consumer apps very limited!

$\Rightarrow$ **Works much better now!**

Mechanisms:

1. Slow start + Congestion avoidance
2. Fast recovery + Conservative Window Adaptation
3. **Explicit Congestion Marks**
4. **CUBIC** $>$ **AIMD**

The End

Any Questions?

Klaus Schneider, Ashiqur Rahman, Chavoosh Ghasemi