T1191

Connection Manager Profile Installer (CMSTP.exe) 用于安装连接管理服务配置文件,cmstp.exe 可以把 inf 文件做参数来安装一个服务来建立远程网络访问。cmstp 有三种恶意利用的方式:

1.可以加载执行远程或者本地的 dll 或者 COM scriptlets (SCT) ,这个过程可以绕过 AppLocker。cmstp.exe /s #{inf file path}

[UnRegisterOCXSection] %11%\scrobj.dll,NI,C:\Sysmon\T1191.sct

https://github.com/redcanaryco/atomic-red-team/blob/master/atomics/T1191/T1191.inf https://github.com/redcanaryco/atomic-red-team/blob/master/atomics/T1191/T1191.sct

2. 通过 inf 文件中的 RunPreSetupCommandSection 来 bypass UAC cmstp.exe /s #{inf file uac} /au

[RunPreSetupCommandsSection]

; Commands Here will be run Before Setup Begins to install c:\windows\system32\cmd.exe taskkill /IM cmstp.exe /F


https://github.com/redcanaryco/atomic-red-team/blob/master/atomics/T1191/T1191 uacbypass.inf


如下的组织曾经在攻击活动中使用过 cmstp:

 $Cobalt\ Group\ cmstp.exe\ /s\ /ns\ C:\ Vsers\ ADMINI\ W\ AppData\ Local\ Temp\ XKNqbpzl.txt\ Muddy\ Water\ cmstp.exe\ /s\ c:\ programdata\ Defender\ Service.inf$

如果用 sysmon 日志来检测 cmstp.exe 相关的恶意行为,有三种规则可以使用: CMSTP Execution 检测

1. Event 1 (Process creation), 进程创建事件,且 ParentImage 包含 CMSTP.exe or Event 3 (Network connection)网络连接事件 Image 包含 CMSTP.exe 且 DestinationIP is 属于外网地址.





CMSTP UAC Bypass via COM Object Access 检测 uac bypass:

1 . Event 10 (ProcessAccess) 且 CallTrace 包含 CMLUA.dll or Event 12 or 13 (RegistryEvent) TargetObject 包含 CMMGR32.exe.

Registry object added or deleted:
EventType: CreateKey
UtcTime: 2018-07-07 14:50:56.186
ProcessGuid: {7901ebac-d32f-5b40-0000-001048439500}
ProcessId: 1768
Image: C:\Windows\system32\DIIHost.exe
TargetObject: HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\App Paths\cmmgr32.exe

Process accessed:
UtcTime: 2018-07-07 15:16:15.078
SourceProcessGUID: {7901ebac-d32f-5b40-0000-001048439500}
SourceProcessGUID: {7901ebac-d32f-5b40-0000-001048439500}
SourceInage: C:\Windows\system32\DIIHost.exe
TargetProcessGUID: {7901ebac-d93f-3b40-0000-0010fa049f00}
TargetInage: c:\windows\system32\cmd.exe
OranteaxCess: 0x1riff
CallTrace: C:\Windows\system32\cmd.exe
OranteaxCess: 0x1riff
OranteaxCess: 0x1r

2. Event 1, ParentCommandLine 包含 dllhost.exe 且 包含 CMSTPLUA COM object GUID (3E5FC7F9-9A51-4367-9063-A120244FBEC7) 或者 CMLUAUTIL (3E000D72-A845-4CD9-BD83-80C07C3B881F).

