

*Take nothing on its looks; take everything on evidence.
There's no better rule.*

Charles Dickens, "Great Expectations."

Repairing Bugs in Conditional Expressions

Favio DeMarco

Universidad de Buenos Aires - INRIA

August 28th, 2013

Context

So far, the Universe is winning.

Bug fixing continues to be a mostly manual, time consuming, and therefore expensive activity in software development.

Hoang Duong Thien Nguyen et al, "SemFix: Program Repair via Semantic Analysis"

Case study

Commons Math

```
public static int gcd(int u, int v) {  
    if (u * v == 0) {  
        return (Math.abs(u) + Math.abs(v));  
    }  
    // ...  
}
```

```
assertEquals(3 * (1<<15)  
            , gcd(3 * (1<<20), 9 * (1<<15)));
```

Case study

Commons Math

```
public static int gcd(int u, int v) {  
    if ((u == 0) || (v == 0)) {  
        return (Math.abs(u) + Math.abs(v));  
    }  
    // ...  
}
```

State of the art



SemFix: Program Repair via Semantic Analysis

Hoang Duong Thien Nguyen, Dawei Qi, Abhik Roychoudhury, and Satish Chandra

GenProg: A Generic Method for Automatic Software Repair

Claire Le Goues, ThanhVu Nguyen, Stephanie Forrest, Westley Weimer

ClearView, AutoFix-E, Gopinath et al, Pachika.

Unwillingness to share code.

Problems

Test quality

Quality is free, but only to those who are willing to pay heavily for it.

Tom DeMarco, Peopleware

Resources (time, code monkeys, knowledge, tools, etc.).

Seeded and wild bugs.

Generated patches vs. reality.

Conclusion

Contribution

Can't and shouldn't.

