	U	hotel is_ca		me arrival_date_year arr	rival_date_month arrival	_date_week_number arrival_dat	te_day_of_month stays_in_v	weekend_nights stays_in	_week_nights adults 0 2
			0 7	737 2015	July	27	1	0	0 2
Mathematical Property Proper		Hotel							
Mathematical Math			0	14 2015	July	27	1	0	2 2
A		City							
The content	119386		0 1	.02 2017	August	35	31	2	5 3
		Hotel							
Selection									
Part	119390 r	ows × 36 colu	umns						
	# CC	olumn otel s_canceled ead_time rrival_date tays_in_wee taylous_can revious_can revious_boo to signed_roo to sig	_year _month _week_number _day_of_mont kend_nights k_nights nt _channel guest cellations kings_not_ca m_type m_type ges ing_list e _parking_spa cial_request status status_date), int64(16) 8+ MB	Non-Null Countries	null object null int64 null object null object null object null int64 null object null object null int64 null object	_week_number arrival_date_day	_of_month stays_in_weeke	nd_nights stays_in_week	_nights adults cus
	Hote	el '							
The section	Hotel	rt							
The state The	Reso	rt	0 13				1		
Selection	4 Hote	el	0 14	2015	July	27	1	0	2 2
Mathematical	city =	bookings[
	_								
Mathematical Antique									
The section 1	40061	City Hotel	1 88	3 2015	July	27	1	0	4 2
The content	40000	City							
The content of the	'	Hotel							
The second sec	rows ×	36 columns							
Security Process Proce							S']		
	# Tota	al number o ngs['guests	f guests '] = booking	.deposit type=="No D					
Paris	bookir	ngs['guests ngs = booki	ngs[bookings			rrival_date_week_number arriv	al_date_day_of_month stays	s_in_weekend_nights sta	ys_in_week_nights adu
	bookir bookir deposit_	ngs['guests ngs = booki ngs.groupby	ngs[bookings (['deposit_t hotel le	ype','is_canceled']) ead_time arrival_date_yea			74947	74947	74947 749
Paris	bookir bookir deposit_	ngs = bookings.groupby	ngs[bookings (['deposit_t hotel le	ead_time arrival_date_yea	7 74947	74947			
Part	bookir bookir deposit_ No Dep	ngs = bookings.groupby type is_cancer posit 36 columns	ngs[bookings (['deposit_t hotel le	ead_time arrival_date_yea	7 74947	74947			
Part	bookir bookir deposit No Dep 2 rows × bookir 737	ngs = bookings.groupby type is_cance posit 36 columns ngs["lead_t" ngs.shape	ngs[bookings (['deposit_t hotel le	ead_time arrival_date_yea	7 74947	74947			
Part	bookir bookir deposit_ No Dep 2 rows × bookir 737 bookir (10464:	ngs = bookings.groupby type is_cand posit 36 columns ngs["lead_t ngs.shape 1, 38) ngs.dropna(ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max()	ead_time arrival_date_year 74947 74947 29694 29694	7 74947 4 29694	74947 29694	29694	29694	29694 296
Marcia	bookir bookir deposit_ No Dep 2 rows × bookir 737 bookir (10464:	ngs = bookings.groupby type is_cand posit 36 columns ngs["lead_t ngs.shape 1, 38) ngs.dropna(hotel is_cand Resort	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max()	ead_time arrival_date_year 74947 74947 29694 29694 me arrival_date_year arr	7 74947 4 29694 Fival_date_month arrival_	_date_week_number arrival_date	te_day_of_month stays_in_v	veekend_nights stays_in	_week_nights adults
1988	bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir	ags = bookings = bookings = bookings = candoposit 36 columns ags = bookings = candoposit 36 columns ags = bookings = candoposit ags = bookings = candoposit ags = bookings = candoposit ags = candoposit ags = bookings = candoposit ags = ca	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max()	rype', 'is_canceled']) read_time arrival_date_year 74947 74947 29694 29694 me arrival_date_year arr 6 2015 24 2015	7 74947 4 29694 rival_date_month arrival_ October October	_date_week_number arrival_date_	te_day_of_month stays_in_v 11	veekend_nights stays_in 2	_week_nights adults 0 2 15 1
13046 1305	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697	ags = bookings = bookings = bookings = candoposit 36 columns ags = bookings = candoposit 36 columns ags = bookings = candoposit ags = bookings = candoposit ags = bookings = candoposit ags = candoposit a	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max() o 0 0	rype', 'is_canceled']) read_time arrival_date_year 74947 74947 29694 29694 me arrival_date_year arr 6 2015 24 2015	7 74947 4 29694 Cival_date_month arrival_ October October November	_date_week_number arrival_date_ 42 44 45	29694 te_day_of_month stays_in_v 11 26	weekend_nights stays_in 2 7	_week_nights adults 0 2 15 1 3 2
13082 13082 1308	bookir bookir deposit_ No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877	ags = bookings = bookings = candoposit 36 columns ags = lookings = candoposit 36 columns ags = lookings =	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max() o 0 0 0	rype', 'is_canceled']) read_time arrival_date_year 74947 74947 29694 29694 arrival_date_year arr 6 2015 24 2015 24 2015 24 2015	7 74947 4 29694 October October November November	date_week_number arrival_date_ 42 44 45 45	te_day_of_month stays_in_v 11 26 3 3	veekend_nights stays_in 2 7 0 2	_week_nights adults 0 2 15 1 10 1 10 2
1362 1662	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (104643 bookir 2392 2697 2867 2878	ags = bookings = bookings = bookings = groupby ags = groupby ags = bookings = groupby ags = groupby a	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max() o 0 0	rype', 'is_canceled']) rad_time arrival_date_yea 74947 74947 29694 29694 arrival_date_year arrival 24 2015 24 2015 24 2015 24 2015	7 74947 4 29694 Prival_date_month arrival_ October October November November November	date_week_number arrival_date	29694 te_day_of_month stays_in_v 11 26 3 3	veekend_nights stays_in 2 7 0 2 3	_week_nights adults 0 2 15 1 10 1 10 2
1648 1638 1638 2 1911 2917 3449 29 16 2 2 2 2 2 2 2 2 2	bookir bookir bookir deposit_ No Dep 2 rows × bookir 737 bookir (104643 bookir 2392 2697 2867 2877 2878 112499	ags = bookings = bookings = bookings = groupby type is_cand posit 36 columns ags ["lead_t" ags shape 1, 38) ags dropna (hotel is_cand Resort Hotel Resort Hotel Resort Hotel Resort Hotel City Hotel City Hotel City Hotel	ngs[bookings (['deposit_t hotel le eled	read_time arrival_date_year 74947 74947 29694 29694 arrival_date_year arr 6 2015 24 2015 24 2015 24 2015 13 2017	7 74947 4 29694 Cival_date_month arrival_ October October November November November May May	74947 29694 date_week_number arrival_date42444545	29694 te_day_of_month stays_in_v 11 26 3 3 24 29	29694 weekend_nights stays_in 2 7 0 2 3 0 1	_week_nights adults 0 2 15 1 10 2 10 2 11 2 3 1
	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082	ags 'guests ags = booki ags = booki ags : groupby type is_cance posit 36 columns ags ["lead_t ags : shape ags : shape ags : dropna (ags	ngs[bookings (['deposit_t hotel le eled	read_time arrival_date_year 74947	7 74947 4 29694 Prival_date_month arrival_ October October November November November May May May May		29694 te_day_of_month stays_in_v 11 26 3 3 24 29 29	29694 weekend_nights stays_in 2 7 0 2 3 0 1	week_nights adults 0 2 15 1 10 2 10 2 1 2 3 2 3 1
Part	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082	ags = bookings = bookings = bookings = groupby ags = groupby ag	ngs[bookings (['deposit_t hotel le eled	read_time arrival_date_year 74947	rival_date_month arrival_ October October November November May May May June	74947 29694 date_week_number arrival_date 42 44 45 45 45 21 22 22 22 23	29694 te_day_of_month stays_in_v 11 26 3 3 24 29 29 9	29694 weekend_nights stays_in 2 7 0 2 3 0 1 1 1	_week_nights adults 0 2 15 1 10 2 10 2 1 2 3 2 1 2 1 2
1 Resort Hotel	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (104643 bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451	ags 'guests ags = bookings groupby ags = bookings groupby ags groupby	ngs[bookings (['deposit_t hotel le eled	read_time arrival_date_year 74947	rival_date_month arrival_ October October November November May May May June	74947 29694 date_week_number arrival_date 42 44 45 45 45 21 22 22 22 23	29694 te_day_of_month stays_in_v 11 26 3 3 24 29 29 9	29694 weekend_nights stays_in 2 7 0 2 3 0 1 1 1	_week_nights adults 0 2 15 1 10 2 10 2 1 2 1 2 1 2
Resort Hotel	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir	ags = bookings = bookings = groupby ags = bookings = groupby ags = groupby ags = bookings = groupby ags = groupby	ngs[bookings (['deposit_t hotel le eled	read_time arrival_date_year 74947 74947 29694 29694 2015 24 2015 24 2015 24 2015 24 2015 21 2017 13 2017 13 2017 13 2017 210 2017 210 2017 210 2017	rival_date_month arrival_ October October November November November July June July		29694 te_day_of_month	### ### ##############################	_week_nights adults 0 2 15 1 10 2 1 2 3 1 3 2 1 2 2 2
Place Plac	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir	type is_cand posit 36 columns ags["lead_t ags.shape a, 38) ags.dropna(hotel is_ca Resort Hotel Resort Hotel Resort Hotel City Hotel Resort Hotel Resort Hotel City Hotel	ngs[bookings (['deposit_t	me arrival_date_year arrival_date_year 29694 29694 2915 24 2015 24 2015 24 2015 24 2015 24 2017 213 2017 213 2017 210 2017 211 2017 211 2017	rival_date_month arrival_ October October November November November July arrival_date_week_ July		29694 te_day_of_month stays_in_v 11 26 3 3 24 29 29 9 16 nonth stays_in_weekend_nig	### ### ##############################	_week_nights adults 0 2 15 1 10 1 10 2 1 2 1 2 2 2 2 2
In 300 In 1938 City C	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir	type is_cand posit 36 columns ags["lead_t ags.shape a, 38) ags.dropna(hotel is_ca Resort Hotel Resort Hotel Resort Hotel City Hotel Resort Hotel Resort Hotel City Hotel	=	me arrival_date_year arrival_date_year 29694 29694 2915 24 2015 24 2015 24 2015 24 2015 24 2017 210 2017 210 2017 210 2017 211 2017 212 2015 22 2015 23 2017	rival_date_month arrival_ October October November November November July July July July		29694 29694 29694 29 11 26 3 3 3 24 29 29 9 16 nonth stays_in_weekend_nig	29694	week_nights adults 0 2 15 1 10 2 10 2 1 2 1 2 2 2 2 2 0.0 0 2 0.0
119386 City Hotel 0 2017 August 35 31 2 5 3 0.0 119387 City Hotel 0 2017 August 35 31 2 5 2 0.0 119389 City Hotel 0 2017 August 35 29 2 7 2 0.0	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir	ags 'guests ags = booki ags = booki ags = groupby ags agroupby ags 'lead_t ags shape ags shape ags shape ags dropna ags dr	=	me arrival_date_year 74947 74947 29694 29694 2015 24 2015 24 2015 24 2015 24 2015 24 2017 213 2017 210 2017 210 2017 211 2017 212 2015 213 2017 214 2015 215 2017	rival_date_month arrival_ october October November November November July July July July July July July	date_week_number arrival_dat 42 44 45 45 45 21 22 22 23 29 number arrival_date_day_of_m 27 27 27 27	29694 29694 29694 29 11 26 3 3 3 24 29 29 9 16 10 1 1 1 1 1	29694	_week_nights adults 0 2 15 1 10 2 10 2 1 2 1 2 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 3 1 2 1 3 1 4 1 5 1
119387 City Hotel 0 2017 August 35 31 2 5 2 0.0 119388 City Hotel 0 2017 August 35 2 20 2 7 2 0.0 119389 City Hotel 0 2017 August 35 29 2 7 2 0.0	bookir bookir bookir deposit No Dep 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir	ags 'guests ags = booki ags = groupby ags agroupby ags agroupby ags shape ags shape ags aropna (ags aropna	ngs[bookings (['deposit_t	ype', 'is_canceled']) had_time arrival_date_year 74947	rival_date_month arrival_ october October November November November July July July July July July July July	dateweeknumber arrivaldatedateweeknumber 42 44 45 45 45 45 22 22 22 22 23 23 29 number arrivaldatedayofn 27 27 27 27 27 27 27	29694 ite_day_of_month	29694	29694 2969
119388 City Hotel 0 2017 August 35 2 0.0 119389 City Hotel 0 2017 August 35 2 2 0.0	bookir bookir bookir deposit No Deposit No Deposit 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113627 116451 213 rows bookir 0	ags 'guests ags = bookings groupby ags = bookings groupby ags = groupby ags	ngs[bookings (['deposit_t	read_time arrival_date_year 74947	rival_date_month arrival_ Cotober October November November November July July	date_week_number arrival_dat	29694 29694 29694 11 26 3 3 3 24 29 29 9 16 10 1 1 1 1 1 1 1 1 1 1 1 1	29694	29694 2969
notei	bookir bookir bookir deposit No Deposit No Deposit 2 rows × bookir 737 bookir (10464: bookir 2392 2697 2867 2877 2878 112499 113046 113082 113082 113082 113082 113082 113082 113082 113082 113082	ags = bookings groupby atype is_cand posit 36 columns ags ["lead_t ags shape 1, 38) ags dropna (hotel is_ca Resort Hotel Resort Hotel Resort Hotel City Hotel	= booking	read_time arrival_date_year 74947	rival_date_month arrival_ Cottober	dateweeknumber arrivaldatedayofm number arrivaldatedayofm 27 27 27 27 27 27 35 35	29694 29694 29694 29	29694	
	bookir bookir bookir cookir	ags = bookings = bookings = bookings = cancer ags = bookings = groupby ags = bookings = cancer boosit ags = cancer boosit ags = cancer boosit ags = cancer ags =	ngs[bookings (['deposit_t hotel le eled 0 74947 1 29694 ime"].max() nceled lead_ti 0 0 0 0 0 0 1 S ead_time",ax nceled arrival_ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	me arrival_date_year arrival_date_year 29694 29694 29694 29694 29694 29694 29694 29694 29694 29694 29694 2015 24 2015 24 2015 24 2015 24 2017 2017 2017 2017 2017 2017 2017 2017	rival_date_month arrival_ Cotober October November November November July July	date_week_number arrival_datedate_week_number arrival_datedate_	29694 29694 29694 29 11 26 3 3 3 24 29 29 9 16 1 1 1 1 1 1 1 1 1 1 1 1	29694	
	bookir bookir bookir deposit No Deposit No Deposit No Deposit No Deposit 137 bookir 137 bookir 1444 bookir 1384 112499 113046 113082 113627 116451 213 rows bookir 119385 119386 119387 119388	ags = bookings = bookings = groupby atype is_cance posit 36 columns ags ["lead_t ags shape 1, 38) ags dropna (hotel is_ca Resort Hotel Resort Hotel Resort Hotel City Hotel Resort Hotel Resort Hotel Resort Hotel Resort Hotel City Hotel	= booking	me arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_max arrival_date_	rival_date_month arrival_date_month November November November July July July July July July July July	dateweeknumber	29694	29694	
	bookir bo	ags = bookings = bookings = groupby atype is_cance posit 36 columns ags ["lead_t ags shape 1, 38) ags dropna (hotel is_ca Resort Hotel Resort Hotel Resort Hotel City Hotel Resort Hotel Resort Hotel Resort Hotel Resort Hotel City Hotel	= booking	me arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_year arrival_date_max arrival_date_	rival_date_month arrival_date_month November November November July July July July July July July July	dateweeknumber	29694	29694	