

HK Carousel Layout Group 3D Documentation

Table of Contents:

1. Introduction

- 1.1 Overview
- 1.2 Features

2. How to Use

- 2.1 Creating your Components for your Menus
- 2.2 Inheriting Editor Component to show Custom Editor Properties
- 2.3 HK Carousel Layout Group 3D Settings

3. API Reference

- 3.1 HK Carousel Layout Group 3D Descriptions

4. ChangeLog

5. License

6. Support & Contact

1.Introduction

1.1 Overview

HK Carousel Layout Group 3D is mean't to create neat selection menus for your games!

You can create your components with your own data as that is required by the recycling system.

1.2 Features

1. 3D Carousel Layout - Items rotate and scale based on scroll position, giving a dynamic perspective effect.
2. Fixed Count of Elements - Elements are spawned once and re-used, a more optimised solution for a high number of elements.
3. Drag Interaction - Use mouse or touch drag to rotate the carousel horizontally.
4. Smooth Transitions - Scrolls and snaps to items with smooth, customisable speed.
5. Sorting & Depth - Items are sorted with proper canvas layering for correct overlap and render order.
6. Clean, Minimal Codebase - Modular and extendable C# scripts.

2.How to Use

2.1 Creating Components for your Menus

By default we have included a demo script which can be changed, modified to work for one menu, for different menus in game with different data for elements, you will need to create components with different datas, thankfully our system uses generics to prevent redundancy and so here are the steps to create a layout group with your own data!

1.Create your own element data,

You must inherit from HKBaseCarouselData and add the Serializable attribute so your list of elements in the layout group shows up.

```
[System.Serializable]
public class HKCarouselElementData : HKBaseCarouselData
{
    public string Name = "3D Carousel";
}
```

Fill this class with all the data your elements need, e.g. sprites, references, and values, in our demo class we have a Name string only, but you can add whatever you want.

2.Create your own CarouselElement component, this is for the element prefab which will be spawned, As the HKCarouselLayoutGroup3D needs to be able to set the data when re-using and instantiating originally, You must implement the ICarouselElement interface and pass in the data class you created between the carets.

```
public class HKCarouselElementDemo : MonoBehaviour, ICarouselElement<HKCarouselElementData>
{
    public TMP_Text NameText;
    public int _ID;

    public void ConfigureElement(HKCarouselElementData info, int index)
    {
        NameText.text = info.Name;
        _ID = index;
    }

    public int GetID()
    {
        return _ID;
    }
}
```

3. Create your own CarouselLayoutGroup3D component, You must inherit HKCarouselLayoutGroup3D and pass in the same data class you created between the carets.

```
public class HKCarouselLayoutGroup3DDemo : HKCarouselLayoutGroup3D<HKCarouselElementData> { }
```

Now you can add this component to the GameObject you want to add the carousel menu to and start using it!, Now to understand the settings you will need to check out the HK Carousel Layout Group 3D Settings!


2.2 Inheriting Editor Component to show Custom Editor Properties

To make the Custom Editor work for your HK Carousel Layout Group 3D components, you will need to create a Custom Editor script for it and inherit from the original custom editor class.

You must add the Custom Editor Attribute and inherit from HKCarouselLayoutGroup3DEditor and pass in your own Element Data which you created when creating your own component.

```
[CustomEditor(typeof(HKCarouselLayoutGroup3DDemo))]  
public class CarouselLayoutGroup3DEditorDemo : HKCarouselLayoutGroup3DEditor<HKCarouselElementData> { }
```

Now you will see the Custom Editor UI appears as well! :



2.3 HK Carousel Layout Group Settings

Main Settings

Default Selected Index0

Scroll0

Spacing245

Z Offset9.5

Y Offset0

Rotation Y10

Scale Factor0.9

Spacing Mod Multi-0.008

Depth Mod Multi0.2

Auto Snapping to nearest element

Enable Snapping✓

Snap Speed15

Smooth Clamp✓

Re Usable Elements Pooling System

Content⚙️ CarouselLayout (Rect Transform)

Item📦 ItemDemo

▶ Carousel Elements50

Fixed Count8

Use Recycling✓

Edge3

Callbacks

On Value Changed (Int32)

List is Empty

+ -

Info

Current Selected Index 0

! Current Selected Index is accessible from other scripts

HK Carousel Layout Group 3D

Default Selected Index : The Default Selected Index

Scroll : The Scroll amount relative to the fixed count, The Script overrides this

Spacing : The Spacing Between Elements in the layout

Z Offset : The Depth Offset for the Elements

Y Offset : The Height Offset for the Elements

Rotation Y : The Rotation Offset Between Elements in the layout

Scale Factor : The Scale Factor Between Elements in the layout

Spacing Mod Multi : The Rotation Affected Spacing Multiplier

Depth Mod Multi : The Rotation Affected Depth Multiplier

Enable Snapping : Should we smoothly between Elements

Snap Speed : Snapping Smooth Speed
Smooth Clamp : Enable Elasticity
Content : Elements Holder
Item : Item Prefab for Recycling System
Carousel Elements : A dynamic list of data for elements in the Carousel Layout Group
Fixed Count : Amount of Elements Spawned for recycling
Use Recycling : Enable Recycling System
Edge : Remaining objects from centre to the side to recycle
On Value Changed : Callback when the selected item is changed

Custom Editor

Current Select Index : The Current Selected Index

3.API Reference

3.1 HK Carousel Layout Group 3D Descriptions

Current Selected Index is available to read through your scripts, it is the latest selection index from the Carousel Elements list, It's better to use the OnValueChanged Event then reading the index every frame, The HK Carousel Value Listener Demo shows how to correctly read the current selected index.

4.ChangeLog

First Release V1.0.0

5.License

[Asset Store Terms](#)

6.Support & Contact

Email : hamzakhan201021@gmail.com

Channel : [Youtube](#)

Discord : [Join](#)