1   Install R

To install R, go to R Cran.

- You must have R ($\geq 3.0.2$), to check which version you have, in R type

  ```
  > sessionInfo()
  ```

Video installation tutorials:

- Windows R installation video
- Mac R installation video

2   Install R Studio

R Studio can be found here.

3   Install devtools

- In R or R Studio

  ```
  > install.packages("devtools")
  ```

  Install rparse:

  ```
  > devtools::install_github("dgrtwo/rparse")
  ```

4   Install Swirl

- In R or R Studio

  ```
  > install.packages("swirl")
  ```

- The following R packages should automatically be loaded along with Swirl (if you have problems later, check that these are all installed):
  - stringr, testthat, httr, yaml, RCurl, digest, tools

5 Install SocraticSwirl

```
>   devtools::install_github("dimagor/socraticswirl", ref = "fsi")
```

6 To Run a Lesson

```
>   library(socraticswirl)
>   socratic_swirl("INTRO", "INTRO1", "netID@princeton.edu")
>   start()
```

To run a different lesson, change the first two arguments of the socratic_swirl()
call.

For example, to run the second lesson in the Causality chapter:

```
>   socratic_swirl("CAUSALITY", "CAUSALITY2", "netID@princeton.edu")
>   start()
```

If you want to experiment in R without swirl paying attention:

```
> play() # swirl will ignore you
> nxt() # will regain swirl's attention
```