Name Of Assignment: - Assignment 1

Internship Batch :- DS2404 Project: <u>Batch DS2404</u>

## MCQ

```
1 What will be the output of the following code snippet?
```

```
def func(a, b):
  return b if a == 0 else func(b % a, a)
print(func(30, 75))
```

- a) 10
- **b)** 20
- c) 15
- **d**) **0**

Ans:- Option c) 15

```
2 numbers = (4, 7, 19, 2, 89, 45, 72, 22)
sorted_numbers = sorted(numbers)
even = lambda a: a % 2 == 0
even_numbers = filter(even, sorted_numbers)
print(type(even_numbers))
```

- a) Int
- b) Filter
- c) List
- d) Tuple

**Ans:- Option c) filter** 

- 3) As what datatype are the \*args stored, when passed into
- a) Tuple
- b) List
- c) Dictionary
- d) None

**Ans:- Option a) Tuple** 

Name Of Assignment :- Assignment 1
Internship Batch :- DS2404
Project: <u>Batch DS2404</u>
4) set1 = {14, 3, 55}
set2 = {82, 49, 62}
set3={99,22,17}

print(len(set1 + set2 + set3))

a) 105

- **b**) 270
- c) 0
- d) Error

**Ans:- Option d**)

**Error** 

Name Of Assignment :- Assignment 1 Internship Batch :- DS2404 Project: Batch DS2404
5) What keyword is used in Python to raise exceptions?
a) raise
b) try
c) goto
d) except
Ans:- Option a) raise
<b>6)</b> Which of the following modules need to be imported to handle date time computations in Python?
a) timedate
b) date
c) datetime
d) time
Ans:- Option c) datetime
7) What will be the output of the following code snippet?
print(4**3 + (7 + 5)**(1 + 1))
a) 248 b) 169 c) 208 d) 233 Ans:- Option c) 208
8) Which of the following functions converts date to corresponding time in Python?
a) strptime
b) strftime
c) both a) and b)
d) None
Ans:- Option a) strptime
9) The python tuple isin nature.

a) mutable

b)immutable

Name Of Assignment :- Assignment 1 Internship Batch :- DS2404 Project: Batch DS2404
c)unchangeable
d) none
Ans:- Option b) immutable
<b>10</b> ) 10)
Theis a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.
A. range() B. set() C. dictionary{} D. None of the mentioned above  Ans:- Option A. range()
Question 11
Amongst which of the following is a function which does not have any name?
A. Del function B. Show function C. Lambda function D. None of the mentioned above  Ans:- Option C. Lambda function
Question 12
The module Pickle is used to
<ul> <li>A. Serializing Python object structure</li> <li>B. De-serializing Python object structure</li> <li>C. Both A and B</li> <li>D. None of the mentioned above</li> <li>Ans:- Option C. Both A and B</li> </ul>
Question 13

Amongst which of the following is / are the method of convert Python objects for writing data in a binary file?

- A. set() methodB. dump() method
- C. load() methodD. None of the mentioned above

Ans:- Option B. dump() method

Name Of Assignment :- Assignment 1 Internship Batch :- DS2404 Project: <u>Batch DS2404</u> 14

Name Of Assignment: - Assignment 1 Internship Batch :- DS2404 Project: Batch DS2404 Amongst which of the following is / are the method used to unpickling data from a binary file? A. load() B. set() method C. dump() method D. None of the mentioned above **Ans:- Option A. Load()** 15. A text file contains only textual information consisting of\_\_\_\_. A. Alphabets B. Numbers C. Special symbols D. All of the mentioned above Ans:- Option D. All of the mentioned above 16 Which Python code could replace the ellipsis (...) below to get the following output? (Select all that apply.) captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", } Enterprise Picard, Voyager Janeway Defiant Sisko a) for ship, captain in captains.items(): print(ship, captain) b) for ship in captains: print(ship, captains[ship]) c) for ship in captains:

```
Name Of Assignment: - Assignment 1
Internship Batch :- DS2404
Project: Batch DS2404
               print(ship, captains)
            d) both a and b
      Ans:- Option d) both a and b
17)
Which of the following lines of code will create an empty dictionary named captains?
    a) captains = \{dict\}
    b) type(captains)
    c) captains.dict()
    d) captains = \{ \}
Ans:- Option d) captains = {}
18) Now you have your empty dictionary named captains. It's time to add some data!
Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway",
and "Defiant": "Sisko".
Which of the following code snippets will successfully add these key-value pairs to the
existing captains dictionary?
    a) captains{"Enterprise" = "Picard"}
    captains{"Voyager" = "Janeway"}
    captains{"Defiant" = "Sisko"}
    b) captains["Enterprise"] = "Picard"
    captains["Voyager"] = "Janeway"
    captains["Defiant"] = "Sisko"
    c) captains = \{
       "Enterprise": "Picard",
       "Voyager": "Janeway",
       "Defiant": "Sisko",
     }
```

d) None of the above

Name Of Assignment :- Assignment 1 Internship Batch :- DS2404

Project: Batch DS2404

19) You're really building out the Federation Starfleet now! Here's what you have:

```
captains = {
   "Enterprise": "Picard",
   "Voyager": "Janeway",
   "Defiant": "Sisko",
   "Discovery": "unknown",
```

Now, say you want to display the ship and captain names contained in the dictionary, but you also want to provide some additional context. How could you do it?

```
a) for item in captains.items():
    print(f"The [ship] is captained by [captain].")
b) for ship, captain in captains.items():
    print(f"The {ship} is captained by {captain}.")
c) for captain, ship in captains.items():
    print(f"The {ship} is captained by {captain}.")
d) All are correct
Ans:- Option b) for ship, captain in captains.items():
    print(f"The {ship} is captained by {captain}.")
```

20)

You've created a dictionary, added data, checked for the existence of keys, and iterated over it with a for loop. Now you're ready to delete a key from this dictionary:

```
captains = {
    "Enterprise": "Picard",
    "Voyager": "Janeway",
    "Defiant": "Sisko",
    "Discovery": "unknown",
}
```

Name Of Assignment :- Assignment 1

Internship Batch :- DS2404 Project: Batch DS2404

What statement will remove the entry for the key "Discovery"?

- a) del captains
- b) captains.remove()
- c) del captains["Discovery"]d) captains["Discovery"].pop()

Ans:- Option c) del captains["Discovery"]