Linux

aws   ubuntu°   Microsoft   RedHat   SUSE   〉

Browse more AMIs
Including AMIs from
AWS, Marketplace and
the Community

Amazon Machine Image (AMI)

Ubuntu Server 22.04 LTS (HVM), SSD Volume Type
ami-052efd3df9dad4825 (64-bit (x86)) / ami-070650c005cce4203 (64-bit (Arm))
Virtualization: hvm   ENA enabled: true   Root device type: ebs

Free tier eligible

Description

Canonical, Ubuntu, 22.04 LTS, amd64 jammy image build on 2022-06-09

Architecture

64-bit (x86) ▼

AMI ID

ami-052efd3df9dad4825

▼ Instance type Info

Instance type

t2.micro
Family: t2   1 vCPU   1 GiB Memory
On-Demand Linux pricing: 0.0116 USD per Hour
On-Demand Windows pricing: 0.0162 USD per Hour

Free tier eligible

Compare instance types

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch
the instance.

▼ Summary

Number of instances Info

1

Software Image (AMI)
Canonical, Ubuntu, 22.04 LTS, ...read more
ami-052efd3df9dad4825

Virtual server type (instance type)
t2.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

ⓘ **Free tier:** In your first year includes 750   ✕
hours of t2.micro (or t3.micro in the
Regions in which t2.micro is unavailable)
instance usage on free tier AMIs per
month, 30 GiB of EBS storage, 2 million
IOs, 1 GB of snapshots, and 100 GB of
bandwidth to the internet.

Cancel   **Launch instance**

Network

vpc-0f5022a0983e73e14

Subnet

No preference (Default subnet in any availability zone)

Auto-assign public IP

Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your
instance.

◉ Create security group   ○ Select existing security group

We'll create a new security group called 'launch-wizard-4' with the following rules:

☑ Allow SSH traffic from
Helps you connect to your instance

Anywhere
0.0.0.0/0   ▼

☐ Allow HTTPs traffic from the internet
To set up an endpoint, for example when creating a web server

☐ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting   ✕
security group rules to allow access from known IP addresses only.

Instance: i-0140c2b223997f952 (Linux-Apache)

Details | Security | Networking | Storage | Status checks | Monitoring | Tags

▼ Instance summary Info

Instance ID
i-0140c2b223997f952 (Linux-Apache)

Public IPv4 address
54.242.149.128 | open address

IPv6 address
–

Instance state
⊘ Running

Hostname type
IP name: ip-172-31-93-131.ec2.internal

Private IP DNS name (IPv4 only)
ip-172-31-93-131.ec2.internal

Answer private resource DNS name
IPv4 (A)

Instance type
t2.micro

Auto-assigned IP address
54.242.149.128 [Public IP]

VPC ID
vpc-0f5022a0983e73e14

-


```
Jul 05 16:57:35 ip-172-31-93-131 systemd[1]: Started The Apache HTTP Server.
root@ip-172-31-93-131:/home/ubuntu# cd /var/www/html/
root@ip-172-31-93-131:/var/www/html# ls
index.html
root@ip-172-31-93-131:/var/www/html#
```


EC2 > Security Groups > sg-02e29b39b98f092bd - launch-wizard-4

sg-02e29b39b98f092bd - launch-wizard-4

Actions ▼

Details

Security group name
launch-wizard-4

Security group ID
sg-02e29b39b98f092bd

Description
launch-wizard-4 created 2022-07-05T16:50:14.114Z

VPC ID
vpc-0f5022a0983e73e14

Owner
697336885463

Inbound rules count
1 Permission entry

Outbound rules count
1 Permission entry

Inbound rules | Outbound rules | Tags

ⓘ You can now check network connectivity with Reachability Analyzer

Run Reachability Analyzer ✕

Inbound rules (1/1)

🔍 Filter security group rules

< 1 > ⚙

	Name	▽	Security group rule... ▽	IP version	▽	Type	▽	Protocol	▽	Port range	▽	Source	▽	Description
☑	–		sgr-0b9c70595e14c77...	IPv4		SSH		TCP		22		0.0.0.0/0		–

```
root@ip-172-31-93-131:/tmp# wget https://github.com/denilsonbonatti/linux-site-dio/archive/refs/heads/main.zip
--2022-07-05 17:04:04--  https://github.com/denilsonbonatti/linux-site-dio/archive/refs/heads/main.zip
Resolving github.com (github.com)... 140.82.112.4
Connecting to github.com (github.com)|140.82.112.4|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://codeload.github.com/denilsonbonatti/linux-site-dio/zip/refs/heads/main [following]
--2022-07-05 17:04:04--  https://codeload.github.com/denilsonbonatti/linux-site-dio/zip/refs/heads/main
Resolving codeload.github.com (codeload.github.com)... 140.82.114.9
Connecting to codeload.github.com (codeload.github.com)|140.82.114.9|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/zip]
Saving to: 'main.zip'
```

```
faofernando@war-machine:/tmp$ wget https://github.com/740fernando/test-netlify.g
it
--2022-08-03 07:05:56--  https://github.com/740fernando/test-netlify.git
Resolvendo github.com (github.com)... 20.201.28.151
Conectando-se a github.com (github.com)|20.201.28.151|:443... conectado.
A requisição HTTP foi enviada, aguardando resposta... 301 Moved Permanently
Localização: https://github.com/740fernando/test-netlify [redirecionando]
--2022-08-03 07:05:56--  https://github.com/740fernando/test-netlify
Reaproveitando a conexão existente para github.com:443.
A requisição HTTP foi enviada, aguardando resposta... 404 Not Found
2022-08-03 07:05:57 ERRO 404: Not Found.
```

```
root@ip-172-31-93-131:/tmp/linux-site-dio-main# cp -R * /var/www/html/
root@ip-172-31-93-131:/tmp/linux-site-dio-main#
```