



planetmath.org

Math for the people, by the people.

subnormal series

Canonical name	SubnormalSeries
Date of creation	2013-03-22 13:58:42
Last modified on	2013-03-22 13:58:42
Owner	mclase (549)
Last modified by	mclase (549)
Numerical id	8
Author	mclase (549)
Entry type	Definition
Classification	msc 20D30
Synonym	subinvariant series
Related topic	SubnormalSubgroup
Related topic	JordanHolderDecompositionTheorem
Related topic	Solvable
Related topic	DescendingSeries
Related topic	AscendingSeries
Defines	composition series
Defines	normal series
Defines	principal series
Defines	chief series

Let G be a group with a subgroup H , and let

$$G = G_0 \triangleright G_1 \triangleright \cdots \triangleright G_n = H \quad (1)$$

be a series of subgroups with each G_i a normal subgroup of G_{i-1} . Such a series is called a *subnormal series* or a *subinvariant series*.

If in addition, each G_i is a normal subgroup of G , then the series is called a *normal series*.

A subnormal series in which each G_i is a maximal normal subgroup of G_{i-1} is called a *composition series*.

A normal series in which G_i is a maximal normal subgroup of G contained in G_{i-1} is called a *principal series* or a *chief series*.

Note that a composition series need not end in the trivial group 1. One speaks of a composition series (1) as a *composition series from G to H* . But the term *composition series for G* generally means a composition series from G to 1.

Similar remarks apply to principal series.

Some authors use normal series as a synonym for subnormal series. This usage is, of course, not compatible with the stronger definition of normal series given above.