

## planetmath.org

Math for the people, by the people.

## generalized dihedral group

Canonical name GeneralizedDihedralGroup

Date of creation 2013-03-22 14:53:28 Last modified on 2013-03-22 14:53:28

Owner yark (2760) Last modified by yark (2760)

Numerical id 9

Author yark (2760) Entry type Definition Classification msc 20E22

Synonym generalised dihedral group

Related topic DihedralGroup

Defines infinite dihedral group

Defines infinite dihedral

Let A be an abelian group. The generalized dihedral group Dih(A) is the semidirect product  $A \rtimes C_2$ , where  $C_2$  is the cyclic group of order 2, and the http://planetmath.org/Generatorgenerator of  $C_2$  maps elements of A to their inverses.

If A is cyclic, then Dih(A) is called a dihedral group. The finite dihedral group  $Dih(C_n)$  is commonly denoted by  $D_n$  or  $D_{2n}$  (the differing conventions being a source of confusion). The infinite dihedral group  $Dih(C_{\infty})$  is denoted by  $D_{\infty}$ , and is isomorphic to the free product  $C_2 * C_2$  of two cyclic groups of order 2.

If A is an elementary abelian 2-group, then so is Dih(A). If A is not an elementary abelian 2-group, then Dih(A) is non-abelian.

The subgroup  $A \times \{1\}$  of Dih(A) is of index 2, and every element of Dih(A) that is not in this subgroup has order 2. This property in fact characterizes generalized dihedral groups, in the sense that if a group G has a subgroup N of index 2 such that all elements of the complement  $G \setminus N$  are of order 2, then N is abelian and  $G \cong Dih(N)$ .