

SESSION-1 COD-1(AZURE VM)

Practice_Azure_VM_2

Section 1/1 | COD (1)

Question No : 1 / 1

Azure VM Hosting Web Server (VM4)

You're an Azure administrator tasked to set up an Azure Virtual Machine (VM) to host a web server. Your responsibility includes ensuring the web server is secure and performant. Set up regular backups for the VM using Azure Backup and implement Azure Security Center for enhanced security. Validate the accessibility and performance of the web server by connecting to it and testing the response time.

Scenario 1: Azure VM Hosting Web Server

- Create an Azure Virtual Machine with the following specifications:
 - VM Name: "WebServerVM"
 - Resource Group: <That is available to you>
 - Location: "Central India"
 - Size: "Standard_B1s"
 - Image: "Ubuntu Server 20.04 LTS"
 - Authentication type: SSH public key
 - Ports: Allow HTTP (80) and HTTPS (443)

Answered
0/1

Bookmarked
0/1

Skipped
1/1

Not Viewed
0/1

Saved in Server

Answered
0/1

Bookmarked
0/1

Skipped
1/1

Not Viewed
0/1

Saved in Server

Practice_Azure_VM_2

Section 1/1 | COD (1)

Question No : 1 / 1

testing the response time.

Scenario 1: Azure VM Hosting Web Server

- Create an Azure Virtual Machine with the following specifications:
 - VM Name: "WebServerVM"
 - Resource Group: <That is available to you>
 - Location: "Central India"
 - Size: "Standard_B1s"
 - Image: "Ubuntu Server 20.04 LTS"
 - Authentication type: SSH public key
 - Ports: Allow HTTP (80) and HTTPS (443)
- Once the VM is set up, SSH into it and install your Linux web server software (like Apache or Nginx).
- Enable Azure Security Center Standard Tier for enhanced security.
- Test the web server's accessibility and performance using Curl or a web browser.

Note:

- While logging into the Azure portal if any prompt

Answered
0/1

Bookmarked
0/1

Skipped
1/1

Not Viewed
0/1

Saved in Server

SESSION-1 COD 2

Practice_Azure_VM_3

Section 1/1 | COD (1)

Question No : 1 / 1

Cloud Question

As an Azure administrator, your task is to create and configure a virtual machine named 'winvm' within a pre-existing Resource Group. This VM will be set up as a web server using the below configurations.

Task Details:

- **Navigate to Virtual Machines:**
 - Click on the **Add** button to create a new VM.
- **Basics Tab:**
 - **Subscription:** Select your Azure subscription.
 - **Resource Group:** Choose the existing resource group where you want to create the VM.
 - **Virtual machine name:** Enter 'winvm'
 - **Region:** Select 'East US'.
 - **Availability options:** Select an appropriate option (No infrastructure redundancy required is fine if high availability is not a requirement).
 - **Image:** Select Windows Server 2022 Datacenter Azure Edition.

Answered
0/1

Bookmarked
0/1

Skipped
1/1

Not Viewed
0/1

Saved in Server

Practice_Azure_VM_3

Section 1/1 | COD (1)

Question No : 1 / 1

Datacenter Azure edition.

- **Size:** Select **Standard_DS1_v2**
- **Authentication type:** Select Password
- **Username:** Enter a username for the administrator account.
- **Password:** Enter and confirm a strong password.
- **Install IIS Web Server:**
 - Once the VM is created, connect to it using Remote Desktop Protocol (RDP).
 - Open **Server Manager**.
 - Click on **Add roles and features**.
 - Follow the wizard to install the **Web Server (IIS)** role.
 - Ensure all necessary features for a basic IIS web server are selected.
- **Test Web Server Accessibility and Performance:**
 - After IIS is installed, open a web browser on your local machine.
 - Enter the public IP address of the VM in the browser's address bar.
 - Verify that the default IIS welcome page is displayed.

Answered
0/1

Bookmarked
0/1

Skipped
1/1

Not Viewed
0/1

Saved in Server

Practice_Azure_VM_3

Section 1/1 | COD (1)

- Ensure all necessary features for a basic IIS web server are selected.

• Test Web Server Accessibility and Performance:

- After IIS is installed, open a web browser on your local machine.
- Enter the public IP address of the VM in the browser's address bar.
- Verify that the default IIS welcome page is displayed.

Specifications:

- **VM Name:** 'winvm'.
- **Region:** 'East US'.
- **Operating System:** 'Windows Server 2022 Datacenter Azure Edition'.
- **VM Size:** 'Standard_DS1_v2'
- **IIS Web Server:** Install the IIS web server

Click "Ask later" to skip setting up the Microsoft Authenticator app.

SESSION-2 COD-1

Question No : 1 / 1

drive.google

Cloud Question

As an Azure administrator, you have been tasked with configuring an Azure Storage account to support your company's Table storage requirements. Your goal is to set up the Storage account with specific configurations to ensure secure and efficient Table storage and retrieval.

Follow the steps below to complete the task:

- Create an Azure Storage account with your resource group name(<Your Resource Group>).
- Set the location to North Central US.
- Configure the Storage account to use the Standard performance tier.
- Enable the Geo-redundant storage (GRS) replication option for enhanced data durability.
- Set the account access tier to 'Hot' to optimize for frequent access to the stored data.
- Create a Table named "table1" in the storage account.

While logging into the Azure portal If any prompt for user security(multifactor authentication) click on "Ask Later".

Note :

The cloud question will not be submitted if "Submit" is not done atleast once

COD-2

Cloud Question

As an Azure administrator, your task is to set up an Azure Storage account to support a new web application's blob storage requirements. This application requires storing large amounts of unstructured data, such as images and videos, with efficient and secure access.

Perform the following steps to complete this task:

- Create an Azure Storage account with the same name of the Resource group given to you in the East US region.
- Configure the Storage account to use the Standard performance tier and Geo-redundant storage (GRS) replication for increased durability and availability.
- Create a blob container named 'media' within the Storage account.
- Set the access level of the 'media' blob container to 'Blob' to allow public read access for blobs.
- Upload an initial set of images of your choice(image1.jpg, image2.jpg, image3.jpg) to the 'media' blob container.

AZURE SQL Q-2

Question No : 1 / 1

Cloud Question

You are the Azure administrator for FastGrowthStartup, a rapidly growing tech startup. The development team at FastGrowthStartup is about to kick-start a new product and has chosen Azure SQL Database to handle the product's data. Your job is to provision an Azure SQL Database using the following specifications.

Specifications:

- Database Name: "products"
- Resource Group: <That is available to you>
- Server Name: give your resource group name
- Location: "West US"
- Compute Tier: General Purpose
- Collation: SQL_Latin1_General_CP1_CI_AS
- Max Size: 2 GB
- Backup Storage Redundancy: Locally-redundant backup storage

AZURE SQL Q-3

Cloud Question

As the Azure Database administrator for DigiBank, a leading financial institution, is committed to safeguarding customer financial assets and providing uninterrupted banking services. To enhance data protection and security, they are implementing dynamic data masking to columns in the primary database tables. Your job is to ensure robust and secure data management by creating databases with the below mentioned specifications, and then enhancing security for the primary database table only.

Specifications :

- Use the Resource group that is listed for you
- Choose the location as "West US"
- Create Primary database with Database Name as "headserverdb" with Compute Tier as Serverless General Purpose with a Data Max Size 1GB & choose Backup Storage Redundancy as Locally Redundant Backup Storage
- Create a Primary Server in the name of your "<Your Resource Group Name>hserver"
- Create second database with Database Name as "branchserverdb" with Compute Tier as Serverless General Purpose with a Data Max Size 1GB & choose Backup Storage Redundancy as Locally Redundant Backup Storage
- Create a Secondary Server in the name of your "<Your Resource Group Name>bserver"
- Add your client IPV4 address and enable the option 'Allow Azure services and resources to access this server' in Networking of the Primary Database server "<YourResourceGroupName>hserver" before creating a table in the Primary database.
- Create a Table called "customerdata" in the database "headserverdb" and create two columns "ID" and "CustomerNo" with 'int' and 'varchar(50)' datatypes respectively.
- Enable Dynamic Data Masking property for the second column "CustomerNo" using the below SQL query:

```
CREATE SCHEMA Service;
GO

CREATE TABLE Service.customerdata(
  ID INT MASKED WITH (FUNCTION = 'default()')
  NULL,
  CustomerNo INT MASKED WITH (FUNCTION = 'default()');

INSERT INTO Service.customerdata(ID,
  CustomerNo) VALUES
  ('123', 12345678), ('234', 543216789), ('456',
  987654321);
```


