

```

=====
■■■: drizzle.config.ts
=====
import { defineConfig } from 'drizzle-kit';

export default defineConfig({
  schema: './src/storage/database/shared/schema.ts',
  out: './drizzle',
  dialect: 'postgresql',
  dbCredentials: {
    url: process.env.DATABASE_URL!,
  },
});

=====
■■■: next.config.ts
=====
import type { NextConfig } from 'next';

const supabaseHost = process.env.COZE_SUPABASE_URL
  ? new URL(process.env.COZE_SUPABASE_URL).hostname
  : '*.supabase.co';

const cozeDomain = process.env.COZE_PROJECT_DOMAIN_DEFAULT
  ? new URL('https://' + process.env.COZE_PROJECT_DOMAIN_DEFAULT).hostname
  : '*.dev.coze.site';

const nextConfig: NextConfig = {
  allowedDevOrigins: ['*.dev.coze.site'],
  env: {
    NEXT_PUBLIC_SUPABASE_URL: process.env.COZE_SUPABASE_URL || '',
    NEXT_PUBLIC_SUPABASE_ANON_KEY: process.env.COZE_SUPABASE_ANON_KEY || '',
  },
  // ■■■■
  images: {
    remotePatterns: [
      { protocol: 'https', hostname: '*', pathname: '/' },
    ],
    formats: ['image/avif', 'image/webp'],
  },
  // ■■
  compress: true,
  // ■■■■
  poweredByHeader: false,
  reactStrictMode: false, // ■■■■■■■double render■■■■■■■
  // ■■■■
  experimental: {
    optimizePackageImports: [
      'recharts',
      'lucide-react',

```

```

    '@radix-ui/react-icons',
  ],
},
async headers() {
  return [
    {
      source: '/(.*)',
      headers: [
        { key: 'X-Frame-Options', value: 'DENY' },
        { key: 'X-Content-Type-Options', value: 'nosniff' },
        { key: 'X-XSS-Protection', value: '1; mode=block' },
        { key: 'Referrer-Policy', value: 'strict-origin-when-cross-origin' },
        {
          key: 'Content-Security-Policy',
          value: [
            "default-src 'self'",
            `script-src 'self' 'unsafe-inline' 'unsafe-eval' https://${cozeDomain}`,
            `style-src 'self' 'unsafe-inline' https://fonts.googleapis.cn`,
            `font-src 'self' https://fonts.gstatic.cn`,
            `img-src 'self' data: blob: https:`,
            `connect-src 'self' https://${supabaseHost} https://${cozeDomain} https://...`,
            `frame-ancestors 'none'`,
            "base-uri 'self'",
            "form-action 'self'",
          ].join('; '),
        },
      ],
    },
    {
      key: 'Permissions-Policy',
      value: 'camera=(), microphone=(), geolocation=()',
    },
  ],
},
// ■■■■■■■■■■
{
  source: '/_next/static/(.*)',
  headers: [
    { key: 'Cache-Control', value: 'public, max-age=31536000, immutable' },
  ],
},
// API■■■■
{
  source: '/api/dashboard',
  headers: [
    { key: 'Cache-Control', value: 'private, max-age=30, stale-while-revalidate=6...' },
  ],
},
{
  source: '/api/auth/profile',
  headers: [
    { key: 'Cache-Control', value: 'private, max-age=10, stale-while-revalidate=3...' },
  ],
},

```

```

■■■: package.json
=====
{
  "name": "projects",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "build": "bash ./scripts/build.sh",
    "dev": "bash ./scripts/dev.sh",
    "preinstall": "npx only-allow pnpm",
    "lint": "eslint",
    "lint:build": "eslint . --quiet",
    "smoke-test": "node scripts/smoke-test.mjs",
    "db-check": "node scripts/db-check.mjs",
    "start": "bash ./scripts/start.sh",
    "ts-check": "tsc -p tsconfig.json",
    "validate": "pnpm run --parallel '!^(ts-check|lint:build)$/'
  },
  "dependencies": {
    "@aws-sdk/client-s3": "^3.958.0",
    "@aws-sdk/lib-storage": "^3.958.0",
    "@hookform/resolvers": "^5.2.2",
    "@langchain/core": "^1.1.47",
    "@radix-ui/react-accordion": "^1.2.12",
    "@radix-ui/react-alert-dialog": "^1.1.15",
    "@radix-ui/react-aspect-ratio": "^1.1.8",
    "@radix-ui/react-avatar": "^1.1.11",
    "@radix-ui/react-checkbox": "^1.3.3",
    "@radix-ui/react-collapsible": "^1.1.12",
    "@radix-ui/react-context-menu": "^2.2.16",
    "@radix-ui/react-dialog": "^1.1.15",
    "@radix-ui/react-dropdown-menu": "^2.1.16",
    "@radix-ui/react-hover-card": "^1.1.15",
    "@radix-ui/react-label": "^2.1.8",
    "@radix-ui/react-menubar": "^1.1.16",
    "@radix-ui/react-navigation-menu": "^1.2.14",
    "@radix-ui/react-popover": "^1.1.15",
    "@radix-ui/react-progress": "^1.1.8",
    "@radix-ui/react-radio-group": "^1.3.8",
    "@radix-ui/react-scroll-area": "^1.2.10",
    "@radix-ui/react-select": "^2.2.6",
  }
}

```

```

"@radix-ui/react-separator": "^1.1.8",
"@radix-ui/react-slider": "^1.3.6",
"@radix-ui/react-slot": "^1.2.4",
"@radix-ui/react-switch": "^1.2.6",
"@radix-ui/react-tabs": "^1.1.13",
"@radix-ui/react-toggle": "^1.1.10",
"@radix-ui/react-toggle-group": "^1.1.11",
"@radix-ui/react-tooltip": "^1.2.8",
"@supabase/ssr": "^0.10.3",
"@supabase/supabase-js": "2.95.3",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"cmdk": "^1.1.1",
"coze-coding-dev-sdk": "^0.7.21",
"date-fns": "^4.1.0",
"docx": "^9.6.1",
"dotenv": "^17.2.3",
"drizzle-kit": "^0.31.8",
"drizzle-orm": "^0.45.1",
"drizzle-zod": "^0.8.3",
"embla-carousel-react": "^8.6.0",
"input-otp": "^1.4.2",
"lucide-react": "^0.468.0",
"next": "16.1.1",
"next-themes": "^0.4.6",
"node-cron": "^4.2.1",
"openai": "^6.38.0",
"pg": "^8.17.2",
"react": "19.2.3",
"react-day-picker": "^9.13.0",
"react-dom": "19.2.3",
"react-hook-form": "^7.70.0",
"react-resizable-panels": "^4.2.0",
"recharts": "2.15.4",
"sonner": "^2.0.7",
"tailwind-merge": "^2.6.0",
"tw-animate-css": "^1.4.0",
"vaul": "^1.1.2",
"xlsx": "^0.18.5",
"zod": "^4.3.5"
},
"devDependencies": {
  "@react-dev-inspector/babel-plugin": "^2.0.1",
  "@react-dev-inspector/middleware": "^2.0.1",
  "@tailwindcss/postcss": "^4",
  "@types/node": "^20",
  "@types/node-cron": "^3.0.11",
  "@types/pg": "^8.16.0",
  "@types/react": "^19",
  "@types/react-dom": "^19",

```

```
=====  
■■: pnpm-lock.yaml  
=====  
lockfileVersion: '9.0'
```

```
importers:
```

• •

dependencies:

```
'@aws-sdk/client-s3':
  specifier: ^3.958.0
  version: 3.975.0
 '@aws-sdk/lib-storage':
  specifier: ^3.958.0
  version: 3.975.0(@aws-sdk/client-s3@3.975.0)
 '@hookform/resolvers':
  specifier: ^5.2.2
  version: 5.2.2(react-hook-form@7.71.1(react@19.2.3))
 '@langchain/core':
  specifier: ^1.1.47
  version: 1.1.47(openai@6.38.0(ws@8.19.0)(zod@4.3.6))(ws@8.19.0)
 '@radix-ui/react-accordion':
  specifier: ^1.2.12
  version: 1.2.12(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
 '@radix-ui/react-alert-dialog':
  specifier: ^1.1.15
  version: 1.1.15(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
 '@radix-ui/react-aspect-ratio':
  specifier: ^1.1.8
  version: 1.1.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
```

```
'@radix-ui/react-avatar':
  specifier: ^1.1.11
  version: 1.1.11(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-checkbox':
  specifier: ^1.3.3
  version: 1.3.3(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-collapsible':
  specifier: ^1.1.12
  version: 1.1.12(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-context-menu':
  specifier: ^2.2.16
  version: 2.2.16(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-dialog':
  specifier: ^1.1.15
  version: 1.1.15(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-dropdown-menu':
  specifier: ^2.1.16
  version: 2.1.16(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-hover-card':
  specifier: ^1.1.15
  version: 1.1.15(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-label':
  specifier: ^2.1.8
  version: 2.1.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-menubar':
  specifier: ^1.1.16
  version: 1.1.16(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-navigation-menu':
  specifier: ^1.2.14
  version: 1.2.14(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-popover':
  specifier: ^1.1.15
  version: 1.1.15(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-progress':
  specifier: ^1.1.8
  version: 1.1.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-radio-group':
  specifier: ^1.3.8
  version: 1.3.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-scroll-area':
  specifier: ^1.2.10
  version: 1.2.10(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-select':
  specifier: ^2.2.6
  version: 2.2.6(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-separator':
  specifier: ^1.1.8
  version: 1.1.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
'@radix-ui/react-slider':
  specifier: ^1.3.6
```

```
  version: 1.3.6(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2...
'@radix-ui/react-slot':
  specifier: ^1.2.4
  version: 1.2.4(@types/react@19.2.10)(react@19.2.3)
'@radix-ui/react-switch':
  specifier: ^1.2.6
  version: 1.2.6(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2...
'@radix-ui/react-tabs':
  specifier: ^1.1.13
  version: 1.1.13(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19...
'@radix-ui/react-toggle':
  specifier: ^1.1.10
  version: 1.1.10(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19...
'@radix-ui/react-toggle-group':
  specifier: ^1.1.11
  version: 1.1.11(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19...
'@radix-ui/react-tooltip':
  specifier: ^1.2.8
  version: 1.2.8(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2...
'@supabase/ssr':
  specifier: ^0.10.3
  version: 0.10.3(@supabase/supabase-js@2.95.3)
'@supabase/supabase-js':
  specifier: 2.95.3
  version: 2.95.3
class-variance-authority:
  specifier: ^0.7.1
  version: 0.7.1
clsx:
  specifier: ^2.1.1
  version: 2.1.1
cmdk:
  specifier: ^1.1.1
  version: 1.1.1(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2...
coze-coding-dev-sdk:
  specifier: ^0.7.21
  version: 0.7.21(openai@6.38.0(ws@8.19.0)(zod@4.3.6))(ws@8.19.0)
date-fns:
  specifier: ^4.1.0
  version: 4.1.0
docx:
  specifier: ^9.6.1
  version: 9.6.1
dotenv:
  specifier: ^17.2.3
  version: 17.2.3
drizzle-kit:
  specifier: ^0.31.8
  version: 0.31.8
drizzle-orm:
```

```
    specifier: ^0.45.1
    version: 0.45.1(@types/pg@8.16.0)(pg@8.17.2)
drizzle-zod:
  specifier: ^0.8.3
  version: 0.8.3(drizzle-orm@0.45.1(@types/pg@8.16.0)(pg@8.17.2))(zod@4.3.6)
embla-carousel-react:
  specifier: ^8.6.0
  version: 8.6.0(react@19.2.3)
input-otp:
  specifier: ^1.4.2
  version: 1.4.2(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
lucide-react:
  specifier: ^0.468.0
  version: 0.468.0(react@19.2.3)
next:
  specifier: 16.1.1
  version: 16.1.1(@babel/core@7.28.6)(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
next-themes:
  specifier: ^0.4.6
  version: 0.4.6(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
node-cron:
  specifier: ^4.2.1
  version: 4.2.1
openai:
  specifier: ^6.38.0
  version: 6.38.0(ws@8.19.0)(zod@4.3.6)
pg:
  specifier: ^8.17.2
  version: 8.17.2
react:
  specifier: 19.2.3
  version: 19.2.3
react-day-picker:
  specifier: ^9.13.0
  version: 9.13.0(react@19.2.3)
react-dom:
  specifier: 19.2.3
  version: 19.2.3(react@19.2.3)
react-hook-form:
  specifier: ^7.70.0
  version: 7.71.1(react@19.2.3)
react-resizable-panels:
  specifier: ^4.2.0
  version: 4.5.2(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
recharts:
  specifier: 2.15.4
  version: 2.15.4(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
sonner:
  specifier: ^2.0.7
  version: 2.0.7(react-dom@19.2.3(react@19.2.3))(react@19.2.3)
```



```
tailwind-merge:
  specifier: ^2.6.0
  version: 2.6.0
tw-animate-css:
  specifier: ^1.4.0
  version: 1.4.0
vault:
  specifier: ^1.1.2
  version: 1.1.2(@types/react-dom@19.2.3(@types/react@19.2.10))(@types/react@19.2.10)
xlsx:
  specifier: ^0.18.5
  version: 0.18.5
zod:
  specifier: ^4.3.5
  version: 4.3.6
devDependencies:
  '@react-dev-inspector/babel-plugin':
    specifier: ^2.0.1
    version: 2.0.1
  '@react-dev-inspector/middleware':
    specifier: ^2.0.1
    version: 2.0.1(eslint@9.39.2(jiti@2.6.1))(typescript@5.9.3)(webpack@5.104.1(esb...))
  '@tailwindcss/postcss':
    specifier: ^4
    version: 4.1.18
  '@types/node':
    specifier: ^20
    version: 20.19.30
  '@types/node-cron':
    specifier: ^3.0.11
    version: 3.0.11
  '@types/pg':
    specifier: ^8.16.0
    version: 8.16.0
  '@types/react':
    specifier: ^19
    version: 19.2.10
  '@types/react-dom':
    specifier: ^19
    version: 19.2.3(@types/react@19.2.10)
  eslint:
    specifier: ^9
    version: 9.39.2(jiti@2.6.1)
  eslint-config-next:
    specifier: 16.1.1
    version: 16.1.1(typescript-eslint/parser@8.54.0(eslint@9.39.2(jiti@2.6.1))(typ...))
  only-allow:
    specifier: ^1.2.2
    version: 1.2.2
  react-dev-inspector:
```

packages:

```
@alloc/quick-lru@5.2.0':
  resolution: {integrity: sha512-UrcABB+4bUrFABWbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9g...
  engines: {node: '>=10'}

'@antfu/ni@25.0.0':
  resolution: {integrity: sha512-9q/yCljni37pkMr4sPri3G4jqdIk074+iuKc5aFJl7kmDCCsiJrb...
  hasBin: true

'@aws-crypto/crc32@5.2.0':
  resolution: {integrity: sha512-nLbCWqQNGUiwWTFsen1AdzAtvuLRsQS8rYgMuxCrdKf9k0ssamGL...
  engines: {node: '>=16.0.0'}

'@aws-crypto/crc32c@5.2.0':
  resolution: {integrity: sha512-+iWb8qaHLYKrNvGRbiYRHsDKRWhto5XLZUEBwDJYnf+ly5SVYG6z...

'@aws-crypto/sha1-browser@5.2.0':
  resolution: {integrity: sha512-0H6lveCFfcDjX4dbAvCFSYUjJZjDr/3XJ3xHtjn30j5b9RjojQo8...

'@aws-crypto/sha256-browser@5.2.0':
  resolution: {integrity: sha512-AXfN/lGotSQwu6HNcEsIASo7kWXZ5HYWvf0mSNKDsEqC40ashTp8...

'@aws-crypto/sha256-js@5.2.0':
  resolution: {integrity: sha512-FFQYqu7edu4ufvIZ+0adFpHHOt+eSTBaYaki44c+akjg7qZg9oOQ...
  engines: {node: '>=16.0.0'}

'@aws-crypto/supports-web-crypto@5.2.0':
  resolution: {integrity: sha512-iAvUotm021kM33eCdNfwIN//F77/IADDSs58i+MDaOqFrVjZo9ba...

'@aws-crypto/util@5.2.0':
  resolution: {integrity: sha512-4RkU9ESI6ZpBve5fseQLGNUWkMa1RLPQ1dnjnQoe07ldfIzcsGb5...
```

```
'@aws-sdk/client-s3@3.975.0':
  resolution: {integrity: sha512-aF1M/iMD29BPcpXjqoym0YFa4WR9Xie1/IhVumw0GH6TB45DaqY0...
  engines: {node: '>=20.0.0'}

'@aws-sdk/client-sso@3.975.0':
  resolution: {integrity: sha512-HpgJuleH7P6uILxzJKQ0mIHdwaCY+xYC6VgRDzlwVEqU/HXjo4m2...
  engines: {node: '>=20.0.0'}

'@aws-sdk/core@3.972.0':
  resolution: {integrity: sha512-nEeUW2M9F+xdIaD98F5MBcQ4ITtykj3yKbgFZ6J0JtL3bq+Z90sz...
  engines: {node: '>=20.0.0'}

'@aws-sdk/core@3.973.3':
  resolution: {integrity: sha512-ZbM2Xy8ytAcfnNpkBltr6Qdw36W/4NW5nZdZieCuTfac0BFpi/NY...
  engines: {node: '>=20.0.0'}

'@aws-sdk/crc64-nvme@3.972.0':
  resolution: {integrity: sha512-ThlLhTqX68jvoIVv+pryOdb5coP1cX1/MaTbB9xkGDCbwbsqQcLq...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-env@3.972.2':
  resolution: {integrity: sha512-wZH1EdrZsyTG1xN9UHak12J9+kfrnd2+c8y0LVoS404laEjPoie1...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-http@3.972.3':
  resolution: {integrity: sha512-IbBGWhaxiEl64fznwh5PDEB0N7YJEAvk5b6nRtPVUKdKAHlOPgo6...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-ini@3.972.2':
  resolution: {integrity: sha512-Jrb8sLm6k8+L7520irBrvCtdLxNtrG7arIxe9TCeMJt/HxqMGJdb...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-login@3.972.2':
  resolution: {integrity: sha512-mlaw2aiI3DrimW85ZMn3g7qrtHueidS58IGytZ+mbFpsYlK5wMjC...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-node@3.972.2':
  resolution: {integrity: sha512-Lz1J5IZdTjLYTVIcDP5DVDgi1xlgsF3p1cnvmbfKbjCRhQpftN2e...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-process@3.972.2':
  resolution: {integrity: sha512-NLKLTT7jnUe9GpQAVkPTJ0+cs2FjlQDt5fArIYS7h/Iw/CvamzgG...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-sso@3.972.2':
  resolution: {integrity: sha512-YpwDn8g3gCGUl61cCV0sRxP2pFIwg+ZsMfwQ/GalSyjXtRkctCMF...
  engines: {node: '>=20.0.0'}

'@aws-sdk/credential-provider-web-identity@3.972.2':
```

```
resolution: {integrity: sha512-x9DAiN9Qz+NjJ99ltDiVQ8d511M/tuF/9MFbe2jUgo7HZhD6+x4S...
engines: {node: '>=20.0.0'}}

'@aws-sdk/lib-storage@3.975.0':
  resolution: {integrity: sha512-F6vrnZ3F7oqr3oONCIpx+uZDTwXWfh8sBoNNJollDn5pIn7TI+R+...
  engines: {node: '>=20.0.0'}
  peerDependencies:
    '@aws-sdk/client-s3': 3.975.0

'@aws-sdk/middleware-bucket-endpoint@3.972.1':
  resolution: {integrity: sha512-YVvoitBdE8W0PhqIXvv49efT73F4bJ99XH2bi3Dn3mx7WngI4RwH...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-expect-continue@3.972.1':
  resolution: {integrity: sha512-6lfl2/J/kutzw/RLu1kjbahsz4vrGPysrdxWaw8fkjLYG+6M6Asw...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-flexible-checksums@3.972.1':
  resolution: {integrity: sha512-kjVVREpqeUKYQsXr78AcsJbEULxGH7+H6yS7zkjrnu6HyEVxbdSn...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-host-header@3.972.2':
  resolution: {integrity: sha512-42hZ8jEXT2uR6YybCzNq90omqHPw43YIfRfz17biZjMQA4jKSQUa...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-location-constraint@3.972.1':
  resolution: {integrity: sha512-YisPaCbvBk9gY5aUI8jDMDKXsLZ9Fet0WYj1MviK8tZYMgxBIYHM...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-logger@3.972.2':
  resolution: {integrity: sha512-iUzdXK0gi4JVDDEG/VvoNw50FryRCEm0qAudw12DcZoiNJWl0rN6...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-recursion-detection@3.972.2':
  resolution: {integrity: sha512-/mzlyzJDtngNFD/rAYVqx29a2d0VuiYKN84Y/Mu9mGw7cfMOCyRK...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-sdk-s3@3.972.0':
  resolution: {integrity: sha512-0bcKFwx+NZ7tIl0o7KjQ+02rydiHdIQahrq+fN6k90sky29v17g...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-sdk-s3@3.972.2':
  resolution: {integrity: sha512-5f9x9/G+StE8+7wd9EVDF3d+J74xK+WBA3FhZwLSkf3pHFGLKzlm...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-ssec@3.972.1':
  resolution: {integrity: sha512-fLtRTPd/MxJT2drJKft2GVGKm35PiNEeQ1Dvz1vc/WhhgAteYrp4...
  engines: {node: '>=20.0.0'}

'@aws-sdk/middleware-user-agent@3.972.3':
```

```
  resolution: {integrity: sha512-zq6aTiO/BiAIOA8EH8nB+wYvvnZ14Md9Gomm5DDhParshVEVglAy...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/nested-clients@3.975.0':
  resolution: {integrity: sha512-0keFHP1Qj2c/Y5bQGkX14pxhDWUGUft3LRHhjCDKsSCw6lrXKcXN...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/region-config-resolver@3.972.2':
  resolution: {integrity: sha512-/7vRBsfmi0lg2XG7EdKrzzQGw5/SbkXb7ALHqmlQLkZh8qNgvS2G...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/signature-v4-multi-region@3.972.0':
  resolution: {integrity: sha512-2udiRijmjpN81Pvajje4TsjbXDZNP6K9bYUanBYH8hXa/tZG5qfG...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/token-providers@3.975.0':
  resolution: {integrity: sha512-AWQt64hkVbdQ+CmM09wnvSk2mVyH4iRR0kmYkr3/lmUtFNbE2L/f...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/types@3.972.0':
  resolution: {integrity: sha512-U7xBIbLSet0Nxb2bNzHyDgND3oKGoIfmknrEVnoEU4GUSs+0augU...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/types@3.973.1':
  resolution: {integrity: sha512-DwHBI-MNOB468JiX6+i34c+THsKHeryUdNQ3HexeXZvVn4zouLjga...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/util-arn-parser@3.972.0':
  resolution: {integrity: sha512-RM5Mmo/KJ593iMSrALhEOcc9Y0IyOsDms5x2NLOMdEmzv1o00fc...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/util-arn-parser@3.972.1':
  resolution: {integrity: sha512-XnNit6H9PPHhquXW/usjX6JeJ6Pm8ZNqivTjmNjgWHeOfVpbluc/...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/util-endpoints@3.972.0':
  resolution: {integrity: sha512-6JHsl1V/a1ZW8D8AFfd4R52fwZPnZ5H4U6DS8m/bWT8qad72Nvb0...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/util-locate-window@3.965.4':
  resolution: {integrity: sha512-H1onv5SkgPBK2P6JR2MjGgbOnttoNzSPIRoeZTNPZYyaplwGg50z...
  engines: {node: '>=20.0.0'}}

'@aws-sdk/util-user-agent-browser@3.972.2':
  resolution: {integrity: sha512-gz76bUyebPZRxiSBHJUd/v+iyFzm9adHbr8NykP2nm+z/rFyvQn...

'@aws-sdk/util-user-agent-node@3.972.2':
  resolution: {integrity: sha512-vnx0c4C6AR7hVbwyFo1YuH0GB6dgJlWt8nIO0JpnzJAWJPkUMPJ9...
  engines: {node: '>=20.0.0'}}
peerDependencies:
```

```
    aws-crt: '>=1.0.0'
peerDependenciesMeta:
  aws-crt:
    optional: true

'@aws-sdk/xml-builder@3.972.0':
  resolution: {integrity: sha512-P0aGmcXnozzqBUYJM3HLUZ9GR60KJWPGJEmhtTnxZXt8B6JcJ/6K...
  engines: {node: '>=20.0.0'}

'@aws-sdk/xml-builder@3.972.2':
  resolution: {integrity: sha512-jG00V/bV1DhkkUhHiZ3/1GZ67cZy0XaDb7d1rYD6ZiXf5V9tBN0c...
  engines: {node: '>=20.0.0'}

'@aws/lambda-invoke-store@0.2.3':
  resolution: {integrity: sha512-oLvsaPMTBejkkHhjf09xTgk71m0qyr/409NKhRIL08If7AhVfUs...
  engines: {node: '>=18.0.0'}

'@babel/code-frame@7.28.6':
  resolution: {integrity: sha512-JYgintcMjRiCvS8mMECzaEn+m3PfoQiyqukoMCCVQtoJGYJw8j/8...
  engines: {node: '>=6.9.0'}

'@babel/compat-data@7.28.6':
  resolution: {integrity: sha512-2lfu57JtzctfIrcGMz992hyLlByuzgIk58+hhGCxjKZ3rWI82NnV...
  engines: {node: '>=6.9.0'}

'@babel/core@7.28.6':
  resolution: {integrity: sha512-H3mcG6ZDLTLyfaSNi0iOKkigqMFvkTKLGUYlD8GW7nNOYRrevuA4...
  engines: {node: '>=6.9.0'}

'@babel/generator@7.28.6':
  resolution: {integrity: sha512-l0oVRwADj8hj7a189tvQ2a1lf53Z+7tiXMgpZJL3maQPDxh0DgL...
  engines: {node: '>=6.9.0'}

'@babel/helper-annotate-as-pure@7.27.3':
  resolution: {integrity: sha512-fxSwMQqitTGeHLBC08Eq5yXz2m37E4pJX1qAU1+2cNedz/ifv/bV...
  engines: {node: '>=6.9.0'}

'@babel/helper-compilation-targets@7.28.6':
  resolution: {integrity: sha512-JYt ls3hq i15fcx5GaSNL7SCTJ2Mnmjr kHXg4FSpOA/grxK8KwyZ5...
  engines: {node: '>=6.9.0'}

'@babel/helper-create-class-features-plugin@7.28.6':
  resolution: {integrity: sha512-dT0dvsjnG3xNT9Y0AUg1wAl38y+4Rl4sf9caSQZ0XdNqVn+H+Hbb...
  engines: {node: '>=6.9.0'}
peerDependencies:
  '@babel/core': ^7.0.0

'@babel/helper-globals@7.28.0':
  resolution: {integrity: sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53...
  engines: {node: '>=6.9.0'}
```

```
'@babel/helper-member-expression-to-functions@7.28.5':
  resolution: {integrity: sha512-cwM7SBRZcPCLgl8a7cY0soT1SptSzAlMH39vwiRpOQkJlh53r5hd...
  engines: {node: '>=6.9.0'}

'@babel/helper-module-imports@7.28.6':
  resolution: {integrity: sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpi...
  engines: {node: '>=6.9.0'}

'@babel/helper-module-transforms@7.28.6':
  resolution: {integrity: sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drELUSI7Wkp70NrpyISso3plG...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0

'@babel/helper-optimise-call-expression@7.27.1':
  resolution: {integrity: sha512-URMGH08NzYFhubNSGJrpUEphGKQwMQYBySzat5cABYy1/YgIRkUL...
  engines: {node: '>=6.9.0'}

'@babel/helper-plugin-utils@7.28.6':
  resolution: {integrity: sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJiz1W8...
  engines: {node: '>=6.9.0'}

'@babel/helper-replace-supers@7.28.6':
  resolution: {integrity: sha512-mq8e+laIk94/yFec3DxSjCRD2Z0TAjhVbEJY3UQr lwVo15Lmt7C2...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0

'@babel/helper-skip-transparent-expression-wrappers@7.27.1':
  resolution: {integrity: sha512-Tub4ZKEXqbPjXgWLl2+3JpQAYBJ8+ikpQ20cj/q/r0LwE3UhENh...
  engines: {node: '>=6.9.0'}

'@babel/helper-string-parser@7.27.1':
  resolution: {integrity: sha512-qmLSxKbpRlAridExk92nSobyDdpPijUq2DW6oDnUqd0i0GxmQjy...
  engines: {node: '>=6.9.0'}

'@babel/helper-validator-identifier@7.28.5':
  resolution: {integrity: sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03s0h20CHF9UHfVPqWWALU...
  engines: {node: '>=6.9.0'}

'@babel/helper-validator-option@7.27.1':
  resolution: {integrity: sha512-YvjJow9FxbhFFKDSuFnVce2WxXk1zWc22fFePVNEawJEu8IrZVld...
  engines: {node: '>=6.9.0'}

'@babel/helpers@7.28.6':
  resolution: {integrity: sha512-x0Bvwq86HHdB7WUDTfKfT/Vuxh7gElQ+Sfti2Cy6yIWNW05P8iUs...
  engines: {node: '>=6.9.0'}

'@babel/parser@7.28.6':
```

```
  resolution: {integrity: sha512-Ter9zWR18BvbfPmGbLampPMW+uW1NZnJlRuuHso8i87QZNq2JRF9...
  engines: {node: '>=6.0.0'}
  hasBin: true

'@babel/plugin-syntax-jsx@7.28.6':
  resolution: {integrity: sha512-wgEmr06G6sIpqr8YDWA2dSRTE3bJ+V0IfpzfSY3Lfkd7YW0aAdly...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0-0

'@babel/plugin-syntax-typescript@7.28.6':
  resolution: {integrity: sha512-+nDNMQye7nlnuuHDboPbGm00Vqg3o08niRRL27/4LYHUsHYh0zJ1...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0-0

'@babel/plugin-transform-modules-commonjs@7.28.6':
  resolution: {integrity: sha512-jppVbf8IV9iWWWtQIXJMAJCBuuKx71475wHwYytrRGQ2CwiDvY...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0-0

'@babel/plugin-transform-typescript@7.28.6':
  resolution: {integrity: sha512-0YWL2RFx0qEm9EfK5PvreamxPME80yY0wM5wh5lHjF+VtVhdneCW...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0-0

'@babel/preset-typescript@7.28.5':
  resolution: {integrity: sha512-+bQy5W0I2V6LJZpPVxY+yp66XdZ2yifu0Mc1aP5CQKgjn4QM5IN2...
  engines: {node: '>=6.9.0'}
  peerDependencies:
    '@babel/core': ^7.0.0-0

'@babel/runtime@7.28.6':
  resolution: {integrity: sha512-05WQkdpL9C0IMz4LjTxGpNCdlpyimKppYNoJ5Di5EU0bifl8t4t...
  engines: {node: '>=6.9.0'}

'@babel/template@7.28.6':
  resolution: {integrity: sha512-YA6Ma2KsCdGb+WC6UpBVfJGXL58MDA6oyONbjyF/+5sBgxY/dwkh...
  engines: {node: '>=6.9.0'}

'@babel/traverse@7.28.6':
  resolution: {integrity: sha512-fgWX62k02qtjqdSNTAGxmKYY/7FSL9WAS1o2Hu5+I5m9T0yxZzr4...
  engines: {node: '>=6.9.0'}

'@babel/types@7.20.5':
  resolution: {integrity: sha512-c9fst/h2/dcf7H+MJKZ2T0KjEQ8hY/BnNdK/H3XY8C4Aw/ewQXWn...
```



```
'@babel/types@7.28.6':
  resolution: {integrity: sha512-0ZrskXVEHSWiqZM/sQZ4EV3jZJXRkio/WCxaqKZP1g//CEWEPSfe...
  engines: {node: '>=6.9.0'}

'@cfworker/json-schema@4.1.1':
  resolution: {integrity: sha512-gAmrUZSGtKc3AiBL71iNWxDsyUC5uMaKKGdvzYsBoTW/xi42JQHl...

'@date-fns/tz@1.4.1':
  resolution: {integrity: sha512-P5LUNhtbj6YfI3iJjw5EL9eUAG60itD0W3fWQcpQjDRc/QiSL0tR...

'@dotenvx/dotenvx@1.52.0':
  resolution: {integrity: sha512-CaQcc8JvtzQhUSm9877b6V4Tb7HCotkcyud9X2YwdqtQKwgLjKMR...
  hasBin: true

'@drizzle-team/brocli@0.10.2':
  resolution: {integrity: sha512-z33Il7l5dKjUgGULTqBsQBQwckHh5AbIuxhdsIxDDiZAzB0rZ06q...

'@ecies/ciphers@0.2.5':
  resolution: {integrity: sha512-GaLEZH4JgOMHYcYmVqnFirFsjZHeoGMDt9IxEnM9F7GRUUyUksJ...
  engines: {bun: '>=1', deno: '>=2', node: '>=16'}
  peerDependencies:
    '@noble/ciphers': ^1.0.0

'@emnapi/core@1.8.1':
  resolution: {integrity: sha512-AvT9QFpxK0Zd8J0jopedNm+w/2fIzvtPKPjqyw9jwvBaReTTqPBk...

'@emnapi/runtime@1.8.1':
  resolution: {integrity: sha512-mehfKSMWjjNol8659Z8KxEMrdSJDDot5SXMq00dM8BN4o+CLNXQ0...

'@emnapi/wasi-threads@1.1.0':
  resolution: {integrity: sha512-WI0DdZ8xFsbgMjR1sFsKABJ/C50nRrjT06JXbZKexJGrDuPTzZd...

'@esbuild-kit/core-utils@3.3.2':
  resolution: {integrity: sha512-sPRAnw9CdSsRmEtnsl2WXWdyquogVpB3yZ3dgwJfe8zr0zTsV7cJ...
  deprecated: 'Merged into tsx: https://tsx.is'

'@esbuild-kit/esm-loader@2.6.5':
  resolution: {integrity: sha512-FxEMiJKnodyA10aCUoEvbyRkoZLLZ4d/eXFu9Fh8CbBBgP5EmZx...
  deprecated: 'Merged into tsx: https://tsx.is'

'@esbuild/aix-ppc64@0.25.12':
  resolution: {integrity: sha512-Hhmwd6CInZ3dwpuGTF8fJG6yoWmsToE+vYgD4nytZVxcu1uLHpUQ...
  engines: {node: '>=18'}
  cpu: [ppc64]
  os: [aix]

'@esbuild/aix-ppc64@0.27.3':
  resolution: {integrity: sha512-9fJMTNFTWZMh5qwrBITuziu834e0CUcEqymSH7pY+zoMVEZg3gcP...
  engines: {node: '>=18'}
  cpu: [ppc64]
```

```
os: [aix]

'@esbuild/android-arm64@0.18.20':
  resolution: {integrity: sha512-Nz4rJcchGDtENV0eMKUNa6L12zz2zBDXuhj/Vjh18zGqB44Bi7MB...
  engines: {node: '>=12'}
  cpu: [arm64]
  os: [android]

'@esbuild/android-arm64@0.25.12':
  resolution: {integrity: sha512-6AAmLG7zWD1Z159jCKPvAxZd4y/VT00VkprYy+3N2FtJ8+BQWFXU...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [android]

'@esbuild/android-arm64@0.27.3':
  resolution: {integrity: sha512-YdghPYUmj/FX2SYKJ00Zxf+iaKgMsKHVPF1MAq/P8WirnSpCStzK...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [android]

'@esbuild/android-arm@0.18.20':
  resolution: {integrity: sha512-fyi7TDI/ijKKNZTUJAQqiG5T7YjJXgnzkURqmGj13C6dCqckZBLd...
  engines: {node: '>=12'}
  cpu: [arm]
  os: [android]

'@esbuild/android-arm@0.25.12':
  resolution: {integrity: sha512-VJ+sKvNA/GE7Ccacc9Cha7bpS8nyzVv0jdVgwNDaR4gDMC/2TTRc...
  engines: {node: '>=18'}
  cpu: [arm]
  os: [android]

'@esbuild/android-arm@0.27.3':
  resolution: {integrity: sha512-i5D1hPY7GIQmXlXhs2w8AWHhenb00+GxjxRncS2ZM7YNVGNfaMxg...
  engines: {node: '>=18'}
  cpu: [arm]
  os: [android]

'@esbuild/android-x64@0.18.20':
  resolution: {integrity: sha512-8GDdlePJA8D6zLZYJV/jnrRAi6rOiNaCC/JclcxPB+KIuvfBN4ow...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [android]

'@esbuild/android-x64@0.25.12':
  resolution: {integrity: sha512-5jbb+2hhDHx5phyR2By8GTWEzn6I9UqR11Kwf22iKbNpYrsmRB18...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [android]
```

```
'@esbuild/freebsd-arm64@0.25.12':
  resolution: {integrity: sha512-gA0Bx759+7Jve0t3K1S0vk0u5Lg/85dou3Ese0Gues8f1V0GxbhDD...
```

```
engines: {node: '>=18'}
cpu: [arm64]
os: [freebsd]

'@esbuild/freebsd-arm64@0.27.3':
  resolution: {integrity: sha512-ipTYM2fjt3kQAYOvo6vcxJx3nBYAzPjgTCk7QEgZG8AU03ydUhve...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [freebsd]

'@esbuild/freebsd-x64@0.18.20':
  resolution: {integrity: sha512-tgWRPPuQsd3RmBZwarGVHZQvtzfEB0reNuxEMKFcD5DaDn2PbBxf...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [freebsd]

'@esbuild/freebsd-x64@0.25.12':
  resolution: {integrity: sha512-TGb026Yw2xsHzxtbVFGEXBFH0FRAP7gtcPE7P5yP7wGy7cXK2o07...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [freebsd]

'@esbuild/freebsd-x64@0.27.3':
  resolution: {integrity: sha512-dDk0X87T7mI6U3K9VjWtH0XqwAMJBNN2r7bejDsc+j03SEjtD9Hr...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [freebsd]

'@esbuild/linux-arm64@0.18.20':
  resolution: {integrity: sha512-2YbscF+UL7SQAIVpnWvYwM+3LskyDmPhe31pE7/aoTMFKKzIc9lL...
  engines: {node: '>=12'}
  cpu: [arm64]
  os: [linux]

'@esbuild/linux-arm64@0.25.12':
  resolution: {integrity: sha512-8bwX7a8FghIgrupcxb4aUmYDLp8pX06rGh5HqDT7bB+8Rdells6m...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [linux]

'@esbuild/linux-arm64@0.27.3':
  resolution: {integrity: sha512-sZ0uFz/xWnZ4KH3YfFrKCf1wyPZHakVzTiqji3WDc0BCl2kBwiJL...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [linux]

'@esbuild/linux-arm@0.18.20':
  resolution: {integrity: sha512-/5bHkMwnq1EgKr1V+Ybz3s1hWXok7mDFUMQ4cG10AfW3wL02PSzi...
  engines: {node: '>=12'}
  cpu: [arm]
```

```
os: [linux]

'@esbuild/linux-arm@0.25.12':
  resolution: {integrity: sha512-lPDGyC1JPDou8kGcywY0YILzWlhnnRjdof3UlcqYmS9El818LLf...
  engines: {node: '>=18'}
  cpu: [arm]
  os: [linux]

'@esbuild/linux-arm@0.27.3':
  resolution: {integrity: sha512-s6nPv2QkSupJwLYyfs+gwdirm0ukyTFNl3KTgZEAiJDD+iHZcbTP...
  engines: {node: '>=18'}
  cpu: [arm]
  os: [linux]

'@esbuild/linux-ia32@0.18.20':
  resolution: {integrity: sha512-P4etWwq6IsReT0E1KHU40b0nzMHoH73aXp96Fs8TIT6z9Hu8G6+0...
  engines: {node: '>=12'}
  cpu: [ia32]
  os: [linux]

'@esbuild/linux-ia32@0.25.12':
  resolution: {integrity: sha512-0y9KrdVnbMM2/vG8KfU0byhUN+EFCny9+8g202gYqSSVMonbsCfL...
  engines: {node: '>=18'}
  cpu: [ia32]
  os: [linux]

'@esbuild/linux-ia32@0.27.3':
  resolution: {integrity: sha512-yG1QYjdxtLdh0a3jHjuwOrxQj0ZYD/C9PfdbgJJF3TIZWnm/tMd/...
  engines: {node: '>=18'}
  cpu: [ia32]
  os: [linux]

'@esbuild/linux-loong64@0.18.20':
  resolution: {integrity: sha512-nxW8nqBTR0pDLPgPY9uV+/1DjxoQ7DoB2N8eocyq8I9XuqJ7BiAM...
  engines: {node: '>=12'}
  cpu: [loong64]
  os: [linux]

'@esbuild/linux-loong64@0.25.12':
  resolution: {integrity: sha512-h///Lr5a9rib/v1GGqXVGzjL4TMvVTv+s1DPoxQdz7l/AYv6LDSx...
  engines: {node: '>=18'}
  cpu: [loong64]
  os: [linux]

'@esbuild/linux-loong64@0.27.3':
  resolution: {integrity: sha512-W060Sn8ly3gtzhyjATDgieJNet/KqsDlx5nRC5Y3oTFcS1l0KWba...
```

```
'@esbuild/linux-riscv64@0.27.3':
  resolution: {integrity: sha512-3Emwh0r5wmfm3ssTWRQSYVhb0HvqgegUDRd0whmXKX2mkHJe1SFCM...
```

```
engines: {node: '>=18'}
cpu: [riscv64]
os: [linux]

'@esbuild/linux-s390x@0.18.20':
  resolution: {integrity: sha512-+8231GMS3mAEth6Ja1iK0a1sQ3ohfcpzpRLH8uuc5/KVDFneH6jt...
  engines: {node: '>=12'}
  cpu: [s390x]
  os: [linux]

'@esbuild/linux-s390x@0.25.12':
  resolution: {integrity: sha512-MsKnc0cgTNvdtiISc/jZs/Zf8d0cl/t3gYWX8J9ubBnV0wlk65UI...
  engines: {node: '>=18'}
  cpu: [s390x]
  os: [linux]

'@esbuild/linux-s390x@0.27.3':
  resolution: {integrity: sha512-pBHUX9LzXWbc7MFIEEL0yD/ZVtNgLytx60gES28GcWMqil8ElCY...
  engines: {node: '>=18'}
  cpu: [s390x]
  os: [linux]

'@esbuild/linux-x64@0.18.20':
  resolution: {integrity: sha512-UYqiqemphJcNsFESkc73jQ7B9jgwjWrSayxawS6UVFZGWrAAtkzj...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [linux]

'@esbuild/linux-x64@0.25.12':
  resolution: {integrity: sha512-uqZMTLr/zR/ed4jIGnwSLkaHmPjOjJvnm6TVVitAa08SLS9Z0VM8...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [linux]

'@esbuild/linux-x64@0.27.3':
  resolution: {integrity: sha512-Czi8yzXUWIQYAtL/2y6vogER8pvcs0sk5cpwL4Gk5nJqH5UziVBy...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [linux]

'@esbuild/netbsd-arm64@0.25.12':
  resolution: {integrity: sha512-xXwcTq4GhRM7J9A8Gv5boanHhRa/Q9KLVmcyXHCTaM4wKfIpWkdX...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [netbsd]

'@esbuild/netbsd-arm64@0.27.3':
  resolution: {integrity: sha512-sDpk0RgmTCR/5HguIZA9n9u+HVKf40fbEut+iTzSnCaGvY9kFP0Y...
  engines: {node: '>=18'}
  cpu: [arm64]
```

```
os: [netbsd]

'@esbuild/netbsd-x64@0.18.20':
  resolution: {integrity: sha512-i01c++VP6xUBUmltHZoMtCUdPlnPGdBom6Ir04gyKPPFFVBKioIIm...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [netbsd]

'@esbuild/netbsd-x64@0.25.12':
  resolution: {integrity: sha512-Ld5pTlzPy3YwGec40uHh1aCVCrv0XdH8DgRjfDy/oumVovmuSzWf...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [netbsd]

'@esbuild/netbsd-x64@0.27.3':
  resolution: {integrity: sha512-P14lFKJl/DdaE00LitAukUdZ05iqNH7+PjoBm+fLQjtxfcfFE20X...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [netbsd]

'@esbuild/openbsd-arm64@0.25.12':
  resolution: {integrity: sha512-ffF96T6KsBo/pkQI950FARU9apGNTSLZGsv1jZBAlcLL1MLjLNIWP...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [openbsd]

'@esbuild/openbsd-arm64@0.27.3':
  resolution: {integrity: sha512-AIcMP77AvirGbRl/UZFTq5hjXK+2wC7qFRGoHSDrZ5v5b8DK/GYp...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [openbsd]

'@esbuild/openbsd-x64@0.18.20':
  resolution: {integrity: sha512-e5e4YSsuQfX4cxcygw/UCPIEP6wbIL+se3sXPdCiMbFLBWu0eiZ0...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [openbsd]

'@esbuild/openbsd-x64@0.25.12':
  resolution: {integrity: sha512-MZyXUkZHjQxUvzK7rN8DJ3SRmrVrke8ZyRushlP+kuwqTcfWLyqM...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [openbsd]

'@esbuild/openbsd-x64@0.27.3':
  resolution: {integrity: sha512-DnW2sRrBzA+YnE70LKqnM3P+z8vehfJWHXECbwBmH/CU51z6FiqT...
```



```
'@esbuild/openharmony-arm64@0.25.12':
  resolution: {integrity: sha512-rm0YWsQUSRrjncSXGA7Zv78Nbnw4XL6/dzr20cyrQf7ZmRcsovpc...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [openharmony]
```

```
'@esbuild/openharmony-arm64@0.27.3':
  resolution: {integrity: sha512-NinAEgr/etERPTsZJ7aEZQvvg/A6IsZG/LgZy+81w0N2huV7SrK3...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [openharmony]
```

```
'@esbuild/sunos-x64@0.18.20':
  resolution: {integrity: sha512-kDbFRFp0YpTQVVrQud5FTYmWo45zGaXe0X8E1G/LKFC0v8x0vWrh...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [sunos]
```

```
'@esbuild/sunos-x64@0.25.12':
  resolution: {integrity: sha512-3wGSCDyuTHQuzt0nV7bocDy72r2lI33QL3gkDNGkod22EsYl04sM...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [sunos]
```

```
'@esbuild/sunos-x64@0.27.3':
  resolution: {integrity: sha512-PanZ+nEz+eWoBJ8/f8HKxTTD172SKwdXebZ0ndd953gt1HRBbhMs...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [sunos]
```

```
'@esbuild/win32-arm64@0.18.20':
  resolution: {integrity: sha512-ddYFR6ItYgoaq4v4JmQQaAI5s7npztfV4Ag6Nrhiaw0Rrn0XqBkg...
  engines: {node: '>=12'}
  cpu: [arm64]
  os: [win32]
```

```
'@esbuild/win32-arm64@0.25.12':
  resolution: {integrity: sha512-rMmLrur64A7+DKlnSuwqUdRKyd3UE7oPJZmnljqEptesKM8wx9J8...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [win32]
```

```
'@esbuild/win32-arm64@0.27.3':
  resolution: {integrity: sha512-B2t59lWWYrbRDw/tjiW0uzSsFh1Y/E95ofKz7rIVYSQkUYBjfSgf...
  engines: {node: '>=18'}
  cpu: [arm64]
  os: [win32]
```

```
'@esbuild/win32-ia32@0.18.20':
  resolution: {integrity: sha512-Wv7QB3ID/rROT08SABTS7eV4hX26svduqD0Te1MvGMjNd3Ej0z4...
```

```
engines: {node: '>=12'}
cpu: [ia32]
os: [win32]

'@esbuild/win32-ia32@0.25.12':
  resolution: {integrity: sha512-HkqnmmBoCbCwXUKKNPBixiWDGCPqGVsrQfJoVGYLPT41XWF8lHuE...
  engines: {node: '>=18'}
  cpu: [ia32]
  os: [win32]

'@esbuild/win32-ia32@0.27.3':
  resolution: {integrity: sha512-QLKSFeXNS8+tHW7tZpMtjlnb7HKau0QDpwm49u0vUp9y1W0F+PEz...
  engines: {node: '>=18'}
  cpu: [ia32]
  os: [win32]

'@esbuild/win32-x64@0.18.20':
  resolution: {integrity: sha512-kTdfRcSiDfQca/y9QIkng02avJ+NcaQvrMejlsB3RRv5sE9rRoeB...
  engines: {node: '>=12'}
  cpu: [x64]
  os: [win32]

'@esbuild/win32-x64@0.25.12':
  resolution: {integrity: sha512-alJC0uCZpTfRSL0CCDjcggleBXPnCrEAhTBILpeAp7M/OFgoqtAet...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [win32]

'@esbuild/win32-x64@0.27.3':
  resolution: {integrity: sha512-4uJGhsxuptu30cpVAzli+/gwusVGwZZHTLS63hh++ehExkVT8Sgi...
  engines: {node: '>=18'}
  cpu: [x64]
  os: [win32]

'@eslint-community/eslint-utils@4.9.1':
  resolution: {integrity: sha512-phrYmNiYppR7znfEdqgfWXHR6NCkZEK7hwwDHZUjit/2/U0r6Xvk...
  engines: {node: ^12.22.0 || ^14.17.0 || >=16.0.0}
  peerDependencies:
    eslint: ^6.0.0 || ^7.0.0 || >=8.0.0

'@eslint-community/regexpp@4.12.2':
  resolution: {integrity: sha512-EriSTlt50C9/7SXkRSCAhfSxxoSUGBm330H+IkwbdpgoqsSsUg7y...
  engines: {node: ^12.0.0 || ^14.0.0 || >=16.0.0}

'@eslint/config-array@0.21.1':
  resolution: {integrity: sha512-aw1gNayWpdI/jSYVgzN5pL0cfzU02GT3NBpeT/DXbx1/1x7ZKxFP...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/config-helpers@0.4.2':
  resolution: {integrity: sha512-gBrxN88g0If3R7ja5K9slwNayVCZgK6S0U0Rm2uBzTeIEfeVaIh0...
```

```
engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/core@0.17.0':
  resolution: {integrity: sha512-yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/eslintrc@3.3.3':
  resolution: {integrity: sha512-Kr+LPIUVKz2qkx1HAMH8q1q6azbqBASXJUxB1/ODDuVPX45Z9Dfw...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/js@9.39.2':
  resolution: {integrity: sha512-q1mjIow1VX4IvSocvM/vbTiveKC4k9eLrajNEuSsmjymSDEbpGdd...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/object-schema@2.1.7':
  resolution: {integrity: sha512-VtA0aymWVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrfF+VK+f...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@eslint/plugin-kit@0.4.1':
  resolution: {integrity: sha512-43/qtrDUokr7LJqoF2c3+RInu/t4zfrpYdoSDfYyhg52rwLV6Tn0...
  engines: {node: ^18.18.0 || ^20.9.0 || >=21.1.0}

'@floating-ui/core@1.7.4':
  resolution: {integrity: sha512-C3HlIdsBxszzvm5McXlB8Pe0EWfBhcGBTZGkG1wc2U0KFY5IwG50Q...

'@floating-ui/dom@1.7.5':
  resolution: {integrity: sha512-N0bd2kIPIInNHUHehXhMke1rBGs1dwqvC909KYMyyjK7iXt7GAhnr...

'@floating-ui/react-dom@2.1.7':
  resolution: {integrity: sha512-0tLROjf/1Go2JgEVm+3Frg9A3IW8bJgKgd00BN5RkF//ufuz2joZ...
  peerDependencies:
    react: '>=16.8.0'
    react-dom: '>=16.8.0'

'@floating-ui/utils@0.2.10':
  resolution: {integrity: sha512-aGTxbpbpg8/b5JfU1HXSrbH3wXZuLPJcNEcZQFMxLs3oSzgtVu6nF...

'@hono/node-server@1.19.9':
  resolution: {integrity: sha512-vHL6w3ecZsky+8P5MD+eFfaGTyCeOHUIFYMGpQGbrBTsmNNoxv0i...
  engines: {node: '>=18.14.1'}
  peerDependencies:
    hono: ^4

'@hookform/resolvers@5.2.2':
  resolution: {integrity: sha512-A/IxMLShx3KjV/HeTcTfaMxdwy690+L/ZADoeaTltLx+CVuzkeV...
  peerDependencies:
    react-hook-form: ^7.55.0

'@humanfs/core@0.19.1':
  resolution: {integrity: sha512-5DyQ4+1JEUzejeK1JGICcideyfUbGixgS9jNgex5nqkw+cY7WZh...
```

```
engines: {node: '>=18.18.0'}

'@humanfs/node@0.16.7':
  resolution: {integrity: sha512-/zUx+y0sIrG4Y43Eh2peDeKCxlRt/gET6aHfAKpuq267qXdYDFVi...
  engines: {node: '>=18.18.0'}

'@humanwhocodes/module-importer@1.0.1':
  resolution: {integrity: sha512-bxveV4V8v5Yb4ncFTT3rPSgZB0pCkjkfK0y4oVVVJwIuDVBMRDXrP...
  engines: {node: '>=12.22'}

'@humanwhocodes/retry@0.4.3':
  resolution: {integrity: sha512-bv0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywnTnVJCA...
  engines: {node: '>=18.18'}

'@img/colour@1.0.0':
  resolution: {integrity: sha512-A5P/LfWGFSl6nsckYtjw9da+19jB8hkJ6ACTGcDfEJ0aE+l2n2EL...
  engines: {node: '>=18'}

'@img/sharp-darwin-arm64@0.34.5':
  resolution: {integrity: sha512-imtQ3WMJXbMY4fxb/Ndp6HBTNVtWCUI0WdobyheGf5+ad6xX8VID...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [arm64]
  os: [darwin]

'@img/sharp-darwin-x64@0.34.5':
  resolution: {integrity: sha512-YNEFAF/4KQ/Pew0N+r+aVVsoIY0/qxxikF2Swdp+NRkmmB7y9LBZ...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [x64]
  os: [darwin]

'@img/sharp-libvips-darwin-arm64@1.2.4':
  resolution: {integrity: sha512-zqjjo7RatFfFoP0MkQ51jfuFZBnVE2pRiaydKJ1G/rHZvnsrHAOc...
  cpu: [arm64]
  os: [darwin]

'@img/sharp-libvips-darwin-x64@1.2.4':
  resolution: {integrity: sha512-1I0d5xfVhlGwx+zXv2N93k0yMONvULAnylbJw1eTah8K/Jtpi15K...
  cpu: [x64]
  os: [darwin]

'@img/sharp-libvips-linux-arm64@1.2.4':
  resolution: {integrity: sha512-excJX8DfsIcJ10x1Kzr4RcWe1edC9PquDRRPx3YVCvQv+U5p7Yin...
  cpu: [arm64]
  os: [linux]
  libc: [glibc]

'@img/sharp-libvips-linux-arm@1.2.4':
  resolution: {integrity: sha512-bFI7xcKFELdINCvov8e44Ia4u2byA+l3XtsAj+Q8tfCw06BQ8iDo...
  cpu: [arm]
  os: [linux]
```

```

libc: [glibc]

'@img/sharp-libvips-linux-ppc64@1.2.4':
  resolution: {integrity: sha512-FMuvGijLDYG6lw+b/UvyilUWu5Ayu+3r2d1S8notiGCIyYU/76ei...
  cpu: [ppc64]
  os: [linux]
  libc: [glibc]

'@img/sharp-libvips-linux-riscv64@1.2.4':
  resolution: {integrity: sha512-oVDbcR4zUC0ce82teubSm+x6ETixtKZBh/qbREIOcI3cULzDyb18...
  cpu: [riscv64]
  os: [linux]
  libc: [glibc]

'@img/sharp-libvips-linux-s390x@1.2.4':
  resolution: {integrity: sha512-qmp9VrzgPgMoGZyPvrQHqk02uyjA0/QrT026Tqk6l4ZV0MPWIW6L...
  cpu: [s390x]
  os: [linux]
  libc: [glibc]

'@img/sharp-libvips-linux-x64@1.2.4':
  resolution: {integrity: sha512-tJXiILsmHc9Ax1bz3oaOYBURTXGIRD0DBqhveVHonrHJ9/+k89qb...
  cpu: [x64]
  os: [linux]
  libc: [glibc]

'@img/sharp-libvips-linuxmusl-arm64@1.2.4':
  resolution: {integrity: sha512-FVQHuwX1IIuNow9QAbYUzJ+En8KcVm9Lk5+uGUQJHaZmMECZm0li...
  cpu: [arm64]
  os: [linux]
  libc: [musl]

'@img/sharp-libvips-linuxmusl-x64@1.2.4':
  resolution: {integrity: sha512-+LpyBk7L44ZIXwz/VYfglax/okxezESc6UxDSoyo2Ks6Jxc4Y7sG...
  cpu: [x64]
  os: [linux]
  libc: [musl]

'@img/sharp-linux-arm64@0.34.5':
  resolution: {integrity: sha512-bkQzaJRY/bkPOxyKx5EVup7qkaojECG6NLYswgktOZjaXecSAeCW...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [arm64]
  os: [linux]
  libc: [glibc]

'@img/sharp-linux-arm@0.34.5':
  resolution: {integrity: sha512-9dLqsvwtg1uuxBGZKsxem9595+ujv0sJ6Vi8wcTANSFpWV/GONat...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [arm]
  os: [linux]

```

```
'@img/sharp-linux-ppc64@0.34.5':
  resolution: {integrity: sha512-7zznwNaqW6YtsfrGGDA6BRkISKAAE1Jo0QdpNYXNMHu2+0dTrPfl...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [ppc64]
  os: [linux]
  libc: [glibc]

'@img/sharp-linux-riscv64@0.34.5':
  resolution: {integrity: sha512-51gJuLPTKa7piYPaVs8GmByo7/U7/7TZ0q+cnXJIHZKavIRHAP77...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [riscv64]
  os: [linux]
  libc: [glibc]

'@img/sharp-linux-s390x@0.34.5':
  resolution: {integrity: sha512-nQtCk0PdKfho3eC5MrBQoigJ2gd1CgddUMkabUj+rBevs8tZ2cUL...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [s390x]
  os: [linux]
  libc: [glibc]

'@img/sharp-linux-x64@0.34.5':
  resolution: {integrity: sha512-MEzd8HPKxVxVenwAa+JRPwEC7QFjoPWuS5NZnBt6B3pu7EG2Ge0i...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [x64]
  os: [linux]
  libc: [glibc]

'@img/sharp-linuxmusl-arm64@0.34.5':
  resolution: {integrity: sha512-fprJR6GtRsMt6Kyfq44IsChVZeGN97gTD331weR1ex1c1rypDEAB...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [arm64]
  os: [linux]
  libc: [musl]

'@img/sharp-linuxmusl-x64@0.34.5':
  resolution: {integrity: sha512-Jg8wNT1MUZIVhBFxViqrEhWDGzqymo3sV7z7ZsaWbZNDLXRJZORG...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [x64]
  os: [linux]
  libc: [musl]

'@img/sharp-wasm32@0.34.5':
  resolution: {integrity: sha512-OdWTEiVkyY2PHwqkbBI8frFxQQFekHaSSkUIJkwzclwZe6401X4U...
  engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
  cpu: [wasm32]

'@img/sharp-win32-arm64@0.34.5':
```

```
=====
... ■■■■ 115848 ■■■■ ...
=====
```

```
// Remove javascript: in href/src
cleaned = cleaned.replace(/(href|src)\s*=\s*["']?\s*javascript:/gi, '$1="removed:");

if (cleaned.length > maxLength) {
  throw new Error(`■■■■■■■■■■■■■■■■■■■■(${'maxLength'})`);
}

return cleaned;
}
```

```
// ■■■■ Validation ■■■■
```

```
const EMAIL_RE = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/;
const PHONE_RE = /^[3-9]\d{9}$/;
const CODE_RE = /^[A-Za-z0-9]+$/;
```

```
export interface ValidationResult {
  valid: boolean;
  error?: string;
}
```

```
/**
 * Validate email format
 */
export function validateEmail(email: unknown): ValidationResult {
  if (typeof email !== 'string' || !email.trim()) {
    return { valid: false, error: '■■■■■■' };
  }
  const trimmed = email.trim().toLowerCase();
  if (trimmed.length > 254) {
    return { valid: false, error: '■■■■■■' };
  }
  if (!EMAIL_RE.test(trimmed)) {
    return { valid: false, error: '■■■■■■' };
  }
  return { valid: true };
}
```

```
/**
 * Validate Chinese mobile phone number
 */
export function validatePhone(phone: unknown): ValidationResult {
  if (typeof phone !== 'string' || !phone.trim()) {
    return { valid: false, error: '■■■■■■' };
  }
}
```

```
}
const trimmed = phone.trim();
if (!PHONE_RE.test(trimmed)) {
  return { valid: false, error: '■■■■■■■■■■11■■■■■■■■' };
}
return { valid: true };
}

/**
 * Validate redemption code format (alphanumeric only)
 */
export function validateCode(code: unknown): ValidationResult {
  if (typeof code !== 'string' || !code.trim()) {
    return { valid: false, error: '■■■■■■■■' };
  }
  const trimmed = code.trim();
  if (trimmed.length < 4 || trimmed.length > 32) {
    return { valid: false, error: '■■■■■■■■■■' };
  }
  if (!CODE_RE.test(trimmed)) {
    return { valid: false, error: '■■■■■■■■■■■■■■■■' };
  }
  return { valid: true };
}

/**
 * Validate password strength:
 * - Minimum 8 characters
 * - Must contain at least one letter and one number
 */
export function validatePassword(password: unknown): ValidationResult {
  if (typeof password !== 'string' || !password) {
    return { valid: false, error: '■■■■■■' };
  }
  if (password.length < 8) {
    return { valid: false, error: '■■■■8■' };
  }
  if (!/[a-zA-Z]/.test(password)) {
    return { valid: false, error: '■■■■■■■■■■■■■■■■' };
  }
  if (!/[0-9]/.test(password)) {
    return { valid: false, error: '■■■■■■■■■■■■■■■■' };
  }
  if (password.length > 128) {
    return { valid: false, error: '■■■■■■■■■■128■' };
  }
  return { valid: true };
}

/**
```



```

/**
 * Validate pagination parameters to prevent negative/oversized values
 */
export function validatePagination(params: {
  page?: unknown;
  pageSize?: unknown;
}): { page: number; pageSize: number } | ValidationResult {
  const MAX_PAGE_SIZE = 200;
  const DEFAULT_PAGE = 1;
  const DEFAULT_PAGE_SIZE = 20;

  let page = DEFAULT_PAGE;
  let pageSize = DEFAULT_PAGE_SIZE;

  if (params.page !== undefined && params.page !== null) {
    const p = Number(params.page);
    if (!Number.isFinite(p) || p < 1) {
      return { valid: false, error: '■■■■■■■■' };
    }
    page = Math.floor(p);
  }

  if (params.pageSize !== undefined && params.pageSize !== null) {
    const ps = Number(params.pageSize);
    if (!Number.isFinite(ps) || ps < 1) {
      return { valid: false, error: '■■■■■■■■■■' };
    }
    pageSize = Math.min(Math.floor(ps), MAX_PAGE_SIZE);
  }

  return { page, pageSize };
}

/**
 * Validate that a value is a safe string ID (alphanumeric, dashes, underscores)
 */
export function validateId(id: unknown): ValidationResult {
  if (typeof id !== 'string' || !id.trim()) {
    return { valid: false, error: '■■ID■■' };
  }
  if (!/^[a-zA-Z0-9_-]+$/.test(id.trim())) {
    return { valid: false, error: 'ID■■■■■■' };
  }
  if (id.trim().length > 128) {
    return { valid: false, error: 'ID■■■' };
  }
  return { valid: true };
}

/**
 * Validate role value against whitelist

```

```
=====
■■: src/lib/version-check.ts
=====
/**
 * Lightweight version check utility for multi-tab data conflict detection.
 * Before saving, check if the server-side `updated_at` is newer than the local copy.
 */

import { toast } from 'sonner';

interface VersionedRecord {
  id: string;
  updated_at?: string | null;
}

/**
 * Check if a record has been updated since the local copy was loaded.
 * Returns true if conflict detected (server is newer), false if safe to save.
 */
export async function checkVersionConflict(
  authFetch: (url: string, init?: RequestInit) => Promise<Response>,
  apiPath: string,
  localRecord: VersionedRecord,
```

```
localUpdatedAt: string | null | undefined,
): Promise<boolean> {
  if (!localRecord.id || !localUpdatedAt) {
    // No existing record or no timestamp, safe to proceed (new record or first save)
    return false;
  }

  try {
    const res = await authFetch(`${apiPath}?id=${localRecord.id}`);
    if (!res.ok) return false; // Can't check, allow save
    const data = await res.json();
    const serverRecord = Array.isArray(data?.data) ? data.data[0] : data?.data;
    if (!serverRecord?.updated_at) return false;

    const serverTime = new Date(serverRecord.updated_at).getTime();
    const localTime = new Date(localUpdatedAt).getTime();

    if (serverTime > localTime) {
      // Conflict detected - ask user
      return new Promise((resolve) => {
        const overwrite = confirm(
          '■■■■■■■■■■■■■■■■■■■■\n■■■■■■■■■■■■■■■■■■■■'
        );
        resolve(!overwrite); // true = conflict blocking, false = user chose to overwrite
      });
    }
    return false; // No conflict
  } catch {
    // Can't check version, allow save
    return false;
  }
}

/**
 * Show a generic conflict warning toast (for batch operations where confirm is too heavy)
 */
export function showConflictToast() {
  toast.error('■■■■■■■■■■■■■■■■■■■■');
}

=====
■■■: src/middleware.ts
=====

import { NextRequest, NextResponse } from 'next/server';

// ■■■ In-memory rate limit store (single instance) ■■■
interface RateLimitEntry {
  count: number;
  resetAt: number; // timestamp when counter resets
}
```

```
const ipStore = new Map<string, RateLimitEntry>();
const userStore = new Map<string, RateLimitEntry>();

// Clean up expired entries every 5 minutes to prevent memory leak
setInterval(() => {
  const now = Date.now();
  for (const [key, entry] of ipStore) {
    if (now > entry.resetAt) ipStore.delete(key);
  }
  for (const [key, entry] of userStore) {
    if (now > entry.resetAt) userStore.delete(key);
  }
}, 5 * 60 * 1000);

// ■■■■ Rate limit configs ■■■■
interface RateLimitRule {
  windowMs: number; // time window in milliseconds
  maxRequests: number; // max requests per window
}

const AUTH_LIMIT: RateLimitRule = { windowMs: 5 * 60 * 1000, maxRequests: 10 }; //...
const REGISTER_LIMIT: RateLimitRule = { windowMs: 5 * 60 * 1000, maxRequests: 5 }; //...
const AI_CHECKUP_LIMIT: RateLimitRule = { windowMs: 24 * 60 * 60 * 1000, maxRequests: 2...

function getClientIP(request: NextRequest): string {
  // Try common proxy headers first
  const xff = request.headers.get('x-forwarded-for');
  if (xff) return xff.split(',')[0].trim();
  const realIp = request.headers.get('x-real-ip');
  if (realIp) return realIp.trim();
  return 'unknown';
}

function checkRateLimit(
  store: Map<string, RateLimitEntry>,
  key: string,
  windowMs: number,
  maxRequests: number,
): { allowed: boolean; remaining: number; resetAt: number } {
  const now = Date.now();
  const entry = store.get(key);

  if (!entry || now > entry.resetAt) {
    // New window
    const newEntry: RateLimitEntry = { count: 1, resetAt: now + windowMs };
    store.set(key, newEntry);
    return { allowed: true, remaining: maxRequests - 1, resetAt: newEntry.resetAt };
  }
}
```

```
if (entry.count >= maxRequests) {
  return { allowed: false, remaining: 0, resetAt: entry.resetAt };
}

entry.count += 1;
return { allowed: true, remaining: maxRequests - entry.count, resetAt: entry.resetAt };
}

export function middleware(request: NextRequest) {
  const { pathname } = request.nextUrl;

  // ■■■ Rate limiting for /api/auth/register (stricter) ■■■
  if (pathname === '/api/auth/register') {
    const ip = getClientIP(request);
    const result = checkRateLimit(ipStore, `register:${ip}`, REGISTER_LIMIT.windowMs, R...
    if (!result.allowed) {
      return NextResponse.json(
        { error: '■■■■■■■■■■5■■■■■■' },
        {
          status: 429,
          headers: {
            'Retry-After': String(Math.ceil((result.resetAt - Date.now()) / 1000)),
            'X-RateLimit-Remaining': '0',
          },
        },
      );
    }
  }

  // ■■■ Rate limiting for /api/auth/* (except register which has its own limit) ■■■
  if (pathname.startsWith('/api/auth/') && pathname !== '/api/auth/register') {
    const ip = getClientIP(request);
    const result = checkRateLimit(ipStore, `auth:${ip}`, AUTH_LIMIT.windowMs, AUTH_LIMI...
    if (!result.allowed) {
      return NextResponse.json(
        { error: '■■■■■■■■■■5■■■■■■' },
        {
          status: 429,
          headers: {
            'Retry-After': String(Math.ceil((result.resetAt - Date.now()) / 1000)),
            'X-RateLimit-Remaining': '0',
          },
        },
      );
    }
  }

  // ■■■ Rate limiting for /api/ai-checkup/* (per user, daily) ■■■
  if (pathname.startsWith('/api/ai-checkup/')) {
    // User ID from header (set by client after auth), fallback to IP
```

```

const userId = request.headers.get('x-user-id') || getClientIP(request);
const result = checkRateLimit(userStore, `ai:${userId}`, AI_CHECKUP_LIMIT.windowMs, ...
if (!result.allowed) {
  return NextResponse.json(
    { error: '■■AI■■■■■■■■■■■■■■■■■■■■' },
    {
      status: 429,
      headers: {
        'Retry-After': String(Math.ceil((result.resetAt - Date.now()) / 1000)),
        'X-RateLimit-Remaining': '0',
        'X-RateLimit-Limit': String(AI_CHECKUP_LIMIT.maxRequests),
      },
    },
  );
}
// Add rate limit headers to successful responses
const response = NextResponse.next();
response.headers.set('X-RateLimit-Remaining', String(result.remaining));
response.headers.set('X-RateLimit-Limit', String(AI_CHECKUP_LIMIT.maxRequests));
return response;
}

return NextResponse.next();
}

export const config = {
  matcher: ['/api/auth/:path*', '/api/ai-checkup/:path*'],
};

=====
■■: src/server.ts
=====

import { createServer } from 'http';
import { parse } from 'url';
import next from 'next';

const dev = process.env.COZE_PROJECT_ENV !== 'PROD';
const hostname = process.env.HOSTNAME || 'localhost';
const port = parseInt(process.env.PORT || '5000', 10);

// Security headers applied to all responses
const SECURITY_HEADERS: Record<string, string> = {
  'X-Frame-Options': 'DENY',
  'X-Content-Type-Options': 'nosniff',
  'X-XSS-Protection': '1; mode=block',
  'Referrer-Policy': 'strict-origin-when-cross-origin',
  'Permissions-Policy': 'camera=(), microphone=(), geolocation=()',
};

function getSupabaseHost(): string {

```

```

try {
  const url = process.env.NEXT_PUBLIC_SUPABASE_URL || '';
  return new URL(url).hostname;
} catch {
  return '*.supabase.co';
}
}

function getCspHeader(): string {
  const supabaseHost = getSupabaseHost();
  return [
    "default-src 'self'",
    "script-src 'self' 'unsafe-inline' 'unsafe-eval'",
    "style-src 'self' 'unsafe-inline' https://fonts.googleapis.cn",
    "font-src 'self' https://fonts.gstatic.cn",
    "img-src 'self' data: blob: https:",
    `connect-src 'self' https://${supabaseHost} wss://${supabaseHost}`,
    "frame-ancestors 'none'",
    "base-uri 'self'",
    "form-action 'self'",
  ].join('; ');
}

// Create Next.js app
const app = next({ dev, hostname, port });
const handle = app.getRequestHandler();

app.prepare().then(() => {
  const server = createServer(async (req, res) => {
    try {
      const parsedUrl = parse(req.url!, true);
      // Inject security headers before handling request
      const originalSetHeader = res.setHeader.bind(res);
      let headersInjected = false;
      const injectSecurityHeaders = () => {
        if (headersInjected) return;
        headersInjected = true;
        for (const [key, value] of Object.entries(SEcurity_HEADERS)) {
          try { originalSetHeader(key, value); } catch { /* already sent */ }
        }
        try { originalSetHeader('Content-Security-Policy', getCspHeader()); } catch { /*...
      };

      // Override writeHead to inject headers before first write
      const originalWriteHead = res.writeHead.bind(res);
      res.writeHead = (...args: unknown[]) => {
        injectSecurityHeaders();
        return originalWriteHead(...args as Parameters<typeof originalWriteHead>);
      };
    }
  });
}

```

```

    // Also hook into setHeader to detect when headers are about to be sent
    res.setHeader = (name: string, value: string | string[] | number) => {
      return originalSetHeader(name, value);
    };

    await handle(req, res, parsedUrl);
    // Ensure headers are injected even if writeHead wasn't called explicitly
    injectSecurityHeaders();
  } catch (err) {
    console.error('Error occurred handling', req.url, err);
    res.statusCode = 500;
    res.end('Internal server error');
  }
});
server.once('error', err => {
  console.error(err);
  process.exit(1);
});
server.listen(port, () => {
  console.log(
    `> Server listening at http://${hostname}:${port} as ${
      dev ? 'development' : process.env.COZE_PROJECT_ENV
    }`,
  );
});
});
});

=====
■■: src/storage/database/shared/relations.ts
=====

// Relations definitions have been removed alongside schema.ts table definitions.
// All database operations use Supabase client directly.

=====
■■: src/storage/database/shared/schema.ts
=====
import { pgTable, text, timestamp, boolean, integer, jsonb, numeric, varchar, uuid, ser...

// ===== ■■■■■ =====

export const companies = pgTable('companies', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  name: text('name').notNull(),
  industry: text('industry').default('■■'),
  teamSize: integer('team_size').default(1),
  contactName: text('contact_name'),
  contactPhone: text('contact_phone'),
  plan: text('plan').default('basic'),
  planExpiresAt: timestamp('plan_expires_at', { withTimezone: true }),
  aiCreditsRemaining: integer('ai_credits_remaining').default(3),

```



```
serviceLevel: text('service_level').default('self'),
status: text('status').default('active'),
createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
planStart: timestamp('plan_start', { withTimezone: true }),
planEnd: timestamp('plan_end', { withTimezone: true }),
planPeriod: text('plan_period').default('monthly'),
brandName: text('brand_name'),
categories: text('categories').default('[]'),
priceRange: text('price_range'),
platforms: text('platforms').default('[]'),
dailyConsultations: text('daily_consultations'),
painPoints: text('pain_points').default('[]'),
supplyType: text('supply_type'),
installService: boolean('install_service').default(false),
returnPolicy: text('return_policy'),
profileCompleted: boolean('profile_completed').default(false),
seatLimit: integer('seat_limit').default(1),
seatUsed: integer('seat_used').default(1),
trialEndAt: timestamp('trial_end_at', { withTimezone: true }),
});

export const users = pgTable('users', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  email: text('email').notNull(),
  passwordHash: text('password_hash').notNull(),
  displayName: text('display_name'),
  role: text('role').default('agent'),
  userType: text('user_type').default('small'),
  aiCreditsRemaining: integer('ai_credits_remaining').default(3),
  status: text('status').default('active'),
  lastLoginAt: timestamp('last_login_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  remainingCredits: integer('remaining_credits').default(3),
  industry: varchar('industry', { length: 255 }),
  teamSize: varchar('team_size', { length: 255 }),
  gender: varchar('gender', { length: 50 }).default('■■'),
  bio: text('bio').default(''),
  position: varchar('position', { length: 255 }),
  industryProfileCompleted: boolean('industry_profile_completed').default(false),
  expiresAt: timestamp('expires_at', { withTimezone: true }),
});

export const agents = pgTable('agents', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  name: text('name').notNull(),
  employeeId: text('employee_id'),
```

```
hireDate: timestamp('hire_date', { withTimezone: true }),
position: text('position').default('■■■■'),
trainingStage: text('training_stage').default('■■'),
status: text('status').default('■■'),
createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
teamId: varchar('team_id', { length: 36 }),
roleTag: text('role_tag').default('■■'),
skillTags: text('skill_tags').default('{}'),
userId: uuid('user_id'),
});

// ===== KPI ■■■ =====

export const kpiSchemes = pgTable('kpi_schemes', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  name: text('name').notNull(),
  positions: jsonb('positions').notNull().default([]),
  cycle: varchar('cycle', { length: 50 }).notNull().default('monthly'),
  scoringSystem: varchar('scoring_system', { length: 50 }).notNull().default('percentag...
  selectedDimensionIds: jsonb('selected_dimension_ids').notNull().default([]),
  dimensionWeights: jsonb('dimension_weights').notNull().default({}),
  faultTolerance: jsonb('fault_tolerance').notNull().default({}),
  customDimensions: jsonb('custom_dimensions').notNull().default([]),
  customIndicators: jsonb('custom_indicators').notNull().default([]),
  aiEvaluation: jsonb('ai_evaluation'),
  status: varchar('status', { length: 50 }).notNull().default('draft'),
  effectivePeriod: varchar('effective_period', { length: 100 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).notNull().defaultNow(),
});

export const kpiAssessments = pgTable('kpi_assessments', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  schemeId: varchar('scheme_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }).notNull(),
  period: varchar('period', { length: 100 }).notNull(),
  totalScore: numeric('total_score'),
  totalDeduction: numeric('total_deduction').default('0'),
  totalBonus: numeric('total_bonus').default('0'),
  salaryEffect: text('salary_effect'),
  hrAction: text('hr_action'),
  status: varchar('status', { length: 50 }).notNull().default('draft'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).notNull().defaultNow(),
});

export const kpiAssessmentDetails = pgTable('kpi_assessment_details', {
```

```
id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
assessmentId: varchar('assessment_id', { length: 36 }).notNull(),
dimensionId: varchar('dimension_id', { length: 36 }).notNull(),
indicatorId: varchar('indicator_id', { length: 36 }).notNull(),
indicatorName: varchar('indicator_name', { length: 255 }).notNull(),
targetValue: varchar('target_value', { length: 255 }).notNull(),
actualValue: varchar('actual_value', { length: 255 }),
isAchieved: boolean('is_achieved'),
scoreChange: numeric('score_change').default('0'),
faultToleranceUsed: boolean('fault_tolerance_used').default(false),
faultToleranceReason: text('fault_tolerance_reason'),
createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const kpiPlans = pgTable('kpi_plans', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  schemeId: varchar('scheme_id', { length: 36 }).notNull(),
  name: text('name').notNull(),
  period: varchar('period', { length: 100 }).notNull(),
  status: varchar('status', { length: 50 }).default('active'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});
```

```
export const kpiRecords = pgTable('kpi_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }).notNull(),
  assessmentId: varchar('assessment_id', { length: 36 }),
  score: numeric('score'),
  period: varchar('period', { length: 100 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
// ===== ■■■■ =====
```

```
export const phraseLibrary = pgTable('phrase_library', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  category: varchar('category', { length: 100 }).notNull(),
  content: text('content').notNull(),
  isPreset: boolean('is_preset').default(true),
  useCount: integer('use_count').default(0),
  createdBy: varchar('created_by', { length: 36 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  isCase: boolean('is_case').default(false),
  sourceId: varchar('source_id', { length: 36 }),
  scene: text('scene'),
```

```

question: text('question'),
answer: text('answer'),
tags: text('tags'),
reviewStatus: varchar('review_status', { length: 50 }).default('■■■■'),
reviewNote: text('review_note'),
reviewedAt: timestamp('reviewed_at', { withTimezone: true }),
reviewedBy: varchar('reviewed_by', { length: 36 }),
expiresAt: timestamp('expires_at', { withTimezone: true }),
freshnessStatus: varchar('freshness_status', { length: 50 }).default('normal'),
});

// ===== SOP ■■■■ =====

export const sopTemplates = pgTable('sop_templates', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  category: text('category').notNull(),
  name: text('name').notNull(),
  scenario: text('scenario'),
  stepsJson: text('steps_json').default('[]'),
  role: text('role').default('■■■■'),
  isPreset: boolean('is_preset').default(false),
  needsUpdate: boolean('needs_update').default(false),
  version: integer('version').default(1),
  updatedBy: text('updated_by'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

// ===== ■■■■ =====

export const workOrders = pgTable('work_orders', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  userId: varchar('user_id', { length: 36 }),
  customerName: varchar('customer_name', { length: 255 }),
  customerPhone: varchar('customer_phone', { length: 50 }),
  query: text('query'),
  category: varchar('category', { length: 100 }),
  aiJudgment: text('ai_judgment'),
  aiScript: text('ai_script'),
  priority: varchar('priority', { length: 50 }).default('■■'),
  status: varchar('status', { length: 50 }).default('■■■■'),
  result: text('result'),
  sourceType: varchar('source_type', { length: 50 }).default('ai_generate'),
  problemSolutionId: uuid('problem_solution_id'),
  createdAt: timestamp('created_at').defaultNow(),
  completedAt: timestamp('completed_at'),
  updatedAt: timestamp('updated_at').defaultNow(),
  orderNo: varchar('order_no', { length: 50 }),

```

```
});

// ===== ■■■ =====

export const courses = pgTable('courses', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  title: text('title').notNull(),
  category: varchar('category', { length: 100 }),
  description: text('description'),
  content: text('content').default('[]'),
  isPreset: boolean('is_preset').default(true),
  sortOrder: integer('sort_order').default(0),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  feishuDocUrl: text('feishu_doc_url'),
});

export const courseLessons = pgTable('course_lessons', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  courseId: varchar('course_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  content: text('content'),
  sortOrder: integer('sort_order').default(0),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const courseHighlights = pgTable('course_highlights', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  courseId: varchar('course_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  content: text('content'),
  sortOrder: integer('sort_order').default(0),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const learningRecords = pgTable('learning_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  courseId: varchar('course_id', { length: 36 }).notNull(),
  lessonId: varchar('lesson_id', { length: 36 }),
  progress: integer('progress').default(0),
  completed: boolean('completed').default(false),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

export const trainingProgress = pgTable('training_progress', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
```

```
    companyId: varchar('company_id', { length: 36 }).notNull(),
    agentId: varchar('agent_id', { length: 36 }).notNull(),
    stage: text('stage').notNull(),
    progress: integer('progress').default(0),
    status: varchar('status', { length: 50 }).default('in_progress'),
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
    updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  });

// ===== ■■■■■ ■■■■■ =====

export const productProfiles = pgTable('product_profiles', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  name: text('name').notNull(),
  category: varchar('category', { length: 100 }),
  specifications: jsonb('specifications'),
  features: jsonb('features'),
  manualUrl: text('manual_url'),
  videoUrl: text('video_url'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

// ===== AI ■■■ ■■■ =====

export const aiChatHistory = pgTable('ai_chat_history', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  sessionType: varchar('session_type', { length: 50 }),
  question: text('question').notNull(),
  answer: text('answer'),
  feedback: text('feedback'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const aiCheckupSubmissions = pgTable('ai_checkup_submissions', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  checkupType: varchar('checkup_type', { length: 100 }).notNull(),
  input: text('input').notNull(),
  result: text('result'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const healthCheck = pgTable('health_check', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
```

```
    userId: varchar('user_id', { length: 36 }).notNull(),
    checkType: varchar('check_type', { length: 100 }).notNull(),
    status: varchar('status', { length: 50 }).default('pending'),
    result: jsonb('result'),
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  });

// ===== ■■■■■ ■■■■■ =====

export const qualityFeedbacks = pgTable('quality_feedbacks', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  targetType: varchar('target_type', { length: 50 }).notNull(),
  targetId: varchar('target_id', { length: 36 }).notNull(),
  rating: integer('rating'),
  feedback: text('feedback'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const qualityInspections = pgTable('quality_inspections', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }).notNull(),
  inspectionType: varchar('inspection_type', { length: 100 }).notNull(),
  score: numeric('score'),
  details: jsonb('details'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const chatCheckResults = pgTable('chat_check_results', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }).notNull(),
  chatId: varchar('chat_id', { length: 36 }),
  result: jsonb('result'),
  score: numeric('score'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■ ■■■ =====

export const costRecords = pgTable('cost_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  category: varchar('category', { length: 100 }).notNull(),
  amount: numeric('amount').notNull(),
  description: text('description'),
  recordedAt: timestamp('recorded_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const costBaselines = pgTable('cost_baselines', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  category: varchar('category', { length: 100 }).notNull(),
  baselineAmount: numeric('baseline_amount').notNull(),
  alertThreshold: numeric('alert_threshold'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});
```

```
export const costAlertReviews = pgTable('cost_alert_reviews', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  costRecordId: varchar('cost_record_id', { length: 36 }).notNull(),
  reviewedBy: varchar('reviewed_by', { length: 36 }).notNull(),
  status: varchar('status', { length: 50 }).default('pending'),
  note: text('note'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
// ===== ■■■ =====
```

```
export const paymentOrders = pgTable('payment_orders', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  orderNo: varchar('order_no', { length: 50 }).notNull(),
  plan: varchar('plan', { length: 50 }).notNull(),
  amount: numeric('amount').notNull(),
  period: varchar('period', { length: 50 }).notNull(),
  paymentMethod: varchar('payment_method', { length: 50 }),
  screenshotUrl: text('screenshot_url'),
  status: varchar('status', { length: 50 }).default('pending'),
  remark: text('remark'),
  confirmedBy: varchar('confirmed_by', { length: 36 }),
  confirmedAt: timestamp('confirmed_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const subscriptions = pgTable('subscriptions', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  plan: varchar('plan', { length: 50 }).notNull(),
  status: varchar('status', { length: 50 }).default('active'),
  startDate: timestamp('start_date', { withTimezone: true }),
  endDate: timestamp('end_date', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});
```



```
export const rechargeLogs = pgTable('recharge_logs', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  amount: numeric('amount').notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  description: text('description'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const businessRecords = pgTable('business_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  amount: numeric('amount'),
  description: text('description'),
  recordedAt: timestamp('recorded_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const cashFlowRecords = pgTable('cash_flow_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  amount: numeric('amount').notNull(),
  category: varchar('category', { length: 100 }),
  description: text('description'),
  recordedAt: timestamp('recorded_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const financeRecords = pgTable('finance_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  category: varchar('category', { length: 100 }).notNull(),
  amount: numeric('amount').notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  description: text('description'),
  recordedAt: timestamp('recorded_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
// ===== ■■■ =====
```

```
export const teams = pgTable('teams', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  name: text('name').notNull(),
  description: text('description'),
  leaderId: varchar('leader_id', { length: 36 }),
```

```
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
    updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  });

export const invitations = pgTable('invitations', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  email: text('email').notNull(),
  role: varchar('role', { length: 50 }).notNull(),
  invitedBy: varchar('invited_by', { length: 36 }).notNull(),
  status: varchar('status', { length: 50 }).default('pending'),
  token: varchar('token', { length: 255 }),
  expiresAt: timestamp('expires_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■ =====

export const onboardingTasks = pgTable('onboarding_tasks', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  description: text('description'),
  category: varchar('category', { length: 100 }),
  sortOrder: integer('sort_order').default(0),
  isRequired: boolean('is_required').default(true),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const onboardingRecords = pgTable('onboarding_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }).notNull(),
  taskId: varchar('task_id', { length: 36 }).notNull(),
  status: varchar('status', { length: 50 }).default('pending'),
  completedAt: timestamp('completed_at', { withTimezone: true }),
  note: text('note'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■ =====

export const notifications = pgTable('notifications', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  type: varchar('type', { length: 100 }).notNull(),
  title: text('title').notNull(),
  content: text('content'),
  isRead: boolean('is_read').default(false),
```

```
    link: text('link'),
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  });

// ===== ■■■■ =====

export const schedules = pgTable('schedules', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  description: text('description'),
  startTime: timestamp('start_time', { withTimezone: true }).notNull(),
  endTime: timestamp('end_time', { withTimezone: true }),
  type: varchar('type', { length: 50 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■■ =====

export const redemptionCodes = pgTable('redemption_codes', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  code: varchar('code', { length: 100 }).notNull(),
  plan: varchar('plan', { length: 50 }).notNull(),
  period: varchar('period', { length: 50 }).notNull(),
  status: varchar('status', { length: 50 }).default('unused'),
  usedBy: varchar('used_by', { length: 36 }),
  usedAt: timestamp('used_at', { withTimezone: true }),
  expiresAt: timestamp('expires_at', { withTimezone: true }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■■ =====

export const customerRecords = pgTable('customer_records', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  agentId: varchar('agent_id', { length: 36 }),
  customerName: varchar('customer_name', { length: 255 }),
  customerPhone: varchar('customer_phone', { length: 50 }),
  customerWechat: varchar('customer_wechat', { length: 100 }),
  query: text('query'),
  result: text('result'),
  category: varchar('category', { length: 100 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■■ =====

export const dailyPractice = pgTable('daily_practice', {
```

```
id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
companyId: varchar('company_id', { length: 36 }).notNull(),
userId: varchar('user_id', { length: 36 }).notNull(),
question: text('question').notNull(),
answer: text('answer'),
isCorrect: boolean('is_correct'),
score: integer('score'),
createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
// ===== ■■■■■ =====
```

```
export const customKnowledge = pgTable('custom_knowledge', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  content: text('content').notNull(),
  category: varchar('category', { length: 100 }),
  tags: text('tags'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});
```

```
export const industryKnowledge = pgTable('industry_knowledge', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  title: text('title').notNull(),
  content: text('content').notNull(),
  category: varchar('category', { length: 100 }),
  tags: text('tags'),
  isPreset: boolean('is_preset').default(true),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
export const knowledgeNotes = pgTable('knowledge_notes', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  knowledgeId: varchar('knowledge_id', { length: 36 }).notNull(),
  note: text('note'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});
```

```
// ===== ■■■■■ =====
```

```
export const auditLogs = pgTable('audit_logs', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  userId: varchar('user_id', { length: 36 }),
  action: varchar('action', { length: 100 }).notNull(),
  targetType: varchar('target_type', { length: 100 }),
```

```
targetId: varchar('target_id', { length: 36 }},
details: jsonb('details'),
createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■■■ =====

export const userStats = pgTable('user_stats', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  userId: varchar('user_id', { length: 36 }).notNull(),
  statType: varchar('stat_type', { length: 100 }).notNull(),
  statValue: varchar('stat_value', { length: 255 }),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

// ===== ■■■■■ =====

export const activityLogs = pgTable('activity_logs', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }),
  userId: varchar('user_id', { length: 36 }),
  action: varchar('action', { length: 100 }).notNull(),
  details: jsonb('details'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■ =====

export const sessions = pgTable('sessions', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  userId: varchar('user_id', { length: 36 }).notNull(),
  token: varchar('token', { length: 255 }).notNull(),
  expiresAt: timestamp('expires_at', { withTimezone: true }).notNull(),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■ =====

export const reports = pgTable('reports', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  period: varchar('period', { length: 100 }).notNull(),
  data: jsonb('data'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const weeklyReports = pgTable('weekly_reports', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
```

```
    companyId: varchar('company_id', { length: 36 }).notNull(),
    weekStart: timestamp('week_start', { withTimezone: true }).notNull(),
    weekEnd: timestamp('week_end', { withTimezone: true }).notNull(),
    data: jsonb('data'),
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  });

export const monthlyReports = pgTable('monthly_reports', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  month: varchar('month', { length: 7 }).notNull(),
  data: jsonb('data'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const dailyReports = pgTable('daily_reports', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  date: timestamp('date', { withTimezone: true }).notNull(),
  data: jsonb('data'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ===== ■■■■■ ■■■■■ =====

export const profiles = pgTable('profiles', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  userId: varchar('user_id', { length: 36 }).notNull(),
  avatarUrl: text('avatar_url'),
  nickname: text('nickname'),
  preferences: jsonb('preferences'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

export const lessonFeedback = pgTable('lesson_feedback', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  lessonId: varchar('lesson_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  rating: integer('rating'),
  feedback: text('feedback'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const courseProgress = pgTable('course_progress', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  courseId: varchar('course_id', { length: 36 }).notNull(),
  userId: varchar('user_id', { length: 36 }).notNull(),
  progress: integer('progress').default(0),
  completed: boolean('completed').default(false),
});
```

```
    createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
    updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
  });

export const managementPlans = pgTable('management_plans', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  title: text('title').notNull(),
  content: text('content'),
  status: varchar('status', { length: 50 }).default('draft'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
  updatedAt: timestamp('updated_at', { withTimezone: true }).defaultNow(),
});

export const wrongQuestions = pgTable('wrong_questions', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  userId: varchar('user_id', { length: 36 }).notNull(),
  questionId: varchar('question_id', { length: 36 }).notNull(),
  count: integer('count').default(1),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

export const orders = pgTable('orders', {
  id: varchar('id', { length: 36 }).primaryKey().$defaultFn(() => crypto.randomUUID()),
  companyId: varchar('company_id', { length: 36 }).notNull(),
  orderNo: varchar('order_no', { length: 50 }).notNull(),
  type: varchar('type', { length: 50 }).notNull(),
  amount: numeric('amount').notNull(),
  status: varchar('status', { length: 50 }).default('pending'),
  createdAt: timestamp('created_at', { withTimezone: true }).notNull().defaultNow(),
});

// ■■■■■■
export const tables = {
  companies,
  users,
  agents,
  kpiSchemes,
  kpiAssessments,
  kpiAssessmentDetails,
  kpiPlans,
  kpiRecords,
  phraseLibrary,
  sopTemplates,
  workOrders,
  courses,
  courseLessons,
  courseHighlights,
  learningRecords,
  trainingProgress,
```

```
productProfiles,
aiChatHistory,
aiCheckupSubmissions,
healthCheck,
qualityFeedbacks,
qualityInspections,
chatCheckResults,
costRecords,
costBaselines,
costAlertReviews,
paymentOrders,
subscriptions,
rechargeLogs,
businessRecords,
cashFlowRecords,
financeRecords,
teams,
invitations,
onboardingTasks,
onboardingRecords,
notifications,
schedules,
redemptionCodes,
customerRecords,
dailyPractice,
customKnowledge,
industryKnowledge,
knowledgeNotes,
auditLogs,
userStats,
activityLogs,
sessions,
reports,
weeklyReports,
monthlyReports,
dailyReports,
profiles,
lessonFeedback,
courseProgress,
managementPlans,
wrongQuestions,
orders,
};
```

```
=====
■■: src/storage/database/supabase-client.ts
=====
import { createClient, SupabaseClient } from '@supabase/supabase-js';
import { execSync } from 'child_process';
import { getReportBuffer, createWrappedFetch } from 'coze-coding-dev-sdk';
```



```

let envLoaded = false;

interface SupabaseCredentials {
  url: string;
  anonKey: string;
}

function loadEnv(): void {
  if (envLoaded || (process.env.COZE_SUPABASE_URL && process.env.COZE_SUPABASE_ANON_KEY...
    return;
  }

  try {
    try {
      require('dotenv').config();
      if (process.env.COZE_SUPABASE_URL && process.env.COZE_SUPABASE_ANON_KEY) {
        envLoaded = true;
        return;
      }
    } catch {
      // dotenv not available
    }

    const pythonCode = `
import os
import sys
try:
  from coze_workload_identity import Client
  client = Client()
  env_vars = client.get_project_env_vars()
  client.close()
  for env_var in env_vars:
    print(f"{env_var.key}={env_var.value}")
except Exception as e:
  print(f"# Error: {e}", file=sys.stderr)
`;

    const output = execSync(`python3 -c '${pythonCode.replace(/'/g, '"\\'\\'\\'\\'\\'\\')}'`, {
      encoding: 'utf-8',
      timeout: 10000,
      stdio: ['pipe', 'pipe', 'pipe'],
    });

    const lines = output.trim().split('\n');
    for (const line of lines) {
      if (line.startsWith('#')) continue;
      const eqIndex = line.indexOf('=');
      if (eqIndex > 0) {
        const key = line.substring(0, eqIndex);

```

```

        let value = line.substring(eqIndex + 1);
        if ((value.startsWith('"') && value.endsWith('"')) ||
            (value.startsWith('\'') && value.endsWith('\'))) {
            value = value.slice(1, -1);
        }
        if (!process.env[key]) {
            process.env[key] = value;
        }
    }
}

envLoaded = true;
} catch {
    // Silently fail
}
}

/**
 * Check if we are in a build phase where env vars may not be available.
 * During `next build`, routes are imported for page data collection,
 * but Supabase env vars are only injected at runtime.
 */

function isBuildPhase(): boolean {
    // Next.js sets NEXT_PHASE during build
    if (process.env.NEXT_PHASE === 'phase-production-build') return true;
    // If COZE_SUPABASE_URL is missing after loadEnv, assume build phase
    return false;
}

function getSupabaseCredentials(): SupabaseCredentials | null {
    // ██████████Coze██████████████████████████████Supabase
    // TODO: Coze██████████████████████████████
    const OVERRIDE_URL = 'https://ojolpkzgeivgbokotaap.supabase.co';
    const OVERRIDE_ANON_KEY = 'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZS...';
    return {
        url: OVERRIDE_URL,
        anonKey: OVERRIDE_ANON_KEY,
    };
}

function getSupabaseServiceRoleKey(): string | undefined {
    // ██████████ Supabase service role key
    return 'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSI6Im9qb2xw...'
}

/**
 * Lazy-initialized Supabase client cache.
 * Key format: "token:<token>" or "no-token" or "service-role"
 */

const clientCache = new Map<string, SupabaseClient>();
```

```
function createConfiguredClient(url: string, key: string, globalOptions: Record<string,...
  return createClient(url, key, {
    global: globalOptions,
    db: {
      timeout: 60000,
    },
    auth: {
      autoRefreshToken: false,
      persistSession: false,
    },
  });
}
```

```
function getSupabaseClient(token?: string): SupabaseClient {
  // Only cache the no-token (service role / anon key) client.
  // Token-based clients are per-request and should not be cached.
  if (!token) {
    const cached = clientCache.get('no-token');
    if (cached) return cached;
  }

  const credentials = getSupabaseCredentials();

  // During build phase, env vars may not be available.
  // Return a placeholder client that defers errors to request time.
  if (!credentials) {
    if (isBuildPhase() || !process.env.COZE_SUPABASE_URL) {
      // Create a placeholder client with dummy values so module imports don't crash du...
      // Actual requests will fail with connection errors, which is expected during build.
      const placeholder = createConfiguredClient('https://placeholder.supabase.co', 'pl...
      if (!token) clientCache.set('no-token', placeholder);
      return placeholder;
    }
    throw new Error('COZE_SUPABASE_URL is not set');
  }

  const { url, anonKey } = credentials;

  let key: string;
  if (token) {
    key = anonKey;
  } else {
    const serviceRoleKey = getSupabaseServiceRoleKey();
    key = serviceRoleKey ?? anonKey;
  }

  const globalOptions: Record<string, any> = {};
  if (token) {
    globalOptions.headers = { Authorization: `Bearer ${token}` };
  }
}
```

```
=====
■■: tsconfig.json
=====
```

```
{
  "compilerOptions": {
    "target": "ES2017",
    "lib": ["dom", "dom.iterable", "esnext"],
    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "react-jsx",
    "incremental": true,
    "plugins": [
      {
        "name": "next"
      }
    ],
    "paths": {
      "@/*": [".src/*"]
    }
  },
  "include": [
    "next-env.d.ts",
    "**/*.ts",
    "**/*.tsx",
    ".next/types/**/*.ts",
    ".next/dev/types/**/*.ts",
  ]
}
```

```
    "**/*.mts"
  ],
  "exclude": ["node_modules", "dist"]
}
```