Assignment

Sakeena.D 210010062@iitdh.ac.in

Department Of Computer Science September 19, 2023

Contents

1	\mathbf{Ma}	thematics	1
	1.1	Matrices	2
	1.2	Square Root	2
	1.3	Integration	2
	1.4	Summation	3
	1.5	Nested Brackets	3
2	List	s and Figures and Tables	4
3	Fon	${f ts}$	6
L	ist	of Figures	
L	\mathbf{ist}	of Figures Graphic Image	4
L		G	
L	1	Graphic Image	5
	1 2 3	Graphic Image	5
	1 2 3	Graphic Image	E2 E2

1 Mathematics

In this section, various mathematical formulae and equations will be included to include all the feature mentioned in the assignment. Very low mass particles moving at speed less than that of light behaves like a particle and wave.

DeBroglie derived an expression relating the mass of such smaller particles and its wavelength.

Planck's quantum theory relates the energy of an electromagnetic wave to its wavelength or frequency.

$$E = h\nu$$

$$= \frac{hc}{\lambda} \tag{1}$$

Einstein related the energy of particle matter to its mass and velocity as

$$E = mc^2 (2)$$

As the smaller particle exhibits a dual nature, and energy being the same, de Broglie equated (1) and (2) for the particle moving with velocity 'v' as

$$\frac{hc}{\lambda} = mv^2$$

Then,

$$h\lambda = mv$$
 or $\lambda = \frac{h}{mv} = \frac{h}{\text{momentum}}$:

where 'h' is the Planck's constant. We know 7 + 3 = 10.

We have derived this from [?]

Let's check different mathematical functions in LATEX

1.1 Matrices

$$\begin{bmatrix} \sqrt{2} & \sqrt{3} & \sqrt{5} \\ \sqrt{7} & \sqrt{11} & \sqrt{13} \\ \sqrt{23} & \sqrt{19} & \sqrt{17} \end{bmatrix}$$

1.2 Square Root

Although illustrated above, we use square root again for the equation $ax^2 + bx + c = 0$. The roots are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

This is the basic equation which study in class 10th [?]

1.3 Integration

The definite integral of a continuous function f over the interval [a,b] denoted by $\int_a^b f(x)dx$ is the limit of a Riemann sum as the number of subdivisions approaches infinity. This definition is cited from \cite{black} ?

1.4 Summation

The Riemann sum can be given by:

$$\lim_{n \to \infty} \sum_{i=0}^{n} \delta x f(x_i)$$

1.5 Nested Brackets

$$\left[\frac{\left(\left[\left(\left[\frac{(xy)}{z}\%w\right]+7\right)-10\right]8\right)}{\left(\left[\left(\left[\frac{(zy)}{x}\%u\right]+17\right)-1\right]5\right)}\right]$$



Figure 1: Graphic Image

Characterstics	Chloroquine $(n = 10)$	P-value*
Age, year	41.5 (33.8–50.0)	0.09
Female, n (%)	3 (70.00)	0.41
Days from onset to treatment	2.50 (2.00–3.75)	< 0.001
Height, cm	167.50 (158.00–173.00)	0.97

Table 1: Treatment

2 Lists and Figures and Tables

- A novel coronavirus disease 2019 (COVID-19) emerged around December 2019 in Wuhan, China and has spread rapidly worldwide (Lu et al., 2020).
- Until March 27, 2020, the Chinese health authorities had reported 82082 confirmed COVID-19 cases in China with 3298 deaths and 381443 confirmed cases with 20787 deaths outside China.
- 1. Coronavirus relies on cellular machinery to replicate itself, thus providing a rationale to search for effective therapies among agents that may impact pathways required for the viral life cycle.
- 2. hevesiculartraffickingsystemplaysacriticalroleinviralentry,unpacking, assembly, and packaging. Among agents that can interfere with normal vesicular trafficking are several drugs approved for human therapies.
- 3. well-known antimalaria drug, Chloroquine, stands out as one of the earliest reagents that can block vesicular trafficking and also interfere with the life cycle of parasites and viruses.

We can see from Figure 2 that the covid cases in India in June were already reaching high values.

It is evident from Figure 3 that we should stay informed about covid. We see table 1 which shows recovery rates by chloroquine The above data is derived from a research paper on covid[4].



Figure 2: Cases in India



Figure 3: Stay informed

Following is a Description type List

CS 213 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo.

HS 201 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam.

Names	maths		science	
Lorem	X	Y	Z	W
	S	R	V	U
Ipsum	3	2	0	1
	T	O	Р	Q
Lorm	A	В	С	D
Lorin	2	3	1	0

Table 2: Scores

3 Fonts

Till now we have seen mathematical formulae in section 1 and covid data with figures and tables in section 2. In section 3 we will use font properties.

- Bold-This text is bold.
- Italics-This text is italic.
- teletype-This text is teletype.
- emphasize-This text is emphasized.
- Roman-This text is roman font family.
- sans serif- This text is sans serif font family.
- slant-This text is slant.
- small capital-This text is small capital.
- UPPERCASE-THIS TEXT IS UPPERCASE.
- LOWERCASE-THIS TEXT IS LOWERCASE.

The table 2 is a multi-column and multi-row table.

4 Psuedo Code

$\overline{\textbf{Algorithm 1}}$ QuickSort

```
0: function QuickSort(A, p, r)
     if p < r then
0:
        q \leftarrow \operatorname{Partition}(A, p, r)
0:
        QuickSort(A, p, q - 1)
0:
0:
        QuickSort(A, q + 1, r)
     end if
0:
0: end function
0: function Partition(A, p, r)
     x \leftarrow A[p]
0:
     i \leftarrow p-1
0:
0:
     for j \leftarrow p to r-1 do
        if A[j] < x then
0:
          i \leftarrow i+1
0:
          SWAP(A[i], A[j])
0:
0:
        end if
0:
     end for
     SWAP(A[i+1], A[r])
0:
     return (i+1)
0:
0: end function=0
```

The Algorithm is derived taking a hint from [5]

References

- [1] H. Verma, Concepts of Physics [Part 2], 2008.
- [2] P. Education, The Mathematics Springboard 10th, Pearson Education India, 2016.
- [3] S. R. Ghorpade and B. V. Limaye, A course in calculus and Real Analysis, Springer, 2018.
- [4] M. Huang, T. Tang, P. Pang, M. Li, R. Ma, J. Lu, J. Shu, Y. You, B. Chen, J. Liang, et al., Treating COVID-19 with chloroquine. Journal of Molecular Cell Biology, vol. 12, no. 4, pp. 322–325, 2020.
- [5] C. A. Hoare, Quicksort, The Computer Journal, vol. 5, no. 1, pp. 10–16, 1962.