

		symbol	
ascii code	0	<b>NULL</b>	(Null character)
ascii code	1	<b>SOH</b>	(Start of Header)
ascii code	2	<b>STX</b>	(Start of Text)
ascii code	3	<b>ETX</b>	(End of Text)
ascii code	4	<b>EOT</b>	(End of Transmission)
ascii code	5	<b>ENQ</b>	(Enquiry)
ascii code	6	<b>ACK</b>	(Acknowledgement)
ascii code	7	<b>BEL</b>	(Bell)
ascii code	8	<b>BS</b>	(Backspace)
ascii code	9	<b>HT</b>	(Horizontal Tab)
ascii code	10	<b>LF</b>	(Line feed)
ascii code	11	<b>VT</b>	(Vertical Tab)
ascii code	12	<b>FF</b>	(Form feed)
ascii code	13	<b>CR</b>	(Carriage return)
ascii code	14	<b>SO</b>	(Shift Out)
ascii code	15	<b>SI</b>	(Shift In)
ascii code	16	<b>DLE</b>	(Data link escape)
ascii code	17	<b>DC1</b>	(Device control 1)
ascii code	18	<b>DC2</b>	(Device control 2)
ascii code	19	<b>DC3</b>	(Device control 3)
ascii code	20	<b>DC4</b>	(Device control 4)
ascii code	21	<b>NAK</b>	(Negative acknowledgement)
ascii code	22	<b>SYN</b>	(Synchronous idle)
ascii code	23	<b>ETB</b>	(End of transmission block)
ascii code	24	<b>CAN</b>	(Cancel)
ascii code	25	<b>EM</b>	(End of medium)
ascii code	26	<b>SUB</b>	(Substitute)
ascii code	27	<b>ESC</b>	(Escape)
ascii code	28	<b>FS</b>	(File separator)
ascii code	29	<b>GS</b>	(Group separator)
ascii code	30	<b>RS</b>	(Record separator)
ascii code	31	<b>US</b>	(Unit separator)
ascii code	32		(Space)
ascii code	33	<b>!</b>	(Exclamation mark)
ascii code	34	<b>"</b>	(Quotation mark ; quotes)
ascii code	35	<b>#</b>	(Number sign)
ascii code	36	<b>\$</b>	(Dollar sign)
ascii code	37	<b>%</b>	(Percent sign)
ascii code	38	<b>&amp;</b>	(Ampersand)
ascii code	39	<b>'</b>	(Apostrophe)
ascii code	40	<b>(</b>	(round brackets or parentheses)
ascii code	41	<b>)</b>	(round brackets or parentheses)
ascii code	42	<b>*</b>	(Asterisk)
ascii code	43	<b>+</b>	(Plus sign)

ascii code	44	,	(Comma)
ascii code	45	-	(Hyphen)
ascii code	46	.	(Dot , full stop)
ascii code	47	/	(Slash)
ascii code	48	0	(number zero)
ascii code	49	1	(number one)
ascii code	50	2	(number two)
ascii code	51	3	(number three)
ascii code	52	4	(number four)
ascii code	53	5	(number five)
ascii code	54	6	(number six)
ascii code	55	7	(number seven)
ascii code	56	8	(number eight)
ascii code	57	9	(number nine)
ascii code	58	:	(Colon)
ascii code	59	;	(Semicolon)
ascii code	60	<	(Less-than sign)
ascii code	61	=	(Equals sign)
ascii code	62	>	(Greater-than sign ; Inequality)
ascii code	63	?	(Question mark)
ascii code	64	@	(At sign)
ascii code	65	A	(Capital A)
ascii code	66	B	(Capital B)
ascii code	67	C	(Capital C)
ascii code	68	D	(Capital D)
ascii code	69	E	(Capital E)
ascii code	70	F	(Capital F)
ascii code	71	G	(Capital G)
ascii code	72	H	(Capital H)
ascii code	73	I	(Capital I)
ascii code	74	J	(Capital J)
ascii code	75	K	(Capital K)
ascii code	76	L	(Capital L)
ascii code	77	M	(Capital M)
ascii code	78	N	(Capital N)
ascii code	79	O	(Capital O)
ascii code	80	P	(Capital P)
ascii code	81	Q	(Capital Q)
ascii code	82	R	(Capital R)
ascii code	83	S	(Capital S)
ascii code	84	T	(Capital T)
ascii code	85	U	(Capital U)
ascii code	86	V	(Capital V)
ascii code	87	W	(Capital W)
ascii code	88	X	(Capital X)
ascii code	89	Y	(Capital Y)
ascii code	90	Z	(Capital Z)
ascii code	91	[	(square brackets or box brackets)

ascii code	92	<b>\</b>	(Backslash)
ascii code	93	<b>]</b>	(square brackets or box brackets)
ascii code	94	<b>^</b>	(Caret or circumflex accent)
ascii code	95	<b>_</b>	(underscore , understrike , underbar or low line)
ascii code	96	<b>`</b>	(Grave accent)
ascii code	97	<b>a</b>	(Lowercase a )
ascii code	98	<b>b</b>	(Lowercase b )
ascii code	99	<b>c</b>	(Lowercase c )
ascii code	100	<b>d</b>	(Lowercase d )
ascii code	101	<b>e</b>	(Lowercase e )
ascii code	102	<b>f</b>	(Lowercase f )
ascii code	103	<b>g</b>	(Lowercase g )
ascii code	104	<b>h</b>	(Lowercase h )
ascii code	105	<b>i</b>	(Lowercase i )
ascii code	106	<b>j</b>	(Lowercase j )
ascii code	107	<b>k</b>	(Lowercase k )
ascii code	108	<b>l</b>	(Lowercase l )
ascii code	109	<b>m</b>	(Lowercase m )
ascii code	110	<b>n</b>	(Lowercase n )
ascii code	111	<b>o</b>	(Lowercase o )
ascii code	112	<b>p</b>	(Lowercase p )
ascii code	113	<b>q</b>	(Lowercase q )
ascii code	114	<b>r</b>	(Lowercase r )
ascii code	115	<b>s</b>	(Lowercase s )
ascii code	116	<b>t</b>	(Lowercase t )
ascii code	117	<b>u</b>	(Lowercase u )
ascii code	118	<b>v</b>	(Lowercase v )
ascii code	119	<b>w</b>	(Lowercase w )
ascii code	120	<b>x</b>	(Lowercase x )
ascii code	121	<b>y</b>	(Lowercase y )
ascii code	122	<b>z</b>	(Lowercase z )
ascii code	123	<b>{</b>	(curly brackets or braces)
ascii code	124	<b> </b>	(vertical-bar, vbar, vertical line or vertical slash)
ascii code	125	<b>}</b>	(curly brackets or braces)
ascii code	126	<b>~</b>	(Tilde ; swung dash)
ascii code	127	<b>DEL</b>	(Delete)
ascii code	128	<b>Ç</b>	(Majuscule C-cedilla )
ascii code	129	<b>ü</b>	(letter "u" with umlaut or diaeresis ; "u-umlaut")
ascii code	130	<b>é</b>	(letter "e" with acute accent or "e-acute")
ascii code	131	<b>â</b>	(letter "a" with circumflex accent or "a-circumflex")
ascii code	132	<b>ä</b>	(letter "a" with umlaut or diaeresis ; "a-umlaut")
ascii code	133	<b>à</b>	(letter "a" with grave accent)
ascii code	134	<b>å</b>	(letter "a" with a ring)
ascii code	135	<b>ç</b>	(Minuscule c-cedilla)
ascii code	136	<b>ê</b>	(letter "e" with circumflex accent or "e-circumflex")
ascii code	137	<b>ë</b>	(letter "e" with umlaut or diaeresis ; "e-umlaut")
ascii code	138	<b>è</b>	(letter "e" with grave accent)

ascii code	139	ï	(letter "i" with umlaut or diaeresis ; "i-umlaut")
ascii code	140	î	(letter "i" with circumflex accent or "i-circumflex")
ascii code	141	ì	(letter "i" with grave accent)
ascii code	142	Ä	(letter "A" with umlaut or diaeresis ; "A-umlaut")
ascii code	143	Å	(Capital letter "A" with a ring)
ascii code	144	É	(Capital letter "E" with acute accent or "E-acute")
ascii code	145	æ	(Latin diphthong "ae" in lowercase)
ascii code	146	Æ	(Latin diphthong "AE" in uppercase)
ascii code	147	ô	(letter "o" with circumflex accent or "o-circumflex")
ascii code	148	ö	(letter "o" with umlaut or diaeresis ; "o-umlaut")
ascii code	149	ò	(letter "o" with grave accent)
ascii code	150	û	(letter "u" with circumflex accent or "u-circumflex")
ascii code	151	ù	(letter "u" with grave accent)
ascii code	152	ÿ	(Lowercase letter "y" with diaeresis)
ascii code	153	Ö	(letter "O" with umlaut or diaeresis ; "O-umlaut")
ascii code	154	Ü	(letter "U" with umlaut or diaeresis ; "U-umlaut")
ascii code	155	ø	(slashed zero or empty set)
ascii code	156	£	(Pound sign ; symbol for the pound sterling)
ascii code	157	Ø	(slashed zero or empty set)
ascii code	158	×	(multiplication sign)
ascii code	159	ƒ	(function sign ; f with hook sign ; florin sign )
ascii code	160	á	(letter "a" with acute accent or "a-acute")
ascii code	161	í	(letter "i" with acute accent or "i-acute")
ascii code	162	ó	(letter "o" with acute accent or "o-acute")
ascii code	163	ú	(letter "u" with acute accent or "u-acute")
ascii code	164	ñ	(letter "n" with tilde ; enye)
ascii code	165	Ñ	(letter "N" with tilde ; enye)
ascii code	166	ª	(feminine ordinal indicator )
ascii code	167	º	(masculine ordinal indicator)
ascii code	168	¿	(Inverted question marks)
ascii code	169	®	(Registered trademark symbol)
ascii code	170	¬	(Logical negation symbol)
ascii code	171	½	(One half)
ascii code	172	¼	(Quarter or one fourth)
ascii code	173	¡	(Inverted exclamation marks)
ascii code	174	«	(Angle quotes or guillemets)
ascii code	175	»	(Guillemets or angle quotes)
ascii code	176	░	
ascii code	177	▒	
ascii code	178	▓	
ascii code	179		(Box drawing character)
ascii code	180	├	(Box drawing character)
ascii code	181	Á	(Capital letter "A" with acute accent or "A-acute")
ascii code	182	Â	(letter "A" with circumflex accent or "A-circumflex")
ascii code	183	À	(letter "A" with grave accent)
ascii code	184	©	(Copyright symbol)
ascii code	185	┤	(Box drawing character)
ascii code	186		(Box drawing character)

ascii code	187	⌏	(Box drawing character)
ascii code	188	⌐	(Box drawing character)
ascii code	189	¢	(Cent symbol)
ascii code	190	¥	(YEN and YUAN sign)
ascii code	191	⌑	(Box drawing character)
ascii code	192	⌒	(Box drawing character)
ascii code	193	⌓	(Box drawing character)
ascii code	194	⌔	(Box drawing character)
ascii code	195	⌕	(Box drawing character)
ascii code	196	—	(Box drawing character)
ascii code	197	⌖	(Box drawing character)
ascii code	198	ã	(Lowercase letter "a" with tilde or "a-tilde")
ascii code	199	Ã	(Capital letter "A" with tilde or "A-tilde")
ascii code	200	⌞	(Box drawing character)
ascii code	201	⌟	(Box drawing character)
ascii code	202	⌠	(Box drawing character)
ascii code	203	⌡	(Box drawing character)
ascii code	204	⌢	(Box drawing character)
ascii code	205	⌣	(Box drawing character)
ascii code	206	⌤	(Box drawing character)
ascii code	207	₭	(generic currency sign)
ascii code	208	ð	(Lowercase letter "eth")
ascii code	209	Ð	(Capital letter "Eth")
ascii code	210	Ê	(letter "E" with circumflex accent or "E-circumflex")
ascii code	211	Ë	(letter "E" with umlaut or diaeresis ; "E-umlaut")
ascii code	212	È	(letter "E" with grave accent)
ascii code	213	ı	(lowercase dot less i)
ascii code	214	Í	(Capital letter "I" with acute accent or "I-acute")
ascii code	215	Î	(letter "I" with circumflex accent or "I-circumflex")
ascii code	216	Ï	(letter "I" with umlaut or diaeresis ; "I-umlaut")
ascii code	217	⌧	(Box drawing character)
ascii code	218	⌨	(Box drawing character)
ascii code	219	■	(Block)
ascii code	220	■	
ascii code	221	⋮	(vertical broken bar )
ascii code	222	ì	(letter "I" with grave accent)
ascii code	223	■	
ascii code	224	Ó	(Capital letter "O" with acute accent or "O-acute")
ascii code	225	ß	(letter "Eszett" ; "scharfes S" or "sharp S")
ascii code	226	Ô	(letter "O" with circumflex accent or "O-circumflex")
ascii code	227	Ò	(letter "O" with grave accent)
ascii code	228	õ	(letter "o" with tilde or "o-tilde")
ascii code	229	Õ	(letter "O" with tilde or "O-tilde")
ascii code	230	μ	(Lowercase letter "Mu" ; micro sign or micron)
ascii code	231	þ	(Lowercase letter "Thorn")
ascii code	232	Þ	(Capital letter "thorn")
ascii code	233	Ú	(Capital letter "U" with acute accent or "U-acute")
ascii code	234	Û	(letter "U" with circumflex accent or "U-circumflex")

ascii code	235	Ù	(letter "U" with grave accent)
ascii code	236	ý	(Lowercase letter "y" with acute accent)
ascii code	237	Ý	(Capital letter "Y" with acute accent)
ascii code	238	-	(macron symbol)
ascii code	239	´	(Acute accent)
ascii code	240	-	(Hyphen)
ascii code	241	±	(Plus-minus sign)
ascii code	242	=	(underline or underscore)
ascii code	243	¾	(three quarters)
ascii code	244	¶	(paragraph sign or pilcrow)
ascii code	245	§	(Section sign)
ascii code	246	÷	(The division sign ; Obelus)
ascii code	247	¸	(cedilla)
ascii code	248	°	(degree symbol )
ascii code	249	¨	(Diaeresis)
ascii code	250	·	(Interpunct or space dot)
ascii code	251	¹	(superscript one)
ascii code	252	³	(cube or superscript three)
ascii code	253	²	(Square or superscript two)
ascii code	254	■	(black square)
ascii code	255	<b>nbsp</b>	(non-breaking space or no-break space)