Sending Email Notification for Fail Jobs






Security
myaccount.google.com/security?gar=WzJd&hl=en_GB&utm_source=OGB&utm_medium=act
P
Streebo
Learn
GTU
LLMs
Regular Tools
IOT
Deployment
Learning
Google Account
app
Google Account results
Your connections to third-party apps and services
Security
App passwords
Security
Web & App Activity
Data and privacy
Help Centre articles
Sign in with app passwords
Manage app info from your devices
Share some access to your Google Account with third-party apps
Home
Personal info
Data and privacy
Security
People and sharing
Payments and subscrip
About
curity
o help you keep your acco
o recom-
Recent security activity
App password created
14 Oct · Gujarat, India


App passwords
myaccount.google.com/apppasswords?continue=https://myaccount.google.com/security?gar%3DWzJd%26hl%3Den_GB%26utm_source%3DOGB%26utm_medium%3Dact&rapt=AEjHL4Ph1lwzyP3EYFRy
P
Streebo
Learn
GTU
LLMs
Regular Tools
IOT
Deployment
Learning
Google Account
App passwords
App passwords help you sign into your Google Account on older apps and services that don't support modern security standards.
App passwords are less secure than using up-to-date apps and services that use modern security standards. Before you create an app password, you should check to see if your app needs this in order to sign in.
Learn more
Your app passwords
nodemailer
Created on Oct 14, last used on Oct 14
To create a new app specific password, type a name for it below...
App name
jenkins
Create


App passwords
myaccount.google.com/apppasswords?continue=https://myaccount.google.com/security?gar%3DWzJd%26hl%3Den_GB%26utm_source%3DOGB%26utm_medium%3Dact&rapt=AEjHL4Ph1IwzyP3EYFRyi9F3IVVv5F_YK
Google Account
App passwords
App passwords help you sign into your Google Account on older apps and services that don't support modern security standards.
Learn more
nodemailer
jenkins
App name
Create
Generated app password
Your app password for your device
qwpd ehdw fluy xdqh
How to use it
Go to the settings for your Google Account in the application or device you are trying to set up. Replace your password with the 16-character password shown above.
Just like your normal password, this app password grants complete access to your Google Account. You won't need to remember it, so don't write it down or share it with anyone.
Done


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:17 PM
System - Jenkins
http://localhost:8080/manage/configure
Jenkins
Manage Jenkins
System
E-mail Notification
SMTP server
smtp.gmail.com
Default user e-mail suffix
@gmail.com
Advanced
Edited
Use SMTP Authentication
User Name
moh.riyazpathan@gmail.com
For security when using authentication it is recommended to enable either TLS or SSL
Password
Use SSL
Use TLS
SMTP Port
Save
Apply


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:17 PM
System - Jenkins
http://localhost:8080/manage/configure
80%
Jenkins
Manage Jenkins
System
User Name
moh.riyazpathan@gmail.com
For security when using authentication it is recommended to enable either TLS or SSL
Password
Use SSL
Use TLS
SMTP Port
465
Reply-To Address
Charset
UTF-8
Test configuration by sending test e-mail
Save
Apply
REST API
Jenkins 2.528.1


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:18 PM
System - Jenkins
http://localhost:8080/manage/configure
80%
Jenkins
Manage Jenkins
System
Use SSL
Use TLS
SMTP Port
465
Reply-To Address
Charset
UTF-8
Test configuration by sending test e-mail
Test e-mail recipient
moh.riyazpathan@gmail.com
Test configuration
Save
Apply
REST API
Jenkins 2.528.1


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:18 PM
System - Jenkins
http://localhost:8080/manage/configure
80%
Jenkins
Manage Jenkins
System
Test configuration by sending test e-mail
Test e-mail recipient
moh.riyazpathan@gmail.com
Failed to send out e-mail
Test configuration
jakarta.mail.MessagingException: Got bad greeting from SMTP host: smtp.gmail.com, port: 465, response: [EOF]
at PluginClassLoader for jakarta-mail-api//
org.eclipse.angus.mail.smtp.SMTPTransport.openServer(SMTPTransport.java:2231)
at PluginClassLoader for jakarta-mail-api//
org.eclipse.angus.mail.smtp.SMTPTransport.protocolConnect(SMTPTransport.java:729)
at PluginClassLoader for jakarta-mail-api//jakarta.mail.Service.connect(Service.java:367)
at PluginClassLoader for jakarta-mail-api//jakarta.mail.Service.connect(Service.java:225)
at PluginClassLoader for jakarta-mail-api//jakarta.mail.Service.connect(Service.java:174)
at PluginClassLoader for jakarta-mail-api//jakarta.mail.Transport.send0(Transport.java:232)
at PluginClassLoader for jakarta-mail-api//jakarta.mail.Transport.send(Transport.java:102)
at PluginClassLoader for mailer//hudson.tasks.Mailer$DescriptorImpl.doSendTestMail(Mailer.java:712)
at java.base/java.lang.invoke.MethodHandle.invokeWithArguments(MethodHandle.java:733)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:484)
at org.kohsuke.stapler.Function$InstanceFunction.invoke(Function.java:497)
at org.kohsuke.stapler.interceptor.RequirePOST$Processor.invoke(RequirePOST.java:79)
at org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:218)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:140)
at org.kohsuke.stapler.MetaClass$12.doDispatch(MetaClass.java:686)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:61)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:800)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:938)
Save
Apply


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:19 PM
System - Jenkins
http://localhost:8080/manage/configure
80%
Jenkins
Manage Jenkins
System
User Name
moh.riyazpathan@gmail.com
For security when using authentication it is recommended to enable either TLS or SSL
Password
Use SSL
Use TLS
SMTP Port
465
Reply-To Address
Charset
UTF-8
Test configuration by sending test e-mail
Test e-mail recipient
moh.riyazpathan@gmail.com
Failed to send out e-mail
Test configuration
Save
Apply


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:21 PM
System - Jenkins
http://localhost:8080/manage/configure
Jenkins
Manage Jenkins
System
Use SSL
Use TLS
SMTP Port
465
Reply-To Address
Charset
UTF-8
Test configuration by sending test e-mail
Test e-mail recipient
moh.riyazpathan@gmail.com
Email was successfully sent
Test configuration
Save
Apply
REST API
Jenkins 2.528.1


Test email #5 - moh.riyazpathar
mail.google.com/mail/u/0/?ogbl#inbox/FMfcgzQcqbdmsHKfHPFzhGVnntfKZmxK
P
Streebo
Learn
GTU
LLMs
Regular Tools
IOT
Deployment
Learning
Gmail
Search mail
Compose
Inbox 4,604
Starred
Snoozed
Sent
Drafts
Purchases 133
Updates 6,357
Forums
Test email #5
Inbox ×
R
address not configured yet <moh.riyazpathan@gmail.com>
to me
This is test email #5 sent from Jenkins
Reply
Forward


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:23 PM
first-job Config - Jenkins
http://localhost:8080/job/first-job/configure
80%
Jenkins
first-job
Configuration
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Execute shell
Command
See the list of available environment variables
echo "Hello World" $FirstName $LastName $Gender
Filter
Aggregate downstream test results
Archive the artifacts
Build other projects
Publish JUnit test result report
Record fingerprints of files to track usage
Git Publisher
E-mail Notification
Editable Email Notification
Set GitHub commit status (universal)
Set build status on GitHub commit [deprecated]
Delete workspace when build is done
Add post-build action
Save
Apply
REST API
Jenkins 2.528.1


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:24 PM
first-job Config - Jenkins
http://localhost:8080/job/first-job/configure
80%
Jenkins
first-job
Configuration
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Add build step
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.
E-mail Notification
Recipients
Whitespace-separated list of recipient addresses. May reference build parameters like $PARAM. E-mail will be sent when a build fails, becomes unstable or returns to stable.
moh.riyazpathan@gmail.com
Send e-mail for every unstable build
Send separate e-mails to individuals who broke the build
Add post-build action
Save
Apply
REST API
Jenkins 2.528.1


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:25 PM
first-job Config - Jenkins
http://localhost:8080/job/first-job/configure
Jenkins / first-job / Configuration
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
With Ant
Build Steps
Automate your build process with ordered tasks like code compilation, testing, and deployment.
Execute shell
Command
See the list of available environment variables
echo "Hello World" $FirstName $LastName $Gender
echo "Hello" > /tmp/first_job.txt
bash /tmp/basic.sh
echoRRR
Advanced
Add build step
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.
Save
Apply


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:25 PM
Jenkins
http://localhost:8080/job/first-job/build?delay=0sec
Jenkins / first-job
Status
Changes
Workspace
Build with Parameters
Configure
Delete Project
Rename
Credentials
Builds
Filter
Today
#8 11:24 PM
#7 10:51 PM
#6 9:57 PM
#5 9:51 PM
#4 8:33 PM
#3 6:26 PM
#2 6:25 PM
#1 6:07 PM
Project first-job
This build requires parameters:
FirstName
Riyaz
LastName
Pathan
Gender
Male
Build
Cancel
Jenkins 2.528.1


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:26 PM
first-job #9 Console - Je
http://localhost:8080/job/first-job/9/console
Jenkins / first-job / #9 / Console Output
Status
Changes
Console Output
Edit Build Information
Delete build '#9'
Parameters
Timings
Previous Build
Console Output
Download
Copy
View as plain text
Started by user RiyazKhan
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/first-job
[first-job] $ /bin/sh -xe /tmp/jenkins8552370994361527427.sh
+ echo 'Hello World' Riyaz Pathan Male
Hello World Riyaz Pathan Male
+ echo Hello
+ bash /tmp/basic.sh
This is from script under Temp Folder
+ echoRRR
/tmp/jenkins8552370994361527427.sh: line 5: echoRRR: command not found
Build step 'Execute shell' marked build as failure
Sending e-mails to: moh.riyazpathan@gmail.com
Finished: FAILURE
REST API
Jenkins 2.528.1


Build failed in Jenkins: first-job
mail.google.com/mail/u/0/?ogbl#inbox/FMfcgzQcqbdmsHLGklkGTjnLRbBLMwXr
Gmail
Search mail
Oops! Your selected image failed to load.
Compose
Inbox 4,604
Starred
Snoozed
Sent
Drafts
Purchases 133
Updates 6,357
Forums
Promotions 4,617
More
Labels
Axis
Diploma-GPA
Google 299
Build failed in Jenkins: first-job #9
Inbox
address not configured yet <moh.riyazpathan@gmail.com>
to me
See <http://10.0.2.15:8080/job/first-job/9/display/redirect>
Changes:
Started by user RiyazKhan
Running as SYSTEM
Building in workspace <http://10.0.2.15:8080/job/first-job/ws/>
[first-job] $ /bin/sh -xe /tmp/jenkins8552370994361527427.sh
+ echo 'Hello World' Riyaz Pathan Male
Hello World Riyaz Pathan Male
+ echo Hello
+ bash /tmp/basic.sh
This is from script under Temp Folder
+ echoRRR
/tmp/jenkins8552370994361527427.sh: line 5: echoRRR: command not found
Build step 'Execute shell' marked build as failure


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:28 PM
first-job #9 Console - Jer
first-job Config - Jenkins
Not Secure
http://10.0.2.15:8080/job/first-job/configure
Jenkins / first-job / Configuration
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Command
See the list of available environment variables
echo "Hello World" $FirstName $LastName $Gender
echo "Hello" > /tmp/first_job.txt
bash /tmp/basic.sh
echo "End"
Advanced
Add build step
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other job
E-mail Notification
Recipients
Whitespace-separated list of recipient addresses. May reference build parameters like $PARAM. E-mail will be s
unstable or returns to stable.
Save
Apply


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:29 PM
first-job #9 Console - Je
Jenkins
Not Secure
http://10.0.2.15:8080/job/first-job/build?delay=0sec
Jenkins / first-job
Status
Changes
Workspace
Build with Parameters
Configure
Delete Project
Rename
Credentials
Project first-job
This build requires parameters:
FirstName
Riyaz
LastName
Pathan
Gender
Male
Build
Cancel
Builds
Filter
Today
#9 11:25 PM
#8 11:24 PM
#7 10:51 PM
#6 9:57 PM
#5 9:51 PM
#4 8:33 PM
#3 6:26 PM


Nov 3 11:29 PM
first-job #10 Console - Je
http://10.0.2.15:8080/job/first-job/10/console
Console Output
Started by user RiyazKhan
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/first-job
[first-job] $ /bin/sh -xe /tmp/jenkins3933893426234206493.sh
+ echo 'Hello World' Riyaz Pathan Male
Hello World Riyaz Pathan Male
+ echo Hello
+ bash /tmp/basic.sh
This is from script under Temp Folder
+ echo End
End
Sending e-mails to: moh.riyazpathan@gmail.com
Finished: SUCCESS
Gmail
Search mail
Compose
Inbox 4,604
Starred
Snoozed
Sent
Drafts
Purchases 133
Updates 6,357
Forums
Promotions 4,617
More
Jenkins build is back to normal : first-job #10
address not configur... 11:29 PM (0 minutes ago)
to me
See <http://10.0.2.15:8080/job/first-job/10/display/redirect>
Reply
Forward


CentOS1 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Nov 3 11:33 PM
git-demo Config - Jenkin
http://localhost:8080/job/git-demo/configure
Jenkins / git-demo / Configuration
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Add build step
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.
E-mail Notification
Recipients
Whitespace-separated list of recipient addresses. May reference build parameters like $PARAM. E-mail will be sent when a build fails
to stable.
moh.riyazpathan@gmail.com
Send e-mail for every unstable build
Send separate e-mails to individuals who broke the build
Add post-build action
Save
Apply


Python/2 Practice/Hello World/
github.com/786riyaz/Python/blob/main/2%20Practice/Hello%20World/HelloWorld.py
786riyaz / Python
Code
Issues
Pull requests
Actions
Projects
Security
Insights
Settings
Files
main
Go to file
0 Installation Steps
1 Notes
2 Practice
Heart
Hello World
Hello World.png
HelloWorld.py
Module Learning
Pattern
Sum.py
Python Libraries
README.md
Python / 2 Practice / Hello World / HelloWorld.py
786riyaz Replace print statement with printRRR
Code
Blame
1 lines (1 loc) · 29 Bytes
1 printRRR("Hello World !!!!")


CentOS1 [Running] - Oracle VirtualBox
Nov 4 10:19 AM
Welcome to CentOS Stre
git-demo #6 Console - J
http://localhost:8080/job/git-demo/6/console
70%
Jenkins
git-demo
#6
Console Output
Status
Changes
Console Output
Edit Build Information
Delete build '#6'
Timings
Git Build Data
Previous Build
Console Output
Download
Copy
Started by user RiyazKhan
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/git-demo
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/git-demo/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 208e2d0001d5270dc3a2c3f825b164dc952483f8 (origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
Commit message: "Replace print statement with printRRR"
> git rev-list --no-walk 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
[git-demo] $ /bin/sh -xe /tmp/jenkins6824839420826941077.sh
+ cd '2 Practice/Hello World'
+ ls
Hello World.png
HelloWorld.py
+ python HelloWorld.py
Traceback (most recent call last):
File "/var/lib/jenkins/workspace/git-demo/2 Practice/Hello World/HelloWorld.py", line 1, in <module>
printRRR("Hello World !!!!")
^^^^^^^^
NameError: name 'printRRR' is not defined
Build step 'Execute shell' marked build as failure
Not sending mail to unregistered user noreply@github.com
Sending e-mails to: moh.riyazpathan@gmail.com
Finished: FAILURE


/mail/u/0/?ogbl#inbox/FMfcgzQcqbftxrRPdCfwNTKQWCTpxkdK
arn
GTU
LLMs
Regular Tools
IOT
Deployment
Learning
Search mail
Oops! Your selected image failed to load.
to me
See <http://10.0.2.15:8080/job/git-demo/5/display/redirect?page=changes>
Changes:
[noreply] Replace print statement with printRRR

Started by an SCM change
Running as SYSTEM
Building in workspace <http://10.0.2.15:8080/job/git-demo/ws/>
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir <http://10.0.2.15:8080/job/git-demo/ws/.git> # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 208e2d0001d5270dc3a2c3f825b164dc952483f8 (origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
Commit message: "Replace print statement with printRRR"
> git rev-list --no-walk bc3bedecb80e5a40c243ca81976ddda851eef538 # timeout=10
[git-demo] $ /bin/sh -xe /tmp/jenkins9251182792270157899.sh
+ cd '2 Practice/Hello World'
+ ls
Hello World.png
HelloWorld.py
+ python HelloWorld.py
Traceback (most recent call last):
File "<http://10.0.2.15:8080/job/git-demo/ws/2> Practice/Hello World/HelloWorld.py", line 1, in <module>
printRRR("Hello World !!!!")
^^^^^^^^
NameError: name 'printRRR' is not defined


Search mail

Started by user RiyazKhan
Running as SYSTEM
Building in workspace <http://10.0.2.15:8080/job/git-demo/ws/>
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir <http://10.0.2.15:8080/job/git-demo/ws/.git> # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 208e2d0001d5270dc3a2c3f825b164dc952483f8 (origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
Commit message: "Replace print statement with printRRR"
> git rev-list --no-walk 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
[git-demo] $ /bin/sh -xe /tmp/jenkins6824839420826941077.sh
+ cd '2 Practice/Hello World'
+ ls
Hello World.png
HelloWorld.py
+ python HelloWorld.py
Traceback (most recent call last):
File "<http://10.0.2.15:8080/job/git-demo/ws/2> Practice/Hello World/HelloWorld.py", line 1, in <module>
printRRR("Hello World !!!!")
^^^^^^^^
NameError: name 'printRRR' is not defined
Build step 'Execute shell' marked build as failure
Not sending mail to unregistered user noreply@github.com
Reply
Forward


Search mail
Build failed in Jenkins: git-demo #6
Inbox ×
R
address not configured yet <moh.riyazpathan@gmail.com>
to me
See <http://10.0.2.15:8080/job/git-demo/6/display/redirect>
Changes:

Started by user RiyazKhan
Running as SYSTEM
Building in workspace <http://10.0.2.15:8080/job/git-demo/ws/>
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir <http://10.0.2.15:8080/job/git-demo/ws/.git> # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 208e2d0001d5270dc3a2c3f825b164dc952483f8 (origin/main)
> git config core.sparsecheckout # timeout=10


Python/2 Practice/Hello World/
Inbox (4,604) - moh.riyazpathan
github.com/786riyaz/Python/blob/main/2%20Practice/Hello%20World/HelloWorld.py
Ask Google
786riyaz / Python
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
Files
main
Go to file
0 Installation Steps
1 Notes
2 Practice
Heart
Hello World
Hello World.png
HelloWorld.py
Module Learning
Pattern
Sum.py
Python Libraries
README.md
Python / 2 Practice / Hello World / HelloWorld.py
786riyaz Replace printRRR with standard print function
Code
Blame
1 lines (1 loc) · 26 Bytes
print("Hello World !!!!")


CentOS1 [Running] - Oracle VirtualBox
Nov 4 10:22 AM
File Edit View History Bookmarks Tools Help
Welcome to CentOS Stre
git-demo - Jenkins
http://localhost:8080/job/git-demo/
Jenkins / git-demo
Status
Changes
Workspace
Build Now
Configure
Delete Project
Git Polling Log
Rename
Credentials
git-demo
This Job will put the Code from GitHub and Run it.
Permalinks
Last build (#6), 1 min 53 sec ago
Last stable build (#4), 11 hr ago
Last successful build (#4), 11 hr ago
Last failed build (#6), 1 min 53 sec ago
Last unsuccessful build (#6), 1 min 53 sec ago
Last completed build (#6), 1 min 53 sec ago
Builds
Filter
Today
#7 10:22 AM
#6 10:18 AM
#5 10:18 AM
November 3, 2025
#4 10:59 PM
#3 10:49 PM
#2 10:45 PM
#1 10:37 PM


CentOS1 [Running] - Oracle VirtualBox
Nov 4 10:22 AM
Welcome to CentOS Stre
git-demo #2 Console - J
http://localhost:8080/job/git-demo/2/console
70%
Jenkins
git-demo
#2
Console Output
Status
Changes
Console Output
Edit Build Information
Delete build '#2'
Timings
Git Build Data
Previous Build
Next Build
Console Output
Download
Copy
Started by user RiyazKhan
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/git-demo
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/git-demo/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision d2928ad40ef78848a25b6a162654f19b19db5e71 (origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f d2928ad40ef78848a25b6a162654f19b19db5e71 # timeout=10
Commit message: "Added Python Libraries"
First time build. Skipping changelog.
Finished: SUCCESS


Python/2 Practice/Hello World/
Jenkins build is back to normal
mail.google.com/mail/u/0/?ogbl#inbox/FMfcgzQcqbftxsXHhnxqXMtpJlknvksv
P
Streebo
Learn
GTU
LLMs
Regular Tools
IOT
Deployment
Learning
Gmail
Search mail
Oops! Your selected image failed to load.
Compose
Inbox 4,604
Starred
Snoozed
Sent
Drafts
Purchases 133
Updates 6,358
Forums
Promotions 4,619
More
Labels
Axis
Diploma-GPA
Jenkins build is back to normal : git-demo #7
Inbox ×
address not configured yet <moh.riyazpathan@gmail.com>
to me
See <http://10.0.2.15:8080/job/git-demo/7/display/redirect?page=changes>
Reply
Forward


CentOS1 [Running] - Oracle VirtualBox
Nov 4 10:47 AM
Welcome to CentOS Stre
git-demo #7 Console - J
Welcome to CentOS Stre
http://localhost:8080/job/git-demo/7/console
70%
Jenkins
git-demo
#7
Console Output
Status
Changes
Console Output
Edit Build Information
Delete build '#7'
Polling Log
Timings
Git Build Data
Previous Build
Console Output
Download
Copy
Started by an SCM change
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/git-demo
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/git-demo/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/786riyaz/Python.git # timeout=10
Fetching upstream changes from https://github.com/786riyaz/Python.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/786riyaz/Python.git +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 3d9b6a7a493ba93aca4685b3e6fb8e546505eccf (origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 3d9b6a7a493ba93aca4685b3e6fb8e546505eccf # timeout=10
Commit message: "Replace printRRR with standard print function"
> git rev-list --no-walk 208e2d0001d5270dc3a2c3f825b164dc952483f8 # timeout=10
[git-demo] $ /bin/sh -xe /tmp/jenkins3925886000069465079.sh
+ cd '2 Practice/Hello World'
+ ls
Hello World.png
HelloWorld.py
+ python HelloWorld.py
Hello World !!!!
Not sending mail to unregistered user noreply@github.com
Sending e-mails to: moh.riyazpathan@gmail.com
Finished: SUCCESS
REST API