



BOTANY CABINET




CLASSIFIED READING

FRUITS




Banana




Banana

- 1. BANANA
- 2. APPLE
- 3. POMEGRANATE
- 4. STRAWBERRY
- 5. PEAR
- 6. MANGO
- 7. GRAPES
- 8. ORANGE
- 9. PINEAPPLE

VEGETABLES




BEETROOT



BEETROOT


- 1. BEETROOT
- 2. CARROT
- 3. CAULIFLOWER
- 4. BRINJAL
- 5. POTATO
- 6. CABBAGE
- 7. TOMATO
- 8. CUCUMBER
- 9. ONION

FLOWERS





- 1. ROSE
- 2. LOTUS
- 3. CHAMPA
- 4. HIBISCUS
- 5. JASMINE
- 6. MARIGOLD
- 7. SUNFLOWER
- 8. DAHLIA
- 9. PANSY

PLANTS





- 1. CORIANDER
- 2. CELERY
- 3. CHILLI
- 4. DILL
- 5. MONEY PLANT
- 6. TULSI
- 7. ROSEMARY
- 8. LEMON
- 9. CURRY LEAVES

NUTS





- 1. ALMOND
- 2. PINE NUT
- 3. ACORN
- 4. CASHEW NUT
- 5. MACADAMIA NUT
- 6. PEANUT
- 7. PISTACHIO
- 8. HAZELNUT
- 9. WALNUT

TREES





- 1. BANYAN TREE
- 2. ASHOKA TREE
- 3. GUM TREE
- 4. MANGO TREE
- 5. PALM TREE
- 6. NEEM TREE
- 7. EUCALYPTUS TREE
- 8. PEEPUL TREE
- 9. TEAK TREE

PARTS OF A TREE





- 1. BRANCH
- 2. LEAVES
- 3. TRUNK
- 4. ROOTS
- 5. FRUIT
- 6. CANOPY

PARTS OF A LEAF





- 1. VEINS
- 2. APEX
- 3. BASE
- 4. STIPULE
- 5. PETIOLE
- 6. MIDRIB

PARTS OF A FLOWER



- 1. PETAL
- 2. SEPAL
- 3. ANTHOR
- 4. FILAMENT
- 5. STIGMA
- 6. STYLE
- 7. OVARY

PARTS OF A LAMINA





- 1. MARGIN
- 2. APEX
- 3. LOBES
- 4. VEINS

ARRANGEMENT OF LEAVES



- 1. WHORLED
- 2. ALTERNATE
- 3. SPIRAL
- 4. OPPOSITE

KINDS OF LEAVES



- COMPOUND LEAVES**
- 1. UNIFOLIATE
 - 2. BIFOLIATE
 - 3. TRIFOLIATE
 - 4. QUATREFOLIATE
 - 5. MULTIFOLIATE