

## ASSIGNMENT-4

Name	Prakash Raj
Assignment Date	09 November 2022
Team ID	PNT2022TMID029 1
Maximum Marks	2 Marks

### Question 1:

Pull an Image from docker hub and run it in docker playground.

```
Command Prompt


C:\Users\VIJAR RS>docker push vijayrs12213/hello-world
Using default tag: latest
The push refers to repository [docker.io/vijayrs12213/hello-world]
e07ee1baac5f: Mounted from library/hello-world
latest: digest: sha256:f54a58bc1aac5eaa25d796ae155dc228b3f0e11d046ae276b39c4bf2f13d8c4 size: 525

C:\Users\VIJAR RS>docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Image is up to date for hello-world:latest
docker.io/library/hello-world:latest

C:\Users\VIJAR RS>
```

### Question 2:


Create a docker file for the job portal application and deploy it in Docker desktop application.



```
File Edit Selection View Go Run Terminal Help
jobwebsite

EXPLORER
JOBWEBSITE
  css
    bootstrap.min.css
    style.css
  img
  js
  lib
  Dockerfile.un~
  Dockerfile
  index.html

Dockerfile
1 DOCTYPE html
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>Job portal Template</title>
7   <meta content="width=device-width, initial-scale=1.0" name="viewport">
8   <meta content="Free HTML Templates" name="keywords">
9   <meta content="Free HTML Templates" name="description">
10
11   <!-- Favicon -->
12   <link href="img/favicon.ico" rel="icon">
13 </style>
14 .hb {
15   margin: auto;
16   width: 15%;
17   padding: 10px;
18 }
19
20 </style>
21
22 <!-- Google Web Fonts -->
23 <link rel="preconnect" href="https://fonts.gstatic.com">
24 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Roboto:wght@500;700&display=swap" rel="stylesheet">
25
26 <!-- Icon Font Stylesheet -->
27 <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.0/css/all.min.css" rel="stylesheet">
28 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
29
30 <!-- Libraries Stylesheet -->
31 <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
32
33 <!-- Customized Bootstrap Stylesheet -->
34 <link href="css/bootstrap.min.css" rel="stylesheet">
35
36 <!-- Template Stylesheet -->
37 <link href="css/style.css" rel="stylesheet">
```



### Question 3:

Create a IBM container registry and deploy helloworld app or jobportalapp.

```

Command Prompt

C:\Users\VIJAR RS>docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest

C:\Users\VIJAR RS>docker tag hello-world icr.io/jobwebsite/jobportal:latest

C:\Users\VIJAR RS>docker push icr.io/jobwebsite/jobportal:latest
The push refers to repository [icr.io/jobwebsite/jobportal]
e07ee1baac5f: Pushed
latest: digest: sha256:f54a58bc1aac5ea1a25d796ae155dc228b3f0e11d046ae276b39c4bf2f13d8c4 size: 525

C:\Users\VIJAR RS>ibmcloud cr image-list
Listing images...

Repository          Tag      Digest          Namespace      Created      Size      Security status
icr.io/jobwebsite/jobportal  latest  f54a58bc1aac    jobwebsite    1 year ago  2.5 kB    -
OK
  
```

Question 4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportalimage and also expose the same app to run in nodeport.

