




I/B/E/S DETAIL HISTORY – USER GUIDE



A GUIDE TO I/B/E/S HISTORICAL EARNINGS ESTIMATES

DATED: DECEMBER 2022



CONTENTS

Chapter 1. Overview	5
Intended Readership.....	5
About The I/B/E/S Detail History File	5
In this document.....	5
How was the Database Built?	6
Company Coverage in the I/B/E/S History Database	6
Inactive Companies in the I/B/E/S History Database	6
Handling Mergers and Acquisitions.....	6
Defining Fiscal Periods	6
International Financial Reporting Standards (IFRS) – 2005.....	6
FAS123(R).....	6
Chapter 2. File Delivery	7
History Subscription Levels.....	7
Normalized History Files	7
File Naming Conventions.....	8
Compressed Files	8
Chapter 3. Detail History File Descriptions and Layout	10
Actuals Data Files	10
Actuals Data (new file format as of April 2013).....	10
Go-Forward Actuals Data (new file as of April 2013).....	10
Restated Actuals	10
Detail Estimates Data Files	11
Detail Estimates	11
Excluded Estimates (US File).....	12
Excluded Estimates (NON-US File).....	13
Stop Estimate	13
Adjustments (Split Factors)	13
Company Level Footnote	14
Estimator/Analyst Translations	14
Detail Price Target Data Files	15
Detail Price Targets (PTG)	15
Stop Price Target	15
Detail Recommendation Data Files.....	16
Detail Recommendations	16
Recommendations Stop	16
Recommendations Estimator Translation.....	16
Recommendations ID.....	17
Supplemental Data Files	18
Identifier.....	18
Report Currency	19

EURO Exchange Rate.....	19
Daily Currency Exchange Rates.....	19
Supplemental Information File (TRBC).....	19
Supplemental Information File (TRBC Description).....	20
Chapter 4. Currency Conversion	21
Estimate Level	21
Guidelines to Convert Detail Estimate to an Alternate Currency.....	21
Company-Level Currency Changes	21
Actuals	22
Guidelines to Convert Actuals to an Alternate Currency	23
Chapter 5. KPI File Description and layouts	24
Retrieving KPI Files	24
File Naming Conventions.....	24
KPI Detail Files	25
Detail Estimates File Format	25
Stop Estimates File Format	26
Excluded Estimates File Format.....	27
KPI Actual Files.....	28
Actuals File Format	28
Restated Actuals File Format	28
KPI ID Files	29
Product Identification #2 File Format History.....	29
Product Identification #1 File Format.....	29
KPI Lookup Files.....	30
LU Product Type Measure.....	30
LU Product Status	30
LU Product Region	30
Chapter 6. Sample Data and SFTP Information	31
FTP Login Information	31
Sample History Files	31
SFTP Access Details	32
Appendix Section.....	33
Appendix A: Measure List.....	33
Appendix B: Instrument Type.....	42
Appendix C: Forecast Period Indicator	42
Appendix D: Data Types	42
Appendix E: Company Level Footnote Types.....	43
Appendix F: Currency Units	43
Appendix G: I/B/E/S Country and Currency Codes with Start Dates.....	44
Appendix H: Primary Consolidated Measure List.....	48
Appendix I: Glossary.....	55
Global Client Support	57

NOTICE

This **REFINITIV I/B/E/S DETAIL HISTORY USER GUIDE** contains confidential and proprietary information of Refinitiv and may be used only by a recipient designated by and for purposes specified by Refinitiv.

Reproduction of, dissemination of, modifications to, or creation of derivative works from this **REFINITIV I/B/E/S DETAIL HISTORY USER GUIDE**, by any means and in any form or manner, is expressly prohibited, except with the prior written permission of Refinitiv. Permitted copies of this document must retain all proprietary notices contained in the original.

The information in this document is subject to change without prior notice. Always confirm with Refinitiv that you are using the most current version of this document. Refinitiv is free to modify any of its products and services, in any manner and at any time, notwithstanding the information contained in this document.

Certain information, including images, graphics, numerical or textual data pertaining to assets or securities may be included in this document to illustrate different types of products and services of Refinitiv. Such information may be fictitious or incomplete and should not be relied upon or considered investment advice.

THE CONTENTS OF THIS DOCUMENT SHALL NOT CONSTITUTE ANY WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE OR GIVE RISE TO ANY LIABILITY OF REFINITIV, ITS AFFILIATES OR ITS SUPPLIERS.

The terms and conditions governing the use of this **REFINITIV I/B/E/S DETAIL HISTORY USER GUIDE** shall consist of those set forth in written agreements with Refinitiv.

© [Refinitiv](#) 2022. All Rights Reserved. Republication or redistribution of Refinitiv content, including by framing or similar means, is prohibited without the prior written consent of Refinitiv. Refinitiv and the Refinitiv logo are trademarks of Refinitiv and its affiliated companies.

Revision History

Effective Date	Version	Description	Changes made
Dec - 2022	1.02	Updated version	Changed File Format Grouped files by content - Chapter 3

Chapter 1. Overview

This is a guide to understanding the terms, layouts, and use of the I/B/E/S analyst-by-analyst historical earnings estimate database.

Intended Readership

The I/B/E/S Detail History User Guide is intended for Refinitiv clients who receive History directly from Refinitiv and not via any third-party platform.

About The I/B/E/S Detail History File

I/B/E/S Detail History is monthly update file system designed for quantitative and analytical users of institutional estimate data. Detail History provides concise representation of this data and allows you to maintain and manipulate a customized relational database of Historical earnings and other estimates. Historical data is available as separate offerings of I/B/E/S Detail and Summary History files. All files are delivered via the Internet (FTP).

Detail Earnings Estimate History contains forecast changes dating back to 1982 for US companies and 1987 for non-US companies. All Detail Files are separated into regions (<.US> for United States and <.INT> for NON-US countries).

This data will allow users to test investment techniques in new and innovative ways. Among the many possible applications of historical detail data, notables include:

- Isolate a particular estimator or analyst
The accuracy of any individual estimator's forecast can be tracked over time. Each estimator, analyst or industry team is assigned a unique and independent identification number.
- Back test revisions hypothesis
Functionality allows for the development and back testing of unique derivations of the user's design. The product is created in a relational database format with distinct variables in each file. For example, the I/B/E/S ticker is a unique identifier assigned to each security that is consistent throughout I/B/E/S History. Most other common identifiers (CUSIP, SEDOL, Official Ticker, and Company Name) are subject to change over time. Refer to [File #3](#) for available identifier options.

In this document

Introducing TRBC Classification System

Effective October 21, 2016, Refinitiv introduced a new set of Sector, Industry, and Group identifiers known as **The Refinitiv Business Classifications (TRBC)** and the older schema is no longer available in the feed.

TRBC is an industry classification system that is owned and operated by Refinitiv. The Market-oriented system tracks the primary business of a corporation and reflects global industry practices by grouping together correlated companies that offer products and services into similar end markets.

It is used by the investment community for navigation, aggregation and benchmarking, while delivering a solid foundation for aggregating financial ratios, portfolio benchmarking and attribution analysis. Refinitiv I/B/E/S added the following TRBC mapping of its data:

- TRBC Economic Sector
- TRBC Business Sector
- TRBC Industry Group
- TRBC Industry
- TRBC Activity

New Company Level Measures added to Level 3 packages

Effective October 21, 2016, Refinitiv added 17 new Key Performance Indicators (KPIs) that included the following industries: Generic, Mining and Retail. These new measures were added to the Premium I/B/E/S QFS and History Data Feeds FTP packages. Refer to [Appendix A](#) for a full list of measures available in the feed.

New Segment Level Measures added to Level 3 packages

Effective November 20, 2016, Refinitiv released 2 new Segment Revenue estimates that represents the Business and Geographical segment data for Sales. This new product level data measure provides revenue generation of a firm based on the components of its business.

How was the Database Built?

This database is built by applying two methods:

1. Archived Detail Data files from 1982 to May 1993 were used.
2. For estimates made since June 1993, data was sourced from the History production database.

Prior to 1993, Detail History was a reconstruction of archived Detail tapes. Extensive audits were performed to preserve the integrity of the original data.

For a variety of reasons (restricted lists, corporate announcements, etc.) an analyst may discontinue his/her earnings estimates on an individual security. In the source files for the Detail History there is no explicit indicator of this occurrence for periods before June 1993. Stop dates were calculated based on an algorithm. These dates are provided in the [Stop Estimate File](#).

Company Coverage in the I/B/E/S History Database

A company must have at least one Analyst coverage to be included in the I/B/E/S History files.

Inactive Companies in the I/B/E/S History Database

There may be cases where a company is no longer in existence or analysts are no longer contributing forecasts. Estimates will remain in I/B/E/S History in these cases. This helps keep the Refinitiv database free from survivorship bias.

Handling Mergers and Acquisitions

When two companies in the Refinitiv universe merge, the new company changed its Name, CUSIP or SEDOL, or Official Ticker, or any other identifier. The I/B/E/S ticker for the acquiring company will not change. This is done to preserve a historical timeline for the new company. In the Refinitiv historical databases, all data relating to the acquired company will stop as of the acquisition date.

Defining Fiscal Periods

The Refinitiv database contains estimate data for up to Five Annual Fiscal Periods, Eight Quarter Fiscal Periods, Four Semi-annual Periods, and Long-Term Growth.

Since all companies do not have the same fiscal year end, Refinitiv uses FY1, FY2, etc. to identify estimates for each unique period where the most recently reported actual is denoted with "0". Company's last reported annual is referred to as FY0, the most recently reported quarter is Q0, and the most recent semi-annual reported earnings is SAN0.

Using the reported periods as a base, the period end dates for all estimated periods are easily calculated. For example, if FY0 corresponds to December 2007 (the last reported annual), the FY1, FY2 and FY3 estimates are for the periods ending December 2008, 2009, and 2010, respectively. Looking at the quarterly periods, if Q0 refers to the period ended March 2008 (the last reported quarter), and then the Q1 estimate is for the June 2008 quarter.

International Financial Reporting Standards (IFRS) – 2005

In 2005, The European Union passed a regulation that requires listed European companies to comply with International Financial Reporting Standards (IFRS) for their consolidated financial statements. There is a limited exception for certain companies to delay implementation until 2007. Generally, the regulation applies to consolidated financial statements for accounting periods starting on or after January 1, 2005. Thus, for those companies with 12-month accounting periods covering the calendar year, IFRS was first applied to periods ending on December 31, 2005. As a result, companies first published IFRS financial information as of March 31, 2005 (if they report quarterly) or as of June 30, 2005 (if they report semi-annually).

Estimates collected by Refinitiv reflect the adoption of this ruling on a majority basis.

In addition to countries in Europe, IFRS was adopted by parts of Asia, including Australia and New Zealand. For I/B/E/S History, Refinitiv implemented IFRS for European countries effective April 9, 2005. The transition period to IFRS is visible for companies in Australia and New Zealand effective September 11, 2005.

FAS123(R)

On December 16, 2004, The Financial Accounting Standards Board (FASB) issued FAS123(R). This ruling requires companies to calculate the fair value of stock options granted to employees and amortize that amount over the vesting period as an expense through the income statement. FAS123(R) is currently effective for fiscal years beginning after June 15, 2005, with company transition choices of; modified prospective, modified retrospective or early adoption. The effective date of the ruling was then extended from quarterly to annual periods after June 15, 2005.

Estimates collected by Refinitiv reflect the adoption of this ruling on a majority basis.

Chapter 2. File Delivery

Detail History is delivered monthly and contains data collected by Refinitiv up to the Thursday before the third Friday of every month (which is the Refinitiv monthly production cycle). Historical files are updated and delivered via electronic delivery (FTP) monthly.

Please note that historical files are archived on the ftp server until 8:00PM ET on the Wednesday before the start of the next monthly run at which time previous month's files are removed from all client ftp accounts. The history process starts on the 3rd Thursday of each month

File posting times are adjusted for Daylight Savings Time.

History Subscription Levels

There are 2 package types for the Detail History product, Core and Premium. Core package includes EPS, CPS, DPS, EBG, PRE, REC, and SAL measure. Premium includes all the core measures plus additional 200+ measures. Refer to [Appendix A](#) for the complete list of measures.

- Companies with no subsidiaries are classified as Primary Consolidated, with no corresponding Secondary data measures. For companies that carry two-basis (Parent and Consolidated), both Primary and Secondary data measures are available. The basis is determined based on the majority contributor submission and populated under the Primary measure. Parent measures are indicated by a 3-letter code accompanied by a flag indicated the Parent/Consolidated basis. The list of Primary/Consolidated Measures can be found in the [Primary Consolidated Measures List](#).
- The per-share data measures of UK companies are covered in BPN (pence) and values for non-per share data measures are displayed in GBP (pounds). The label for all estimates is BPN. For UK companies which have had a change in currency on a company level, the label for non-per-share data estimates is GBP.
- FFO is available primarily for Canadian and US companies only.
- All per share measures data including Price Targets are adjusted for corporate actions represented as splits.
- Timestamps in the detail files are either Eastern Standard Time (EST) or Daylight Savings Time (DST), depending on the time of year.

Normalized History Files

Refinitiv follows companies based on their reporting currency. However, in some cases where the reporting currency does not reflect the clear majority of estimate submissions, Refinitiv may exercise the option to set the default based on the currency of the majority of estimate submissions. In cases where companies report in multiple currencies, Refinitiv will set the default currency based on the majority of estimate submissions.

As a result of currency fluctuations over time, starting with the April 2009 Monthly cycle, Refinitiv introduced an additional set of I/B/E/S Normalized historical files that include summary and detail data with normalized company default currencies.

This new offering provides a smooth historical view of companies that have had a currency change over time and is intended to simplify clients' workflow.

The normalized Detail history files will not be available in older formats of the Detail History files. All clients will be receiving normalized Detail history files in the latest available version.

- Announce w/Time Stamp Detail Estimates
- Detail Price Targets
- Announce w/Time Stamp Exclude Estimates
- Report Currency
- Time Stamp Actuals
- Restated Actuals

What rules will be followed when producing the normalized Detail History files?

Estimates are converted to the latest company default currency by using the closing exchange rate that coincides with the date prior to the announced date of the estimate. When an exchange rate is unavailable for the date prior to the announce date, the next available prior exchange rate is used.

Actuals are converted to the latest company default currency by using the closing exchange rate as of the FYE date of the actual. When an exchange rate is unavailable for the date prior to the FYE date, the next available prior exchange rate is used.

How will changes to currency be reflected from month to month in the Detail files?

In the existing files, all estimates and actuals are provided in the default currency followed at the respective point in time. In the normalized files, all estimates and actuals will be supplied in the default currency followed as of the latest monthly run.

To illustrate:

Refinitiv started coverage of company ABC in January 2001 and the company was covered in USD. In March 2008, majority of the analyst covering company ABC started providing estimates in EUR. Therefore, Refinitiv changed the default currency to EUR. In the Detail and Summary Files prior to March 2008, all estimates and actuals will be displayed in USD. Starting with the March 2008 monthly files, all previously supplied estimates in USD, will be displayed in EUR by converting values following the rules detailed in question #5.

Do any differences exist between the “normalized” and “standard/regular” History files?

Yes, a few changes will be noticed between the two versions:

- In the “standard/regular” **I/B/E/S Detail History**, estimates are converted to the latest company default currency by using the closing exchange rate that coincides with the date prior to the activation date of the estimate. In the “normalized” **I/B/E/S Detail History**, estimates are converted to the latest company default currency by using the closing exchange rate that coincides with the date prior to the announced date of the estimate. As a result, estimates that have been received in a non-default currency could be slightly different in “standard/regular” vs. “normalized” **I/B/E/S Detail History** due to the fluctuation of the currency exchange rates.
- Normalized files will not be available for the following measures as these are not affected by currency: GRM, ROA, ROE, EFR, NIM, NAL, TCO, CLR, CMR, COR, CSL, EVO, EXR, MLR, NIS, NCR, OCR, PMN, PRN, RNA, VCR, CRT, PLF and Recommendations. As a result, the Normalized ZIP files posted in clients' FTP accounts include the Standard version for the respective measures.
- The Normalized Report Currency files in **I/B/E/S Detail History** (adjusted and unadjusted) include less rows than the Standard/Regular Report Currency files in **I/B/E/S Detail History** (adjusted and unadjusted) because the coverage in the normalized files is always in one currency only as opposed to multiple currencies (for a subset of companies out of the entire universe) across a historical series.
- The Normalized Detail Estimates History files for all regions include a Currency field at the end of the file while the Standard/Regular Detail Estimates History files do not include the Currency field for the US & Canadian regional files.
- The Normalized Timestamp Actuals Detail History files for all measures include a Currency field at the end of the file while the Standard/Regular Timestamp Actuals Detail History files do not include the Currency field for the EPS measure files.

File Naming Conventions

Intuitive file names offer users an indication of file content. All Detail History file names adhere to the following convention:

<Type><Measure><Name>.<Region>	
<Type>	Mnemonic for the type of file. For example, id for identifier, adj for adjustments.
<Measure>	3-character mnemonic for the measure. In this product, measure EPS is represented by the 3-letter code “FIL”. For all other measure codes, see the measure table above.
<Name>	1- or 2-character mnemonic for the file version. See File names in the file format section.
<Region>	2- or 3-character mnemonic for the region. For example, the US Detail Estimate file for EPS is named: “detfilat.us”

Compressed Files

Detail History files are grouped and zipped by subscription level. Zipped file names are of the form:

<TYPE>HIST_<CURTYPE>_<ADJOPT>_LEVEL<LVL>_<REG>.ZIP	
<TYPE>	DET for I/B/E/S Summary History
<CURTYPE>	STANDARD (Standard history) or NORMALIZED (Normalized history)
<ADJOPT>	ADJ (adjusted for splits) or UNADJ (unadjusted for splits)
<LVL>	1, 2 (Core measures) or 3 (Premium measures)
<REG>	Two or three-character mnemonic for the region (US or INT)

Company-level and product-level KPI measure files, including all types of sales such as Same Store Sales, Pharmaceutical Sales, Business Segment Sales, and Geographical Segment Sales measures, are included in an additional ZIP file under the “history” FTP folder. The existing Zip file naming convention is used where the Level = 3K

Example:

- DETHIST_STANDARD_ADJ_LEVEL<LVL>_<REG>.ZIP: includes Adjusted Standard Detail data
- DETHIST_STANDARD_UNADJ_LEVEL<LVL>_<REG>.ZIP: includes Unadjusted Standard Detail data
- DETHIST_NORMALIZED_ADJ_LEVEL<LVL>_<REG>.ZIP: includes Adjusted Normalized Detail data
- DETHIST_NORMALIZED_UNADJ_LEVEL<LVL>_<REG>.ZIP: includes Unadjusted Normalized Detail data
- DETHIST_STANDARD_ADJ_LEVEL3K_<REG>.ZIP: includes Adjusted Standard Detail data for KPI measures
- DETHIST_STANDARD_UNADJ_LEVEL3K_<REG>.ZIP: includes Unadjusted Standard Detail data for KPI measures
- DETHIST_NORMALIZED_ADJ_LEVEL3K_<REG>.ZIP: includes Adjusted Normalized Detail data for KPI measures
- DETHIST_NORMALIZED_UNADJ_LEVEL3K_<REG>.ZIP: includes Unadjusted Normalized Detail data for KPI measures
- SUPPLEMENTAL_LICENSE_3 includes the following supplemental files:

FILE NAMES
ADJFILD.US
BRANFILD.US
CURFILD.US
RECBKRU.US
RECIDU.US
SEPSADJ.US
SEPSID.US
SEPSPAN.US
SFCO.US
SID.US
SID_A.US
SNPAN.US

FILE NAMES
STRBCDATA.US
STRBCDESC
SXRAT.US
IDFILD.US
MEA
NCURFIL.US
PID1.US
PID2
PREG
STAT
USEPSPAN.US
USNPAN.US

Note: Non per share measures (i.e., Pre-tax, Sales, Net Profit) are included in both the Adjusted and Unadjusted Core packages. Measures representing ratios (i.e., ROA, ROE, Gross Margin) are included in both Standard and Normalized Premium packages.

Clients that subscribe to I/B/E/S Detail History packages also receive I/B/E/S Summary History data. Summary history documentation (I/B/E/S History Summary User Guide) can be downloaded from the ftp server. Refer to [FTP Login information](#) for instructions

Chapter 3. Detail History File Descriptions and Layout

This section provides a brief description and layout of each of the files included in the I/B/E/S Detail History Product.

Each file utilizes from one to six columns as primary keys to identify a row of data as unique. Primary keys are indicated by a # sign followed by a number next to the column header, i.e., A#1. The number dictates the order of the column within the key.

Note: Unavailable numbers are indicated by a minus sign followed by 9's to fill in the field (-99999). A zero indicates non-available or non-meaningful date values. In the case of contributor or analyst names which are not available six zeroes (000000) are used. A string of asterisks for an estimate or actual value indicates that the figure is too large to fit into the field.

Actuals Data Files

Actuals Data (new file format as of April 2013)

Name (Adjusted): ACT<MEAS>.<REG> (Standard), NACT<MEAS>.<REG> (Normalized)
Name (Unadjusted): ACT<MEAS>U.<REG> (Standard), NACT<MEAS>U.<REG> (Normalized)
Level: Summary and Detail
Frequency: Monthly

A new file format has been created to eliminate multiple format files that contain reported actuals content. Starting with the April 2013 Monthly Run, the new format files were made available with all I/B/E/S History (Detail and Summary) packages. [This file is included in the IBES Summary History ZIP files.](#)

Note: Refer to the I/B/E/S Summary History User Guide for the file description, file names and file layout.

Go-Forward Actuals Data (new file as of April 2013)

Name (Adjusted): ACT<MEAS>G.<REG> (Standard), NACT<MEAS>G.<REG> (Normalized)
Name (Unadjusted): ACT<MEAS>GU.<REG> (Standard), NACT<MEAS>GU.<REG> (Normalized)
Level: Summary and Detail
Frequency: Monthly

The Go-Forward Actuals file include a supplemental set of actuals called go-forward actuals. The files are made available starting April 2013 Monthly Run in all I/B/E/S History (Detail and Summary) packages. [This file is included in the IBES Summary History ZIP files.](#)

Note: Refer to the I/B/E/S Summary History User Guide for the file description, file names and file layout.

Restated Actuals

Name (Adjusted): H<MEAS>RACT.<REG>, <MEAS>NRACT.<REG> (Normalized)
Name (Unadjusted): H<MEAS>RACT.<REG>,U<MEAS>NRACT.<REG> (Normalized)
Level: Detail
Frequency: Monthly

The Restated Actuals presents restated data for the measures and periods provided by the company. The file can accommodate multiple restatements over the years, as applicable for the company.

These files are available with all I/B/E/S History (Detail and Summary) packages. [This file is included in the IBES Summary History ZIP files.](#)

Secondary measures restated actual data is included in the same files as the primary measures are.

Note: Refer to the I/B/E/S Summary History User Guide for the file description, file names and file layout.

Detail Estimates Data Files

Detail Estimates

Name (Adjusted): DETFILAT.<REG> (EPS), DET<MEAS>AT.<REG> (NON-EPS), NDETFILAT.<REG> (EPS), NDET<MEAS>AT.<REG> (NON-EPS) – Normalized data

Name (Unadjusted): DETFILUT.<REG> (EPS), NDET<MEAS>UT.<REG>(NON-EPS) NDETFILUT.<REG> (EPS), NDET<MEAS>UT.<REG> (NON-EPS) – Normalized data

Level: Detail

Frequency: Monthly

The Detail Estimate file is the core of the Detail History product. This file contains analyst-by-analyst estimates for annual, quarterly, semi-annual, and long terms growth periods. Quarterly estimates and long-term growth forecasts are most prominent for US and Canadian companies. Semi-annual estimates are available for Japanese companies.

It is possible for a contributing broker to provide multiple revisions to an estimate on the same day. In this scenario, all estimates are available in the Detail history files and only the most current estimate is included in the mean.

The Brokers and Analysts are provided under numeric codes. The codes can be mapped to the estimator and analyst names by accessing a separate Estimator/Analyst Translation file (BRANFIL*.<REG>). The Estimator/Analyst Translation file is not available to academic users and this file type will not be delivered to the respective accounts.

In the NON-US files, for estimates received on a Parent-company basis a "P" appears in field D of this file. If an estimate was received on a Consolidated-company basis, then an indicator is not present in field D. In the US file, if the Canadian Currency field is C, the estimate was received in Canadian currency. If the indicator is not present, the estimate is in US Dollars.

The Currency field and the Primary/Diluted Flag in this file are Estimate specific. When programming against the data, it is important not to confuse these fields with the Currency field in the Report Currency file and the Primary/Diluted Indicator in the Identifier file. The records in the Report Currency file and the Identifier file are company specific.

It is very important to note that all data in the Detail file is completely adjusted. That is, if an analyst's forecast is received with different Currency or Primary/Diluted indicators on the estimate level versus the existing company level, the estimate value will appear as adjusted to the company level basis. The indicators reflect the basis in which the estimate was received. Users may "un-adjust" the data if they choose using data provided in the Identifier or Exchange Rate files.

Timestamps are provided with the Activation, Announce and Confirmation dates included in this file.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6	
B#2	Estimator	N	99999	5	8	12	
C	Analyst Code	N	999999	6	14	19	
D	Canadian Currency (Est Level)	X	C	1	21	21	Parent/Consolidated Flag (NON-US)
E	Primary/ Diluted Flag (Est Level)	X	C	1	23	23	
F#3	Forecast Period Indicator	X	C	1	25	25	
G#4	Measure	X	CCC	3	27	29	See Measures chart in Appendix
H#5	Forecast Period End Date	X	CCCC	4	31	34	
I	Value	D	99999.9999	9	36	44	
J#6	Activation Date	N	YYMMDD	6	46	51	
K#7	Activation Time	N	HH:MM:SS	8	53	60	
L	Review Date (YYMMDD)	N	YYMMDD	6	62	67	
M	Review Time	N	HH:MM:SS	8	69	76	

Key	Item	Data Type	Format	Length	Start	End	Comments
N#8	Announce Date (YYMMDD)	N	YYMMDD	6	78	83	
O#9	Announce Time	N	HH:MM:SS	8	85	92	
P	Currency	X	CCC	3	94	96	Available in Standard/Regular History Non-US files only; Available in Normalized History for all regions

Note: Note: The Estimator/Analyst Code (Key **B#1**) from the [BRANFILD/BRANFILI](#) file can be mapped to the Estimator code (Key **B#2**) in the below detail estimate file.

Excluded Estimates (US File)

Name (Adjusted): EXLFILAT.US (EPS), EXL<MEAS>AT.US (NON-EPS)
 NEXLFILAT.US (EPS), NEXL<MEAS>AT.US (NON-EPS) (Normalized)
Name (Unadjusted): EXLFILUT.US, EXL<MEAS>UT.US
 NEXLFILUT.US (EPS), NEXL<MEAS>UT.US (NON-EPS) (Normalized)
Level: Detail
Frequency: Monthly

The Excluded Estimates files includes Estimates that were excluded from the mean calculation. Estimates could be on a different accounting basis, differing from the basis of the majority. When this does occur, Refinitiv contacts the analyst for confirmation (shown as review date) the estimate or the methodology behind it. The estimates are removed from the database if a satisfactory resolution to the discrepancy is not reached. Refinitiv developed a system whereby these estimates would be excluded from the consensus data, while still allowing users access to the individual analysts forecast.

If an estimate has not been updated for 105 days, that estimate is filtered, footnoted, and excluded from the mean calculation. Estimates are updated by a contributing analyst sending a confirmation, revision or drop in coverage. When Q4 is the current reporting period, Q4 and FY1 estimates are an exception to this rule: Q4 and FY1 estimates will be filtered when they have not been updated for 120 days. (This allows extra time for companies to report year-end results.)

On February 21, 2005, Refinitiv added an end date to the Excluded Estimates file. This end date allows Refinitiv the ability to expire filters that were relevant in the past (but are no longer valid) without removing them from the database. Filters that are still active will have an end date in the future. Filters that are no longer valid will have an end date in the past relative to the fiscal period. Only filters with end dates in the past should be expired in client databases.

For example:

End date 1/1/06
 Fiscal year end of the record 12/2000
 Today's date: 1/1/07
 Today's fiscal year end date 12/2008.
 The 2000 annual number was reported on 2/2001. This number should remain excluded.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6	
B#2	Estimator	N	99999	5	8	12	
C	Analyst Code	N	999999	6	14	19	
D#3	Forecast Period Indicator	X	C	1	21	21	
E#4	Measure	X	CCC	3	23	25	See Measures chart
F#5	Forecast Period End Date	N	YYMM	4	27	30	
G	Value	D	99999.999	9	32	40	
H	Activation Date	N	YYMMDD	6	42	47	
I	Activation Time	N	HH:MM:SS	8	49	56	

J#6	Exclude Date	N	YYMMDD	6	58	63
K#7	Exclude Time	N	HH:MM:SS	8	65	72
L	Exclude Flag	X	C	1	74	74
M	Exclude End Date	N	YYMMDD	6	76	81
N	Exclude End Time	N	HH:MM:SS	8	83	90

Excluded Estimates (NON-US File)

Name (Adjusted): EXLFILAT.INT (EPS), EXL<MEAS>AT.INT (NON-EPS)
NEXLFILAT.INT (EPS), NEXL<MEAS>AT.INT (NON-EPS) (Normalized)
Name (Unadjusted): EXLFILUT.INT, EXL<MEAS>UT.INT
NEXLFILUT.INT (EPS), NEXL<MEAS>UT.INT (NON-EPS) (Normalized)
Level: Detail
Frequency: Monthly

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6	
B#2	Estimator	N	99999	5	8	12	
C	Analyst Code	N	999999	6	14	19	
D#3	Forecast Period Indicator	X	C	1	21	21	
E#4	Measure	X	CCC	3	23	25	See Measures chart
F#5	Forecast Period End Date	N	YYMM	4	27	30	
G	Value	D	99999.999	9	32	40	
H	Activation Date	N	YYMMDD	6	42	47	
I	Activation Time	N	HH:MM:SS	8	49	56	
J#6	Exclude Date	N	YYMMDD	6	58	63	
K#7	Exclude Time	N	HH:MM:SS	8	65	72	
L	Currency	X	CCC	3	74	76	
M	Exclude Flag	X	C	1	78	78	
N	Exclude End Date	N	YYMMDD	6	80	85	
O	Exclude End Time	N	HH:MM:SS	8	87	94	

Stop Estimate

Name: STPFILAT.<REG> (EPS) and STP<MEAS>AT.<REG> (NON-EPS)
Level: Detail
Frequency: Monthly

The Stop Estimate file includes stops applied to estimates that are no longer active. This can result from several events, e.g., an estimator places a stock on a restricted list due to an underwriting relationship or the estimator no longer covers the company. Prior to June 1993, actual stop dates did not exist in the archive files used to create the Detail History. An algorithm was developed to determine the date when an estimate became invalid if, for example, a merger between companies occurred or an analyst stopped working for a firm, etc.

Estimate that are not updated or confirmed for a total of 210 days, the estimate is stopped.

Stopped Estimate contains a timestamp for the stop date.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6	
B#2	Estimator	N	99999	5	8	12	
C#3	Periodicity	X	C	1	14	14	ANN, SAN, QTR, LTG
D#4	Measure	X	CCC	3	16	18	See Measures chart
E#5	Forecast Period End Date	N	YYMM	4	20	23	
F#6	Announce Stop Date	N	YYMMDD	6	25	30	
G#7	Announce Stop Time	N	HH:MM:SS	8	32	39	

Adjustments (Split Factors)

Name: ADJFIELD.<REG> (EPS, US), ADJFILI.<REG> (EPS, non-US,
ADJ<MEAS>.<REG> (Non-EPS, US and NON-US)
Level: Detail
Frequency: Monthly

The Adjustment's file includes corporation action factors (i.e., splits, dividends) used to adjust data historically. Clients who prefer to un-adjust per share estimate data can use factors included in this file. The split date is provided as an indicator of when the split was originally activated on the Refinitiv database. The archives used to create the Detail History are monthly slices of data, splits are effective as of the split date, which corresponds to

the monthly statistical monthly run date. Any data prior to the split date has been adjusted in the Detail file by the corresponding factor in this file. Cumulative split factors are displayed in the adjustment file.

Note: Unadjusted data files are also available. Please contact your account representative for details.

Key	Item	Data Type	Format	Length	Start	End
A #1	I/B/E/S Ticker	X	CCCCC	6	1	6
B	Adjustment Factor	D	999.999	7	8	14
C #2	Split Date	N	YYMMDD	6	16	21

Company Level Footnote

Name: HSFCD.<REG>

Level: Detail

Frequency: Monthly

The Company Level Footnote file was created on April 9, 2005, when Refinitiv implemented International Financial Reporting Standards (IFRS). The company level footnote file was designed to indicate the majority basis of the primary earnings measure, as well as all supporting secondary measures for a security. All secondary measures are treated in accordance with the majority primary measure regardless of majority basis for the secondary measure. This ensures that the company level footnote consistently reflects the basis of all unfiltered estimates across all measures and fiscal years. Estimates that are not on the same basis as the primary earnings measure, are filtered and footnoted accordingly.

Key	Item	Data Type	Format	Length	Start	End
A #1	I/B/E/S Ticker	X	CCCCC	6	1	6
B	Footnote Type	X	CCCC	3	8	10
C #2	Activation Date	N	YYMMDD	6	13	18
D#3	Activation Time	N	HH:MM:SS	8	20	27
E	Expiration Date	N	YYMMDD	6	29	34
F#4	Footnote Text	X	CCCCC	120	36	155
G	Reserved		CCCCCCC	45	157	202

Estimator/Analyst Translations

Name: BRANFILD.<REG> (US) or BRANFILI.<REG> (NON-US)

Level: Detail

Frequency: Monthly

The Estimator/Analyst Translation should be used to map the Estimator/Analyst codes listed in the Detail file to the corresponding names. Estimator is an abbreviated name given to each contributor by Refinitiv.

Note: In Estimator/Analyst Translations, estimator code is 5 letter string (ex CCCCC); however, estimator field in QFS file is 8 letter string (ex CCCCCCCC).

Key	Item	Data Type	Format	Length	Start	End
A	Estimator/Analyst Indicator	X	C	1	1	1
B #1	Estimator/Analyst Code	N	999999	6	3	8
C	Estimator/Analyst Name	X	CCCCC	40	10	49
D	Estimator Code	X	CCCCCCCC	10	50	59

Note: The Estimator field (Key **B#2**) in the Detail Estimate File maps to the [Estimator/Analyst Code](#) (Key **B#1**) in the [BRANFILD/BRANFILI](#) file, when the Estimator/Analyst Indicator in the [BRANFILD/BRANFILI](#) is equal to B. The Estimator Code field (Key D) in the [BRANFILD/BRANFILI](#) can be used to map brokers from I/B/E/S History to QFS.

Detail Price Target Data Files

Detail Price Targets (PTG)

Name (Adjusted): DETPTG.<REG>, NDETPTGAT.<REG> (Normalized)
Name (Unadjusted): DETPTGUT.<REG>, NDETPTGUT.<REG> (Normalized)
Level: Detail
Frequency: Monthly

The Detail Price Target file includes projected price level forecasted by the analyst within a specific time horizon. Price Targets with a non-12M horizon are excluded from the summary price target calculations.

Key	Item	Data Type	Format	Length	Start	End
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6
B#2	Estimator ID	X	CCCCCCCC	8	8	15
C	Analyst Name	X	CCCCC	20	17	36
D	Horizon	N	999	3	38	40
E	Value	D	99999.999	9	42	50
F	Estimate Currency	X	CCC	3	52	54
G#3	Activation Date	N	YYYYMMDD	8	56	63
H# 4	Activation Time	N	HH:MM:SS	8	65	72
I#5	Announce Date	N	YYYYMMDD	8	74	81
J#6	Announce Time	N	HH:MM:SS	8	83	90
K	Currency at Company Level	X	CCC	3	92	94
L	Analyst Mask Code	N	999999	6	96	101
M	Reserved	X	CCCCCCCC	40	103	142

Stop Price Target

Name: STOPPTG.<REG>
Level: Detail
Frequency: Monthly

The Stop Price Target file is analogous to the Stop Detail Estimates File, except that these stops are applied to the price target data.

Key	Item	Data Type	Format	Length	Start	End
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6
B#2	Estimator	X	CCCCCCCC	8	8	15
C#3	Stop Date	N	YYYYMMDD	8	17	24
D#4	Stop Time	N	HH:MM:SS	8	26	33
E	Reserved		CCCCCCCC	40	35	74

Detail Recommendation Data Files

Detail Recommendations

Name: HRECDETT.<REG>

Level: Detail

Frequency: Monthly

The Detail Recommendations file includes analyst-by-analyst recommendations for a security. Each recommendation received from the estimator is mapped to one of the Refinitiv standard ratings. Assigning a numeric value to the estimator text enables Refinitiv to calculate a consensus recommendation.

A recommendation is an analyst's rating for a particular company. Refinitiv maintains these ratings in the following formats:

- Estimator Text – The actual recommendation received from the estimator, in their text.
- I/B/E/S Text – As many estimators have different ratings, Refinitiv maintains a standard set of recommendations, each with an assigned numeric value:
 1. Strong Buy
 2. Buy
 3. Hold
 4. Underperform
 5. Sell

Key	Item	Data Type	Format	Length	Start	End
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6
B#2	Estimator	X	CCCC	8	9	16
C	Analyst Name	X	CCCC	40	19	58
D#3	Activation Date	N	YYMMDD	6	61	66
E#4	Activation Time	N	HH:MM:SS	8	68	75
F	Review Date	N	YYMMDD	6	78	83
G	Review Time	N	HH:MM:SS	8	85	92
H	Estimator Rec Code	X	CCCC	5	95	99
I	Estimator Text	X	CCCC	21	102	122
J	IBES Rec Code	N	CCCC	8	124	131
K	IBES Text	X	CCCC	16	134	149
L	Estimator Mask Code	N	99999	8	152	159
M	Analyst Mask Code	N	999999	8	162	169
N	Announce Date	N	YYMMDD	6	172	177
O	Announce Time	N	HH:MM:SS	8	179	186

Recommendations Stop

Name: HRECSTPT.<REG>

Level: Detail

Frequency: Monthly

The Recommendation Stop file includes stops applied to recommendations that are no longer active. This can be due to from several events, e.g., an estimator places a stock on a restricted list due to an underwriting relationship, an analyst left the firm, or the estimator no longer covers the company.

If a recommendation is not updated or confirmed for a total of 180 days, the recommendation is stopped. (Recommendations are updated by a contributing analyst sending a confirmation, revision or drop in coverage.)

Key	Item	Data Type	Format	Length	Start	End
A#1	I/B/E/S Ticker	X	CCCCC	6	1	6
B#2	Estimator ID	X	CCC	8	9	16
C#3	Activation Date	N	YYMMDD	6	19	24
D#4	Activation Time	N	HH:MM:SS	8	26	33

Recommendations Estimator Translation

Name: HRECBKRU.<REG> (US), HRECBKRI.<REG> (non-US)

Level: Detail

Frequency: Monthly

The Recommendations Estimator Translation file should be used to map the estimator's ID listed in the Detail Recommendations File to the appropriate estimator's name. The estimator ID is an abbreviated name given to each contributor by Refinitiv.

Key	Item	Data Type	Format	Length	Start	End
A#1	Estimator ID	X	CCCC	6	1	6
B	Name	X	CCCC	16	12	27
C	Start Date	N	YYMMDD	6	29	34
D	End Date	N	YYMMDD	6	36	41

Recommendations ID

Name: HRECIDU.<REG> (US), HRECIDI.<REG> (NON-US)

Level: Detail

Frequency: Monthly

The Recommendation Identifier file provides important cross-reference information allowing the user to map the I/B/E/S ticker to official tickers, CUSIPs or SEDOLs. This allows for easy integration of data across the IBES files as well as into databases that are keyed by other identifiers. I/B/E/S tickers for international (NON-US and Canadian) companies are preceded by an "@" sign.

The CUSIP/SEDOL field will have a CUSIP for companies in the US identifier file and SEDOL for companies in the NON-US identifier file. SEDOL's include a country code followed by the first six digits of the official SEDOL (the last digit of a SEDOL is a check digit and is not used by I/B/E/S).

SEDOLs were originally designed to be a unique 7-digit numeric code. By 2004, the London Stock Exchange (LSE), which issues SEDOLs, reached its capacity. Consequently, the LSE modified its specification to its current state which is a unique 7-character alphanumeric code. Clients can identify a valid SEDOL if it is a 7-digit numeric (i.e., 1234567) or the first character is an alpha character followed by the numeric characters (i.e., A1234567). Dummy SEDOLs (used for some inactive companies) are normally numeric followed by XX (12345XX) or mostly alpha characters followed by numeric (DUMMY12).

Key	Item	Data Type	Format	Length	Start	End
A#1	I/B/E/S Ticker	X	CCCCCC	6	1	6
B	CUSIP/SEDOL	X	CCCC	8	8	15
C	Company Name	X	CCCC	16	17	32
D	Official ticker	X	CCCCCC	6	34	39
E	Home mkt code	X	CCCC	15	41	55
F	SIG Code					
G	MSCIP Flag	X	C	1	64	64
H	Start Date	N	YYMMDD	6	66	71
I	End Date	N	YYMMDD	6	73	78

Note: Column F- Sector/Industry/Group Code information can now be found in the TRBC Description and TRBC Mapping files below.

Supplemental Data Files

Identifier

Name: IDFIELD.<REG> (US) or IDFILI.<REG> (NON-US)

Level: Detail

Frequency: Monthly

The Identifier file provides important cross-reference information allowing the user to map I/B/E/S tickers to official tickers, CUSIP, SEDOL. This allows for easy integration of data across the I/B/E/S files as well as datasets that use other identifiers. I/B/E/S tickers for international (NON-US and Canadian) companies are preceded by an "@" sign.

The CUSIP/SEDOL field will have a CUSIP for companies in the US identifier file and SEDOL for companies in the NON-US identifier file. SEDOL's include a country code followed by the first six digits of the official SEDOL (the last digit of a SEDOL is a check digit and is not used by I/B/E/S).

SEDOLs were originally designed to be a unique 7-digit numeric code. By 2004, the London Stock Exchange (LSE), which issues SEDOLs, reached its capacity. Consequently, the LSE modified its specification to its current state which is a unique 7-character alphanumeric code. Clients can identify a valid SEDOL if it is a 7-digit numeric (i.e., 1234567) or the first character is an alpha character followed by the numeric characters (i.e., A1234567). Dummy SEDOLs (used for some inactive companies) are normally numeric followed by XX (12345XX) or mostly alpha characters followed by numeric (DUMMY12).

The Dilution factor used in the Identifier file is calculated from the issuer's annual earnings report. It is calculated by dividing primary EPS by fully diluted EPS.

The Currency Flag is used in the US file to identify companies followed in Canadian Dollars in the US file.

The Parent/Consolidated flag appears only in NON-US files and the field is populated with a "P" when the company is followed on a Parent basis and is Null when the company is followed on a Consolidated basis. Canadian companies included in the INT files; a designation of "C" identifies companies followed in Canadian dollars. If there is no designation present, then the Canadian company is followed in US dollars.

Uniform Actuals Indicator and MSCIP flag fields can be ignored as they are no longer required and are not being updated.

The Start Dates represent the first date that a data row is effective, as of the Refinitiv monthly run date, which falls anywhere between the 14th and 20th day of a given month.

I/B/E/S tickers with Instrument type "I" (indices) and "O" (commodities) do not have official SEDOL/CUSIP assigned. To populate this key field in the files, **dummy** SEDOL/CUSIP are being created for this type of companies.

Dummy CUSIP are also created for companies that are dual listed in the U.S. and Canada. The CUSIP for the **ibes_tkr** having the "D" instrument type has the last character replaced with an "X".

Here is an example a dual listed company, Enbridge, I/B/E/S Ticker IPL1 and IPL2.

ibes_tkr	offl_tkr	home_code	name	instrument_type	ibes_cusip	exch_country_id
IPL1	ENB	ENB	ENBRIDGE	S	29250N10	NC
IPL2	ENB	ENB	ENBRIDGE	D	29250N1X	NA

Key	Item	Data Type	Format	Length	Start	End	Comments
A #1	I/B/E/S Ticker	X	CCCCC	6	1	6	
B	CUSIP/ SEDOL	X	CCCCCCCC	8	8	15	
C	Official Ticker	X	CCCCC	6	17	22	
D	Company Name	X	CCCCC	16	24	39	
E	Dilution Factor	D	99.99	5	41	45	
F	Primary/Diluted Indicator	X	C	1	47	47	
G	Canadian Currency	X	C	1	49	49	Parent/Consolidated Flag
H	MSCIP Flag	X	C	1	51	51	
I	Uniform Actuals Indicator	X	C	1	53	53	
J	Sector/Industry/Group Code	X	CCCCC	6	55	60	
K #2	Start Date	N	YYMMDD	6	62	67	

Note: Column J - Sector/Industry/Group Code information is available in the TRBC Description and TRBC Mapping files.

Report Currency

Name: CURFILD.<REG> (US) or CURFILI.<REG> (non-US)
NCURFIL.<REG> (Normalized, US and non-US)
Level: Detail
Frequency: Monthly

The Report Currency file include companies in the Detail History database and their reporting currencies over time. This file includes the exact date a company level currency change occurred.

There are companies in the Detail History database that have reported their data in different currencies at different points in time. For example, in 2002, TPC Technology Ltd., a company in Hong Kong, changed its reporting currency from Hong Kong Dollars to US Dollars. As a result, analysts subsequently changed the currency of their earnings forecasts and therefore, Refinitiv changed the company's default currency.

Key	Item	Data Type	Format	Length	Start	End
A #1	I/B/E/S Ticker	X	CCCCC	6	1	6
B #2	Start Date	N	YYMMDD	6	8	13
C	Currency	X	CCC	3	15	17

EURO Exchange Rate

Name: EUROFILI.<REG>
Level: Detail
Frequency: Monthly

The Euro Exchange Rate file is supplied for data that contain "EURO-IN" countries. Refinitiv data is in native currency prior to E-day, January 1, 1999, and thereafter it is represented in the Euro currency. This file contains the fixed exchange rates as promulgated at E-day back to 1987 to give users maximum flexibility in viewing and reporting historical time series, or users can substitute their own synthetic rates to adjust.

Key	Item	Format	Length	Start	End	Comments
A#1	Currency Code From	CCC	3	1	3	See Appendix
B	Currency Code To	CCC	3	5	7	See Appendix
C#2	Start Date	YYYYMMDD	8	9	16	
D	Exchange Rate	999999999999	9	22	30	
E	Reserved	CCCCCCCC	10	32	41	

Daily Currency Exchange Rates

Name: HDXRATI.<REG>
Level: Detail
Frequency: Monthly

The Daily Currency Exchange Rate file includes daily historical exchange rates. Detail history estimates received in a non-default currency are converted to the company level currency for all estimates of a given company to be displayed in the same currency. The Daily Currency Exchange Rate file can be used to convert estimates to values in other currencies.

Key	Item	Data Type	Format	Length	Start	End
A	Announce Date	N	YYYYMMDD	8	1	8
B	Currency Code	X	CCC	3	10	12
C	Exchange Rate	D	100000	15	14	28

Supplemental Information File (TRBC)

Name: HSTRBCDATA.<REG>
Level: Detail
Frequency: Monthly

The TRBC Mapping file replaces the SIG file and it includes TRBC identifiers such as TRBC Economic Sector, Business Sector, Industry Group, Industry information.

Key	Item	Length
A#1	I/B/E/S Ticker	6
B	TRBCPermID	10

Key	Item	Length
C	Start Date	8
D	Start Time	8
E	End Date	8
F	End time	8
G	Update date	8
H	Update time	8

Supplemental Information File (TRBC Description)

Name: HSTRBCDESC

Level: Detail

Frequency: Monthly

This TRBC Description file replaces the SIG file and it based upon TRBC type per I/B/E/S ticker.

Key	Item	Length
A#1	TRBCPermID	10
B	TRBC Short description	255
C	TRBC Long description	1024

Refinitiv Business Classification

Refinitiv I/B/E/S introduced a new set of Sector, Industry and Group identifier know as Refinitiv Business Classification (TRBC). TRBC is an industry classification system that is owned and operated by Refinitiv. The Market-oriented system tracks the primary business of a corporation and reflects global industry practices by grouping together correlated companies that offer products and services into similar end markets.

TRBC data is used by the investment community for navigation, aggregation, and benchmarking. It provides a global standard for intelligently identifying peers, tagging research, aggregation financial content and transforming the torrent of Refinitiv news and information into insightful trends. It delivers a solid foundation for aggregating financial ratios, portfolio benchmarking and attribution analysis.

This balances the needs of index construction and information navigation. TRBC has set its granularity level to meet both navigation and benchmarking requirements. The schema is detailed enough to allow the accurate pinpointing of peers while delivering a stable and useful grouping of constituents to allow benchmarking and index construction across the globe and between multiple periods.

Refinitiv I/B/E/S added the following TRBC mapping of its data.

- TRBC Economic Sector
- TRBC Business Sector
- TRBC Industry Group
- TRBC Industry
- TRBC Activity

Note: *TRBC Activity is an additional level of analysis to monitor niche industries and themes such as Luxury, Cleantech and Infrastructure.

Chapter 4. Currency Conversion

Estimate Level

A default currency is assigned to every company under coverage and all detailed estimates are provided in that default currency. All estimates received in a currency other than the default company currency are converted using the exchange rate of the estimate's activation date.

The default currency with its start date is indicated in the Report Currency file (curfili.int).

Example

Estimator 11111 contributed an estimate of 24.03 in Norwegian Krone (NOK) for fiscal period December 2005 on March 04, 2004. Using the curfili.int file, it can be determined that the EPS estimate included in the detfili.int file has been converted to US Dollar (USD).

Records from the Report Currency File (curfili.int)

Ticker	Start Date	Currency
@5RO	971110	NOK
@5RO	011115	USD

Record from the Detail Estimate File (detfili.int)

Ticker	Estimator Code	Analyst Code	Estimate Currency	Measure	Fiscal Period	Value	Activation Date
@5RO	11111	222222	NOK	EPS	0512	3.3719	20040304

Guidelines to Convert Detail Estimate to an Alternate Currency

To convert an estimate back to its original value provided by the analyst, use the estimate's activation date. The exchange rates are available in the Daily Exchange Rate File (hdxrati.int).

Example

To convert the USD, estimate of 3.3719 in the file to NOK, multiply 3.37193 by the exchange rate of 7.127050 from the estimate's activation date on March 4, 2004. The result is 24.03 in NOK.

Records from the Report Currency File (curfili.int)

Ticker	Start Date	Currency
@5RO	971110	NOK
@5RO	011115	USD

Record from the Detail Estimate File (detfili.int)

Ticker	Estimator Code	Analyst Code	Estimate Currency	Measure	Fiscal Period	Value	Activation Date
@5RO	11111	222222	NOK	EPS	0512	3.3719	20040304

Record from the Daily Exchange Rate File (hdxrati.int)

Date	Currency	Exchange Rate
20040304	NOK	7.127050

Company-Level Currency Changes

The default currency assigned to a company may change over time. Possible reasons for this change include a company changing its reporting currency or the majority of analysts submitting estimates in a new currency.

To view the history of estimates in one common currency, the exchange rate from the estimate's activation date may be used. The exchange rates are available in the Daily Exchange Rate File (hdxrati.int).

Example

For @BPA, the default currency was British Pence (BPN) from January 15, 1987, to December 15, 2004. Starting December 16, 2004, it was in US Dollar (USD). To convert the values that were entered into the database before December 16, 2004, from BPN to USD, the daily exchange rate may be used.

On April 22, 2003, Estimator 11111 contributed estimates in British Pence (BPN) for the fiscal year ending December 2004.

To convert the BPN estimate of 21.558 in the file to USD, divide 21.558 by the exchange rate of 63.406 from the estimate's activation date on April 22, 2003. The result is 0.34 in USD.

Records from the Report Currency File (curfili.int)

Ticker	Start Date	Currency
@BPA	870115	BPN
@BPA	041216	USD

Record from the Detail Estimate File (detfili.int)

Ticker	Estimator Code	Analyst Code	Estimate Currency	Measure	Fiscal Period	Value	Activation Date
@BPA	11111	22222	BPN	EPS	0412	21.558	20030422

Record from the Daily Exchange Rate File (hdxrati.int)

Date	Currency	Exchange Rate
20030422	BPN	63.406000

Note: The Daily Exchange Rate File (hdxrati.int) shows conversion rates to the US Dollar (USD). To convert to a currency other than USD, divide the exchange rate of Currency A by the exchange rate of Currency B from the same day.

Actuals

In cases where the default currency of the company changes, the actuals captured on or after the date of change will reflect the new currency. All earlier actuals remain in the currency they were originally recorded.

Example:

The default currency for @5RO changed on November 15, 2001, from NOK to USD.

The latest actual captured on or before the date of the currency change is the December 2000 actual, originally 20.635 NOK. After the company level currency is changed to USD the value of 2.34 is displayed for fiscal year December 2000, with the original report date of February 13, 2001. The values for the previous fiscal years remain in Norwegian Krone (NOK). For example: the December 1999 actual remains at 17.0 NOK.

Records from the Report Currency File (curfili.int) before the currency change

Ticker	Start Date	Currency
@5RO	971120	NOK

Records from the Actuals File before the currency change (Oct)

Ticker	Measure	Periodicity	Period End Date	Value	Announce Date
@5RO	EPS	ANN	9812	14.200	990211
@5RO	EPS	ANN	9912	17.000	000201
@5RO	EPS	ANN	0012	20.635	010213

Records from the Report Currency File (curfili.int) after the change

Ticker	Start Date	Currency
@5RO	971120	NOK
@5RO	011115	USD

Records from the Actuals File

Ticker	Measure	Periodicity	Period End Date	Value	Announce Date
@5RO	EPS	ANN	9812	14.200	990211
@5RO	EPS	ANN	9912	17.000	000201
@5RO	EPS	ANN	0012	2.340	010213

Guidelines to Convert Actuals to an Alternate Currency

To view the history of actuals in one common currency, the examples below illustrate how to use the Daily Exchange Rate File (hdxrati.int) to convert using the last day of the period end date.

Example

To convert the NOK actual of 17.00 in file to USD, divide 17.00 by the exchange rate of 8.0372 from the last of the period end date of December 1999. The result is 2.1151 in USD.

To convert USD actual of 2.34 in the file to NOK, multiply 2.34 by the exchange rate of 8.8185 from the last day of the period end date of December 2000. The result is 20.6353 in NOK.

Records from the Actuals File

Ticker	Measure	Periodicity	Period End Date	Value	Announce Date
@5RO	EPS	ANN	9912	17.000	000201
@5RO	EPS	ANN	0012	2.340	010213

Records from the Daily Exchange Rate File (hdxrati.int)

Date	Currency	Exchange Rate
19991231	NOK	8.037200
20001229	NOK	8.818500

Chapter 5. KPI File Description and layouts

Historical files are delivered during the IBES monthly history production, the data cut off being as of every Thursday before the 3rd Friday of the month. The file delivery deadline is Wednesdays after the 3rd Friday of the month at 6 AM EST.

Retrieving KPI Files

KPI files are generally ready before the stated times in the documentation. Previous week's files are deleted the day before the KPI files are due to be posted. Users can set up an automated process to check and download files as soon as they are available in their FTP account. Their process should continue to check the FTP account at intervals until files are available.

Historical files are grouped and zipped by subscription level.

The History type KPI package zip file name is:

<TYPE>HIST_<CURTYPE>_<ADJOPT>_LEVEL<LVL>_<REG>.ZIP
<TYPE> DET for Detail History and SUM for Summary History
<CURTYPE> STANDARD (Standard history) or NORMALIZED (Normalized history)
<ADJOPT> ADJ (adjusted for splits) or UNADJ (unadjusted for splits)
<LVL> 3
<REG> Two or three-character mnemonic for the region (US or INT)

Example: SUMHIST_STANDARD_ADJ_LEVEL<LVL>K_<REG>.ZIP: includes Adjusted Standard Summary data files for KPI measures Same Store Sales and Pharmaceutical Sales for the INT region

Regional files included in the package are:

KPI Measure	Regional Packages	File Extensions
Pharmaceutical Sales	United States, Canada or International	.US, .INT
Same Store Sales	United States	.US

- DETHIST_STANDARD_ADJ_LEVEL<LVL>K_<REG>.ZIP: includes Adjusted Standard Detail data files for KPI measures
- DETHIST_STANDARD_UNADJ_LEVEL<LVL>K_<REG>.ZIP: includes Unadjusted Standard Detail data files for KPI measures
- DETHIST_NORMALIZED_ADJ_LEVEL<LVL>K_<REG>.ZIP: includes Adjusted Normalized Detail data files for KPI measures
- DETHIST_NORMALIZED_UNADJ_LEVEL<LVL>K_<REG>.ZIP: includes Unadjusted Normalized Detail data files for KPI measures

File Naming Conventions

There are a total of 16 **historical type files** available: 13 regular files and 3 lookup files.

Category	File Name	Description
Detail	DETK<MMM>AT.<REG>	Adjusted, Standard
	NDETK<MMM>AT.<REG>	Adjusted, Normalized
Stop	STPK<MMM>AT.<REG>	Stop Estimates File
Excluded	EXLK<MMM>AT.<REG>	Adjusted, Standard
	NEXLK<MMM>AT.<REG>	Adjusted, Normalized
Actual	ACTK<MMM>.<REG>	Adjusted, Standard
	NACTK<MMM>.<REG>	Adjusted, Normalized
Restated Actual	HK<MMM>RACT.<REG>	Adjusted, Standard
	HK<MMM>NRACT.<REG>	Adjusted, Normalized
Summary	HSK<MMM>SUM.<REG>	Adjusted, Standard
	HSK<MMM>NSUM.<REG>	Adjusted, Normalized
ID	PID1.<REG>	Product Identification #1 File
	PID2	Product Identification #2 File
Lookup	MEAS	Lookup Product Type Measure
	STAT	Lookup Product Status
	PREG	Lookup Product Region

KPI Detail Files

The following files provide detail data for all companies that had activity since the close of previous business day. They provide transparency and clarity for each company. The 3 Detail files for history are:

- Detail Estimates (current & historical)
- Stop Estimates (current & historical)
- Excluded Estimate (historical only)

Detail Estimates File Format

Subscription Level: Detail
Frequency: Historical
File Name: <D>DETK<MMM><CC>.<REG>

The daily Detail Estimates File provides detail data for all companies that had estimate activity since the close of previous business day. "Estimate activity" means that an analyst revised an estimate, or a new estimate was added to the database. It can also mean that an estimate was error corrected or a newly reported actual was entered (the company was shifted). In those instances, the activation date of the estimate included in the detail file would be earlier than the date of the file. The daily Detail Estimates File identifies this "estimate activity" with a status flag allowing users to distinguish why an estimate changed from its prior value. The status flags are provided for referential use only and are blank in the weekly files. The Detail Estimates file has the following Status flags:

N = new estimate, no "previous"; R = new revision, "previous" estimate exists; E = updated estimate, resubmitted estimate; A = analyst name change; space = deleted stops or actuals entered. In cases where more than one activity is performed, the Status flag is populated as follows:

1. existing estimate is updated, and the analyst's name is changed – E
2. new estimate is entered, and the analyst's name changes – R or N
3. filter is end-dated, and the estimate becomes part of majority - E

Estimates for which the filter (exclude flag) is end-dated are resent in a daily file without the "X" flag, indicating that the respective estimate is included in the mean starting on the respective day until it gets stopped or the actual for the period is recorded.

The file contains Contributor codes which are 8 characters or less. Long name translation is provided in the weekly Broker File.

The previous detail estimate is also provided on the same record for informative comparison purposes. Please note that it is possible that contributing brokers provide 2 revisions on the same day. In this case, the end of day file will include the first estimate received under the "previous" field while the latter estimate will be available in the "current" field.

Corrections are reflected only for the "current" and "previous" estimates, where the "current" estimate is not stopped. If a "previous" estimate is modified and no changes are made that affect the "current" estimate, the respective day's file will not display the change. The modification will be reflected in the next weekly file after that.

The weekly Detail Estimates File reports a snapshot of the current and previous estimates for all ticker/contributor combinations in the Refinitiv database as of the close of business each Thursday at midnight. All periods for which current data exists are included in the weekly version files.

KPI Detail records are converted to the currency in which a company is followed, according to the currency of the latest EPS actual recorded in the database. To see which currency, I/B/E/S follows please see the Currency Code at the Company Level. There is also a currency flag available indicating the currency in which the estimate was received in from the Contributor.

Key	Data Field	Data Type	Data Length	Comments
✓	IbesTicker	varchar(6)	6	
✓	ProductId	int	6	
✓	RegionId	char	3	See Region Appendix
✓	Measure	varchar	6	

Key	Data Field	Data Type	Data Length	Comments
✓	FiscalPeriod	char	3	
✓	FiscalPeriodYear	smallint	4	
✓	FiscalPeriodMonth	tinyint	2	
	ForecastPeriodIndicator	char	2	
✓	BrokerCodeoutorg	char	5	Numeric codes
	AnalystName	varchar	6	Numeric codes
	CurrentEstimateValue	int	14	Maxdecimal 5
✓	CurrentEstimateActivationDate	date (yymmdd)	6	
✓	CurrentEstimateActivationTime	time (hh:mm:ss)	8	
	CurrentEstimateAnnounceDate	date (yymmdd)	6	
	CurrentEstimateAnnounceTime	time (hh:mm:ss)	8	
	CurrentEstimateCurrency	char	3	
	LatestConfirmationDate	date (yymmdd)	6	
	LatestConfirmationTime	time (hh:mm:ss)	8	
	CurrencyAtCompanyLevel	char	3	

Stop Estimates File Format

Subscription Level: Detail
Frequency: Daily/Historical
File Name: STPK<MMM>AT.<REG>

This file does not exist in the weekly version.

The daily Stop Estimates File includes all estimates that have been stopped since the close of previous business day. Estimates are stopped because an estimator may enter a “quiet” period for a particular security or because an estimator is no longer following a stock. The activation date and time correspond to those of the record(s) being stopped, only the latest stop being included in the file. Stops are effective as of the date received.

Key	Data Field	Data Type	Data Length	Comments
✓	I/B/E/S ticker	char	6	
✓	Product ID	int	6	
✓	Region ID	char	3	See Region Appendix
✓	Measure	char	6	
✓	Fiscal Period (MON, ANN, QTR)	char	3	
✓	Fiscal Period Year	smallint	4	
✓	Fiscal Period Month	tinyint	2	
✓	Broker Code/Outorg	char	8/5(Hist)	Numeric codes in IBES history files
✓	Stop Activation Date	date(yyyymmdd)	8/6(Hist)	yymmdd format in IBES history files
✓	Stop Activation Time	time(HH:MM:SS)	8	

Excluded Estimates File Format

File Name: EXLK<MMM>AT.<REG>, NEXLK<MMM>AT.<REG>

Subscription Level: Detail

Frequency: Historical

Note: This file does not exist in the daily and weekly version.

Key	Data Field	Data Type	Data Length	Comments
✓	I/B/E/S ticker	char	6	
✓	Product ID	int	6	
✓	Region ID	char	3	See Region Appendix
✓	Measure	char	6	
✓	Fiscal Period (MON, ANN, QTR)	char	3	
✓	Fiscal Period Year	smallint	4	
✓	Fiscal Period Month	tinyint	2	
	Forecast Period Indicator	char	2	
✓	Broker Code	char	5	Numeric codes
	Analyst Mask Code	varchar	6	Numeric codes
	Estimate Value	int	14	
	Estimate's Activation Date	date(yymmdd)	6	
	Estimate's Activation Time	time(HH:MM:SS)	8	
	Estimate Currency (as received)	char	3	
✓	Exclude Activation Date	date(yymmdd)	6	
✓	Exclude Activation Time	time(HH:MM:SS)	8	
	Exclude End Date	date(yymmdd)	6	
	Exclude End Time	time(HH:MM:SS)	8	
	Currency at Company level	char	3	

KPI Actual Files

There are 2 Actuals Files for History:

- Actual File (current & historical)
- Restated Actuals File (current & historical)

Actuals File Format

Subscription Level: Summary
Frequency: Daily/Weekly/Historical
File Name: <D>ACTTK<MMM>.<REG>

The daily Actuals File contains the itemized list of all new reported actuals collected by Refinitiv since close of previous business day. The file reports actuals on a monthly, quarterly, annual basis.

Actuals for a company that has no estimates for the respective measure are included in intra-day, daily and weekly versions of the files.

The file also contains relevant surprise information (surprise mean, number of estimates and standard deviation) for the latest period for which an actual exists. The surprise mean represents the average of all current estimates recorded prior to the date/time the company reported the respective period's actuals.

The weekly Actual File contains the latest 5 annuals, 8 quarterlies and 4 monthly actuals for all current Refinitiv companies with KPI data.

Key	Data Field	Data Type	Data Length	Comments
✓	I/B/E/S ticker	char	6	
✓	Product ID	int	6	
✓	Region ID	char	3	See Region Appendix
✓	Measure	char	6	
✓	Fiscal Period (MON, ANN, QTR)	char	3	
✓	Fiscal Period Year	smallint	4	
✓	Fiscal Period Month	tinyint	2	
	Actual Value	999999.999	14	Maxdecimal 5
	Actual Activation Date	date(yyyymmdd)	8	
	Actual Activation Time	time(HH:MM:SS)	8	
	Actual Announce Date	date(yyyymmdd)	8	
	Actual Announce Time	time(HH:MM:SS)	8	
	Surprise Mean	int	14	Maxdecimal 5
	Surprise Number of Estimates	smallint	4	
	Surprise Standard Deviation	int	10	Maxdecimal 5
	Currency at Company Level	char	3	

Restated Actuals File Format

Subscription Level: Summary
Frequency: Daily/Weekly/Historical
File Name: <D>RACTK<MMM>.<REG>

This file contains restated actuals for all companies that have restated actuals for a reported period in the past.

The surprise mean, surprise number of estimates and surprise standard deviation fields are being populated for the latest period for which an actual exists and represents the surprise data calculated at the time the original actual was captured. The Announce Dates and Times signify the date/time the company has reported its restated earnings. The Activation date/time represents the time the restatement was recorded in the database.

The weekly Actual File contains up to 5 annuals, 8 quarterlies and 4 monthly actuals for all current Refinitiv companies, where available.

Actuals could be available simultaneously for the same period in both Actuals and Restated Actuals files where applicable.

Key	Data Field	Data Type	Data Length	Comments
✓	IbesTicker	varchar(6)	6	
✓	ProductId	int	6	
✓	RegionId	char(3)	3	See Region Appendix
✓	Measure	varchar(6)	6	

✓	FiscalPeriod	char(3)	3	
✓	FiscalPeriodYear	smallint	4	
✓	FiscalPeriodMonth	tinyint	2	
	ActualValue	9999999.999	14	Maxdecimal 5
	RestatedActualActivationDate	date(yyymmdd)	8	
	RestatedActualActivationTime	time(hh:mm:ss)	8	
	RestatedActualAnnounceDate	date(yyymmdd)	8	
	RestatedActualAnnounceTime	time(hh:mm:ss)	8	

KPI ID Files

Product Identification #2 File Format History

File Name: <D>PID2
Subscription Level: Summary
Frequency: Historical

Key	Data Field	Data Type	Data Length	Comments
✓	ProductId	int	6	
✓	ParentProductId	int	6	
✓	RegionId	char	3	See Region Appendix
✓	ProductType	varchar	30	
	BrandLongName	varchar	80	
	GenericLongName	varchar	80	
	IndustryId	varchar	80	
	ProductStatus	varchar	20	Blank where not applicable
	ProductPurpose	varchar	100	
	IndustrySector	varchar	30	
	Measure	varchar	6	
	MeasureUnit	varchar	12	
	ProductIdCreateDate	date(yyymmdd)	8	
	ProductIdCreateTime	time(hh:mm:ss)	8	
	ProductIdModifiedDate	date(yyymmdd)	8	
	ProductIdModifiedTime	time(hh:mm:ss)	8	
	ProductIdEndDate	date(yyymmdd)	8	
	ProductIdEndTime	time(hh:mm:ss)	8	
	PatentExpirationDate	date(yyymmdd)	8	
	PatentExpirationTime	time(hh:mm:ss)	8	

Product Identification #1 File Format

File Name: PD1.<REG>
Subscription Level: Summary
Frequency: Historical

Key	Data Field	Data Type	Data Length	Comments
✓	I/B/E/S ticker	char	6	
✓	Product ID	int	6	
	Region ID	char	3	See Region Appendix
	Measure	char	6	

KPI Lookup Files

LU Product Type Measure

File Name: MEAS
Subscription Level: Standard
Frequency: Daily/Weekly/Historical

Data Field	Data Type	Data Length	Comments
Product Type	char	30	
Product Description	char	60	
Measure	char	6	
Measure Unit	char	50	

LU Product Status

File Name: STAT
Subscription Level: Standard
Frequency: Historical

Data Field	Data Type	Data Length	Comments
Product Status	Char	20	
Product Status Description	Char	60	

LU Product Region

File Name: PREG
Subscription Level: Standard
Frequency: Historical

Data Field	Data Type	Data Length	Comments
Region ID	Char	3	
Region Short Name	Char	20	
Region Long Name	Char	40	

KPI File Description and layouts

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** DETPTG.<REG>, HSTRBCDATA.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
F#4	Product Description	int	SEDOL/ CUSIP	80	180	184	Available in Normalized History for all regions
S	Forecast Period End Date	tinyint	NEXLFILAT. INT	100	5	27	Numeric codes
G#7	TRBC Long description	varchar	94	38	33	71	See Region Appendix
K	Estimator ID	X	IPL1	75	19991231	19991270	See Measures chart in Appendix
M	Announce Time	X	50	69	5	45	Maxdecimal 5
C#2	Exclude End Time	smallint	STAT	41	33	33	Available in Standard/Regular History Non-US files only
D#3	Review Date	time	60	15	25	60	Blank where not applicable
D	Official Ticker	time	0512	2.34	20001229	20001240	See Measures chart in Appendix
G#3	Product Type	int	.INT	55	10213	10244	Available in Normalized History for all regions
I	Analyst Code	N	26	71	50	54	See Region Appendix
G#3	Estimate Currency	D	ADJ	46	72	100	yymmdd format in history files
C	Expiration Date	varchar	19	21	122	160	Maxdecimal 5
E	Review Date	int	16	149	102	126	Available in Standard/Regular History Non-US files only
A	Footnote Type	time	TPC	38	72	80	Available in Normalized History for all regions
F#5	Footnote Type	time	83	55	32	46	yymmdd format in history files
C#2	Product Description	int	ADJ<MEAS>. <REG>	8	32	62	Blank where not applicable
D#3	Primary/Diluted Indicator	int	SEDOL/ CUSIP	2005	72	99	Parent/Consolidated Flag (NON-US)
F#6	TRBC Short description	smallint	SEDOL	44	18	37	Available in Normalized History for all regions
F#3	CUSIP/SEDOL	D	102	3	13	37	Available in Normalized History for all regions
S	Stop Time	N	ADJFILI. <REG>	255	20030422	20030455	Blank where not applicable
R	Reserved	X	81	32	162	174	See Measures chart in Appendix
G	Primary/Diluted Indicator	int	45	103	20030422	20030435	See Region Appendix
J	Product Status	D	.US	157	30	62	Available in Normalized History for all regions
J#6	CUSIP/SEDOL	X	2.34	9912	5	14	Maxdecimal 5
M	Activation Time	char	40	68	8	19	See Measures chart in Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
C#3	Measure Unit	varchar	24	8	28	57	yymmdd format in history files
G#4	Activation Time	X	DEFILAT. <REG>	1999	124	164	Available in Normalized History for all regions
M	Forecast Period Indicator	X	23	38	72	82	yymmdd format in history files
E#5	Review Time	smallint	5.	28	10	13	Blank where not applicable
M	Analyst Name	X	IDFIL. <REG>	28	11115	11145	Numeric codes
J	Stop Time	D	DETAIL	9912	134	151	Available in Standard/Regular History Non-US files only
I#5	Forecast Period End Date	smallint	157	59	4	38	Blank where not applicable
A#1	Footnote Text	varchar	63.406000	72	52	61	See Measures chart in Appendix
S	Analyst Code	X	HRECDT. <REG>	71	61	61	Parent/Consolidated Flag (NON-US)
D#4	Footnote Type	tinyint	44	1	100000	100039	Maxdecimal 5
E	Expiration Date	char	CCCCCCCC	38	63	75	Blank where not applicable
O#9	TRBC Long description	X	40	202	32	58	Numeric codes
E#5	Dilution Factor	date	54	4	100000	100001	Parent/Consolidated Flag (NON-US)
B	Stop Date	int	EXL<MEAS> US	AB6	38	41	Parent/Consolidated Flag (NON-US)

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DETPTGUT.<REG>

Name (Unadjusted): NDETFILAT.<REG>

Level: Normalized

Frequency: Monthly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
S	Dilution Factor	2004.	52	46	66	Blank where not applicable
G#7	TRBC Short description	169	169	87	92	Parent/Consolidated Flag (NON-US)
J#6	Forecast Period Indicator	47	55	19	28	yymmdd format in history files
M	Product Status	18	81	40	48	Maxdecimal 5
H	Region ID	120	51	95	99	Maxdecimal 5
F#3	Measure Unit	202	155	59	93	Available in Normalized History for all regions
N#8	Activation Date	27	46	2000	2006	See Measures chart in Appendix
P	Exclude Flag	QTR	40	99999	100002	Available in Standard/Regular History Non-US files only
E#5	Region ID	8.8185	101	31	63	yymmdd format in history files
M	Announce Date	162	149	41	46	Available in Standard/Regular History Non-US files only
P	Forecast Period Indicator	15	52	20001229	20001231	Parent/Consolidated Flag (NON-US)
Q4	Estimator ID	NEXL<MEAS>U710-INT	52	52	72	Parent/Consolidated Flag (NON-US)
G#3	TRBC Short description	39	17	99	104	Available in Normalized History for all regions
D	Value	TPC	157	19	39	Maxdecimal 5
S	Stop Time	17.00	95	99	109	See Measures chart in Appendix
J	Announce Time	8.818500	81	28	32	Available in Normalized History for all regions
B	Measure Unit	IPL1	54	80	113	Maxdecimal 5
O	Stop Time	53	25	85	110	Available in Normalized History for all regions
X	Product Type	PID2	105	68	76	Blank where not applicable
G#4	Region ID	69	9	45	51	Parent/Consolidated Flag (NON-US)
F#4	Forecast Period End Date	14	202	64	72	yymmdd format in history files
I#5	Estimator	52	27	102	129	yymmdd format in history files
F#4	CUSIP/SEDOL	EXLFILAT.INT	4	177	216	See Measures chart in Appendix
O#9	Product Description	IDFILI.<REG>	134	13	22	See Measures chart in Appendix
C	TRBC Short description	2.1151	33	29	68	See Measures chart in Appendix
C#2	Exclude End Time	NEXLFILAT.INT	32	35	44	Available in Normalized History for all regions
C#2	Footnote Type	95	149	99	118	Numeric codes
C#2	Footnote Type	999.999	18	19	53	yymmdd format in history files

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#6	Product ID	CURFILI. <REG>	83	180	194	See Measures chart in Appendix
C#3	Currency at Company Level	99	94	12	23	Maxdecimal 5
A#1	Primary/Diluted Indicator	16	42	56	60	Maxdecimal 5
Q4	TRBCPermID	32	15	14	54	Maxdecimal 5
G	Analyst Code	TRBC	186	179	186	Available in Standard/Regular History Non-US files only
X	TRBC Short description	0512	2000	990211	990250	Maxdecimal 5
B#2	Product Status	24	102	63	96	Maxdecimal 5
I#5	TRBC Short description	ADJFILD. <REG>	1987	41	79	Available in Standard/Regular History Non-US files only
G#3	Announce Date	041216	255	41216	41256	Available in Normalized History for all regions
K#7	Company Name	8.037200	1024	103	139	Available in Normalized History for all regions
G#7	TRBC Short description	NORMALIZED	15	186	220	yymmdd format in history files
J#6	Exclude End Time	YYMMDD	33	100000	100002	yymmdd format in history files
I#5	Currency	47	72	99	105	Available in Normalized History for all regions

Supplemental Data Files

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXL<MEAS>AT . INT

Level: Summary

Frequency: Daily **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
I	Measure Unit	47	54	19	20	See Measures chart in Appendix
B	Dilution Factor	DETPTGUT. <REG>	69	131	166	See Region Appendix
F#4	Value	95	17	12	32	Blank where not applicable
G#3	CUSIP/SEDOL	80	0012	15	35	See Region Appendix
H#5	Estimator ID	EXL<MEAS>AT. INT	2	255	273	Available in Standard/Regular History Non-US files only
F#3	Product Status	SAN	83	999	1016	Numeric codes
F	Value	169	152	47	53	Available in Normalized History for all regions
R	Currency at Company Level	2.1151	87	36	46	Available in Normalized History for all regions
E#5	Product Description	78	2005	1987	1988	Available in Normalized History for all regions
X	Product Description	SEDOL	34	971120	971139	Blank where not applicable
L	Exclude End Date	17.000	15	19991231	19991247	Parent/Consolidated Flag (NON-US)
I	Expiration Date	202	20	1999	2028	Numeric codes
H	Analyst Code	24	45	201	219	See Region Appendix
C#2	Activation Date	103	1987	59	94	Available in Normalized History for all regions
O	Canadian Currency	67	22	47	64	Parent/Consolidated Flag (NON-US)
E#4	Primary/Diluted Indicator	DETFILAT. <REG>	172	7	29	Parent/Consolidated Flag (NON-US)
R	Dilution Factor	68	9812	11111	11125	Maxdecimal 5
I	Review Time	152	94	55	69	Available in Standard/Regular History Non-US files only

Detail Recommendation Data Files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** ADJFILD.<REG>, ADJ<MEAS>.<REG>, DET<MEAS>AT.<REG>

Name (Unadjusted): NDET<MEAS>UT.<REG>, ADJ<MEAS>.<REG>, NDET<MEAS>AT.<REG>

Level: Summary

Frequency: Monthly

Key	Item	Data Type	Format	Length	Start	End	Comments
H	Footnote Text	N	58	11	65	100	Available in Standard/Regular History Non-US files only
G#3	Exclude Flag	N	100	45	8	44	Parent/Consolidated Flag (NON-US)
H#5	TRBCPermID	varchar	SEDOL.	1987	11	30	See Measures chart in Appendix
A	Footnote Text	int	38	102	2005	2022	Available in Standard/Regular History Non-US files only
D#3	Region ID	smallint	8.0372	5	85	115	Maxdecimal 5
O	Exclude Flag	tinyint	CURFILD.<REG>	157	95	121	Available in Normalized History for all regions
F#5	Home mkt code	int	DETPTG.<REG>	78	62	92	Maxdecimal 5
F	Product Type	X	CCCCC	1999	71	77	See Region Appendix
C#3	Product Description	tinyint	3.	92	87	117	Parent/Consolidated Flag (NON-US)
F#3	Exclude End Date	tinyint	42	26	52	87	See Measures chart in Appendix
G#4	Exclude Flag	char	13	59	99999	100007	Parent/Consolidated Flag (NON-US)
C#3	Primary/Diluted Indicator	N	NORMALIZED	100	202	234	Available in Normalized History for all regions
E#5	Primary/Diluted Indicator	varchar	NDETFILUT.<REG>	162	1	15	See Region Appendix
P	Exclude Flag	date	.US	87	971120	971147	Parent/Consolidated Flag (NON-US)
E#4	Announce Time	X	62	83	39	74	Parent/Consolidated Flag (NON-US)
G#4	Footnote Text	X	MON	51	76	110	Parent/Consolidated Flag (NON-US)
P	Footnote Text	char	55	31	21	33	Available in Standard/Regular History Non-US files only
C#2	Exclude End Date	int	52	85	16	30	Maxdecimal 5
C	Analyst Name	smallint	24.03	3	66	71	See Measures chart in Appendix
R	Canadian Currency	int	29	61	9912	9919	Maxdecimal 5
N	I/B/E/S Ticker	D	2000	73	2005	2031	Parent/Consolidated Flag (NON-US)
S	Estimator	tinyint	CAD	78	39	60	Available in Normalized History for all regions
D#3	Activation Date	smallint	16	87	46	55	Maxdecimal 5

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F#3	Value	char	DETFILAT. <REG>	92	131	132	yymmdd format in history files
K#7	Estimate Currency	date	36	122	21	35	Available in Standard/Regular History Non-US files only
N#8	Primary/Diluted Indicator	D	13	42	17	48	Maxdecimal 5
C#2	TRBC Long description	smallint	255	172	512	513	Parent/Consolidated Flag (NON-US)
Q4	Product Type	X	EUROFILI. <REG>	2000	60	76	Maxdecimal 5
N	Product ID	D	SIG	0.34	15	55	Available in Standard/Regular History Non-US files only
M	Product Status	D	HH:MM:SS	92	19991231	19991231	Blank where not applicable
X	Exclude End Time	N	96	20	50	66	Blank where not applicable
F#3	Activation Date	X	999.999	18	20030422	20030430	Maxdecimal 5
C#3	Analyst Name	int	14.200	6	27	61	yymmdd format in history files
J	Analyst Code	smallint	42	75	4	28	yymmdd format in history files
X	Primary/Diluted Indicator	varchar	35	67	61	94	Maxdecimal 5
F#4	TRBC Short description	N	1.	20	23	34	Available in Standard/Regular History Non-US files only
G#3	Forecast Period End Date	time	EXL<MEAS> INT	60	19	23	Numeric codes
I#5	Exclude Flag	date	HH:MM:SS	24	162	183	Available in Standard/Regular History Non-US files only
E#5	TRBC Long description	varchar	SEDOL	62	1024	1051	Available in Standard/Regular History Non-US files only
J#6	Stop Date	varchar	Q4	32	99	137	Available in Standard/Regular History Non-US files only
E#4	Product Type	date	3.3719	18	99	107	See Region Appendix
N#8	Product Type	date	155	62	990211	990226	yymmdd format in history files
H	Review Time	N	IPL2.	11	999	1012	yymmdd format in history files

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DETFILAT.<REG>

Level: Standard

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
F#5	Value	date	95	Parent/Consolidated Flag (NON-US)
Q4	Official Ticker	time	55	Parent/Consolidated Flag (NON-US)
B#2	TRBC Long description	varchar	102	Parent/Consolidated Flag (NON-US)
B	Region ID	time	134	Numeric codes
J#6	Value	date	23	Available in Standard/Regular History Non-US files only
E#4	TRBCPermID	int	16	Parent/Consolidated Flag (NON-US)
N#8	Exclude Time	D	32	Parent/Consolidated Flag (NON-US)
C	Exclude Flag	char	23	Numeric codes
J#6	Currency	varchar	30	Available in Standard/Regular History Non-US files only
G#3	Measure	varchar	19	Available in Standard/Regular History Non-US files only
C#2	Footnote Type	D	50	yymmdd format in history files
C	Announce Date	D	85	Parent/Consolidated Flag (NON-US)
B#2	Measure Unit	tinyint	30	Numeric codes
K#7	Product ID	smallint	105	Blank where not applicable
A	Announce Date	tinyint	202	Numeric codes
J	Exclude Flag	int	65	See Measures chart in Appendix
D#3	Footnote Text	X	29	Available in Standard/Regular History Non-US files only
E#4	TRBC Short description	X	41	Parent/Consolidated Flag (NON-US)
G#7	Product ID	X	20	Blank where not applicable
L	Footnote Type	char	0012	See Region Appendix
A#1	Announce Date	D	94	Numeric codes
A#1	Official Ticker	time	2000	Parent/Consolidated Flag (NON-US)
L	Value	D	4	Available in Standard/Regular History Non-US files only
F#4	Region ID	tinyint	186	See Region Appendix
K#7	Footnote Text	X	22	yymmdd format in history files
M	Activation Date	int	9812	See Measures chart in Appendix
H	Announce Time	varchar	35	yymmdd format in history files

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STP<MEAS>AT.<REG>

Level: Summary

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
G#4	Estimator	EUROFILI. <REG>	81	61	69	Available in Standard/Regular History Non-US files only
D	TRBC Short description	NDETPTGUT. <REG>	76	60	65	Blank where not applicable
M	Product Description	999999	8	971120	971137	Available in Standard/Regular History Non-US files only
E	Forecast Period Indicator	255	5	85	108	Maxdecimal 5
X	Product Type	66	41	6	28	Available in Normalized History for all regions
K	Stop Time	ADJ<MEAS>. <REG>	25	85	95	Maxdecimal 5
D#3	Activation Time	69	31	32	48	Available in Normalized History for all regions
D#3	Activation Time	210	2	9812	9817	Blank where not applicable
O#9	Stop Date	ACTK<MMM>. <REG>	10	2	36	Maxdecimal 5
Q4	TRBC Short description	Q4	2.34	1	16	Parent/Consolidated Flag (NON-US)
E#4	I/B/E/S Ticker	NACTK<MMM>. <REG>	5	83	100	See Measures chart in Appendix
Q4	Exclude Flag	971110	45	62	84	Parent/Consolidated Flag (NON-US)
X	Exclude Time	12	142	2	24	Blank where not applicable
E	Forecast Period End Date	YYYY	2005	20	29	Parent/Consolidated Flag (NON-US)
B	Product ID	122	33	6	26	Maxdecimal 5
D	Region ID	8.818500	169	15	30	yymmdd format in history files
R	Exclude Time	DETPTG. <REG>	41	1999	2038	See Region Appendix
O	Stop Time	JPY	124	35	70	Available in Normalized History for all regions
G#3	Activation Date	NEXLFILAT. INT	177	990211	990213	Blank where not applicable
M	Product Status	72	83	186	219	Maxdecimal 5
B	Analyst Name	LSE	74	102	111	Available in Standard/Regular History Non-US files only
F	Exclude Date	EXL<MEAS>UT US	35	23	45	yymmdd format in history files
D#3	Currency at Company Level	ACTK<MMM>. <REG>	8	42	79	Numeric codes

Continued on next page

Key	Item	Format	Length	Start	End	Comments
D#3	Estimator ID	65	74	1	24	Available in Standard/Regular History Non-US files only
G	I/B/E/S Ticker	NEXLFILAT. US	0012	28	42	Maxdecimal 5
D#3	I/B/E/S Ticker	EPS	78	9999 9999 9999	1000 0000 00019	See Measures chart in Appendix
O	Company Name	24	27	172	199	Blank where not applicable
A	Measure	29	67	17	37	See Measures chart in Appendix
H#5	Canadian Currency	13	0012	2	8	Available in Normalized History for all regions
A	Currency at Company Level	STOPPTG. <REG>	55	157	179	Available in Normalized History for all regions
C#2	Company Name	UNADJ	0512	149	149	Numeric codes

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HSTRBCDESC

Level: Summary

Frequency: Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
Q4	Measure	char	1999	73	100000	100017	Parent/Consolidated Flag (NON-US)
D#4	Review Time	char	11111	81	17	42	Parent/Consolidated Flag (NON-US)
P	Currency at Company Level	X	69	81	78	82	Blank where not applicable
B	Exclude Flag	int	2.1151	131	9	25	Numeric codes
G#4	Value	tinyint	CCC	51	30	37	See Region Appendix
E	Company Name	D	YYYYMMDD	103	2005	2028	See Region Appendix
C	Currency	int	NACTK<MMM-<REG>	180	180	208	Numeric codes
O	Estimate Currency	D	56	4	36	53	See Region Appendix
F	Estimate Currency	tinyint	SEDOL/CUSIP	62	72	84	See Measures chart in Appendix
D#3	Review Time	tinyint	12	56	14	23	Numeric codes
B	Product Type	date	2003.	177	62	93	Maxdecimal 5
B#2	Estimate Currency	tinyint	999999999999	56	2	41	See Region Appendix
H#5	Measure Unit	tinyint	CCC	122	9812	9835	See Measures chart in Appendix
G	Estimate Currency	time	162	17	76	98	See Measures chart in Appendix
L	Value	X	9999999.999	94	50	83	See Region Appendix
F#6	Forecast Period End Date	tinyint	134	52	41216	41232	See Measures chart in Appendix
I	Review Time	D	21.558	66	100000	100003	Parent/Consolidated Flag (NON-US)
H#5	Footnote Type	N	NEXLFILUT.US	1024	4	40	Available in Standard/Regular History Non-US files only
F	Home mkt code	D	1999	35	6	7	Blank where not applicable
M	Measure	int	2005	21	6	33	See Region Appendix
F#5	Announce Date	char	24	24	180	189	Numeric codes
Q4	Primary/Diluted Indicator	int	24	18	9912	9933	yymmdd format in history files
H#5	Region ID	varchar	HISTORY	16	100	137	Maxdecimal 5
R	Exclude End Time	int	55	152	105	137	Blank where not applicable
H	Home mkt code	D	4.	6	54	93	See Measures chart in Appendix
G#3	Estimate Currency	date	NEXL<MEASUS	122	80	119	Numeric codes
F#4	Exclude End Date	varchar	63	73	35	44	See Region Appendix
A#1	Activation Date	varchar	18	20	63	70	Available in Normalized History for all regions

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
E#5	Canadian Currency	date	20.635	33	96	122	Maxdecimal 5
J#6	Exclude Time	X	HISTORY	155	99999	100015	See Measures chart in Appendix
E	Company Name	tinyint	ENB	58	3	31	Maxdecimal 5
H#5	Stop Date	smallint	MEAS	159	46	76	Maxdecimal 5
R	Dilution Factor	N	56	99	169	189	Numeric codes
A#1	Analyst Code	X	NA	73	172	209	yymmdd format in history files
E#5	Activation Date	int	12	0012	20030422	20030425	See Region Appendix
F#5	Canadian Currency	varchar	971110	44	172	205	yymmdd format in history files
J	Activation Time	int	PID1. <REG>	75	99999	100005	See Measures chart in Appendix
E	Measure	date	72	31	179	218	Maxdecimal 5
D#4	Announce Date	char	USD	23	179	210	Available in Standard/Regular History Non-US files only
C#2	Footnote Type	X	58	61	21	48	Blank where not applicable
D#3	Currency at Company Level	X	EURO	47	971120	971131	See Region Appendix
D#3	Value	time	15	51	34	42	See Measures chart in Appendix
A#1	Analyst Code	X	20040304	131	9	35	See Measures chart in Appendix
I#5	TRBC Long description	tinyint	78	0.34	33	65	Blank where not applicable
F#6	Forecast Period Indicator	int	36	24	7	12	Available in Standard/Regular History Non-US files only
H#5	Exclude Date	date	30	92	1987	2007	Available in Standard/Regular History Non-US files only
E#5	Estimator	N	EPS	17.0	512	523	Maxdecimal 5
I#5	Exclude End Date	time	11111	124	6	17	Available in Normalized History for all regions
C	Product Status	D	CUSIP/ SEDOL	999	31	33	yymmdd format in history files
J#6	Footnote Type	varchar	ANN	100	99999	100039	Maxdecimal 5
G#7	Product Type	varchar	62	15	83	86	Numeric codes
M	Estimator ID	time	105	56	92	99	Available in Standard/Regular History Non-US files only

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** NCURFIL.<REG>

Level: Detail

Frequency: Weekly

Key	Item	Data Type	Format	Length	Start	End	Comments
S	TRBC Short description	X	1024	210	72	99	Maxdecimal 5
I	Dilution Factor	D	IDFIL. <REG>	6	201	227	See Region Appendix
H	Estimator ID	tinyint	1999	8	47	80	See Region Appendix
B#2	Value	date	179	46	33	61	Available in Normalized History for all regions
H#5	Analyst Code	varchar	STOPPTG. <REG>	30	99	118	Available in Normalized History for all regions
X	Estimator ID	X	0412	34	162	199	See Region Appendix
C#2	Currency	X	5.	27	50	71	Blank where not applicable
G#4	I/B/E/S Ticker	varchar	JPY	28	41216	41224	Available in Standard/Regular History Non-US files only
I	Home mkt code	tinyint	30	142	35	53	yymmdd format in history files
A	Exclude Date	date	100000	66	142	144	Parent/Consolidated Flag (NON-US)
M	Value	time	HRECBKRU <REG>	62	80	96	Parent/Consolidated Flag (NON-US)
I#5	Footnote Type	time	22	75	4	5	Numeric codes
S	Footnote Text	date	2.	68	19	58	yymmdd format in history files
A#1	CUSIP/SEDOL	varchar	IPL2	102	124	147	Available in Standard/Regular History Non-US files only
O	Measure	N	NACTK<MMMM> <REG>	74	76	115	Available in Standard/Regular History Non-US files only
A#1	Analyst Code	N	23	52	4	41	Blank where not applicable

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECIDI.<REG>, NEXLFILAT.INT

Name (Unadjusted): STOPPTG.<REG>, DETFILAT.<REG>

Level: Normalized

Frequency: Weekly **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
H#5	Currency at Company Level	time	NOK.	71	41	72	Parent/Consolidated Flag (NON-US)
R	Analyst Code	char	255	6	15	15	See Measures chart in Appendix
I#5	Analyst Name	D	12	63	16	43	See Measures chart in Appendix
N	Exclude Time	tinyint	22	61	412	423	Available in Standard/Regular History Non-US files only
K	Stop Date	X	14.200	72	870115	870118	Available in Normalized History for all regions
H	Forecast Period Indicator	N	1999	23	54	56	See Measures chart in Appendix
Q4	Analyst Name	char	3.	3	134	138	Available in Normalized History for all regions
N	Exclude Date	N	71	54	28	32	Blank where not applicable
F#5	Exclude Flag	smallint	DETFILAT.<REG>	73	68	100	See Region Appendix
B	Company Name	int	63.406000	9912	152	172	Blank where not applicable
O	Product ID	N	2003.	25	42	49	Parent/Consolidated Flag (NON-US)
I#5	Forecast Period End Date	tinyint	54	0.34	186	201	See Region Appendix
Q4	Estimate Currency	char	49	2	169	206	Maxdecimal 5
G#7	Announce Date	smallint	2.1151	83	100000	100017	See Region Appendix
E#5	Activation Time	char	YYMM	94	87	126	See Region Appendix
D#3	Product Type	smallint	HRECSTPT.<REG>	142	222222	222248	Blank where not applicable
D#4	Estimator ID	date	59	76	100	131	See Region Appendix
O	CUSIP/SEDOL	smallint	NDETPTGUT.<REG>	102	12	16	Blank where not applicable
F#5	Measure Unit	tinyint	38	0.34	122	144	yymmdd format in history files
F#5	TRBC Short description	date	NEXLFILAT.US	155	1	16	yymmdd format in history files
M	Product ID	time	124	28	105	129	Available in Standard/Regular History Non-US files only
P	Analyst Code	smallint	20.635	92	13	47	See Region Appendix
H	Estimate Currency	varchar	69	102	202	205	See Region Appendix
D	Product Status	varchar	ENBRIDGE	75	999	1009	Blank where not applicable
G#3	Exclude End Time	time	HRECIDU.<REG>	44	122	144	yymmdd format in history files
G	Product ID	time	54	155	46	76	See Measures chart in Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
D#3	Analyst Name	varchar	ANN	78	1987	2017	See Region Appendix
E	Estimator	char	DETPTGUT. <REG>	40	7	46	Parent/Consolidated Flag (NON-US)
F#5	Announce Time	D	971110	149	3	32	Numeric codes
G#4	Stop Date	varchar	3.	36	30	68	See Region Appendix
H	Footnote Text	X	3.3719	1999	999999	1000039	yymmdd format in history files
S	CUSIP/SEDOL	date	2000	94	20	39	Blank where not applicable
R	Exclude End Date	date	EST.	23	35	74	Available in Normalized History for all regions
Q4	Analyst Code	varchar	PD1. <REG>	1987	186	204	Available in Standard/Regular History Non-US files only
D#3	Announce Date	time	66	44	33	39	Parent/Consolidated Flag (NON-US)
D#4	Review Date	N	99999999 9999	27	51	82	yymmdd format in history files
N	Region ID	date	17	40	62	78	Parent/Consolidated Flag (NON-US)
L	Exclude Time	N	ID	103	971120	971150	Blank where not applicable
L	Announce Time	int	63.406	54	9912	9952	See Region Appendix
K#7	Company Name	time	EXL<MEAS> US	179	12	14	See Region Appendix
F#6	Expiration Date	D	62	60	210	216	Available in Standard/Regular History Non-US files only
I	Company Name	D	21.558	105	13	45	See Region Appendix
E	Activation Time	varchar	ANN	47	512	548	Blank where not applicable
D#4	Footnote Text	D	2000	24	67	77	Available in Normalized History for all regions
F#4	Activation Time	N	0012	67	45	72	See Measures chart in Appendix
I	Estimator	time	NDETPTGAT. <REG>	45	16	29	yymmdd format in history files
K#7	Review Date	N	ENB	50	47	61	See Measures chart in Appendix
M	Dilution Factor	X	21	2005	99	129	Available in Standard/Regular History Non-US files only
F	TRBCPermID	tinyint	52	75	124	154	Blank where not applicable
B	Product Description	X	NEXLFILUT. US	10	55	82	Numeric codes
F	Footnote Type	smallint	131	7	2000	2037	yymmdd format in history files

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NDET<MEAS>UT.<REG>, CURFILD.<REG>

Name (Unadjusted): NDET<MEAS>AT.<REG>, HSTRBCDATA.<REG>

Level: Summary

Frequency: Monthly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
G#3	Activation Date	N	44	Available in Standard/Regular History Non-US files only
J#6	Region ID	char	32	See Region Appendix
F	Primary/Diluted Indicator	tinyint	180	Available in Standard/Regular History Non-US files only
N	Product Type	X	202	See Measures chart in Appendix
G#3	Stop Time	int	202	Parent/Consolidated Flag (NON-US)
H	TRBC Long description	N	155	Available in Normalized History for all regions
G#3	Currency	tinyint	101	Available in Normalized History for all regions
G#7	Activation Date	X	61	Blank where not applicable
R	Currency	D	75	Numeric codes
K#7	Product Type	smallint	22	yymmdd format in history files
N#8	Product ID	D	33	Numeric codes
A#1	I/B/E/S Ticker	tinyint	66	Parent/Consolidated Flag (NON-US)
H#5	Exclude Date	int	14	Blank where not applicable
E#5	Currency	X	33	Maxdecimal 5
E	TRBC Long description	varchar	122	Available in Normalized History for all regions
F#6	Product ID	N	5	Blank where not applicable
M	CUSIP/SEDOL	varchar	105	See Measures chart in Appendix
H	Currency	tinyint	28	See Measures chart in Appendix
S	Exclude End Date	time	52	Blank where not applicable
E#4	Reserved	N	81	Available in Standard/Regular History Non-US files only
G#3	Exclude Time	tinyint	64	See Region Appendix
G#7	Forecast Period Indicator	N	25	Available in Normalized History for all regions

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** BRANFILI.<REG>, NDET<MEAS>UT.<REG>

Name (Unadjusted): STOPPTG.<REG>, DETFILUT.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Analyst Name	D	ADJFILI.<REG>	61	71	99	Parent/Consolidated Flag (NON-US)
P	Canadian Currency	tinyint	SAN	14	81	100	Parent/Consolidated Flag (NON-US)
F#6	Exclude End Date	varchar	40	40	105	119	Available in Normalized History for all regions
G#7	Footnote Text	D	HRECIDU.<REG>	23	62	64	Blank where not applicable
C#3	I/B/E/S Ticker	smallint	3.	2000	35	58	Numeric codes
G#7	Expiration Date	D	23	9	41	69	See Region Appendix
G	Exclude Flag	N	D.	155	23	46	See Region Appendix
D#3	Measure	D	NEXLFILAT.US	31	186	226	See Measures chart in Appendix
X	Forecast Period End Date	int	42	1024	99	132	Available in Normalized History for all regions
E	Reserved	varchar	5.	124	45	54	yymmdd format in history files
I#5	Exclude Date	D	0.34	69	202	240	Parent/Consolidated Flag (NON-US)
E	Activation Date	N	63.406	2000	6	33	yymmdd format in history files
C#3	Reserved	smallint	IDFILI.<REG>	62	172	173	See Region Appendix
I#5	TRBC Short description	N	ADJFILD.<REG>	40	149	182	See Measures chart in Appendix
H#5	Currency at Company Level	tinyint	MSCIP	73	49	78	yymmdd format in history files
H#5	Official Ticker	smallint	8.037200	100	46	62	Blank where not applicable
F	Dilution Factor	X	63.406000	10	69	101	Blank where not applicable
G#4	Activation Date	smallint	LSE	180	45	47	Blank where not applicable
A	Exclude Flag	int	SEDOL	9	27	32	Numeric codes
L	Reserved	varchar	3.3719	25	210	212	Available in Standard/Regular History Non-US files only
C#3	Region ID	int	CUSIP/	96	31	47	Numeric codes
B	Measure Unit	date	DETFILUT.<REG>	29	32	59	See Region Appendix
O#9	Measure Unit	char	33	134	44	63	Blank where not applicable
L	Analyst Code	char	186	0412	75	110	Maxdecimal 5
O#9	Stop Date	N	041216	155	25	31	Maxdecimal 5
G#4	Activation Date	N	40	255	11115	11124	Numeric codes

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
G	Dilution Factor	varchar	131	40	7	16	Available in Standard/Regular History Non-US files only
B#2	Analyst Code	char	20030422	255	100000	100022	Maxdecimal 5
I	Exclude Date	X	67	14	19	46	Available in Normalized History for all regions
N#8	Footnote Text	tinyint	96	1024	100	112	yymmdd format in history files
B#2	Estimator	varchar	29	210	101	113	See Region Appendix
O	Product Type	varchar	KPI	68	10213	10231	yymmdd format in history files
E#4	Product Status	char	71	1	27	44	Maxdecimal 5
K	Review Date	X	8.037200	9	4	19	Maxdecimal 5
Q4	Region ID	N	SEDOL	92	44	67	Maxdecimal 5
F#3	Forecast Period End Date	date	20030422	102	177	191	Available in Normalized History for all regions
A	Currency at Company Level	int	67	60	81	84	yymmdd format in history files
D#4	Reserved	smallint	96	54	45	56	See Measures chart in Appendix
X	Dilution Factor	date	4.	16	152	191	Maxdecimal 5
G#4	Activation Time	N	71	36	58	91	Numeric codes
B#2	Review Time	int	EXL<MEAS> US	51	179	190	Parent/Consolidated Flag (NON-US)
A	Product Description	D	PTG	63	870115	870133	yymmdd format in history files
B	Exclude Flag	varchar	DETPTG. <REG>	61	999999	1000013	Available in Standard/Regular History Non-US files only
J	Exclude End Date	date	EPS.	0.34	59	78	yymmdd format in history files
I	Measure Unit	date	EXL<MEAS> US	1087	99	116	Maxdecimal 5
F#3	Announce Date	N	USD.	74	42	65	See Region Appendix
D#4	CUSIP/SEDOL	varchar	20.6353	50	11115	11130	Blank where not applicable
O#9	Product Status	char	102	85	134	145	Numeric codes

Currency Conversion

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STP<MEAS>AT.<REG>, DETFILUT.<REG>, HRECBKRU.<REG>

Name (Unadjusted): CURFILD.<REG>, IDFILD.<REG>, DETFILAT.<REG>

Level: Standard

Frequency: Daily/Historical

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
E#4	Exclude Flag	N	12	4	870115	870123	Maxdecimal 5
H	Exclude Date	time	DETFILUT.<REG>	75	149	162	Available in Standard/Regular History Non-US files only
N	Announce Time	N	EXL<MEAS>UT.<REG>INT	75	75	91	Available in Normalized History for all regions
J#6	TRBC Short description	date	LSE	34	124	132	Parent/Consolidated Flag (NON-US)
O	Estimate Currency	tinyint	STANDARD	159	10213	10216	Available in Normalized History for all regions
L	Announce Time	char	SEDOL/CUSIP	103	94	123	See Region Appendix
P	Footnote Text	D	HRECIDI.<REG>	71	162	196	See Region Appendix
F#5	Analyst Name	char	45	26	58	77	Parent/Consolidated Flag (NON-US)
E#4	Primary/Diluted Indicator	smallint	9812	69	33	62	Available in Normalized History for all regions
G#7	Product ID	smallint	BPN	32	27	36	yymmdd format in history files
E#5	Company Name	date	NON-US	186	7	18	See Region Appendix
F#4	TRBC Long description	int	157	49	23	47	Numeric codes
X	TRBCPermID	N	SEDOL	255	41216	41227	Blank where not applicable
A	Footnote Type	char	NA	13	105	106	yymmdd format in history files
I	Official Ticker	N	20040304	142	32	64	Available in Normalized History for all regions
S	Currency	varchar	NA	210	41216	41244	Numeric codes
I	Expiration Date	D	31	5	20040304	20040309	Numeric codes
E#4	I/B/E/S Ticker	time	NEXL<MEAS>AT.<REG>US	75	22	53	Available in Normalized History for all regions
E#4	Canadian Currency	date	14	19	134	174	See Measures chart in Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
H	Company Name	date	NOK	157	101	115	yymmdd format in history files
D	CUSIP/SEDOL	tinyint	SAN	26	67	89	Numeric codes
D#3	Dilution Factor	varchar	103	25	47	57	Available in Standard/Regular History Non-US files only
G#4	Forecast Period Indicator	date	24.03	55	870115	870122	Maxdecimal 5
O	Measure Unit	time	58	78	92	94	Numeric codes
D#3	CUSIP/SEDOL	char	14	14	1987	2015	See Measures chart in Appendix
C#2	Activation Time	D	83	53	80	104	Maxdecimal 5
B	Announce Date	smallint	MSCIP	23	14	23	Blank where not applicable
O	Exclude End Time	time	92	25	5	33	Parent/Consolidated Flag (NON-US)
A	Announce Date	time	63.406	62	1999	2006	Available in Standard/Regular History Non-US files only
F#6	Footnote Text	date	YYYY	101	87	92	See Measures chart in Appendix
A#1	Measure Unit	tinyint	46	2.34	222222	222252	Blank where not applicable
O#9	Exclude Date	D	28	2	47	70	See Region Appendix
J#6	Product ID	int	131	186	41	70	Available in Normalized History for all regions
K#7	CUSIP/SEDOL	char	YMMM	1999	11115	11131	yymmdd format in history files
R	Value	D	41	155	162	179	Numeric codes
F	Announce Date	smallint	99999.999	186	255	274	Numeric codes
N#8	Exclude End Date	varchar	HSTRBCDES	0999	971120	971159	Available in Standard/Regular History Non-US files only

Supplemental Data Files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NCURFIL.<REG)

Level: Detail

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
S	Measure	tinyint	25	See Measures chart in Appendix
R	Exclude End Date	smallint	32	See Region Appendix
O#9	TRBC Long description	time	122	Maxdecimal 5
P	Primary/Diluted Indicator	time	8	Maxdecimal 5
N	Primary/Diluted Indicator	date	131	Maxdecimal 5
F#3	Currency	smallint	73	yymmdd format in history files
E#4	TRBC Long description	int	105	Available in Normalized History for all regions
F#5	Forecast Period End Date	tinyint	14	Numeric codes
I	Review Time	varchar	75	Parent/Consolidated Flag (NON-US)
G#4	Activation Date	char	2.34	See Region Appendix
J#6	Product Description	date	2005	See Region Appendix
X	Stop Date	int	131	See Region Appendix
A	Exclude Time	int	60	See Measures chart in Appendix
Q4	Exclude Date	date	11	See Measures chart in Appendix
L	Stop Date	char	47	Available in Standard/Regular History Non-US files only
A	Review Time	X	81	See Measures chart in Appendix
C	Activation Time	date	255	Available in Standard/Regular History Non-US files only

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DET<MEAS>UT.<REG>

Level: Detail

Frequency: Daily/Historical

Key	Item	Format	Length	Start	End	Comments
D#3	Currency	99999.9999	179	55	63	Numeric codes
P	Product Description	36	51	69	107	Available in Normalized History for all regions
K#7	Home mkt code	159	17.0	59	85	Numeric codes
P	Official Ticker	QTR	999	1024	1059	yymmdd format in history files
C#3	Exclude Time	D.	67	99999	100007	See Region Appendix
B	Product Type	ID	1987	100	130	Parent/Consolidated Flag (NON-US)
Q4	Forecast Period Indicator	MSCIP	9	11111	11146	See Measures chart in Appendix
C#3	Announce Time	19	69	16	52	yymmdd format in history files
K#7	Reserved	2004.	162	100	139	See Region Appendix
F#3	Reserved	11	157	124	160	Numeric codes
O	Expiration Date	63	172	96	114	See Measures chart in Appendix
R	Exclude Date	103	94	122	149	Available in Normalized History for all regions
K#7	I/B/E/S Ticker	NEXL<MEAS>AT. US		990211	990250	Parent/Consolidated Flag (NON-US)
B	TRBC Long description	2004.	45	8	31	See Measures chart in Appendix
H#5	Exclude Flag	22	20	29	58	Available in Normalized History for all regions
M	Product ID	SIG	44	19	43	Maxdecimal 5
M	Company Name	041216	10	28	56	Parent/Consolidated Flag (NON-US)
D	Exclude Time	62	9	149	180	See Region Appendix
C#3	Exclude Date	102	255	20001229	20001245	See Region Appendix
N	Activation Date	STAT	0512	30	65	Available in Standard/Regular History Non-US files only
O#9	Measure Unit	90	149	95	126	yymmdd format in history files
E	Company Name	NDETPTGUT. <REG>	157	54	76	Available in Normalized History for all regions
H	Currency at Company Level	NOK	0.34	186	189	See Measures chart in Appendix
G#4	Footnote Type	29250N10	155	255	289	Numeric codes

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name:** NEXLFILAT.INT, DETPTGUT.<REG>, DET<MEAS>UT.<REG>

Name (Unadjusted): NEXL<MEAS>AT.INT, DETFILAT.<REG>, EXL<MEAS>AT.US

Level: Detail

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
M	Forecast Period Indicator	time	2	See Region Appendix
B	Review Time	X	94	Numeric codes
G#3	Region ID	time	94	yymmdd format in history files
F#6	Review Date	X	0512	Parent/Consolidated Flag (NON-US)
B	Activation Date	smallint	92	yymmdd format in history files
D#3	TRBC Short description	X	9912	Available in Normalized History for all regions
G#4	Measure	int	5	See Measures chart in Appendix
F	Company Name	time	58	Available in Standard/Regular History Non-US files only
Q4	Measure	char	0412	Available in Normalized History for all regions
O#9	Estimate Currency	date	2005	Maxdecimal 5
L	Product Description	tinyint	56	Available in Standard/Regular History Non-US files only
N	Product Type	date	34	Blank where not applicable
H	Product Description	time	159	See Measures chart in Appendix
D#4	Exclude End Time	D	2000	Available in Normalized History for all regions
O#9	Region ID	N	26	Available in Normalized History for all regions
X	Home mkt code	X	255	Available in Normalized History for all regions
J#6	Announce Date	N	35	Available in Normalized History for all regions
D#4	Value	N	8	Blank where not applicable
X	Product Description	N	22	Maxdecimal 5
F#6	CUSIP/SEDOL	tinyint	73	Available in Normalized History for all regions
F#4	Analyst Code	char	56	Available in Standard/Regular History Non-US files only
C	Estimator	X	56	See Measures chart in Appendix
I#5	Currency	D	105	Available in Normalized History for all regions
B#2	Forecast Period Indicator	D	8	Blank where not applicable
O#9	I/B/E/S Ticker	date	15	Parent/Consolidated Flag (NON-US)
G	Exclude End Time	date	25	Blank where not applicable
F#6	TRBCPermID	smallint	202	Available in Normalized History for all regions
H#5	Announce Time	char	42	Available in Standard/Regular History Non-US files only
G	Company Name	int	26	Available in Standard/Regular History Non-US files only
D#4	Stop Date	D	101	Numeric codes
F#3	Official Ticker	time	25	Parent/Consolidated Flag (NON-US)
C#2	Company Name	N	26	Maxdecimal 5
X	Primary/Diluted Indicator	varchar	68	Available in Normalized History for all regions
P	Forecast Period End Date	tinyint	85	Numeric codes
O#9	Product ID	int	25	Numeric codes

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
C#2	Estimator	tinyint	11	Available in Normalized History for all regions
D	Review Time	time	103	yymmdd format in history files
J	Official Ticker	N	40	yymmdd format in history files
G#7	Reserved	char	35	Numeric codes
O#9	Exclude End Time	varchar	45	Blank where not applicable

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NEXLFILAT.US, DET<MEAS>AT.<REG>

Name (Unadjusted): DET<MEAS>UT.<REG>, CURFILI.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
D#3	Primary/Diluted Indicator	X	PREG	122	33	72	Parent/Consolidated Flag (NON-US)
N	Currency	D	041216	162	33	40	Numeric codes
P	Product ID	char	BPN	49	186	204	Available in Normalized History for all regions
F#5	Footnote Text	char	HRECIDI.<REG>	10	69	90	See Region Appendix
J	Estimator ID	N	EPS	122	99	136	Numeric codes
K	Analyst Name	X	EST.	80	10213	10247	Maxdecimal 5
O	Stop Date	varchar	NA	72	17	41	Blank where not applicable
N	TRBC Short description	time	MSCIP	64	512	512	Blank where not applicable
R	Measure	smallint	NDETPTGAT.<REG>	29	186	210	See Measures chart in Appendix
E#4	Region ID	varchar	USD.	19	10	34	Maxdecimal 5
D#4	Analyst Code	int	0512	152	5	17	See Region Appendix
I	Exclude Time	int	1987	56	36	36	See Measures chart in Appendix
E	Activation Time	char	122	18	9912	9946	See Region Appendix
G	Region ID	varchar	NEXLFILUT.US	95	27	57	See Measures chart in Appendix
F#3	Review Date	time	1999	0.34	23	43	Maxdecimal 5
A	Stop Time	varchar	13	60	105	124	Numeric codes
H#5	Measure	smallint	US	31	66	106	Parent/Consolidated Flag (NON-US)
G#4	Activation Time	smallint	NEXL<MEAS>AT.INT	92	999999	1000013	See Region Appendix
H	Value	tinyint	15	20	69	88	Available in Normalized History for all regions
E#5	Activation Date	smallint	LSE	65	2000	2034	Parent/Consolidated Flag (NON-US)

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HRECIDU.<REG>, HSTRBCDATA.<REG>

Level: Detail

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
H#5	Official Ticker	date	MSCIP	30	9912	9950	Available in Standard/Regular History Non-US files only
Q4	Announce Time	date	72	0.34	2000	2011	Available in Standard/Regular History Non-US files only
K	I/B/E/S Ticker	varchar	0012	51	20040304	20040321	Available in Normalized History for all regions
X	Activation Time	int	149	1	31	68	Numeric codes
H	Company Name	varchar	TPC	74	80	117	Blank where not applicable
N#8	Estimator	D	142	11	30	41	Numeric codes
K#7	Estimator ID	int	94	38	120	152	Available in Standard/Regular History Non-US files only
X	Product Type	tinyint	NDETPTGAT.<REG>	92	72	100	Parent/Consolidated Flag (NON-US)
X	Announce Time	time	STANDARD	177	142	150	See Measures chart in Appendix
H	TRBC Short description	char	99	10	2000	2039	yymmdd format in history files
I	Estimate Currency	time	34	49	99999	100023	Available in Normalized History for all regions
O#9	Forecast Period End Date	smallint	131	58	12	30	See Measures chart in Appendix
G#7	Region ID	date	SEDOL.	56	20001222	20001248	Available in Normalized History for all regions
G#3	I/B/E/S Ticker	date	XX	73	11111	11149	See Measures chart in Appendix
K	Exclude End Time	smallint	159	33	45	79	See Region Appendix
C	Review Date	date	255	9912	4	5	Maxdecimal 5
K	Product Description	varchar	CUSIP/SEDOL	6	33	73	See Measures chart in Appendix
P	Footnote Text	char	STAT	255	59	69	Available in Normalized History for all regions
A	Official Ticker	D	39	87	25	60	See Region Appendix
F#5	TRBCPermID	int	NOK	152	12	35	Available in Normalized History for all regions
G	Exclude Flag	D	IDFILD.<REG>	9912	13	18	Maxdecimal 5
C#2	Forecast Period Indicator	X	26	9	52	77	Blank where not applicable
M	Reserved	char	2.	3	81	101	See Measures chart in Appendix
E	Value	D	NA	25	56	96	Numeric codes
E#5	Estimate Currency	D	EUR	60	74	92	Available in Normalized History for all regions
C	Measure Unit	varchar	52	62	96	100	Maxdecimal 5
A#1	Exclude End Date	smallint	73	67	46	54	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
N#8	Forecast Period Indicator	char	YYYY	76	27	49	See Region Appendix
A#1	Analyst Name	char	12	92	42	62	Numeric codes
F#6	Value	N	HISTORY	202	124	164	See Region Appendix
F#3	Canadian Currency	date	999999	76	155	183	Parent/Consolidated Flag (NON-US)
J	Reserved	varchar	D.	7	58	66	Available in Normalized History for all regions
N	Announce Time	char	20.635	42	62	97	Maxdecimal 5

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name (Adjusted):** HSTRBCDATA.<REG>, ADJ<MEAS>.<REG>

Name (Unadjusted): HRECIDU.<REG>, DET<MEAS>AT.<REG>

Level: Standard

Frequency: Daily

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Key	Item	Data Type	Format	Length	Start	End	Comments
E#5	Review Time	tinyint	ADJFILD.<REG>	202	180	218	Blank where not applicable
P	I/B/E/S Ticker	int	QFS	159	122	148	yymmdd format in history files
B	Currency at Company Level	N	YYMMDD	74	2000	2011	Available in Standard/Regular History Non-US files only
B#2	Expiration Date	X	SEDOL/CUSIP	24	990211	990242	See Region Appendix
F#4	Official Ticker	char	MEAS	20	62	100	Available in Standard/Regular History Non-US files only
E#5	Announce Date	int	56	63	202	208	Parent/Consolidated Flag (NON-US)
G#7	Product Type	varchar	51	85	5	29	Available in Normalized History for all regions
G#7	Exclude Date	smallint	HRECIDI.<REG>	9812	155	180	Parent/Consolidated Flag (NON-US)
P	Expiration Date	X	120	186	69	80	Available in Normalized History for all regions
C	Official Ticker	time	971110	255	52	64	Blank where not applicable
G	Exclude Date	date	29	18	10213	10222	Maxdecimal 5
H	Measure	int	Q4	142	10	33	See Measures chart in Appendix
K	Measure	char	124	75	23	46	Blank where not applicable
E#5	Forecast Period Indicator	X	142	9	9	12	Maxdecimal 5
F#4	Estimate Currency	smallint	CCCC	124	64	69	Maxdecimal 5
B#2	Exclude End Date	varchar	HRECBKRU.<REG>	49	52	75	yymmdd format in history files
E#5	TRBC Long description	time	NOK	78	201	201	See Region Appendix
M	Region ID	int	Q4	105	22	38	Blank where not applicable
C#3	I/B/E/S Ticker	X	STANDARD	103	46	70	Available in Normalized History for all regions
F#3	Estimator	smallint	180	45	12	25	Available in Normalized History for all regions
L	Expiration Date	int	ID	68	31	46	Available in Standard/Regular History Non-US files only
I#5	Footnote Text	tinyint	YYYYMMDD	99	186	215	Blank where not applicable
B	Reserved	time	UNADJ	159	65	100	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F	Reserved	char	HDXRATI. <REG>	149	13	47	See Measures chart in Appendix
Q4	Estimator ID	time	74	53	412	452	yymmdd format in history files
X	CUSIP/SEDOL	time	1999.	27	40	44	Blank where not applicable
K#7	Canadian Currency	smallint	23	10	3	6	Blank where not applicable
F#4	Analyst Code	time	15	12	35	53	Numeric codes
F#4	Product Status	tinyint	ADJ	10	34	35	Parent/Consolidated Flag (NON-US)
G#4	Analyst Name	char	ID	72	999	1031	yymmdd format in history files
J	Product ID	time	NDETFILE. <REG>	94	36	67	Available in Normalized History for all regions
E	Footnote Text	D	ANN	76	54	73	See Region Appendix
J#6	Dilution Factor	char	124	102	971120	971126	Parent/Consolidated Flag (NON-US)
P	Expiration Date	X	36	122	16	52	Parent/Consolidated Flag (NON-US)
G#4	Stop Time	D	20	1024	99	124	Parent/Consolidated Flag (NON-US)
N	Announce Time	N	MSCIP	75	59	63	See Region Appendix
K	Product Description	varchar	ANN	75	15	53	See Measures chart in Appendix
Q4	Exclude End Time	D	131	1999	11	26	See Region Appendix
C#2	Footnote Type	X	EUROFILI. <REG>	5	255	258	See Region Appendix

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** BRANFILI.<REG>, HSTRBCDATA.<REG>, ADJ<MEAS>.<REG>

Name (Unadjusted): EXLFILAT.US, HRECDETT.<REG>, EUROFILI.<REG>

Level: Standard

Frequency: Daily/Weekly/Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Region ID	D	NC	40	95	114	Parent/Consolidated Flag (NON-US)
K	Analyst Code	time	134	56	74	98	Numeric codes
K#7	Analyst Code	N	12	4	134	136	Available in Normalized History for all regions
F#4	TRBC Long description	varchar	EUROFILI.<REG>	155	11111	11144	Blank where not applicable
B	Measure Unit	date	15	60	25	39	See Measures chart in Appendix
C	Region ID	int	HSTRBCDATA.<REG>	11	971110	971144	Available in Normalized History for all regions
E	Review Time	varchar	DET	22	7	18	Numeric codes
G	Forecast Period End Date	smallint	NDETPTGAT.<REG>	80	27	58	See Measures chart in Appendix
F#4	Exclude End Date	X	YYYY	33	25	25	See Measures chart in Appendix
Q4	Exclude End Time	tinyint	63.406000	1	12	25	Numeric codes
F#4	Measure Unit	varchar	33	25	83	91	Numeric codes
B#2	Measure Unit	varchar	EPS.	23	101	111	yymmdd format in history files
N#8	Product ID	X	24.03	28	49	57	Parent/Consolidated Flag (NON-US)
B	Announce Time	N	50	0512	49	49	See Region Appendix
D	Review Date	varchar	999	134	149	166	yymmdd format in history files
E#5	I/B/E/S Ticker	tinyint	1987	17.0	412	431	yymmdd format in history files
D#3	Home mkt code	smallint	CCCCCCC	22	65	91	Maxdecimal 5
F#3	Footnote Type	char	124	73	22	36	Blank where not applicable
N#8	Canadian Currency	D	122	105	169	176	Available in Normalized History for all regions
J#6	Product Description	date	971110	12	10	30	Parent/Consolidated Flag (NON-US)
J#6	Exclude End Time	D	TPC	22	9	13	yymmdd format in history files
E#4	Product Type	X	33	155	26	65	Available in Standard/Regular History Non-US files only
I	Home mkt code	char	ACTK<MMM>.<REG>	68	67	90	Available in Standard/Regular History Non-US files only
F#3	Activation Time	int	9812	122	68	91	Blank where not applicable
N	TRBC Long description	int	.INT	15	42	81	Numeric codes
Q4	Estimate Currency	N	222222	7	4	43	Available in Standard/Regular History Non-US files only
M	Company Name	char	120	99	73	112	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F#3	Activation Time	date	NDET FILAT. <REG>	85	20001222	20001240	yymmdd format in history files
F#3	Region ID	tinyint	CCC	41	39	61	Available in Standard/Regular History Non-US files only
F#4	Footnote Text	D	NEXL<MEAS US	47	55	88	Parent/Consolidated Flag (NON-US)
O#9	I/B/E/S Ticker	tinyint	50	25	999999	1000022	Maxdecimal 5
F#4	Currency	char	NA	1999	63	69	yymmdd format in history files
O	Measure Unit	char	2003.	59	23	23	yymmdd format in history files
F#5	Expiration Date	char	152	94	80	103	See Region Appendix
H	Stop Time	time	NDETPTGUT <REG>	87	59	75	See Measures chart in Appendix

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NCURFIL.<REG>, NEXLFILAT.US

Level: Summary

Frequency: Monthly

- Timestamps support change tracking and reconciliation.
- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.

Note: Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
G#3	I/B/E/S Ticker	smallint	29250N1X	95	18	36	Available in Normalized History for all regions
C#2	TRBCPermID	char	041216	81	67	77	Available in Normalized History for all regions
M	Review Time	time	CURFIL.<REG>	210	20	33	yymmdd format in history files
K	Value	X	172	6	3	15	Available in Standard/Regular History Non-US files only
G#4	Product Description	date	8.037200	47	28	64	yymmdd format in history files
A	Estimate Currency	int	NON-US	63	8	8	Blank where not applicable
D	Measure	char	2.1151	255	9999 9999 9999	1000 0000 00010	Maxdecimal 5
G	Official Ticker	date	ADJ<MEAS><REG>	9	202	226	Available in Standard/Regular History Non-US files only
C#2	Product Status	char	12	1987	9999 9999 9999	1000 0000 00020	Numeric codes
I	Region ID	varchar	ACTK<MMM><REG>	46	103	115	Available in Normalized History for all regions
X	Exclude End Date	char	69	142	54	76	Available in Standard/Regular History Non-US files only
O#9	Product Type	varchar	870115	131	412	435	Parent/Consolidated Flag (NON-US)
G#4	Estimator	int	19991231	25	157	166	yymmdd format in history files
I#5	Forecast Period End Date	tinyint	85	152	179	208	yymmdd format in history files
H#5	Analyst Code	smallint	ACTK<MMM><REG>	26	76	112	See Region Appendix
D	Canadian Currency	N	16	18	14	31	Available in Standard/Regular History Non-US files only
J	CUSIP/SEDOL	int	NC	4	96	99	Blank where not applicable
G#4	Currency	D	76	67	101	137	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
X	Home mkt code	smallint	12	12	120	155	Blank where not applicable
F#5	Announce Time	smallint	1024	39	157	162	See Region Appendix
X	Estimator	char	20030422	25	42	48	Available in Standard/Regular History Non-US files only
E#5	Analyst Code	time	NORMALIZE	2.34	10213	10248	Parent/Consolidated Flag (NON-US)
C#2	Home mkt code	varchar	62	1987	105	141	See Measures chart in Appendix
N#8	Product Type	N	152	1999	58	80	Maxdecimal 5
X	Product ID	char	DETFILET. <REG>	27	42	67	Parent/Consolidated Flag (NON-US)
O#9	Estimator	D	134	80	41216	41225	Parent/Consolidated Flag (NON-US)
J	CUSIP/SEDOL	varchar	IPL2.	99	41216	41243	Available in Standard/Regular History Non-US files only
G	Official Ticker	tinyint	EXL<MEAS> US	35	20030422	20030448	Numeric codes
N	Dilution Factor	smallint	180	36	51	63	Blank where not applicable
J#6	Estimate Currency	char	28	105	12	22	See Measures chart in Appendix
E	Footnote Text	tinyint	2005	95	80	119	Available in Normalized History for all regions
L	Currency	date	31	62	412	424	Parent/Consolidated Flag (NON-US)
C#3	Forecast Period Indicator	date	8.818500	81	201	241	Maxdecimal 5
D	Primary/Diluted Indicator	time	101	92	41	75	See Measures chart in Appendix
F#5	Measure	tinyint	21.558	12	62	75	yymmdd format in history files
G#7	Dilution Factor	N	3.3719	23	1	1	Maxdecimal 5
Q4	Forecast Period End Date	tinyint	159	8	22	41	yymmdd format in history files
Q4	Forecast Period Indicator	smallint	8.818500	31	14	18	Blank where not applicable
O#9	Announce Time	time	1.	159	5	9	See Region Appendix
H#5	Measure	X	.INT	32	34	40	Available in Normalized History for all regions
G	Forecast Period Indicator	tinyint	PID2	16	11111	11126	Parent/Consolidated Flag (NON-US)
G#4	Product ID	X	HSTRBCDAT <REG>	42	142	177	See Measures chart in Appendix
S	Activation Time	varchar	EXL<MEAS> INT	401	149	166	Parent/Consolidated Flag (NON-US)
K#7	Product Type	date	2000	14	990211	990250	yymmdd format in history files
F#5	Measure	D	ENB	1024	20001222	20001238	Blank where not applicable
C#2	Estimator ID	N	38	0.34	186	209	Available in Standard/Regular History Non-US files only
X	Home mkt code	N	NEXL<MEAS> INT	2000	201	210	Available in Standard/Regular History Non-US files only
I	Exclude End Time	N	EURO	44	2	40	yymmdd format in history files
M	Currency	N	157	8	23	26	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
K	Product Type	int	CURFILI. <REG>	96	33	50	Maxdecimal 5
S	Canadian Currency	tinyint	186	3	971120	971158	See Region Appendix
E#5	TRBCPermID	D	CAD	103	120	151	Blank where not applicable
I#5	Reserved	smallint	21.558	29	59	81	Available in Normalized History for all regions

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** EXLFILAT.INT, DETPTG.<REG>, ADJFILI.<REG>

Name (Unadjusted): DET<MEAS>AT.<REG>, STP<MEAS>AT.<REG>, NEXL<MEAS>AT.US

Level: Summary

Frequency: Daily

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.
- Timestamps support change tracking and reconciliation.

Note: Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
D#4	Exclude Flag	date	65	49	52	83	Numeric codes
H	Forecast Period Indicator	varchar	210	83	63	72	Numeric codes
C	Product Type	tinyint	14	9	142	177	Blank where not applicable
S	Estimate Currency	int	999999	18	99	107	See Measures chart in Appendix
K	Measure Unit	X	53	142	131	141	Available in Normalized History for all regions
X	Review Date	smallint	HRECSTPT.<REG>	76	17	22	Blank where not applicable
X	Forecast Period End Date	tinyint	53	179	101	124	See Region Appendix
B#2	Official Ticker	time	63.406000	90	971110	971117	Blank where not applicable
C	Expiration Date	date	CCC	155	87	125	Parent/Consolidated Flag (NON-US)
L	Announce Time	D	20	124	69	102	Maxdecimal 5
K#7	Company Name	date	BRANFILI.<REG>	30	76	90	Parent/Consolidated Flag (NON-US)
S	Home mkt code	varchar	62	72	152	158	Available in Normalized History for all regions
A#1	CUSIP/SEDOL	date	EPS.	16	11115	11128	Numeric codes
K	Expiration Date	X	MON	21	66	89	Blank where not applicable
O	CUSIP/SEDOL	time	21	9912	999999	1000032	See Measures chart in Appendix
S	CUSIP/SEDOL	date	NORMALIZED	73	255	269	Available in Normalized History for all regions
K	Analyst Code	varchar	YYYYMMDD	2005	41216	41239	yymmdd format in history files
C#2	Value	time	94	5	20030422	20030449	Maxdecimal 5
E#5	CUSIP/SEDOL	char	990211	75	179	188	Available in Standard/Regular History Non-US files only
G#7	I/B/E/S Ticker	varchar	95	63	72	88	See Region Appendix
F#5	Announce Time	smallint	29250N10	20	12	12	Blank where not applicable
H	Footnote Text	X	169	56	11	16	Maxdecimal 5

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
C#3	Company Name	X	EURO	99	152	164	yymmdd format in history files
G#3	Stop Time	varchar	TRBC	10	90	124	yymmdd format in history files
M	I/B/E/S Ticker	varchar	HRECSTPT. <REG>	3	2005	2028	Available in Normalized History for all regions
I	Expiration Date	time	5.	34	255	271	yymmdd format in history files
J	Announce Date	date	CURFILI. <REG>	22	53	56	yymmdd format in history files
O	Reserved	time	222222	179	33	43	Blank where not applicable
G#7	Official Ticker	date	1999.	102	90	90	See Measures chart in Appendix

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HSFCO.<REG>, STOPPTG.<REG>

Level: Normalized

Frequency: Daily/Historical

Key	Item	Format	Length	Start	End	Comments
F#4	Exclude End Date	17.0	66	157	194	See Measures chart in Appendix
K#7	Dilution Factor	20040304	2.34	101	110	See Region Appendix
I#5	Value	2000	55	412	436	Available in Standard/Regular History Non-US files only
G#7	Company Name	2000	66	42	49	Parent/Consolidated Flag (NON-US)
D#4	Exclude End Time	2.340	74	95	130	yymmdd format in history files
C	Exclude End Date	179	92	53	87	Available in Normalized History for all regions
H	Analyst Name	ACTK<MMM>.<REG>	42	177	215	Numeric codes
L	Currency at Company Level	16	54	10	29	See Measures chart in Appendix
P	Estimator ID	ENBRIDGE	78	2000	2028	yymmdd format in history files
K	Currency at Company Level	20001229	73	152	168	yymmdd format in history files
D#3	I/B/E/S Ticker	041216	101	62	97	See Region Appendix
O	Region ID	CUSIP/	172	49	84	Parent/Consolidated Flag (NON-US)
A#1	Product Status	96	6	10213	10250	Maxdecimal 5
C#3	Primary/Diluted Indicator	Q4	999	80	117	See Measures chart in Appendix
O#9	TRBC Short description	0012	20	78	94	Maxdecimal 5
I	Home mkt code	1.	23	122	141	Available in Standard/Regular History Non-US files only
G	Value	99999.9999	13	30	44	See Region Appendix
L	Expiration Date	HRECBKRU.<REG>	80	105	142	Parent/Consolidated Flag (NON-US)
E#4	Product Description	EPS	27	50	79	Available in Standard/Regular History Non-US files only
G#4	Measure Unit	IPL2	172	55	63	Maxdecimal 5
H#5	Review Time	NOK	90	14	24	Blank where not applicable
C#2	Company Name	HH:MM:SS	155	101	122	Numeric codes
R	Dilution Factor	2.1151	35	1	19	Available in Standard/Regular History Non-US files only
I	Stop Time	179	149	56	70	Parent/Consolidated Flag (NON-US)
F	TRBCPermID	NDETFLAT.<REG>	9	24	36	Blank where not applicable
X	Region ID	BPN	58	222222	222258	Numeric codes
B	Activation Time	GBP	103	210	231	See Region Appendix
J#6	Exclude Date	134	80	20030422	20030427	Available in Standard/Regular History Non-US files only
I#5	Analyst Name	19	19	74	107	See Measures chart in Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
G	Activation Time	180	186	122	123	Blank where not applicable
X	Product Type	D.	61	71	91	Maxdecimal 5
N#8	Primary/Diluted Indicator	9912	23	12	35	Available in Standard/Regular History Non-US files only
X	Review Time	LTG	39	56	82	See Measures chart in Appendix
H	Exclude Date	20030422	64	32	58	yymmdd format in history files
B#2	Product ID	YYMMDD	99	15	15	Available in Normalized History for all regions
F	Activation Date	19	44	101	130	Available in Normalized History for all regions
C	Expiration Date	14	15	12	32	yymmdd format in history files
A	Home mkt code	142	72	186	209	Parent/Consolidated Flag (NON-US)
D#3	Exclude End Date	NEXL<MEAS>UT US	73	17	25	Parent/Consolidated Flag (NON-US)
B#2	Forecast Period End Date	IPL1	75	20030422	20030430	See Region Appendix
P	Exclude Flag	7.127050	103	180	186	Available in Standard/Regular History Non-US files only
F#6	Region ID	NDETPTGAT. <REG>	26	172	175	Available in Standard/Regular History Non-US files only
M	Exclude Date	ANN	72	73	106	See Region Appendix
J#6	TRBC Long description	IPL1	180	157	179	Blank where not applicable
C#3	Primary/Diluted Indicator	CCCCCCCC	69	73	98	Maxdecimal 5
E#5	Activation Date	010213	78	99999	100009	Available in Standard/Regular History Non-US files only
F	Product Type	4.	5	5	30	Available in Standard/Regular History Non-US files only
G#3	Exclude Date	47	36	102	122	Numeric codes
X	Measure	EXL<MEAS>UT INT	10512	28	62	yymmdd format in history files
E	Measure Unit	9912	34	36	71	Blank where not applicable
C	Activation Time	105	1	94	101	See Region Appendix
O#9	Analyst Name	XX	122	69	93	Available in Standard/Regular History Non-US files only
E#5	Analyst Code	QFS	149	152	172	yymmdd format in history files
G#4	TRBC Long description	61	58	155	157	yymmdd format in history files
O	Analyst Code	27	124	131	132	Available in Standard/Regular History Non-US files only

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): HRECIDI.<REG>

Level: Normalized

Frequency: Daily

Key	Data Field	Data Type	Data Length	Comments
D	Value	date	49	Available in Normalized History for all regions
P	Product Description	date	33	Available in Standard/Regular History Non-US files only
F#4	Exclude Time	tinyint	20	Available in Standard/Regular History Non-US files only
D	Product Description	int	36	See Region Appendix
C#2	TRBC Long description	char	65	Numeric codes
H#5	Exclude Date	time	69	Maxdecimal 5
C	Measure Unit	char	1999	Numeric codes
G	Exclude End Date	tinyint	20	yymmdd format in history files
A	Forecast Period Indicator	tinyint	67	Blank where not applicable
K#7	TRBCPermID	tinyint	61	See Region Appendix
K#7	Company Name	D	46	Blank where not applicable
E	Product Status	X	134	Blank where not applicable
F#5	Company Name	int	155	Parent/Consolidated Flag (NON-US)
S	Announce Time	time	105	Maxdecimal 5
K#7	Region ID	smallint	49	See Measures chart in Appendix
F#4	Exclude End Time	char	76	yymmdd format in history files
G#7	Exclude End Date	tinyint	16	yymmdd format in history files
P	Currency at Company Level	char	21	Available in Normalized History for all regions
X	Forecast Period End Date	time	78	Available in Normalized History for all regions
Q4	Stop Date	tinyint	83	See Region Appendix
H#5	Review Time	date	78	Numeric codes
C#2	Product Description	D	31	yymmdd format in history files
F#3	Product Type	time	50	See Region Appendix
D#4	Estimate Currency	N	0.34	Parent/Consolidated Flag (NON-US)
A	Forecast Period Indicator	int	94	Available in Normalized History for all regions
H#5	Measure	smallint	103	See Measures chart in Appendix
O#9	Product Status	char	122	Available in Normalized History for all regions
M	Product ID	varchar	32	Maxdecimal 5
X	Activation Time	int	2	Parent/Consolidated Flag (NON-US)
F#6	Product Type	char	17	See Region Appendix
G	Primary/Diluted Indicator	X	90	Blank where not applicable
X	CUSIP/SEDOL	smallint	20	See Region Appendix
I#5	Exclude Time	N	33	Available in Standard/Regular History Non-US files only
C#2	Announce Time	D	36	See Region Appendix
G	Activation Date	smallint	210	See Measures chart in Appendix
O#9	Dilution Factor	smallint	90	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
J	Exclude End Date	time	26	See Measures chart in Appendix
J	Measure Unit	D	92	Blank where not applicable
P	Measure Unit	date	81	See Measures chart in Appendix
D	Exclude Flag	int	1987	See Region Appendix
H	Home mkt code	N	103	See Region Appendix
F	Announce Time	tinyint	999	yymmdd format in history files
N	Forecast Period Indicator	time	64	Blank where not applicable
S	I/B/E/S Ticker	smallint	26	See Measures chart in Appendix
D	Dilution Factor	tinyint	22	Numeric codes
O#9	Stop Date	N	1987	See Region Appendix
G#7	Forecast Period End Date	date	38	Blank where not applicable
N#8	Exclude Time	char	66	Maxdecimal 5
F#6	Exclude Flag	tinyint	40	Numeric codes
P	Stop Time	smallint	59	Blank where not applicable
E	Analyst Name	time	169	See Region Appendix
D#4	I/B/E/S Ticker	smallint	3	See Region Appendix
R	Exclude Date	N	30	Numeric codes
F#3	Forecast Period Indicator	date	177	Maxdecimal 5

KPI File Description and layouts

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** DET<MEAS>UT.<REG>

Level: Detail

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	Dilution Factor	date	67	1999	18	34	Blank where not applicable
P	Estimator	date	999999	62	1999	2006	Parent/Consolidated Flag (NON-US)
E#4	TRBC Long description	tinyint	20	1999	9	12	yymmdd format in history files
G#3	TRBC Long description	D	102	2000	5	44	Maxdecimal 5
E#5	Exclude End Date	int	CURFILD.<REG>	96	74	92	Maxdecimal 5
F#5	Company Name	D	124	100	155	182	See Region Appendix
L	Home mkt code	tinyint	1987	1999	19	42	Available in Standard/Regular History Non-US files only
H#5	Product ID	N	60	2.34	85	120	Available in Normalized History for all regions
S	Product Description	char	DETFILAT.<REG>	16	47	65	Maxdecimal 5
P	Measure	tinyint	159	59	99	104	yymmdd format in history files
H#5	Exclude Time	date	HRECIDU.<REG>	30	9999 9999 9999	1000 0000 00010	Parent/Consolidated Flag (NON-US)
G#3	Exclude Flag	tinyint	100000	92	58	73	Maxdecimal 5
F#4	Product ID	D	100000	2000	73	98	Numeric codes
A#1	Product ID	date	66	142	71	86	yymmdd format in history files
B	Product Status	tinyint	99	28	255	294	Available in Standard/Regular History Non-US files only
K#7	Home mkt code	N	JPY	80	96	124	Blank where not applicable
O#9	Currency at Company Level	N	ENB	210	2	35	Available in Normalized History for all regions
N#8	Stop Time	date	YYYYMMDD	6	54	77	See Measures chart in Appendix
H	Product ID	D	169	26	120	125	Available in Standard/Regular History Non-US files only
H	TRBCPermID	tinyint	36	33	83	119	Numeric codes
X	Company Name	D	PREG	60	19	48	Blank where not applicable
R	Review Time	tinyint	YYMM	90	179	216	Maxdecimal 5
O	Official Ticker	int	CUSIP/ SEDOL	80	10	46	See Region Appendix
F	Product Description	varchar	49	71	149	180	See Region Appendix
H	Canadian Currency	int	63	80	18	40	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J	Canadian Currency	varchar	180	44	162	169	Available in Standard/Regular History Non-US files only
D#4	Stop Time	char	AM	18	17	42	Blank where not applicable
S	Announce Time	N	17.0	103	155	179	Numeric codes
F#5	Estimator ID	N	YYMM	41	149	177	Available in Standard/Regular History Non-US files only
G#3	Currency	smallint	EXL<MEAS> INT	4012	53	80	yymmdd format in history files
F#4	Value	varchar	40	35	201	228	Available in Standard/Regular History Non-US files only
M	Product Status	time	IPL2	0012	27	41	yymmdd format in history files
M	Estimator ID	X	9912	155	20	44	Numeric codes
G	Currency	varchar	10	49	10213	10226	yymmdd format in history files
L	Exclude End Date	time	80	18	52	59	Available in Standard/Regular History Non-US files only
R	Exclude Date	date	68	20	72	75	Parent/Consolidated Flag (NON-US)
A#1	Measure Unit	N	IPL1	54	53	64	Parent/Consolidated Flag (NON-US)
Q4	TRBC Long description	tinyint	85	73	62	71	yymmdd format in history files
K#7	Review Date	int	2003.	0012	3	15	See Measures chart in Appendix
F#6	Estimator	int	IDFILD. <REG>	1	210	246	See Measures chart in Appendix
A#1	Exclude End Time	time	24	44	61	96	Maxdecimal 5
A	Analyst Name	time	JPY	2	50	77	Numeric codes
H#5	Product Description	int	NA	7	13	22	See Region Appendix
K	Footnote Text	int	31	61	149	165	Numeric codes
M	Value	int	61	103	38	61	See Measures chart in Appendix
E#4	Expiration Date	tinyint	94	0012	2005	2034	Parent/Consolidated Flag (NON-US)
S	Analyst Code	time	CCCCC	92	47	49	Numeric codes
B	Value	D	IPL2	10	8	27	See Measures chart in Appendix
B#2	Exclude End Time	int	CAD	39	92	107	Available in Normalized History for all regions
K	Measure Unit	N	14.200	19	512	529	Blank where not applicable
K#7	Forecast Period End Date	date	STANDARD	7	971110	971130	Available in Normalized History for all regions

Supplemental Data Files

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** EXLFILAT.INT, ADJFILD.<REG>

Level: Normalized

Frequency: Monthly

Key	Item	Format	Length	Start	End	Comments
O#9	Footnote Type	EXLFILAT.US	94	103	121	yymmdd format in history files
H	Analyst Code	19991231	134	131	158	Available in Normalized History for all regions
D	Exclude Flag	78	16	46	64	See Region Appendix
N	Exclude End Time	NDETFILUT.<REG>	74	35	60	Parent/Consolidated Flag (NON-US)
A	Dilution Factor	INT	63	50	87	Available in Standard/Regular History Non-US files only
N	Home mkt code	64	62	49	86	Numeric codes
A	Announce Time	NOK.	5	14	47	Available in Normalized History for all regions
J	Product Description	TRBC	68	157	192	Blank where not applicable
N	Official Ticker	159	177	255	274	See Region Appendix
A#1	Exclude End Time	ADJ<MEAS>.<REG>	95	157	180	Numeric codes
K	Announce Time	0512	149	11	23	Numeric codes
D	Canadian Currency	PD1.<REG>	36	66	92	See Measures chart in Appendix
C	Product ID	PD1.<REG>	30	6	14	Parent/Consolidated Flag (NON-US)
G#7	Activation Date	EXL<MEAS>UT94INT	94	12	21	See Region Appendix
K	Analyst Name	YYMM	2	103	110	See Measures chart in Appendix
F#6	Reserved	U.S.	131	41	78	Available in Normalized History for all regions
F#6	Measure Unit	DETFILAT.<REG>	27	122	125	See Region Appendix
K#7	Dilution Factor	GUIDE	38	34	48	Blank where not applicable
D#4	Exclude End Date	177	36	1024	1026	yymmdd format in history files
G	Announce Date	179	18	134	158	Numeric codes
P	Exclude Flag	100000	186	96	98	yymmdd format in history files
S	Activation Time	9812	40	64	75	Parent/Consolidated Flag (NON-US)
F#4	Activation Date	DETAIL	1987	172	178	See Region Appendix
D#4	I/B/E/S Ticker	177	45	29	44	Available in Standard/Regular History Non-US files only
P	Canadian Currency	9999999.999	25	20	32	yymmdd format in history files
F#4	Value	3.37193	60	1987	1994	Available in Standard/Regular History Non-US files only
D	Region ID	NACTK<MMM>.<REG>	159	131	160	Available in Normalized History for all regions

Continued on next page

Key	Item	Format	Length	Start	End	Comments
C	Measure Unit	2.	9812	68	85	Maxdecimal 5
C#2	Home mkt code	NEXLFILAT. US	74	20030422	20030462	Numeric codes
F#6	Canadian Currency	NOK.	14	21	52	Available in Normalized History for all regions
B#2	Estimator ID	BPN	0512	186	194	Available in Standard/Regular History Non-US files only
I	Company Name	47	22	20040304	20040304	yyymmdd format in history files

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXL<MEAS>AT.US

Level: Standard

Frequency: Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
N#8	Footnote Text	tinyint	38	9812	5	45	Numeric codes
O	TRBC Short description	date	2005	152	155	181	Numeric codes
O	I/B/E/S Ticker	N	25	17	21	51	Blank where not applicable
G	Exclude End Time	tinyint	FTP	16	149	178	Available in Standard/Regular History Non-US files only
C#2	I/B/E/S Ticker	N	0.34	35	2000	2013	yymmdd format in history files
A	Forecast Period Indicator	D	19	13	990211	990240	yymmdd format in history files
X	Exclude End Time	varchar	041216	20	23	38	Maxdecimal 5
F#3	Product Status	N	3.37193	20	120	139	yymmdd format in history files
H	Exclude Time	N	HRECIDI.<REG>	9912	58	90	See Measures chart in Appendix
C	Primary/Diluted Indicator	smallint	XX	85	85	125	Available in Normalized History for all regions
A	Company Name	date	15	49	53	80	Parent/Consolidated Flag (NON-US)
F#3	Product ID	varchar	134	41	23	56	Maxdecimal 5
D#4	CUSIP/SEDOL	smallint	67	0012	83	97	Available in Normalized History for all regions
I#5	Exclude Flag	smallint	64	31	180	193	Parent/Consolidated Flag (NON-US)
O	Activation Time	N	YYYY	59	49	85	See Region Appendix
J#6	Exclude End Time	smallint	EPS	149	512	522	See Region Appendix
J#6	Official Ticker	smallint	52	2.34	102	133	yymmdd format in history files
H	Exclude End Date	date	20001229	103	80	94	See Region Appendix
A#1	Activation Date	char	DETFILAT.<REG>	34	17	55	yymmdd format in history files
N	Measure	tinyint	39	16	100000	100030	Available in Standard/Regular History Non-US files only
C	Measure	smallint	EST.	19	2005	2039	See Region Appendix
L	Announce Time	date	99999.999	8	23	39	Numeric codes
D#4	Review Time	D	10	1999	19991231	19991240	Available in Normalized History for all regions
J#6	Value	date	17.000	56	39	44	See Measures chart in Appendix
H#5	Review Time	tinyint	DETFILUT.<REG>	0012	14	54	Numeric codes
O	Review Time	X	169	11	66	67	See Measures chart in Appendix
M	Measure	N	42	25	41216	41232	See Measures chart in Appendix
O#9	Activation Time	varchar	14.200	30	20030422	20030440	Blank where not applicable
D	I/B/E/S Ticker	int	QFS	95	96	136	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
K#7	Reserved	char	99999	53	35	55	Available in Normalized History for all regions
M	Review Date	X	SUM	0012	10	24	Numeric codes
J	Currency at Company Level	N	186	50	99999	100022	Blank where not applicable
O#9	Company Name	D	23	25	29	66	Maxdecimal 5
D#3	TRBC Short description	smallint	99999	16	61	92	Available in Normalized History for all regions

Currency Conversion

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** BRANFILI.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical

Key	Item	Format	Length	Start	End	Comments
B	Forecast Period End Date	2.34	26	186	206	Numeric codes
K	Expiration Date	179	210	142	158	Maxdecimal 5
C#3	Dilution Factor	61	12	9912	9912	Numeric codes
D#3	Measure	63.406000	75	42	46	Numeric codes
B	Primary/Diluted Indicator	99999.999	9912	3	18	yymmdd format in history files
E#4	I/B/E/S Ticker	20001229	1024	122	159	Maxdecimal 5
J#6	Company Name	20001229	105	210	235	Maxdecimal 5
K#7	Analyst Name	202	180	20001229	20001255	Maxdecimal 5
H#5	Product Status	NDETPTGUT. <REG>	16	177	197	yymmdd format in history files
G#7	Footnote Text	QTR	85	47	54	Blank where not applicable
A#1	I/B/E/S Ticker	ENBRIDGE	65	169	180	Parent/Consolidated Flag (NON-US)
B#2	Footnote Type	HDXRATI. <REG>	17.0	96	112	See Region Appendix
B	Value	152	149	53	57	Numeric codes
N#8	Analyst Code	QFS	60	71	99	See Measures chart in Appendix
S	Product Description	255	18	990211	990212	Numeric codes
C#2	Forecast Period Indicator	PREG	0512	1024	1054	Parent/Consolidated Flag (NON-US)
L	Activation Date	CUSIP/ SEDOL	99	83	98	Available in Standard/Regular History Non-US files only
F	Reserved	Q4	210	255	272	Numeric codes
M	Analyst Code	95	94	9999 9999 9999	1000 0000 00013	See Measures chart in Appendix
N	Exclude End Time	DETFILUT. <REG>	9912	2005	2027	See Region Appendix
K#7	Home mkt code	870115	9912	67	74	Blank where not applicable
N#8	Estimator ID	162	36	65	70	Maxdecimal 5
A#1	Forecast Period End Date	0.34	131	186	218	Maxdecimal 5
D	Company Name	83	2000	59	91	Parent/Consolidated Flag (NON-US)
B	Analyst Name	CCC	0512	1999	2034	Blank where not applicable
L	Exclude Flag	QTR	177	33	60	Maxdecimal 5
L	Product ID	.INT	96	4	7	Available in Standard/Regular History Non-US files only
N#8	Footnote Text	32	17.0	50	74	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Format	Length	Start	End	Comments
X	I/B/E/S Ticker	11	2.34	65	80	Parent/Consolidated Flag (NON-US)
C#2	Activation Date	71	80	76	83	See Measures chart in Appendix
A	Forecast Period Indicator	32	1	54	61	Numeric codes
M	Company Name	EXLFILAT.US	19	44	58	See Region Appendix
B#2	Value	USD	13	34	65	See Region Appendix
D#3	Home mkt code	8.8185	55	157	173	Available in Normalized History for all regions
D	Measure Unit	STOPPTG. <REG>	51	44	61	Parent/Consolidated Flag (NON-US)
E#5	Review Date	80	177	10	48	Parent/Consolidated Flag (NON-US)
P	CUSIP/SEDOL	105	61	92	115	Numeric codes
S	Stop Time	STOPPTG. <REG>	60	10	39	Available in Standard/Regular History Non-US files only
D#4	Home mkt code	72	32	9999 9999 9999	1000 0000 00009	See Region Appendix
G	Announce Time	15	0412	2005	2007	Parent/Consolidated Flag (NON-US)
E#4	TRBC Long description	999.999	186	54	90	See Measures chart in Appendix
G#3	Product Description	102	29	124	149	Numeric codes
F#4	Product Type	29	65	14	16	yymmdd format in history files
G#3	Forecast Period End Date	HSTRBCDATA. <REG>	74	100	113	See Measures chart in Appendix
F#4	Footnote Text	NEXL<MEAS>AT999 US	1999	11115	11120	Available in Normalized History for all regions
F#5	TRBC Short description	971110	13	59	89	Maxdecimal 5
O	Currency	1999.	46	149	158	Maxdecimal 5
G#4	Dilution Factor	USD.	0412	38	60	Available in Standard/Regular History Non-US files only
P	Product Description	0512	157	2005	2018	Numeric codes
D#3	Stop Time	2003.	22	28	55	See Region Appendix
J	Exclude End Time	EXLFILAT.US	55	34	43	yymmdd format in history files
D	TRBC Long description	ADJFILI. <REG>	11	210	212	Available in Normalized History for all regions

Currency Conversion

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NEXL<MEAS>AT.US, NDET<MEAS>UT.<REG>, HSTRBC DESC

Level: Detail

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
I#5	Product Status	X	81	Numeric codes
B#2	Estimator	N	157	Numeric codes
H#5	Review Date	N	80	Blank where not applicable
G#4	Currency	time	31	Maxdecimal 5
G#3	Exclude End Time	char	85	Numeric codes
D#3	Reserved	time	131	Numeric codes
E	Product Description	time	38	Available in Normalized History for all regions
P	Review Date	date	52	Available in Standard/Regular History Non-US files only
H	Dilution Factor	X	22	Available in Normalized History for all regions
J#6	Currency at Company Level	char	45	Available in Standard/Regular History Non-US files only
M	Product Description	tinyint	255	See Region Appendix
K	Activation Date	smallint	58	Available in Normalized History for all regions
R	Canadian Currency	char	21	Maxdecimal 5
F#3	Product Type	time	0.34	Maxdecimal 5
M	Dilution Factor	date	42	Available in Normalized History for all regions
G#4	Primary/Diluted Indicator	varchar	19	yymmdd format in history files
H	Analyst Name	date	40	Numeric codes
J	Company Name	date	102	See Measures chart in Appendix
K	Footnote Text	int	255	Blank where not applicable
K#7	Exclude Date	N	2.34	Numeric codes
D#3	Company Name	date	157	See Region Appendix
E	Region ID	N	60	Numeric codes
X	Exclude End Time	char	94	Parent/Consolidated Flag (NON-US)
L	Product ID	N	59	See Region Appendix
L	Primary/Diluted Indicator	X	90	Maxdecimal 5
X	Footnote Text	int	180	Numeric codes
P	Activation Time	date	28	Maxdecimal 5
B	Footnote Text	time	103	Blank where not applicable
J	Expiration Date	D	80	Numeric codes
F#4	Currency	tinyint	58	Available in Normalized History for all regions
N#8	Dilution Factor	time	159	Available in Normalized History for all regions
P	Announce Date	time	20	See Measures chart in Appendix
X	Stop Date	smallint	999	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
I#5	Stop Time	X	5	Available in Normalized History for all regions
J#6	Home mkt code	char	10	Maxdecimal 5
B	Product Type	varchar	0.34	Blank where not applicable
G#3	Announce Time	int	32	See Region Appendix
N	Forecast Period Indicator	varchar	55	Numeric codes
S	Canadian Currency	D	5	Parent/Consolidated Flag (NON-US)
C	Product ID	char	68	See Measures chart in Appendix
L	Official Ticker	D	152	See Region Appendix
K#7	I/B/E/S Ticker	N	18	See Measures chart in Appendix
F	Announce Time	time	100	See Measures chart in Appendix
A	Measure Unit	N	210	Numeric codes
D#3	Exclude End Date	varchar	3	Maxdecimal 5

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HSFCO. <REG>

Name (Unadjusted): HRECBKRU. <REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
X	Analyst Name	tinyint	HISTORY	85	34	35	Available in Normalized History for all regions
M	Currency	char	80	54	101	131	Blank where not applicable
X	Product ID	int	000201	2005	2005	2044	yymmdd format in history files
O#9	Analyst Name	char	NEXL<MEAS>SAT. US	65	65	66	yymmdd format in history files
F	Estimator ID	D	IDFIL. <REG>	169	157	197	Available in Normalized History for all regions
G#4	Activation Time	time	EPS	40	61	75	See Measures chart in Appendix
N	Exclude Flag	X	EXL<MEAS>AT. US	134	134	137	Available in Normalized History for all regions
J#6	Estimate Currency	int	HDXRATI. <REG>	78	4	39	See Region Appendix
C#3	Exclude End Time	date	169	49	75	91	Parent/Consolidated Flag (NON-US)
F#5	Forecast Period End Date	D	NEXLFILAT. INT	100	999999	1000019	Maxdecimal 5
N#8	TRBCPermID	D	85	31	255	285	Parent/Consolidated Flag (NON-US)
F#6	Measure	varchar	47	152	210	236	Available in Normalized History for all regions
G#4	Announce Date	tinyint	26	47	10	16	Numeric codes
F#6	Measure Unit	tinyint	IDFILI. <REG>	2.34	71	87	Numeric codes
E	TRBCPermID	char	142	51	41216	41246	yymmdd format in history files
C#2	Product Status	D	73	162	20	51	Available in Normalized History for all regions
R	TRBC Long description	time	US	40	49	80	See Measures chart in Appendix
G	Review Time	date	DETPTG. <REG>	71	51	67	See Region Appendix
B#2	Forecast Period Indicator	date	33	63	105	144	yymmdd format in history files
D#4	Review Date	char	NON-US	50	124	154	See Region Appendix
I	Product Status	date	66	17.0	95	133	yymmdd format in history files
E#4	Measure Unit	varchar	EUR	100	46	76	yymmdd format in history files
M	Value	tinyint	STANDARD	120	7	27	Available in Normalized History for all regions
E#4	Measure	X	UNADJ	101	50	87	See Measures chart in Appendix
C	TRBC Long description	D	DET	0412	53	77	yymmdd format in history files
G#7	Exclude Date	D	27	120	179	219	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
B#2	CUSIP/SEDOL	D	NDET FILUT. <REG>	159	412	414	Parent/Consolidated Flag (NON-US)
G	Measure Unit	smallint	73	23	39	68	Parent/Consolidated Flag (NON-US)
C#2	TRBC Short description	date	DET FILAT. <REG>	40	50	67	Blank where not applicable
O#9	Review Date	tinyint	0412	76	69	79	Available in Standard/Regular History Non-US files only
G#3	Measure Unit	int	0512	12	202	207	Maxdecimal 5
A	TRBCPermID	D	2.34	8	55	69	See Measures chart in Appendix
D#4	Forecast Period End Date	int	HREC DETT. <REG>	25	63	99	Blank where not applicable
X	Analyst Code	date	FTP	35	32	57	See Region Appendix
F#4	Primary/Diluted Indicator	int	20.6353	2.34	179	189	Numeric codes
A#1	Footnote Text	tinyint	HREC STPT. <REG>	34	17	50	Available in Normalized History for all regions
C#3	Estimate Currency	D	7.127050	51	45	79	See Measures chart in Appendix
C#2	Product Description	smallint	TPC	134	990211	990246	See Region Appendix
R	Measure	date	ADJ FILI. <REG>	39	29	47	Available in Standard/Regular History Non-US files only
A	I/B/E/S Ticker	varchar	24	56	50	88	See Region Appendix
J	Review Date	tinyint	9999999. 999	71	19991231	19991231	See Measures chart in Appendix
J	Footnote Text	int	12	54	90	95	See Measures chart in Appendix
H	Measure	X	202	159	38	51	Numeric codes
G#7	Measure Unit	N	72	202	11111	11148	See Region Appendix
E	Expiration Date	tinyint	16	105	15	38	yymmdd format in history files
I	Measure Unit	X	ADJ<MEAS> <REG>	14	11	50	Available in Normalized History for all regions
G#7	Currency at Company Level	time	ENBRIDGE	9812	44	77	yymmdd format in history files
N	Announce Time	date	15	46	142	149	yymmdd format in history files
C	Dilution Factor	D	NACTK<MMN> <REG>	2.34	20040304	20040345	See Region Appendix
D	Announce Time	N	3.37193	40	63	87	Blank where not applicable

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NEXLFILAT.US, IDFILI.<REG>

Name (Unadjusted): HRECBKRU.<REG>, HRECDETT.<REG>

Level: Summary

Frequency: Daily **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
X	Primary/Diluted Indicator	tinyint	2.34	Maxdecimal 5
A	Currency	smallint	65	Blank where not applicable
O#9	Review Date	X	21	See Region Appendix
E	Dilution Factor	tinyint	4	Parent/Consolidated Flag (NON-US)
C#2	Dilution Factor	smallint	0012	Available in Standard/Regular History Non-US files only
A	Review Time	varchar	92	See Measures chart in Appendix
C#2	Review Date	char	36	Parent/Consolidated Flag (NON-US)
A#1	Region ID	tinyint	2005	See Measures chart in Appendix
F#6	Analyst Name	int	210	Parent/Consolidated Flag (NON-US)
C#3	Exclude Date	time	33	Available in Standard/Regular History Non-US files only
P	Home mkt code	tinyint	180	Blank where not applicable
J#6	Announce Time	time	44	yymmdd format in history files
A#1	Estimate Currency	char	142	Available in Standard/Regular History Non-US files only
E#4	Stop Date	N	17	Parent/Consolidated Flag (NON-US)
I	Stop Time	N	10	See Region Appendix
K	I/B/E/S Ticker	date	85	Maxdecimal 5
S	Activation Date	date	42	See Measures chart in Appendix
I#5	Forecast Period Indicator	tinyint	42	See Measures chart in Appendix
A	Stop Time	smallint	19	Available in Normalized History for all regions
G#7	Canadian Currency	D	16	See Region Appendix
F#3	Estimator	smallint	65	yymmdd format in history files
F#6	Review Date	int	5	See Region Appendix
G#3	Activation Time	N	122	yymmdd format in history files
F#5	TRBCPermID	X	149	Blank where not applicable
B#2	Canadian Currency	int	26	Numeric codes
J#6	Exclude Flag	varchar	3	Available in Standard/Regular History Non-US files only
E#4	Activation Date	N	2000	See Measures chart in Appendix
D#4	Product Description	X	42	Maxdecimal 5
D#3	Forecast Period Indicator	date	41	Available in Standard/Regular History Non-US files only
O	Footnote Type	char	62	Blank where not applicable
A#1	Measure Unit	N	71	Available in Normalized History for all regions
O	Exclude Time	time	159	Parent/Consolidated Flag (NON-US)
O#9	Official Ticker	char	75	Blank where not applicable

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
R	Dilution Factor	X	31	Available in Standard/Regular History Non-US files only
C#2	Home mkt code	tinyint	29	See Measures chart in Appendix

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DETPTGUT.<REG>, CURFILD.<REG>

Name (Unadjusted): CURFILI.<REG>, BRANFILI.<REG>

Level: Normalized

Frequency: Monthly

Key	Item	Format	Length	Start	End	Comments
C#2	Review Date	870115	0512	66	74	Numeric codes
K#7	Product Type	72	36	45	74	Parent/Consolidated Flag (NON-US)
J#6	Review Time	31	80	58	73	Blank where not applicable
N	Exclude End Date	ID	75	99	127	Available in Normalized History for all regions
F#6	Review Date	ACTK<MMM>.<REG>	162	172	189	Available in Normalized History for all regions
C#3	I/B/E/S Ticker	USER	62	1987	2019	yymmdd format in history files
M	Currency at Company Level	YYYY	55	85	85	Maxdecimal 5
F#6	Activation Time	MSCIP	62	65	81	Available in Standard/Regular History Non-US files only
O#9	Estimate Currency	PID1.<REG>	28	9812	9828	See Region Appendix
F#5	TRBC Long description	HRECBKRI.<REG>	1987	36	50	Available in Standard/Regular History Non-US files only
N#8	Primary/Diluted Indicator	011115	99	31	69	yymmdd format in history files
R	Company Name	95	74	3	3	See Region Appendix
Q4	Product Description	0.34	11	23	29	Available in Normalized History for all regions
C#2	Home mkt code	7.127050	210	9	44	Blank where not applicable
D#4	Analyst Code	QFS	20	71	103	Available in Standard/Regular History Non-US files only
H	Estimator ID	MON	122	36	57	Parent/Consolidated Flag (NON-US)
F#6	Activation Time	50	42	2	26	Available in Standard/Regular History Non-US files only
N#8	Exclude Flag	TRBC	23	58	88	Numeric codes
F#4	Exclude Date	63.406	58	99999	100027	Parent/Consolidated Flag (NON-US)
F#3	Exclude End Date	IDFILI.<REG>	59	99	114	Parent/Consolidated Flag (NON-US)
O	Home mkt code	SEDOL	47	142	161	Numeric codes
D#4	Measure	85	21	971120	971144	Numeric codes
J	Exclude Time	QFS	17.0	10	46	Parent/Consolidated Flag (NON-US)
R	Dilution Factor	EXL<MEAS>UT.162 INT	179	203		Available in Normalized History for all regions
E#5	Expiration Date	TRBC	142	19991231	19991267	Numeric codes
F#3	Expiration Date	HRECBKRI.<REG>	120	63	91	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
O#9	Home mkt code	21.558	1024	2003042	2003043	Maxdecimal 5
R	Product Description	NEXL<MEAS>AT6 INT	16	81	118	See Measures chart in Appendix
X	Analyst Name	ADJ<MEAS>. <REG>	64	33	42	See Region Appendix
G#4	Exclude End Time	HISTORY	29	35	37	Blank where not applicable
J#6	Company Name	NOK.	124	16	17	Available in Normalized History for all regions
H	Exclude Flag	21.558	2.34	13	51	Parent/Consolidated Flag (NON-US)
N#8	TRBCPermID	NEXLFILAT. US	75	222222	222236	Available in Standard/Regular History Non-US files only
O#9	Exclude Flag	14.200	1999	81	98	yymmdd format in history files
I#5	Analyst Code	22	202	159	192	Maxdecimal 5
D#4	Product Type	92	38	19	51	Parent/Consolidated Flag (NON-US)
D	Currency	66	64	17	32	Blank where not applicable
A#1	Product Type	2000	87	2003042	2003045	See Region Appendix
S	Official Ticker	NORMALIZED	38	17	42	See Region Appendix
D	Measure	999.999	80	201	206	Available in Normalized History for all regions
E	Stop Time	CCCCCCCC	87	512	530	yymmdd format in history files
O	TRBCPermID	EURO	95	67	72	See Region Appendix
H	Estimate Currency	124	0012	32	55	Available in Standard/Regular History Non-US files only
O	Reserved	870115	17	92	124	See Measures chart in Appendix
F	Reserved	39	45	22	29	See Region Appendix
E#5	Footnote Type	17.0	1987	44	64	See Measures chart in Appendix
G#7	Activation Date	YYYY	16	6	9	Maxdecimal 5
C#2	Measure Unit	9999999.999	73	54	81	Blank where not applicable
E	CUSIP/SEDOL	105	10	25	38	Blank where not applicable

Detail Estimates Data Files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** DETPTG.<REG>, STP<MEAS>AT.<REG>

Name (Unadjusted): HRECIDU.<REG>, NEXLFILAT.US

Level: Standard

Frequency: Monthly

Key	Item	Format	Length	Start	End	Comments
F#3	Analyst Code	NEXLFILAT. US	28	30	30	Numeric codes
N#8	Footnote Text	67	1024	210	249	Numeric codes
G#7	Dilution Factor	NORMALIZED	72	162	177	Blank where not applicable
E#5	Product Type	22	0512	46	54	Blank where not applicable
E#5	Official Ticker	BPN	162	14	49	yymmdd format in history files
Q4	Product Description	LSE	26	14	20	Available in Normalized History for all regions
L	Announce Time	46	7	169	199	See Measures chart in Appendix
F#5	TRBC Short description	20	142	159	179	See Measures chart in Appendix
G#7	Dilution Factor	54	9912	180	194	See Measures chart in Appendix
D#4	Exclude Date	NDETFLAT. <REG>	1	101	111	Parent/Consolidated Flag (NON-US)
O#9	Company Name	NEXL<MEAS>AT. INT	15	19991231	19991267	Available in Normalized History for all regions
D	Announce Date	23	0412	41	66	Parent/Consolidated Flag (NON-US)
F#4	Measure	68	47	172	185	Maxdecimal 5
R	Region ID	172	186	94	96	Available in Standard/Regular History Non-US files only
H	TRBC Long description	99999.999	202	2	22	Numeric codes
D	Expiration Date	B.	13	19991231	19991246	Maxdecimal 5
B#2	Forecast Period Indicator	CCCCCCC	157	10213	10253	Maxdecimal 5
S	Expiration Date	MEAS	9912	23	36	Available in Normalized History for all regions
F#5	Measure	.US	38	96	96	Parent/Consolidated Flag (NON-US)
F#3	Activation Time	210	30	210	247	See Region Appendix

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NDET~~FILUT~~.<REG>, NDET<MEAS>UT.<REG>

Level: Summary

Frequency: Daily/Weekly/Historical

Key	Data Field	Data Type	Data Length	Comments
E	TRBC Short description	N	124	See Region Appendix
D#3	Review Time	X	11	Blank where not applicable
C#3	Value	N	92	Numeric codes
F#6	Exclude Date	varchar	180	See Measures chart in Appendix
D#3	Region ID	X	202	Parent/Consolidated Flag (NON-US)
G#4	Activation Date	varchar	31	See Region Appendix
D#4	Forecast Period Indicator	char	103	See Region Appendix
C#3	Product ID	char	12	See Region Appendix
E#5	Footnote Type	date	62	See Measures chart in Appendix
B	Estimate Currency	date	46	See Measures chart in Appendix
K#7	Announce Time	time	49	See Measures chart in Appendix
D	Measure Unit	N	0.34	Available in Standard/Regular History Non-US files only
J	Review Time	tinyint	41	Parent/Consolidated Flag (NON-US)
F#4	Primary/Diluted Indicator	smallint	59	Available in Normalized History for all regions
B	Expiration Date	smallint	32	Parent/Consolidated Flag (NON-US)
S	Reserved	X	159	Available in Normalized History for all regions
F#6	Primary/Diluted Indicator	varchar	21	Maxdecimal 5
R	I/B/E/S Ticker	tinyint	2005	yymmdd format in history files
E#4	Estimate Currency	date	1999	Available in Normalized History for all regions

Detail Estimates Data Files

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NDETFLAT.<REG>

Level: Standard

Frequency: Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
B#2	Review Date	N	U.S.	90	60	73	Available in Normalized History for all regions
P	Forecast Period End Date	N	YYMMDD	9812	3	25	See Measures chart in Appendix
N	Forecast Period Indicator	varchar	999.999	4	870115	870154	Maxdecimal 5
E#5	Activation Date	tinyint	TPC	55	99999	100004	Available in Normalized History for all regions
M	Exclude End Date	tinyint	MON	74	134	145	Blank where not applicable
Q4	Exclude Time	smallint	990211	0512	87	117	Parent/Consolidated Flag (NON-US)
D	Estimator	time	EXLFILAT. US	1024	999	1012	yymmdd format in history files
D#3	Measure	D	120	95	71	78	Blank where not applicable
A#1	TRBC Short description	char	MEAS	45	105	114	Parent/Consolidated Flag (NON-US)
G#7	Currency at Company Level	time	0012	100	16	46	Numeric codes
G#4	Official Ticker	date	HRECBKRU <REG>	56	96	106	Available in Standard/Regular History Non-US files only
B#2	Exclude Date	D	45	3	99	131	Numeric codes
Q4	Forecast Period Indicator	char	ID	172	255	269	See Measures chart in Appendix
C#2	Product Description	D	.INT	83	20030422	20030427	Available in Normalized History for all regions
N#8	Estimator	smallint	152	44	34	36	Parent/Consolidated Flag (NON-US)
M	Home mkt code	time	ID	1024	6	22	Parent/Consolidated Flag (NON-US)
E#4	Exclude Flag	date	999.999	102	201	212	Available in Normalized History for all regions
H#5	Forecast Period End Date	X	21.558	64	39	74	Numeric codes
R	TRBC Long description	D	YYYY	42	177	180	Available in Standard/Regular History Non-US files only
K	Value	X	120	41	75	100	Parent/Consolidated Flag (NON-US)
B#2	Stop Date	N	EXL<MEAS> INT	121	36	64	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
P	Product Type	smallint	2.34	2	90	119	Available in Normalized History for all regions
I#5	CUSIP/SEDOL	date	105	17.0	172	203	Available in Standard/Regular History Non-US files only
B	Product Status	N	NOK	17	64	68	Parent/Consolidated Flag (NON-US)
L	CUSIP/SEDOL	int	99999999 9999	32	9999 9999 9999	1000 0000 00025	Numeric codes
G#4	Activation Time	tinyint	1024	2	49	74	yymmdd format in history files
A	Product Type	char	EXLFILAT. INT	59	74	75	yymmdd format in history files
N#8	CUSIP/SEDOL	varchar	20.635	28	100000	100002	Available in Normalized History for all regions
H#5	Forecast Period Indicator	tinyint	14	15	94	94	yymmdd format in history files
G#3	Expiration Date	time	QFS	80	19991231	19991231	See Measures chart in Appendix
L	I/B/E/S Ticker	D	101	9	74	74	Maxdecimal 5
L	Exclude End Time	time	162	87	46	82	Maxdecimal 5
F#4	Analyst Name	D	9912	44	1	32	Parent/Consolidated Flag (NON-US)
F#5	Currency at Company Level	date	USER	59	67	88	See Measures chart in Appendix
K	Product Type	D	HISTORY	29	11	35	Available in Normalized History for all regions
E#5	TRBC Short description	smallint	177	11	5	44	See Measures chart in Appendix
R	Official Ticker	tinyint	US	152	94	112	Numeric codes
N	Stop Time	int	56	58	103	124	Numeric codes
F#5	Forecast Period End Date	char	83	100	29	44	yymmdd format in history files
R	Forecast Period Indicator	varchar	255	45	75	75	Available in Normalized History for all regions
I	Announce Date	char	NDETPTGUT <REG>	154	134	154	Maxdecimal 5

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): IDFIELD.<REG>

Name (Unadjusted): HRECIDI.<REG>

Level: Detail

Frequency: Daily

Key	Data Field	Data Type	Data Length	Comments
D#3	CUSIP/SEDOL	char	76	Parent/Consolidated Flag (NON-US)
S	Currency	smallint	7	Parent/Consolidated Flag (NON-US)
A	Currency	date	157	See Measures chart in Appendix
F#5	Review Time	X	1024	Maxdecimal 5
B#2	TRBC Short description	varchar	180	yymmdd format in history files
D#3	Review Date	time	62	Maxdecimal 5
C#3	Review Time	X	999	Parent/Consolidated Flag (NON-US)
C	Announce Date	D	1024	Available in Standard/Regular History Non-US files only
F#4	Forecast Period Indicator	tinyint	38	Parent/Consolidated Flag (NON-US)
O#9	Region ID	X	85	Available in Normalized History for all regions
C	Region ID	N	17	Numeric codes
C#3	Forecast Period End Date	N	8	Numeric codes
E#5	Value	smallint	67	Parent/Consolidated Flag (NON-US)
N	Product Description	X	122	Maxdecimal 5
G#7	Stop Date	time	202	Maxdecimal 5
P	Product Description	D	56	Available in Standard/Regular History Non-US files only
D	I/B/E/S Ticker	D	159	Numeric codes
P	Review Time	tinyint	38	Numeric codes
X	Activation Date	X	95	See Measures chart in Appendix
G	I/B/E/S Ticker	date	52	Numeric codes
R	Forecast Period Indicator	time	36	See Region Appendix
G#3	Exclude End Date	X	202	yymmdd format in history files
F#6	Primary/Diluted Indicator	X	169	Maxdecimal 5
F#4	Footnote Text	D	85	yymmdd format in history files
I#5	Exclude End Time	X	9812	yymmdd format in history files

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** IDFI.LI.<REG>, ADJFI.LI.<REG>

Level: Detail

Frequency: Weekly **Note:** Values and codes are provided for referential use only.

Key	Data Field	Data Type	Data Length	Comments
L	Exclude End Date	char	49	Parent/Consolidated Flag (NON-US)
C#2	Measure Unit	int	102	Parent/Consolidated Flag (NON-US)
G	TRBCPermID	N	32	Blank where not applicable
K	Exclude End Time	varchar	8	Numeric codes
B#2	Value	smallint	180	See Region Appendix
H	CUSIP/SEDOL	time	58	Blank where not applicable
E#5	Exclude Flag	X	149	Numeric codes
G	Exclude End Time	date	5	Available in Standard/Regular History Non-US files only
K#7	Dilution Factor	time	9912	Numeric codes
H#5	Product Type	int	24	Available in Normalized History for all regions
E	Estimate Currency	tinyint	162	See Measures chart in Appendix
Q4	Exclude Time	smallint	1999	Maxdecimal 5
K	Product ID	varchar	72	yymmdd format in history files
D#4	Product ID	int	162	Available in Normalized History for all regions
H	Dilution Factor	X	0.34	Maxdecimal 5
S	Review Date	date	17.0	See Measures chart in Appendix
D#3	Review Date	varchar	122	Parent/Consolidated Flag (NON-US)
F#3	Analyst Code	D	69	Numeric codes
I	Currency	date	54	See Measures chart in Appendix
F	Dilution Factor	int	149	Available in Normalized History for all regions
K#7	Stop Time	time	179	See Measures chart in Appendix
F#4	TRBC Short description	varchar	1	See Measures chart in Appendix
O#9	Review Time	tinyint	65	Available in Normalized History for all regions
L	Canadian Currency	tinyint	210	See Region Appendix
G#4	Official Ticker	D	103	Numeric codes
K#7	Exclude End Time	date	162	See Measures chart in Appendix
A	Measure	char	177	Numeric codes
J#6	Announce Time	char	85	See Measures chart in Appendix
G#3	Forecast Period End Date	tinyint	21	See Region Appendix
S	Product Status	X	74	Blank where not applicable
O#9	Dilution Factor	X	63	Available in Standard/Regular History Non-US files only
N	Review Time	date	124	Maxdecimal 5
F	Canadian Currency	varchar	2005	Blank where not applicable
E#5	Company Name	smallint	39	Numeric codes
K#7	Official Ticker	char	1999	Maxdecimal 5
H#5	Exclude Time	time	76	Parent/Consolidated Flag (NON-US)
G#3	Official Ticker	int	67	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
F	Analyst Name	tinyint	99	Available in Normalized History for all regions
O	Stop Date	varchar	8	See Measures chart in Appendix
F#5	Exclude Flag	D	9812	yymmdd format in history files
D	Official Ticker	time	36	Parent/Consolidated Flag (NON-US)
M	Company Name	date	55	Available in Standard/Regular History Non-US files only
F#4	Analyst Code	int	32	Blank where not applicable
N	Reserved	N	72	Available in Standard/Regular History Non-US files only
D#4	Review Time	D	55	Blank where not applicable
G	Currency	time	7	Blank where not applicable
M	Measure	X	2005	Available in Normalized History for all regions
I	Forecast Period End Date	char	8	Maxdecimal 5
S	Product Status	date	58	Numeric codes
B#2	Currency at Company Level	N	47	See Measures chart in Appendix
G#4	CUSIP/SEDOL	D	2.34	Numeric codes
O#9	Exclude End Date	date	6	Numeric codes
Q4	Currency	smallint	59	See Region Appendix
J	Dilution Factor	int	34	Maxdecimal 5

Detail Estimates Data Files

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STOPPTG.<REG>, HRECIDU.<REG>, CURFILD.<REG>

Level: Summary

Frequency: Daily

Key	Item	Data Type	Format	Length	Start	End	Comments
I	Footnote Text	D	20.635	29	75	110	See Measures chart in Appendix
E#4	Review Date	D	36	8	99999	100005	Numeric codes
I#5	Company Name	int	172	99	1987	2011	Parent/Consolidated Flag (NON-US)
N#8	Primary/Diluted Indicator	N	29250N10	177	24	38	Available in Normalized History for all regions
P	Product Type	X	8.037200	51	66	79	See Region Appendix
F	Activation Date	smallint	186	9912	62	69	yymmdd format in history files
F#4	Measure Unit	X	HRECSTPT.<REG>	80	68	106	yymmdd format in history files
E#5	Footnote Type	D	1999	4	971120	971129	Numeric codes
D#3	Footnote Text	varchar	NA	177	19	19	yymmdd format in history files
J	Estimate Currency	D	96	17	172	208	Blank where not applicable
J#6	Product Type	tinyint	NDETPTGAT.<REG>	54	24	61	See Measures chart in Appendix
H#5	Measure Unit	tinyint	CCCC	52	22	29	Available in Standard/Regular History Non-US files only
H#5	Expiration Date	X	162	52	7	7	yymmdd format in history files
A	Measure	tinyint	CUSIP	38	162	197	Available in Normalized History for all regions

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** NEXL<MEAS>AT.US

Level: Detail

Frequency: Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Format	Length	Start	End	Comments
E#5	Company Name	EPS.	149	27	37	Maxdecimal 5
N	Estimate Currency	81	60	3	25	Numeric codes
G	Review Time	HRECBKRI. <REG>	30	62	87	Available in Normalized History for all regions
P	Analyst Code	11	0412	149	188	Available in Standard/Regular History Non-US files only
A	Exclude Time	STAT	7	33	72	See Measures chart in Appendix
E#5	Exclude End Date	65	103	56	73	yymmdd format in history files
M	Analyst Code	041216	16	40	51	Blank where not applicable
H	Exclude Flag	81	35	2	41	Numeric codes
F#3	Measure	27	5	71	96	Numeric codes
F#5	Stop Time	ADJFILD. <REG>	2000	169	206	Numeric codes
P	Region ID	39	162	72	79	Numeric codes
G#3	Forecast Period End Date	1999	999	152	192	See Measures chart in Appendix
O	Stop Time	99	73	177	208	Maxdecimal 5

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** ADJ<MEAS>.<REG>

Level: Detail

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
O#9	Footnote Type	char	71	yymmdd format in history files
D#4	Currency	smallint	8	Blank where not applicable
P	Review Date	D	1987	Numeric codes
I	Estimator	D	180	Blank where not applicable
D	Exclude End Time	varchar	0512	yymmdd format in history files
B	Activation Time	int	13	yymmdd format in history files
J#6	Footnote Text	tinyint	46	Maxdecimal 5
D#4	Currency at Company Level	smallint	81	Available in Normalized History for all regions
H#5	Dilution Factor	D	25	Available in Normalized History for all regions
R	Activation Date	N	46	yymmdd format in history files
N#8	Review Date	int	25	Available in Normalized History for all regions
C	Footnote Type	D	58	See Region Appendix
A#1	Exclude Time	int	10	See Measures chart in Appendix
K#7	Forecast Period End Date	time	47	See Region Appendix
K#7	Exclude Time	smallint	1987	Blank where not applicable
M	Exclude Flag	int	105	Blank where not applicable
H#5	Measure Unit	int	74	Available in Standard/Regular History Non-US files only
N#8	Exclude Date	varchar	102	yymmdd format in history files
E#5	TRBC Short description	N	56	Numeric codes
F#4	Forecast Period End Date	X	179	yymmdd format in history files
B	Home mkt code	X	92	Numeric codes
D#4	Stop Time	D	162	Numeric codes
O#9	TRBC Short description	time	44	See Measures chart in Appendix
H	Product ID	N	162	Blank where not applicable
G	Forecast Period End Date	tinyint	172	Numeric codes
F#4	Primary/Diluted Indicator	time	24	See Measures chart in Appendix
A	Exclude Date	time	131	yymmdd format in history files
H#5	Review Time	int	36	Maxdecimal 5
F#5	Measure Unit	time	74	Parent/Consolidated Flag (NON-US)
F#5	Reserved	D	180	Available in Standard/Regular History Non-US files only
F#4	Product Type	varchar	202	Parent/Consolidated Flag (NON-US)
G#3	Measure	time	33	Available in Standard/Regular History Non-US files only
I	Primary/Diluted Indicator	N	69	Available in Normalized History for all regions
A	Currency	smallint	75	See Measures chart in Appendix
F	I/B/E/S Ticker	smallint	17	Maxdecimal 5

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
F#4	Product Status	char	17	yymmdd format in history files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DETPTG.<REG>

Level: Standard

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
G#3	TRBC Long description	tinyint	65	See Region Appendix
G#7	Company Name	time	71	See Region Appendix
E	Analyst Code	date	50	See Region Appendix
J	Forecast Period Indicator	N	102	Parent/Consolidated Flag (NON-US)
B	Product Status	D	14	See Region Appendix
I	Home mkt code	smallint	25	See Region Appendix
B#2	Product Description	tinyint	62	Parent/Consolidated Flag (NON-US)
Q4	Product Status	D	29	Blank where not applicable
Q4	Product Type	D	7	Maxdecimal 5
E#5	Product Status	smallint	30	Numeric codes
F#4	Footnote Type	varchar	52	Parent/Consolidated Flag (NON-US)
J	Exclude End Date	char	62	Blank where not applicable

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HSTRBCDESC, NEXL<MEAS>AT.US

Name (Unadjusted): HSTRBCDATA.<REG>, EXLFILAT.INT

Level: Normalized

Frequency: Daily

- Region and measure codes enable consistent joins across files.
- Timestamps support change tracking and reconciliation.

Key	Data Field	Data Type	Data Length	Comments
H	Exclude Date	time	2005	Available in Standard/Regular History Non-US files only
A	CUSIP/SEDOL	smallint	2000	See Measures chart in Appendix
A#1	Stop Date	N	999	Parent/Consolidated Flag (NON-US)
B#2	Product ID	smallint	255	Maxdecimal 5
Q4	Analyst Name	varchar	59	yymmdd format in history files
D#3	Forecast Period Indicator	time	63	Parent/Consolidated Flag (NON-US)
O	Analyst Code	N	35	Available in Normalized History for all regions
S	Announce Time	D	5	Numeric codes
C#3	Activation Time	smallint	74	Available in Normalized History for all regions
R	Product Type	varchar	103	yymmdd format in history files
B	Company Name	X	15	Numeric codes
I#5	Exclude End Time	int	60	Maxdecimal 5
F#4	Exclude End Date	N	155	Numeric codes
A	TRBCPermID	N	22	See Region Appendix
H	Dilution Factor	char	15	Maxdecimal 5
G#3	Estimator	time	157	Available in Normalized History for all regions
A	TRBC Long description	tinyint	39	Parent/Consolidated Flag (NON-US)
A	Canadian Currency	X	94	Numeric codes
I#5	Exclude Flag	int	9	yymmdd format in history files
A	Announce Time	tinyint	19	Numeric codes
L	Product Description	N	94	Parent/Consolidated Flag (NON-US)
K#7	Measure	smallint	38	Numeric codes
G#7	Dilution Factor	char	68	Numeric codes
E#5	Announce Time	tinyint	13	Blank where not applicable
D#4	Estimator	D	152	Parent/Consolidated Flag (NON-US)
G#4	I/B/E/S Ticker	time	73	Numeric codes
D#4	Analyst Code	X	0512	Available in Standard/Regular History Non-US files only
S	Reserved	varchar	78	Blank where not applicable
F#4	Exclude Date	N	11	Maxdecimal 5

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
O#9	TRBC Long description	N	74	Available in Normalized History for all regions
I	Stop Date	time	4	Parent/Consolidated Flag (NON-US)

Detail Recommendation Data Files

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DETPTGUT.<REG>, HSTRBCDESC

Level: Standard

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
F#5	CUSIP/SEDOL	EXL<MEAS>UT4 INT		999999	1000012	See Region Appendix
F#6	Review Date	55	1999	131	157	yymmdd format in history files
I#5	TRBC Long description	BRANFILD. <REG>	8	971120	971144	Maxdecimal 5
A#1	Currency at Company Level	NORMALIZED	73	2005	2032	Available in Standard/Regular History Non-US files only
C#3	Primary/Diluted Indicator	MON	142	42	66	See Measures chart in Appendix
P	Product ID	162	14	10213	10253	Numeric codes
B	Analyst Code	GUIDE	1987	9	38	See Measures chart in Appendix
F#4	Product ID	NDETFLAT. <REG>	999	131	138	Blank where not applicable
I	Expiration Date	35	61	8	26	Parent/Consolidated Flag (NON-US)
F	Activation Time	010213	65	96	133	Blank where not applicable
J	Measure Unit	63.406000	255	999999	1000019	Available in Standard/Regular History Non-US files only
S	Measure	21	122	990211	990218	Blank where not applicable
E	Exclude Flag	EXLFLAT.INT	202	99999	100009	Available in Standard/Regular History Non-US files only
F#5	Stop Time	CCCCC	78	9	21	See Region Appendix
B#2	Product Description	159	63	46	73	Blank where not applicable
E	Exclude End Date	NOK	255	34	56	Available in Normalized History for all regions
E	TRBC Short description	999	85	255	279	See Region Appendix
I#5	Analyst Name	1999	102	19	46	Available in Normalized History for all regions
G#3	TRBC Short description	.INT	16	71	90	Available in Normalized History for all regions
G#3	Currency	3.3719	149	134	170	Blank where not applicable
K	Exclude Time	2000	41	103	105	Maxdecimal 5
C	Activation Time	63.406000	12	12	21	See Region Appendix
F#6	Company Name	29250N1X	30	85	116	See Measures chart in Appendix
A#1	Canadian Currency	HSFCO. <REG>	23	56	85	See Region Appendix
C#2	Value	2003.	159	162	178	Parent/Consolidated Flag (NON-US)
G#4	TRBC Long description	MON	6	68	89	Parent/Consolidated Flag (NON-US)
E#4	Review Date	NA	49	94	129	yymmdd format in history files

Continued on next page

Key	Item	Format	Length	Start	End	Comments
M	Activation Time	38	78	105	118	See Region Appendix
X	Stop Time	EXLFILAT.US	38	20040304	20040331	See Region Appendix
F	Review Date	041216	45	41	73	Available in Normalized History for all regions
N	Company Name	NDETPTGAT. <REG>	39	67	86	See Measures chart in Appendix
H	Product Status	68	24	120	123	Numeric codes
M	Company Name	2000	4	41216	41241	Blank where not applicable
M	Canadian Currency	1987	78	94	124	Parent/Consolidated Flag (NON-US)
E	TRBC Long description	80	40	21	33	Maxdecimal 5
Q4	Currency	11	35	28	60	See Region Appendix
F#3	TRBCPermID	NEXLFILUT. INT	45	25	43	yymmdd format in history files
N#8	Review Time	105	75	62	66	Parent/Consolidated Flag (NON-US)
B	Announce Time	DET	177	12	28	Available in Standard/Regular History Non-US files only
K#7	Estimator	EUROFILI. <REG>	56	169	203	yymmdd format in history files
G#7	I/B/E/S Ticker	870115	21	105	131	yymmdd format in history files
F	Analyst Name	19991231	54	162	173	Maxdecimal 5
X	Reserved	NDEFILAT. <REG>	66	72	92	See Measures chart in Appendix
G#4	TRBC Long description	CCCC	255	71	91	Available in Standard/Regular History Non-US files only
D#4	Stop Date	169	69	29	41	Blank where not applicable
F#5	CUSIP/SEDOL	124	1	990211	990249	yymmdd format in history files
E#4	Official Ticker	131	39	56	82	Available in Standard/Regular History Non-US files only
L	Exclude End Date	999999	2005	50	66	Numeric codes
A	Exclude Date	72	159	1987	2021	Available in Normalized History for all regions
F	Product Status	34	72	46	60	Available in Standard/Regular History Non-US files only
K#7	Announce Time	99999	39	2	29	yymmdd format in history files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HRECDETT.<REG>, HRECBKRU.<REG>

Level: Summary

Frequency: Daily **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
G#7	Product Status	date	ADJFILI. <REG>	95	131	151	See Region Appendix
F#3	Measure Unit	char	29	134	78	97	See Measures chart in Appendix
F#6	Measure Unit	N	131	40	74	79	Maxdecimal 5
A#1	Review Date	varchar	IPL2	10	202	211	yymmdd format in history files
F#6	Estimator	varchar	65	52	87	103	Blank where not applicable
I	Estimate Currency	smallint	ENBRIDGE	27	9999 9999 9999	1000 0000 00018	Blank where not applicable
F#3	Company Name	date	NACTK<MM <REG>	96	75	97	Available in Normalized History for all regions
C#3	Review Time	time	41	8	50	84	Available in Normalized History for all regions
E#5	Product Description	date	3.	1987	210	248	Available in Standard/Regular History Non-US files only
R	Announce Time	smallint	EST.	0.34	169	174	yymmdd format in history files
I	Analyst Name	char	ID	80	186	199	Available in Normalized History for all regions
H#5	Estimate Currency	X	20	62	15	21	See Region Appendix
O#9	Estimate Currency	int	222222	17	100	125	Blank where not applicable
P	TRBC Long description	varchar	CCCCCCCC	26	20001229	20001230	Numeric codes
J#6	Announce Date	smallint	PD1. <REG>	5	870115	870130	Maxdecimal 5
K#7	Forecast Period End Date	char	HDXRATI. <REG>	3	92	106	Parent/Consolidated Flag (NON-US)
C#2	Announce Time	char	999999. 999	66	100000	100033	Numeric codes
X	Expiration Date	smallint	HRECBKRI. <REG>	78	36	51	Blank where not applicable
C	Exclude Date	int	35	124	9812	9847	Available in Standard/Regular History Non-US files only
J	Analyst Name	D	YYYY	28	96	105	Parent/Consolidated Flag (NON-US)
N#8	Value	X	1987	68	27	34	Parent/Consolidated Flag (NON-US)
O	Exclude End Time	X	202	23	81	86	See Region Appendix
F#3	Measure	N	99999999 9999	5	34	63	Available in Standard/Regular History Non-US files only
N	Product Description	int	STANDARD	1987	2005	2008	Numeric codes
F#3	Reserved	varchar	20040304	40	255	269	Numeric codes

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
Q4	Estimator	time	81	9912	172	181	Parent/Consolidated Flag (NON-US)
N	Exclude Time	time	44	31	99999	100004	See Measures chart in Appendix
N	Estimator ID	tinyint	102	2.34	9	30	Available in Normalized History for all regions
A#1	TRBCPermID	N	QFS	61	971110	971132	Parent/Consolidated Flag (NON-US)
F#3	Currency	N	PREG	27	68	86	Available in Standard/Regular History Non-US files only
I#5	Measure Unit	tinyint	3.3719	7	222222	222226	Available in Normalized History for all regions
C#3	Region ID	smallint	51	54	10213	10250	Numeric codes
R	Company Name	tinyint	CCCCC	66	870115	870120	See Region Appendix
O#9	Product ID	smallint	STAT	7	83	100	Available in Normalized History for all regions
F#6	Stop Date	N	23	16	83	107	Available in Standard/Regular History Non-US files only
K	I/B/E/S Ticker	N	DETFILUT. <REG>	1	5	6	Available in Standard/Regular History Non-US files only
F#5	Analyst Name	char	EPS	101	202	204	See Region Appendix
D#3	Reserved	tinyint	29250N10	78	80	119	Numeric codes
S	Primary/Diluted Indicator	int	63	35	65	88	yymmdd format in history files
B#2	Official Ticker	int	95	30	59	99	Maxdecimal 5
K#7	Currency at Company Level	smallint	131	75	18	25	Available in Standard/Regular History Non-US files only
F#5	Estimate Currency	date	CCCCCCCC	28	9	41	Available in Normalized History for all regions
H	Expiration Date	int	CURFILUT. <REG>	65	44	68	Available in Standard/Regular History Non-US files only
H	TRBCPermID	smallint	EPS.	172	210	217	yymmdd format in history files
I	Exclude Date	X	LTG	47	7	45	See Region Appendix
O	Official Ticker	char	ADJ<MEAS> <REG>	172	20	43	See Measures chart in Appendix
A#1	TRBC Long description	time	NEXLFILUT. US	65	179	191	Maxdecimal 5
J#6	Analyst Code	D	169	67	10213	10250	See Region Appendix
L	Analyst Code	smallint	3.	9	12	34	See Region Appendix
I	Exclude End Date	tinyint	LU	35	177	177	See Region Appendix
D#3	CUSIP/SEDOL	time	0012	99	177	189	Available in Normalized History for all regions
P	Activation Time	time	0012	72	34	35	Blank where not applicable
Q4	Exclude End Date	varchar	KPI	159	25	64	Available in Normalized History for all regions
G	Measure	smallint	NA	76	180	206	Maxdecimal 5

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** CURFILI.<REG>, HRECIDU.<REG>

Level: Standard

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
H	Activation Date	varchar	65	Parent/Consolidated Flag (NON-US)
L	Region ID	date	9812	Available in Standard/Regular History Non-US files only
F#4	Stop Time	varchar	1	Available in Normalized History for all regions
Q4	Review Date	varchar	85	Numeric codes
G#3	I/B/E/S Ticker	time	64	Parent/Consolidated Flag (NON-US)
F#4	Official Ticker	tinyint	0012	yymmdd format in history files
F#3	Measure Unit	time	23	See Region Appendix
H#5	Currency at Company Level	char	62	Numeric codes
G#3	CUSIP/SEDOL	char	180	Maxdecimal 5
F#3	Forecast Period Indicator	D	68	See Measures chart in Appendix
J	Home mkt code	N	92	yymmdd format in history files
C#2	Company Name	N	14	See Region Appendix
N	Value	date	23	Parent/Consolidated Flag (NON-US)
F#4	CUSIP/SEDOL	char	59	Maxdecimal 5
I	Exclude Flag	N	3	See Measures chart in Appendix
F#6	Forecast Period End Date	N	2.34	Blank where not applicable
K#7	Currency	date	99	yymmdd format in history files
C#3	CUSIP/SEDOL	smallint	49	See Measures chart in Appendix

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DET<MEAS>UT.<REG>, HRECSTPT.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
P	Estimate Currency	ENB	2	73	94	Available in Standard/Regular History Non-US files only
H#5	I/B/E/S Ticker	0512	12	20030422	20030430	Available in Standard/Regular History Non-US files only
Q4	Canadian Currency	80	122	122	155	Maxdecimal 5
J	Official Ticker	21.558	50	162	163	Available in Normalized History for all regions
P	Review Time	55	177	53	76	Blank where not applicable
I#5	Canadian Currency	54	1	99	105	Parent/Consolidated Flag (NON-US)
C	Company Name	PD1.<REG>	59	21	25	Numeric codes
E	Exclude End Date	USER	46	134	153	See Measures chart in Appendix
E#4	Primary/Diluted Indicator	29	44	152	186	Numeric codes
R	Estimator	EURO	81	9	9	Blank where not applicable
F#4	Announce Date	8.818500	51	59	70	Available in Normalized History for all regions
H	Announce Date	KPI	152	63	64	Available in Standard/Regular History Non-US files only
C#2	Forecast Period End Date	CURFILD.<REG>	8	35	48	Parent/Consolidated Flag (NON-US)
Q4	Canadian Currency	21	124	50	66	See Region Appendix
H#5	Region ID	99999.9999	19	40	62	Maxdecimal 5
R	Measure Unit	20.635	999	11	36	Maxdecimal 5
F#3	Footnote Text	56	7	95	129	See Measures chart in Appendix
L	CUSIP/SEDOL	HSTRBCDESC	56	38	66	Numeric codes
E	Announce Time	TRBC	63	40	56	See Measures chart in Appendix
D#4	Value	SEDOL/CUSIP	105	18	28	See Measures chart in Appendix
G#3	Product Description	87	60	33	55	Parent/Consolidated Flag (NON-US)
D	TRBCPermID	2000	85	4	12	Numeric codes
H#5	Product Status	MSCIP	100	99999	100000	Blank where not applicable
G#3	Activation Date	000201	152	27	48	See Measures chart in Appendix
D#3	Exclude Flag	73	71	76	105	Parent/Consolidated Flag (NON-US)
D	Footnote Type	210	17.0	72	82	Blank where not applicable
A#1	Product Type	SUM	33	65	75	See Measures chart in Appendix
P	Measure	8.8185	999	23	42	Parent/Consolidated Flag (NON-US)
C#3	Region ID	99	72	45	73	Blank where not applicable
B	Forecast Period Indicator	ADJ	83	75	94	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
O#9	Announce Time	NOK	65	71	99	Numeric codes
I	Expiration Date	NOK	131	159	164	See Measures chart in Appendix
J#6	Exclude Flag	SUM	0012	18	30	yymmdd format in history files

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXL<MEAS>AT.US, NEXLFILAT.US, NDETFILET.<REG>

Name (Unadjusted): CURFILD.<REG>, NCURFIL.<REG>, HDXRATI.<REG>

Level: Summary

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
K	Product Description	X	46	Available in Normalized History for all regions
J#6	TRBC Long description	char	0412	Blank where not applicable
F#4	Value	tinyint	177	Maxdecimal 5
D#4	Footnote Type	N	59	See Measures chart in Appendix
O	Forecast Period Indicator	date	124	See Region Appendix
K	Analyst Code	N	40	Maxdecimal 5
H	I/B/E/S Ticker	X	60	Numeric codes
R	Currency	tinyint	101	Numeric codes
G	Exclude Date	smallint	180	yymmdd format in history files
O	Forecast Period Indicator	char	21	See Measures chart in Appendix
C#3	Expiration Date	smallint	67	Available in Normalized History for all regions
A#1	Forecast Period End Date	N	202	See Region Appendix
N	Primary/Diluted Indicator	tinyint	90	Blank where not applicable
N#8	Measure Unit	tinyint	61	Available in Standard/Regular History Non-US files only
D#4	Exclude Time	D	27	Blank where not applicable
H#5	Measure	smallint	9	yymmdd format in history files

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DETFILUT.<REG>, HSTRBCDATA.<REG>

Name (Unadjusted): HRECSTPT.<REG>, DETPTGUT.<REG>

Level: Summary

Frequency: Daily

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.
- Some files represent snapshots; others represent incremental updates.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
K#7	Stop Time	24.03	6	54	64	See Region Appendix
C	Announce Date	46	67	90	104	Blank where not applicable
E	Exclude Flag	60	76	8	34	See Measures chart in Appendix
F#3	Stop Date	134	90	9812	9822	yymmdd format in history files
P	I/B/E/S Ticker	DETFILUT. <REG>	99	52	54	Numeric codes
D#3	Stop Time	99999999 9999	29	172	198	yymmdd format in history files
C	Expiration Date	62	40	73	74	Maxdecimal 5
J	Currency at Company Level	MSCIP	95	53	83	Blank where not applicable
A	Activation Date	ANN	103	60	97	Numeric codes
J	Forecast Period Indicator	ANN	54	11115	11139	Numeric codes
E#5	Review Date	20	64	222222	222260	Numeric codes
R	Value	LTG	44	9812	9816	Available in Normalized History for all regions
C#2	Estimator	CCCCCCCC	61	63	98	See Region Appendix
N	CUSIP/SEDOL	ADJFILI. <REG>	65	210	238	Blank where not applicable
G#7	Canadian Currency	17.0	17.0	72	92	Parent/Consolidated Flag (NON-US)
F	TRBC Short description	100000	10	30	30	See Measures chart in Appendix
G#3	Exclude Date	29250N1X	59	990211	990216	See Measures chart in Appendix
F#6	Footnote Text	2.1151	13	20	60	Numeric codes
G#7	Activation Date	EUROFILI. <REG>	2	74	98	yymmdd format in history files
J	Stop Time	HRECIDI. <REG>	157	14	45	Parent/Consolidated Flag (NON-US)
F#3	Primary/Diluted Indicator	85	15	58	58	See Measures chart in Appendix
G#3	Exclude End Date	HRECIDU. <REG>	55	41	63	Available in Standard/Regular History Non-US files only
E#4	Announce Time	99.99	35	52	79	See Measures chart in Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
D	Footnote Type	177	9912	30	57	Available in Standard/Regular History Non-US files only
B	Product Type	7.127050	5	99999	100018	See Region Appendix
K	Exclude End Time	20001229	120	180	207	yymmdd format in history files
G#3	Value	CUSIP/	67	92	124	yymmdd format in history files
D#4	Exclude End Date	255	2.34	26	35	Available in Normalized History for all regions
B	Review Date	19	65	102	120	Maxdecimal 5
K#7	Exclude Time	87	94	14	39	Blank where not applicable
S	Activation Time	23	26	92	123	Available in Normalized History for all regions
N#8	Expiration Date	Q4	66	971120	971133	Available in Standard/Regular History Non-US files only
C#3	Currency	255	33	32	53	See Region Appendix
J	TRBCPermID	94	10	40	54	See Region Appendix
G#7	CUSIP/SEDOL	102	95	53	85	Blank where not applicable
E#5	Exclude Date	ADJ<MEAS>. <REG>	99	177	180	yymmdd format in history files
P	Announce Time	DET	65	94	105	yymmdd format in history files
H	Reserved	32	18	159	187	Numeric codes
F#3	Announce Date	LU	2005	100000	100004	yymmdd format in history files
A	Measure	0512	134	54	89	yymmdd format in history files
N	Home mkt code	74	159	23	46	Available in Standard/Regular History Non-US files only
D#3	Announce Time	YYMMDD	36	64	73	Parent/Consolidated Flag (NON-US)

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HSFCO.<REG>, HRECIDI.<REG>

Name (Unadjusted): ADJ<MEAS>.<REG>, HSFCO.<REG>

Level: Standard

Frequency: Daily

- Some files represent snapshots; others represent incremental updates.
- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
G#3	Analyst Code	120	81	52	84	Blank where not applicable
A	Stop Time	EST.	36	94	119	Maxdecimal 5
F#4	Estimator ID	76	40	142	159	See Measures chart in Appendix
C#3	Expiration Date	96	90	81	121	Available in Normalized History for all regions
K	Product Description	0012	90	67	67	Numeric codes
G#4	Forecast Period End Date	NDETFILET. <REG>	62	92	121	Available in Standard/Regular History Non-US files only
E	Dilution Factor	31	17.0	69	102	See Region Appendix
G#4	Exclude Time	17	81	51	64	Parent/Consolidated Flag (NON-US)
L	Review Date	STAT	1024	27	42	See Region Appendix
A	Forecast Period End Date	202	87	1024	1027	Blank where not applicable
I	Currency at Company Level	177	96	222222	222247	Maxdecimal 5
B#2	Home mkt code	44	2005	7	15	Available in Normalized History for all regions
X	Exclude Flag	NC	4	202	218	See Region Appendix
G#4	Official Ticker	35	30	7	26	Available in Standard/Regular History Non-US files only
O	Estimator ID	29250N1X	6	210	234	Parent/Consolidated Flag (NON-US)
G	TRBC Long description	20	17.0	4	20	yymmdd format in history files
F#6	Expiration Date	TPC	100	41	60	Blank where not applicable
B#2	Measure Unit	15	75	53	62	yymmdd format in history files
B#2	Announce Time	2.	60	101	131	yymmdd format in history files
R	Exclude End Time	YYMM	105	62	95	See Measures chart in Appendix

KPI File Description and layouts

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** ADJFILI.<REG>, DETFILUT.<REG>, HRECBKRI.<REG> **Name (Unadjusted):** ADJ<MEAS>.<REG>, NCURFIL.<REG>, HDXRATI.<REG>

Level: Standard

Frequency: Historical

- Record-level fields are presented in fixed-width layouts.
- Some files represent snapshots; others represent incremental updates.

Key	Item	Format	Length	Start	End	Comments
D	Measure Unit	JPY	31	20001229	20001249	Maxdecimal 5
C#3	Home mkt code	24.03	16	55	82	Available in Standard/Regular History Non-US files only
E	Measure Unit	22	255	69	69	Parent/Consolidated Flag (NON-US)
M	Stop Date	YYYYMMDD	22	87	96	yymmdd format in history files
I#5	Forecast Period Indicator	EPS.	1	59	98	Maxdecimal 5
B	Exclude End Date	0512	2005	76	106	Available in Normalized History for all regions
F#4	Dilution Factor	14.200	87	49	79	Blank where not applicable
B	Footnote Text	29	131	36	51	Numeric codes
X	Region ID	159	152	20040304	20040330	Parent/Consolidated Flag (NON-US)
F	Estimate Currency	990211	32	1999	2037	Available in Normalized History for all regions
N#8	Exclude Time	NEXLFILUT. US	65	71	76	See Region Appendix
K	Estimator ID	PTG	71	61	61	Numeric codes
X	Stop Date	5.	172	105	115	Available in Standard/Regular History Non-US files only
K#7	Product ID	74	6	102	110	Maxdecimal 5
A#1	Estimator ID	155	16	4	18	Parent/Consolidated Flag (NON-US)
H	Footnote Type	21	34	186	219	Maxdecimal 5
F#4	Measure Unit	NOK	19	56	78	Parent/Consolidated Flag (NON-US)
O#9	Primary/Diluted Indicator	EST.	9812	41216	41247	Available in Normalized History for all regions
R	Company Name	U.S.	71	27	43	See Measures chart in Appendix
B	Forecast Period Indicator	14.200	105	61	95	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#5	Announce Time	155	6	19	37	yymmdd format in history files
G	TRBC Long description	78	0012	99	124	Maxdecimal 5
C#2	Activation Date	40	85	186	212	Maxdecimal 5
G#4	Stop Date	NC	62	68	79	Available in Standard/Regular History Non-US files only
N#8	Official Ticker	11	35	134	167	Numeric codes
N#8	Exclude Flag	QTR	22	149	155	Numeric codes
C#3	CUSIP/SEDOL	62	40	17	40	Blank where not applicable
J	Currency	155	157	71	104	Numeric codes
E#5	Activation Time	Q4	68	32	55	yymmdd format in history files
S	CUSIP/SEDOL	3.	45	36	37	Available in Standard/Regular History Non-US files only
I#5	Reserved	34	122	18	54	See Measures chart in Appendix
E#5	Product ID	9999999.999	96	102	107	See Region Appendix
F#3	I/B/E/S Ticker	12	12	31	43	yymmdd format in history files
J#6	Measure Unit	TPC	63	36	74	Available in Standard/Regular History Non-US files only
O#9	Exclude Date	DET	94	41	63	Numeric codes
J#6	Product ID	8.818500	30	74	96	Parent/Consolidated Flag (NON-US)
E#4	Product Status	99999.9999	122	60	85	See Measures chart in Appendix
B#2	Product ID	HDXRATI. <REG>	17.0	134	146	Parent/Consolidated Flag (NON-US)
F	I/B/E/S Ticker	92	179	61	90	Available in Standard/Regular History Non-US files only
J#6	Activation Date	16	75	22	55	Blank where not applicable
L	Estimate Currency	.INT	155	11111	11131	Available in Normalized History for all regions

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HSTRBCDESC, NDETFLAT.<REG>, DET<MEAS>AT.<REG>

Level: Detail

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
H#5	Stop Time	smallint	172	Numeric codes
F#6	Stop Date	date	149	See Region Appendix
O	Product Type	tinyint	180	Parent/Consolidated Flag (NON-US)
A	Stop Date	tinyint	122	Numeric codes
C	TRBC Long description	int	105	See Region Appendix
A#1	Exclude End Date	smallint	38	Parent/Consolidated Flag (NON-US)
F	Activation Time	char	78	yymmdd format in history files
C	Official Ticker	smallint	210	See Measures chart in Appendix
G	Product Status	D	255	See Region Appendix
C	TRBC Long description	varchar	26	yymmdd format in history files
X	Official Ticker	date	17.0	Available in Normalized History for all regions
G#4	Estimate Currency	tinyint	34	Parent/Consolidated Flag (NON-US)
X	Review Time	X	54	yymmdd format in history files
R	Currency	time	18	Parent/Consolidated Flag (NON-US)
O#9	Announce Time	time	94	Available in Normalized History for all regions
S	Currency at Company Level	N	71	Available in Normalized History for all regions
C#2	Announce Date	char	36	Numeric codes
G	Official Ticker	char	52	Available in Normalized History for all regions
D	TRBCPermID	int	4	See Measures chart in Appendix
F#6	Activation Time	smallint	255	Maxdecimal 5
S	Footnote Type	smallint	92	yymmdd format in history files
X	Currency at Company Level	N	67	Available in Standard/Regular History Non-US files only
E#4	Region ID	D	162	Parent/Consolidated Flag (NON-US)
E	Estimate Currency	N	32	Maxdecimal 5
K#7	Measure Unit	tinyint	14	Available in Normalized History for all regions
E#4	Exclude Flag	char	0412	Maxdecimal 5
P	TRBC Long description	char	25	Maxdecimal 5
G	Footnote Text	char	100	Blank where not applicable
A#1	Product Type	char	101	Numeric codes
J	Measure	varchar	83	Available in Normalized History for all regions
K	Estimate Currency	tinyint	1999	Parent/Consolidated Flag (NON-US)
J#6	Announce Date	char	76	Maxdecimal 5
F#5	Stop Time	smallint	54	yymmdd format in history files
I#5	I/B/E/S Ticker	date	71	Available in Standard/Regular History Non-US files only
B	Estimator ID	time	61	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
C#2	Measure Unit	smallint	155	See Region Appendix
H#5	Home mkt code	D	29	Blank where not applicable
G	Region ID	N	152	See Region Appendix

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECIDI.<REG>, HRECDITT.<REG>, HSTRBCDATA.<REG>

Level: Normalized

Frequency: Daily

Key	Item	Format	Length	Start	End	Comments
G#7	Review Time	STAT	46	45	78	Parent/Consolidated Flag (NON-US)
H#5	Review Date	971120	81	1987	1995	Parent/Consolidated Flag (NON-US)
G#7	Review Time	NEXLFILAT. INT	31	2000	2016	Available in Standard/Regular History Non-US files only
B#2	Analyst Code	75	81	100000	100016	See Region Appendix
P	Estimate Currency	NACTK<MMM>. <REG>	59	142	175	Available in Normalized History for all regions
B#2	Stop Date	96	2005	1999	2016	Blank where not applicable
N	Forecast Period Indicator	PREG	30	33	38	See Measures chart in Appendix
M	Product ID	255	131	58	70	Numeric codes
E#4	I/B/E/S Ticker	42	16	26	47	Available in Normalized History for all regions
F#3	Exclude End Date	67	20	255	272	Numeric codes
I	Review Date	TRBC	90	44	66	Numeric codes
I#5	TRBCPermID	20.6353	74	162	163	Maxdecimal 5
C#3	Product Status	69	22	41	48	See Region Appendix
R	Product Type	CUSIP/ SEDOL	60	96	135	Blank where not applicable
I#5	Primary/Diluted Indicator	20	55	33	59	See Measures chart in Appendix
G	Region ID	1999	85	10	25	Available in Standard/Regular History Non-US files only
I#5	Currency	36	13	85	111	Maxdecimal 5
P	I/B/E/S Ticker	2.340	32	33	59	Numeric codes
A#1	Estimator	96	73	15	27	yymmdd format in history files
E	Currency at Company Level	ACTK<MMM>. <REG>	6	80	108	See Region Appendix
J	I/B/E/S Ticker	JPY	0012	2	26	Available in Normalized History for all regions
F#3	Company Name	PID1.<REG>	103	50	71	Parent/Consolidated Flag (NON-US)
J#6	I/B/E/S Ticker	99.99	105	201	237	Available in Normalized History for all regions
N	Forecast Period End Date	ADJ	25	157	178	See Measures chart in Appendix
A	Footnote Type	65	105	155	166	yymmdd format in history files
G	Exclude Time	DET	31	69	90	Blank where not applicable
Q4	Stop Date	.INT	75	99999	100005	Available in Normalized History for all regions
E#5	Activation Time	14.200	0512	28	44	See Region Appendix
B	Analyst Name	1987	12	971120	971158	Maxdecimal 5

Continued on next page

Key	Item	Format	Length	Start	End	Comments
G#4	Exclude Flag	29250N1X	52	44	73	Numeric codes
B#2	I/B/E/S Ticker	ENB	39	6	21	Parent/Consolidated Flag (NON-US)
K	I/B/E/S Ticker	JPY	61	34	73	yymmdd format in history files
D#4	Review Time	EXLFILAT.US	61	80	85	Maxdecimal 5
F#5	Exclude End Time	SEDOL.	142	24	57	Available in Standard/Regular History Non-US files only
A#1	I/B/E/S Ticker	STPFILAT. <REG>	53	169	169	Numeric codes
H#5	Value	QTR	78	149	178	Blank where not applicable
E#4	Stop Time	24.03	24	20001229	20001243	Available in Normalized History for all regions
I	TRBCPermID	73	1987	5	15	Parent/Consolidated Flag (NON-US)
X	TRBC Short description	35	6	62	62	Blank where not applicable
F#6	Activation Date	EPS.	22	95	114	Numeric codes
D#3	Reserved	999999.999	2000	23	23	yymmdd format in history files
D#3	TRBC Short description	90	66	38	68	yymmdd format in history files

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** NDET<MEAS>AT.<REG>

Level: Normalized

Frequency: Monthly

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
F#6	Analyst Name	30	124	102	133	See Region Appendix
I#5	Measure	180	76	63	102	Available in Standard/Regular History Non-US files only
C#2	Footnote Text	24.03	66	122	144	See Region Appendix
K#7	Currency	DETFILUT.<REG>	63	50	74	See Measures chart in Appendix
E#4	Activation Date	2.340	6	32	42	See Region Appendix
D#4	Exclude Flag	NEXLFILAT.US	10	1	38	yymmdd format in history files
J#6	TRBC Short description	PTG	103	4	22	yymmdd format in history files
J	CUSIP/SEDOL	24.03	50	56	71	Available in Standard/Regular History Non-US files only
G#7	Stop Date	2.34	63	17	48	Available in Normalized History for all regions
B#2	Analyst Code	HRECSTPT.<REG>	61	999	1036	See Region Appendix
I#5	TRBC Long description	PD1.<REG>	9912	96	133	yymmdd format in history files
N#8	Expiration Date	PTG	1999	94	121	Numeric codes
D#3	Measure	CURFILD.<REG>	1987	2000	2020	Available in Normalized History for all regions
D#3	TRBCPermID	96	122	94	99	Parent/Consolidated Flag (NON-US)
S	Estimate Currency	59	55	11111	11145	Maxdecimal 5
G#4	Estimator	134	26	13	25	Available in Normalized History for all regions
B	Exclude Time	999999.999	63	74	74	Available in Normalized History for all regions
C	Forecast Period Indicator	2004.	15	512	539	Blank where not applicable
F#3	Exclude Date	HRECBKRI.<REG>	59	210	247	Maxdecimal 5
G#4	Canadian Currency	69	49	999999	1000001	Available in Standard/Regular History Non-US files only
I#5	Currency	SEDOL	46	16	23	yymmdd format in history files
A#1	Analyst Code	NA	18	10	39	Maxdecimal 5

Continued on next page

Key	Item	Format	Length	Start	End	Comments
K#7	Announce Time	HH:MM:SS	13	210	235	Available in Standard/Regular History Non-US files only
Q4	Value	38	96	101	111	yymmdd format in history files
O	Dilution Factor	36	25	131	160	Maxdecimal 5
Q4	Currency	38	30	155	183	Maxdecimal 5
A	Review Date	2.1151	134	11111	11121	See Region Appendix
F	Value	GBP	96	177	182	Available in Normalized History for all regions
J#6	Primary/Diluted Indicator	16	69	29	64	Available in Standard/Regular History Non-US files only
K	Footnote Text	STOPPTG. <REG>	83	64	99	Maxdecimal 5
H	Estimate Currency	8.8185	999	971110	971148	Numeric codes
J#6	Currency at Company Level	CCCCCCC	1987	186	201	Parent/Consolidated Flag (NON-US)
Q4	TRBCPermID	26	85	21	55	See Measures chart in Appendix
C#3	Product ID	99999.999	186	14	53	yymmdd format in history files
I	Estimate Currency	122	0512	2003042	2003043	Maxdecimal 5
X	Forecast Period Indicator	2000.	73	186	197	Parent/Consolidated Flag (NON-US)
F#5	Analyst Name	62	15	4	27	Parent/Consolidated Flag (NON-US)
B#2	Measure	NEXLFILAT. US	17	67	103	See Measures chart in Appendix
B#2	Exclude End Date	SEDOL.	159	52	78	Blank where not applicable
N#8	Review Date	28	35	24	35	See Measures chart in Appendix
I#5	Exclude End Time	NEXL<MEAS> US	AT.7.0	149	155	See Region Appendix

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NEXLFILAT.US

Level: Standard

Frequency: Daily/Historical

- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.
- Timestamps support change tracking and reconciliation.

Key	Data Field	Data Type	Data Length	Comments
D#3	Measure Unit	varchar	35	See Region Appendix
G#4	Exclude Date	N	120	Available in Normalized History for all regions
G	Review Date	N	159	Parent/Consolidated Flag (NON-US)
X	Estimate Currency	X	31	Blank where not applicable
G	Product ID	smallint	9812	Available in Normalized History for all regions
D	Measure Unit	D	1024	Available in Normalized History for all regions
C	Footnote Text	smallint	76	Blank where not applicable
C#2	Dilution Factor	time	39	Blank where not applicable
C	CUSIP/SEDOL	X	58	Available in Standard/Regular History Non-US files only
F#4	Measure	int	180	Blank where not applicable
R	Analyst Code	char	17	Maxdecimal 5
D	Exclude Flag	N	72	yymmdd format in history files
F	Footnote Text	char	26	Available in Standard/Regular History Non-US files only
E#4	Canadian Currency	smallint	0512	Maxdecimal 5
G#3	Exclude Date	N	202	Parent/Consolidated Flag (NON-US)
N	Estimator	varchar	169	Available in Normalized History for all regions
E#4	Company Name	char	33	yymmdd format in history files
C#3	I/B/E/S Ticker	N	54	Blank where not applicable
O	TRBC Short description	int	61	See Measures chart in Appendix
J#6	Exclude End Date	smallint	71	Blank where not applicable
I	Exclude End Date	time	177	Available in Normalized History for all regions
K	Analyst Name	int	52	Maxdecimal 5
F#6	Product ID	date	76	Blank where not applicable
E#4	CUSIP/SEDOL	varchar	26	See Measures chart in Appendix
A	Footnote Type	X	36	Blank where not applicable
R	Estimator ID	N	23	See Measures chart in Appendix
Q4	Estimate Currency	D	80	Numeric codes
J#6	Home mkt code	X	94	Maxdecimal 5
G#7	TRBCPermID	varchar	90	Maxdecimal 5
Q4	Forecast Period End Date	X	2.34	Blank where not applicable
D#3	Expiration Date	date	100	See Measures chart in Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
L	Analyst Code	varchar	16	yymmdd format in history files
B#2	Canadian Currency	tinyint	2	Numeric codes
N	Exclude End Time	char	83	Maxdecimal 5
H#5	Value	X	186	Available in Normalized History for all regions
D#3	Official Ticker	int	44	Maxdecimal 5
E#4	Value	char	31	Numeric codes
D#4	Company Name	tinyint	2	See Measures chart in Appendix
D	Analyst Code	date	210	Maxdecimal 5
D#3	Exclude End Date	N	101	Parent/Consolidated Flag (NON-US)
G	Product Description	smallint	90	Maxdecimal 5
B	Forecast Period End Date	int	131	Numeric codes
N#8	TRBCPermID	D	64	See Region Appendix
P	Company Name	smallint	152	Parent/Consolidated Flag (NON-US)
E	Estimate Currency	char	120	Numeric codes
F#6	Estimator ID	int	35	See Measures chart in Appendix
C	Estimate Currency	int	3	See Measures chart in Appendix
Q4	Forecast Period Indicator	int	255	See Measures chart in Appendix
C	Analyst Name	X	39	Maxdecimal 5
E#5	Estimate Currency	int	72	Numeric codes
H#5	Activation Time	int	46	Available in Standard/Regular History Non-US files only
D	Product Type	D	2.34	Available in Normalized History for all regions
A#1	Official Ticker	int	5	Blank where not applicable
Q4	Currency at Company Level	varchar	49	Numeric codes

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NEXL<MEAS>AT.US, EXLFILAT.US

Name (Unadjusted): CURFILD.<REG>, CURFILI.<REG>

Level: Summary

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
G#3	Exclude Time	D	210	Blank where not applicable
K	Currency	N	69	Numeric codes
H	Measure Unit	smallint	6	Available in Standard/Regular History Non-US files only
C#3	Official Ticker	D	81	Available in Standard/Regular History Non-US files only
E#5	Measure Unit	date	179	Available in Normalized History for all regions
G#7	Forecast Period End Date	D	60	Available in Normalized History for all regions
C#2	Dilution Factor	N	44	Blank where not applicable
C#2	I/B/E/S Ticker	tinyint	63	See Region Appendix
C	Currency at Company Level	D	53	See Measures chart in Appendix
D	TRBC Long description	char	26	Available in Standard/Regular History Non-US files only
E	Expiration Date	date	172	Parent/Consolidated Flag (NON-US)
S	Exclude End Date	time	131	Numeric codes
E	Product ID	time	152	Available in Normalized History for all regions
A#1	CUSIP/SEDOL	N	2	Numeric codes
S	Exclude End Time	date	162	yymmdd format in history files
D	Measure	char	32	Available in Normalized History for all regions
L	Exclude End Time	int	1987	Blank where not applicable
D#4	Official Ticker	date	33	yymmdd format in history files
Q4	Estimator ID	tinyint	22	Parent/Consolidated Flag (NON-US)
H#5	TRBC Long description	N	15	Maxdecimal 5
N	Activation Time	D	50	yymmdd format in history files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** DET<MEAS>UT.<REG>, BRANFILD.<REG>, ADJFILD.<REG>

Level: Standard

Frequency: Daily **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
G#4	I/B/E/S Ticker	tinyint	SIG	17.0	101	106	Parent/Consolidated Flag (NON-US)
X	Primary/Diluted Indicator	X	62	0.34	94	117	yymmdd format in history files
E#4	Estimate Currency	smallint	67	9812	47	72	Numeric codes
S	Stop Time	D	18	2.34	971110	971147	Blank where not applicable
E#4	Exclude End Time	smallint	DETPTG.<REG>	80	152	167	See Measures chart in Appendix
F#3	CUSIP/SEDOL	time	ADJFILD.<REG>	0412	65	71	Available in Standard/Regular History Non-US files only
X	Expiration Date	X	7.127050	39	94	115	See Measures chart in Appendix
P	Forecast Period Indicator	N	MEAS	2005	999999	1000019	Available in Standard/Regular History Non-US files only
O#9	Currency	tinyint	83	95	19	41	Maxdecimal 5
N#8	Region ID	N	BRANFILD.<REG>	41	99	135	yymmdd format in history files
H	Exclude Date	smallint	EPS.	9912	68	82	Available in Normalized History for all regions
C	Footnote Type	date	NEXL<MEAS>UT.INT	92	126		Blank where not applicable
H	Home mkt code	D	39	9812	870115	870139	yymmdd format in history files
D#4	Exclude End Date	X	67	58	179	194	Parent/Consolidated Flag (NON-US)
J	Measure	D	68	103	5	23	Available in Normalized History for all regions
I	TRBCPermID	char	ADJFILD.<REG>	55	67	68	Maxdecimal 5
F#3	Exclude End Time	date	SEDOL	33	99	126	Blank where not applicable
D#3	Primary/Diluted Indicator	D	1999	55	100	116	See Region Appendix
N	Reserved	varchar	16	20	210	226	Available in Standard/Regular History Non-US files only
K#7	Stop Date	D	STPFILAT.<REG>	68	50	67	Numeric codes
F#5	Exclude Flag	smallint	SIG	179	63	101	Blank where not applicable
E	Exclude End Time	smallint	SEDOL.	1999	99	124	Numeric codes
K	Dilution Factor	varchar	99999.9999	180	122	151	yymmdd format in history files
L	Footnote Text	D	CURFILD.<REG>	35	9912	9938	Maxdecimal 5
K#7	Estimator	varchar	ANN	169	124	162	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
I#5	Exclude End Time	tinyint	NEXL<MEAS\$ US	67	76	85	See Measures chart in Appendix
M	Expiration Date	char	YYYY	40	17	44	Available in Normalized History for all regions
R	I/B/E/S Ticker	tinyint	180	180	512	539	Parent/Consolidated Flag (NON-US)
F#5	Footnote Text	smallint	23	50	87	93	See Region Appendix
C#2	Exclude End Time	N	76	35	67	76	Blank where not applicable
R	CUSIP/SEDOL	smallint	CAD	34	19991231	19991231	Numeric codes
P	Exclude End Time	smallint	4.	46	971110	971143	yymmdd format in history files
M	Stop Time	tinyint	2003.	102	46	53	Parent/Consolidated Flag (NON-US)
D#4	TRBCPermID	N	99999999 9999	67	51	89	See Measures chart in Appendix
X	TRBC Long description	date	INT	46	21	44	Numeric codes
G#7	Analyst Name	X	87	100	21	59	Blank where not applicable
J	Reserved	varchar	32	17	971110	971139	Available in Normalized History for all regions
A#1	Stop Time	time	16	24	179	183	Numeric codes
P	Review Time	D	IDFIELD. <REG>	5	40	52	See Measures chart in Appendix
X	Review Date	tinyint	99	4	63	82	See Region Appendix
R	Product Description	time	PID2	53	51	62	Available in Normalized History for all regions
A	TRBCPermID	smallint	SEDOL	1987	17	53	Available in Standard/Regular History Non-US files only
A#1	Product Status	D	0412	63	73	87	See Measures chart in Appendix
R	Estimator	int	20001229	53	10213	10221	Numeric codes
O	Currency	date	.US	157	10	14	Maxdecimal 5
D#3	Expiration Date	time	87	32	7	14	Available in Normalized History for all regions
M	Home mkt code	N	23	21	39	65	Parent/Consolidated Flag (NON-US)
F	Company Name	N	64	172	100000	100032	yymmdd format in history files
D	Region ID	D	SEDOL	53	85	104	Numeric codes
O	TRBC Long description	tinyint	11111	1024	201	227	Maxdecimal 5

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name:** CURFIL I . <REG>

Level: Detail

Frequency: Daily/Weekly/Historical

- Record-level fields are presented in fixed-width layouts.
- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.

Key	Item	Format	Length	Start	End	Comments
C	Estimator ID	.INT	202	67	75	yymmdd format in history files
F#6	Measure Unit	142	124	20001222	20001242	Blank where not applicable
E#5	Reserved	99999.999	17.0	67	88	Parent/Consolidated Flag (NON-US)
O	Exclude Date	870115	105	999999	1000027	Numeric codes
E#5	Forecast Period End Date	USD.	131	24	44	Blank where not applicable
D	Stop Time	13	157	76	112	Available in Normalized History for all regions
J#6	Forecast Period End Date	.INT	6	131	143	Blank where not applicable
M	Currency	HISTORY	155	83	95	Maxdecimal 5
A	Exclude Flag	9812	1999	999	1035	yymmdd format in history files
G#3	Estimator	INT	54	9	9	See Measures chart in Appendix
D	Stop Time	19991231	96	100	101	Blank where not applicable
B#2	Review Date	20040304	35	159	176	Numeric codes
N	Dilution Factor	69	120	999999	1000010	Available in Standard/Regular History Non-US files only
K	Announce Date	222222	8	162	166	yymmdd format in history files
K	Exclude End Date	19	255	32	43	See Region Appendix
M	Estimator	DET FILAT. <REG>	177	202	233	Parent/Consolidated Flag (NON-US)
C	Reserved	NEXL<MEAS> US	135	49	50	Available in Normalized History for all regions
G	Analyst Name	INT	51	210	245	Available in Normalized History for all regions
A#1	Currency at Company Level	13	26	102	134	Blank where not applicable
O	Estimator ID	SIG	56	152	155	Maxdecimal 5
M	Footnote Text	85	61	34	68	See Measures chart in Appendix
I	Stop Time	NA	999	92	120	yymmdd format in history files
I	Canadian Currency	999	38	85	98	See Measures chart in Appendix
F#3	Home mkt code	103	255	5	45	See Region Appendix
C	TRBC Short description	24.03	120	99999	100006	yymmdd format in history files

Detail Price Target Data Files

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NEXLFILAT.US, HRECIDI.<REG>

Level: Normalized

Frequency: Daily/Historical

- Record-level fields are presented in fixed-width layouts.
- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
E	CUSIP/SEDOL	tinyint	3.37193	142	201	237	Maxdecimal 5
E#4	Product ID	X	23	103	11	49	Maxdecimal 5
L	Primary/Diluted Indicator	varchar	CAD	16	72	112	Numeric codes
R	Activation Time	int	103	99	54	92	See Region Appendix
P	Estimator ID	smallint	8.818500	99	47	76	Available in Standard/Regular History Non-US files only
Q4	Company Name	int	EXL<MEAS>A12 US	112	20030422	20030431	Available in Normalized History for all regions
A#1	Product Type	varchar	50	179	39	42	Available in Normalized History for all regions
K#7	Exclude End Time	int	177	1	60	96	Available in Normalized History for all regions
D#4	Product ID	int	40	44	24	27	Blank where not applicable
F#5	Stop Time	int	100000	78	210	213	Parent/Consolidated Flag (NON-US)
H	Currency at Company Level	N	ID	52	58	94	Numeric codes
J#6	Region ID	varchar	14.200	39	36	37	Available in Standard/Regular History Non-US files only
D#4	Region ID	time	1024	34	1999	2011	yymmdd format in history files
B#2	Exclude Time	smallint	3.	62	95	132	Numeric codes
F	TRBC Short description	X	19991231	9	990211	990247	See Measures chart in Appendix
D	Measure Unit	N	47	58	999999	1000037	Available in Standard/Regular History Non-US files only
C#3	Currency at Company Level	smallint	40	6	20	60	See Measures chart in Appendix
R	Stop Time	int	52	53	42	46	Available in Standard/Regular History Non-US files only
G#7	Estimator	varchar	2.1151	2	202	216	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
C#3	Currency at Company Level	char	HRECDT. <REG>	18	69	87	Numeric codes
J#6	Stop Time	D	90	131	75	113	Available in Standard/Regular History Non-US files only
E#4	Product Status	date	27	38	201	214	Maxdecimal 5
D#3	TRBC Long description	int	95	72	71	107	Available in Normalized History for all regions
C#3	Footnote Type	date	HSTRBCDE	30	72	112	Parent/Consolidated Flag (NON-US)
F#5	Dilution Factor	char	92	51	21	25	Parent/Consolidated Flag (NON-US)
G#7	I/B/E/S Ticker	varchar	2005	46	60	68	See Measures chart in Appendix
I	Expiration Date	time	32	44	8	8	See Region Appendix
G	I/B/E/S Ticker	smallint	CAD	60	169	192	Numeric codes
C#2	Exclude Date	N	SEDOL/ CUSIP	21	64	100	Available in Normalized History for all regions
D#3	Exclude Time	int	HRECIDU. <REG>	62	21	24	yymmdd format in history files
D	Measure	D	63.406000	1987	21	32	See Region Appendix
E#5	Dilution Factor	time	NEXL<MEAS US	30	122	141	Blank where not applicable
F#6	TRBC Long description	time	011115	142	120	150	Maxdecimal 5
Q4	Exclude Flag	date	STANDARD	22	39	59	Available in Standard/Regular History Non-US files only
M	Value	smallint	NC	63	9912	9922	yymmdd format in history files
N	Region ID	char	NEXLFILAT. US	60	99	106	Available in Standard/Regular History Non-US files only
S	Value	N	92	202	14	50	Available in Standard/Regular History Non-US files only
B	Exclude Time	time	DETAIL	71	18	51	Maxdecimal 5
E	Product ID	date	CUSIP	55	59	91	Numeric codes
N	Estimate Currency	time	76	0512	94	119	Maxdecimal 5
M	Product Description	D	999999	202	13	30	Available in Normalized History for all regions
F#6	Official Ticker	date	CUSIP/	999	512	546	Maxdecimal 5
N	Currency	N	1024	6	12	20	Numeric codes
H#5	Reserved	X	3.	87	124	135	Parent/Consolidated Flag (NON-US)
O	CUSIP/SEDOL	X	18	95	24	32	Parent/Consolidated Flag (NON-US)
C	Exclude End Date	varchar	HISTORY	18	180	210	Available in Standard/Regular History Non-US files only
R	Measure	X	172	122	180	207	See Region Appendix
F#6	Forecast Period Indicator	char	010213	6	162	169	See Measures chart in Appendix
O#9	Footnote Text	char	21	159	81	106	Parent/Consolidated Flag (NON-US)
K	Primary/Diluted Indicator	D	55	18	99999	100004	Available in Standard/Regular History Non-US files only
D#4	Product Description	smallint	73	159	12	35	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
Q4	Primary/Diluted Indicator	int	53	45	26	35	See Region Appendix

KPI File Description and layouts

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NDETFILET.<REG>, HRECIDU.<REG>, HRECBKRU.<REG>

Level: Summary

Frequency: Weekly

- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.
- Some files represent snapshots; others represent incremental updates.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
C#3	Estimate Currency	date	44	Parent/Consolidated Flag (NON-US)
E#4	Activation Date	time	96	See Region Appendix
B	Announce Time	N	22	Numeric codes
C#3	Exclude End Date	N	186	See Measures chart in Appendix
M	Activation Time	int	13	Available in Standard/Regular History Non-US files only
Q4	Footnote Text	tinyint	94	Maxdecimal 5
F#4	Home mkt code	smallint	157	Numeric codes
N#8	Estimator ID	varchar	1999	yymmdd format in history files
N	Stop Time	N	1024	See Measures chart in Appendix
C#2	Forecast Period Indicator	int	122	Maxdecimal 5
O#9	Reserved	tinyint	55	Available in Normalized History for all regions
D#4	CUSIP/SEDOL	X	124	yymmdd format in history files
O#9	Company Name	smallint	67	See Measures chart in Appendix
E#5	Product Status	X	34	Available in Normalized History for all regions
A#1	Home mkt code	tinyint	39	See Measures chart in Appendix
L	Analyst Code	varchar	102	Available in Standard/Regular History Non-US files only
G#4	Announce Date	time	49	See Region Appendix
N	TRBC Long description	N	28	Available in Standard/Regular History Non-US files only
E#5	Primary/Diluted Indicator	varchar	17.0	Numeric codes
M	Announce Date	X	51	Available in Standard/Regular History Non-US files only
N#8	Measure	tinyint	38	Numeric codes
B	Exclude End Date	D	69	yymmdd format in history files
F#6	Estimate Currency	smallint	63	Blank where not applicable
M	Analyst Name	int	15	See Measures chart in Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
B	Forecast Period Indicator	smallint	9	Available in Normalized History for all regions
X	Estimator ID	varchar	102	See Region Appendix
G	TRBC Long description	int	55	Blank where not applicable
K#7	Analyst Code	char	53	See Region Appendix
F#5	Stop Time	date	202	Available in Normalized History for all regions
S	Product Type	tinyint	50	See Region Appendix
A#1	Footnote Type	X	81	yymmdd format in history files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** ADJFILI.<REG>

Name (Unadjusted): NDETFILAT.<REG>

Level: Summary

Frequency: Weekly

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.
- Some files represent snapshots; others represent incremental updates.

Key	Item	Data Type	Format	Length	Start	End	Comments
F#3	Product Type	tinyint	27	102	49	81	Maxdecimal 5
D#3	Stop Date	time	DETPGT.<REG>	179	210	213	Parent/Consolidated Flag (NON-US)
D	Footnote Text	smallint	29	169	65	79	Maxdecimal 5
H	Announce Date	varchar	45	15	26	39	yymmdd format in history files
R	Measure	char	CUSIP/	66	186	196	Maxdecimal 5
F	Canadian Currency	time	999	33	169	175	Available in Normalized History for all regions
I	Analyst Name	varchar	180	83	202	203	Available in Normalized History for all regions
C#2	Announce Time	X	JPY	186	155	164	Available in Standard/Regular History Non-US files only
F#5	Forecast Period End Date	smallint	NEXLFILAT.INT	103	90	110	Blank where not applicable
D	Measure	tinyint	999999.999	90	41	52	Available in Standard/Regular History Non-US files only
O#9	TRBC Short description	X	72	15	2005	2031	Available in Standard/Regular History Non-US files only
J#6	Product Status	char	999999999999	0412	45	80	Maxdecimal 5
K#7	Product Type	X	NEXL<MEAS>102.US	102	512	516	See Region Appendix
K#7	Forecast Period Indicator	D	11	149	53	58	Blank where not applicable
F	Exclude End Date	date	D.	53	1	13	Numeric codes
F#4	Company Name	N	83	9912	22	34	yymmdd format in history files
C	Currency	time	58	30	870115	870137	See Region Appendix
L	Footnote Text	X	41	177	67	90	Maxdecimal 5
F#3	Footnote Text	X	56	95	56	95	See Measures chart in Appendix
A	Footnote Type	X	222222	7	11111	11146	See Region Appendix
Q4	Currency at Company Level	D	7.127050	61	8	18	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
B#2	Measure	smallint	40	99	12	30	See Region Appendix
C#3	Estimator	X	SEDOL	2	149	171	Available in Normalized History for all regions
F#4	Dilution Factor	varchar	MON	38	95	100	Maxdecimal 5
I#5	CUSIP/SEDOL	tinyint	DETAIL	177	87	99	See Measures chart in Appendix
D#4	Activation Time	time	MEAS	65	90	99	Parent/Consolidated Flag (NON-US)
G#3	Estimate Currency	date	2001.	1999	55	80	Available in Normalized History for all regions
E	Footnote Type	varchar	120	63	85	92	yymmdd format in history files
F	Reserved	N	152	122	12	27	Maxdecimal 5
H	Activation Time	tinyint	CUSIP/	96	65	87	Available in Normalized History for all regions
M	Review Time	char	NEXLFILAT. US	30	162	194	See Measures chart in Appendix
D	Forecast Period End Date	tinyint	27	2005	4	13	See Region Appendix
E	Measure Unit	tinyint	23	21	11111	11149	See Measures chart in Appendix
N	TRBC Short description	D	EST.	96	92	110	Blank where not applicable
I	Company Name	time	1.	105	99	108	Available in Standard/Regular History Non-US files only
B#2	Footnote Text	D	179	152	149	179	Available in Normalized History for all regions
D#4	Forecast Period End Date	X	IDFILD. <REG>	47	13	16	Numeric codes
J	Stop Time	smallint	2.340	172	4	28	Available in Normalized History for all regions
I#5	Exclude End Date	date	NEXL<MEAS\$>XT. US	9	28		Maxdecimal 5
I#5	Estimator	N	DETFILAT. <REG>	29	32	64	See Region Appendix
C	Footnote Text	tinyint	LSE	120	155	181	Parent/Consolidated Flag (NON-US)
F#5	Primary/Diluted Indicator	int	10	210	35	46	Numeric codes
H	Exclude Time	date	20.635	0.34	30	31	Blank where not applicable
A	Exclude End Date	date	INT	65	255	257	Blank where not applicable
K#7	Value	varchar	149	47	73	92	yymmdd format in history files
S	CUSIP/SEDOL	D	53	83	1	4	Blank where not applicable
S	Measure	int	66	0512	67	103	Blank where not applicable
D#4	Reserved	tinyint	122	51	46	78	Blank where not applicable
A#1	Measure	time	124	0.34	18	57	Available in Normalized History for all regions
B	Exclude Flag	tinyint	US	2005	24	25	yymmdd format in history files
I	Activation Time	char	59	102	201	206	yymmdd format in history files
F	Announce Date	N	53	142	11115	11135	See Region Appendix
K#7	I/B/E/S Ticker	X	.US	96	971120	971128	Available in Normalized History for all regions

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DET<MEAS>AT.<REG>

Name (Unadjusted): DETFILUT.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
G	Exclude End Date	char	95	yymmdd format in history files
F	TRBCPermID	X	75	Maxdecimal 5
C	Analyst Code	N	96	See Measures chart in Appendix
I	Value	int	46	See Measures chart in Appendix
H	Forecast Period End Date	varchar	0.34	yymmdd format in history files
H#5	Official Ticker	D	177	See Region Appendix
P	Company Name	D	38	Parent/Consolidated Flag (NON-US)
C	Primary/Diluted Indicator	tinyint	33	See Region Appendix
P	Activation Date	D	49	yymmdd format in history files
X	Activation Date	tinyint	65	Blank where not applicable
F#5	I/B/E/S Ticker	char	124	yymmdd format in history files
C#2	Exclude Time	D	120	Blank where not applicable
I#5	Product Type	char	180	See Measures chart in Appendix
C	Product Status	date	58	Blank where not applicable
L	Estimator	tinyint	9812	See Measures chart in Appendix
O#9	Product Description	X	54	Available in Normalized History for all regions
G#4	Primary/Diluted Indicator	char	65	See Region Appendix
O#9	Exclude End Date	char	73	yymmdd format in history files
N	Footnote Type	N	2000	Maxdecimal 5
E#5	I/B/E/S Ticker	time	56	Available in Normalized History for all regions
N#8	TRBC Short description	tinyint	24	Numeric codes
D	Official Ticker	X	186	Available in Standard/Regular History Non-US files only
I#5	Primary/Diluted Indicator	date	0.34	yymmdd format in history files
F#3	Exclude End Time	char	152	See Measures chart in Appendix
A	Activation Time	N	179	Numeric codes
H	TRBC Long description	tinyint	1987	Available in Normalized History for all regions
H	Expiration Date	D	124	See Region Appendix
J	Product Type	tinyint	24	yymmdd format in history files
E#4	Product Status	varchar	3	yymmdd format in history files
P	Product Description	varchar	69	Blank where not applicable
L	Exclude Date	X	9812	See Measures chart in Appendix
C#3	Exclude Flag	X	12	See Measures chart in Appendix
F#4	Product Type	date	3	Maxdecimal 5
G#3	Reserved	D	35	yymmdd format in history files

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HSTRBCDATA.<REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Format	Length	Start	End	Comments
Q4	Activation Time	87	149	78	97	See Region Appendix
F#3	Activation Time	PREG	95	96	132	Available in Normalized History for all regions
F#5	Review Date	.INT	0412	120	131	Blank where not applicable
N#8	Product Description	34	52	29	30	Available in Standard/Regular History Non-US files only
I#5	Product Description	EXL<MEAS>UT20 INT		255	269	See Region Appendix
R	Announce Time	HSFCO. <REG>	159	122	159	Available in Normalized History for all regions
E#5	Estimator	90	6	9999 9999 9999	1000 0000 00026	See Measures chart in Appendix
B#2	Expiration Date	HDXRATI. <REG>	44	99999	100010	Maxdecimal 5
B#2	TRBC Short description	55	42	83	87	Numeric codes
M	Stop Time	870115	2	30	54	See Measures chart in Appendix
P	Footnote Text	BRANFILI. <REG>	9812	50	83	See Region Appendix
Q4	Dilution Factor	JPY	210	63	98	Available in Normalized History for all regions
F#3	Exclude End Time	EXL<MEAS>AT.95 US		40	68	Blank where not applicable
F#3	Estimator	80	1	512	513	Numeric codes
N	Reserved	870115	3	999999	100003	See Measures chart in Appendix
J#6	Product Type	STAT	186	201	216	Maxdecimal 5
S	Canadian Currency	NDETFILAT. <REG>	0012	76	104	yymmdd format in history files
I	Estimator ID	011115	9912	32	63	See Measures chart in Appendix
C#3	Product Description	ADJFILI. <REG>	36	36	63	Parent/Consolidated Flag (NON-US)
M	Exclude Date	999	2000	83	99	See Measures chart in Appendix
I	Activation Date	SEDOL/ CUSIP	0412	177	177	yymmdd format in history files
K	Region ID	YYYY	75	2000	2036	Numeric codes
J#6	Forecast Period End Date	81	0512	9812	9839	yymmdd format in history files
G	Announce Time	8.818500	45	94	95	Blank where not applicable
H	Estimator ID	0512	53	102	130	Available in Standard/Regular History Non-US files only
B#2	Stop Time	66	58	999	1017	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
I	Estimator	69	21	19	19	Parent/Consolidated Flag (NON-US)
D#3	Review Date	9912	52	16	56	Numeric codes
X	Estimator ID	9912	180	124	136	See Measures chart in Appendix
O#9	Product ID	94	17	6	24	Available in Standard/Regular History Non-US files only
A	Expiration Date	SEDOL/ CUSIP	80	18	43	Parent/Consolidated Flag (NON-US)
R	Announce Time	9812	34	78	87	Maxdecimal 5
F#6	Stop Date	11	18	49	78	Maxdecimal 5
G	Forecast Period End Date	45	202	67	72	Maxdecimal 5
O#9	TRBCPermID	NEXLFILAT. INT	17.0	162	197	Available in Normalized History for all regions
M	Measure	172	72	90	98	See Region Appendix
G#7	Company Name	157	11	19	27	Numeric codes
G#4	TRBC Short description	55	32	28	35	Numeric codes
F#6	TRBC Short description	SIG	157	75	112	Blank where not applicable
C	Activation Time	20001229	4	80	84	Parent/Consolidated Flag (NON-US)
D#3	Review Time	USD.	2005	2	12	Available in Standard/Regular History Non-US files only
S	Product Description	34	17.0	222222	222223	See Measures chart in Appendix
D	Footnote Text	20001229	0012	177	189	Blank where not applicable
C#2	Product ID	IDFILI. <REG>	41	2003042	2003043	See Measures chart in Appendix
M	Analyst Name	HSTRBCDESC	67	54	63	Available in Standard/Regular History Non-US files only
H	I/B/E/S Ticker	83	177	56	59	Available in Standard/Regular History Non-US files only
E	Exclude End Date	0512	101	2005	2007	Available in Standard/Regular History Non-US files only
A	Exclude Time	105	26	72	81	yymmdd format in history files
I#5	Footnote Text	72	74	186	213	Available in Normalized History for all regions
M	Exclude Date	26	29	13	23	Maxdecimal 5
P	Region ID	1999.	15	38	54	See Region Appendix
D	TRBC Long description	81	61	95	104	See Measures chart in Appendix
X	Stop Date	17.00	39	35	74	Maxdecimal 5

Currency Conversion

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name:** HRECIDU.<REG>

Level: Summary

Frequency: Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
N	Estimator ID	D	U.S.	47	41216	41254	yymmdd format in history files
N	Forecast Period End Date	time	HRECSTPT.<REG>	177	162	170	yymmdd format in history files
B#2	Analyst Name	smallint	.INT	55	15	19	Numeric codes
E#4	Footnote Type	int	17	75	169	177	See Region Appendix
B	Review Date	smallint	179	44	172	198	Maxdecimal 5
B#2	Dilution Factor	char	NDETFLUT.<REG>	78	71	87	Parent/Consolidated Flag (NON-US)
D	Product Type	X	2000.	100	42	51	yymmdd format in history files
H#5	I/B/E/S Ticker	N	21	9	2005	2011	See Measures chart in Appendix
D#3	Exclude Date	X	51	29	99999	100036	Available in Normalized History for all regions
D	Home mkt code	varchar	HRECBKRU.<REG>	103	39	76	Maxdecimal 5
C	Activation Time	tinyint	MON	26	7	13	See Measures chart in Appendix
E	Expiration Date	char	BPN	38	99	122	Parent/Consolidated Flag (NON-US)
L	Activation Date	date	30	0012	512	550	Blank where not applicable
L	Activation Date	varchar	39	26	5	25	See Measures chart in Appendix
F#4	Review Date	time	23	99	999	1014	Available in Normalized History for all regions
O#9	Reserved	time	NEXL<MEAS>INT	60	20040304	20040330	Available in Normalized History for all regions
C	Stop Date	D	3.	62	61	65	Blank where not applicable

Currency Conversion

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** ADJFILI.<REG>

Level: Normalized

Frequency: Daily

Key	Item	Data Type	Format	Length	Start	End	Comments
R	Exclude End Date	date	21.558	21	990211	990233	yymmdd format in history files
I	Exclude Date	date	NEXL<MEAS> INT	52	13	22	Available in Standard/Regular History Non-US files only
A	Canadian Currency	D	177	12	54	74	yymmdd format in history files
B	Forecast Period Indicator	date	134	72	60	90	Available in Standard/Regular History Non-US files only
N#8	Activation Date	N	0412	2.34	87	113	Maxdecimal 5
N	Currency	D	LTG	83	22	29	Available in Normalized History for all regions
C#3	Product Type	varchar	NEXLFILAT. US	124	76	76	yymmdd format in history files
N	Review Time	char	8.8185	35	180	207	yymmdd format in history files
F	Announce Time	int	0512	2.34	63	93	Blank where not applicable
P	Currency at Company Level	varchar	50	172	47	59	Maxdecimal 5
F	Dilution Factor	X	AM	9912	12	35	Available in Normalized History for all regions
A#1	Dilution Factor	N	HRECSTPT. <REG>	0.34	5	18	Blank where not applicable
X	TRBC Long description	D	71	90	8	9	Parent/Consolidated Flag (NON-US)
G#3	Stop Time	tinyint	53	21	33	71	yymmdd format in history files
G#4	Product Type	tinyint	103	66	10	32	See Region Appendix
G#4	Analyst Code	D	NACTK<MM> <REG>	4812	870115	870135	Blank where not applicable
M	Currency at Company Level	date	63	131	16	48	See Region Appendix
B	Company Name	date	9812	54	255	261	Blank where not applicable
J#6	Exclude End Date	X	14	100	101	116	Maxdecimal 5

KPI File Description and layouts

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** DETPTGUT.<REG>

Level: Standard

Frequency: Daily/Historical

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.

Key	Item	Data Type	Format	Length	Start	End	Comments
C	Product Description	tinyint	41	25	124	124	See Region Appendix
R	TRBCPermID	tinyint	HRECBKRU<REG>	22	11	35	See Measures chart in Appendix
G#4	Exclude Flag	N	ENBRIDGE	53	999999	100002	Available in Normalized History for all regions
F#4	Forecast Period End Date	int	EUROFIL.<REG>	46	12	40	Maxdecimal 5
E	TRBCPermID	N	U.S.	83	6	38	Maxdecimal 5
E#5	Primary/Diluted Indicator	D	DETPTG.<REG>	58	186	225	Available in Normalized History for all regions
J#6	Forecast Period End Date	D	177	0512	1	29	See Region Appendix
N	Analyst Code	tinyint	69	24	99999	100007	Parent/Consolidated Flag (NON-US)
Q4	Footnote Type	smallint	3.	159	142	166	yymmdd format in history files
F#3	Estimator ID	date	NORMALIZED	31	61	97	Blank where not applicable
D#3	Product ID	tinyint	222222	64	6	34	Blank where not applicable
C#2	Footnote Type	smallint	TRBC	8	75	107	yymmdd format in history files
G	Estimate Currency	time	186	56	32	49	Numeric codes
J#6	I/B/E/S Ticker	int	29250N10	26	1	2	Available in Normalized History for all regions
F#3	Product ID	N	155	142	990211	990221	See Measures chart in Appendix
Q4	Expiration Date	N	8.037200	179	2	35	Available in Normalized History for all regions
K	Measure Unit	D	NOK.	96	102	117	Available in Standard/Regular History Non-US files only
B	Exclude End Time	time	71	53	222222	222261	Available in Standard/Regular History Non-US files only
O	Canadian Currency	D	3.	22	99	131	See Region Appendix

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HRECSTPT.<REG>, HRECBKRI.<REG>

Name (Unadjusted): NDETFLAT.<REG>, DETPTG.<REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
D#3	Forecast Period Indicator	CCCCCCC	100	100000	100010	Available in Normalized History for all regions
D#3	Product Description	YYMM	149	180	192	Maxdecimal 5
O#9	Reserved	17.00	25	971110	971138	Available in Standard/Regular History Non-US files only
E#4	Measure Unit	74	149	95	121	Numeric codes
C#3	TRBC Short description	159	210	68	108	Parent/Consolidated Flag (NON-US)
R	Measure Unit	20030422	0012	1024	1036	See Measures chart in Appendix
A#1	TRBC Long description	SAN	134	96	124	Blank where not applicable
E	Stop Date	94	17.0	2000	2040	Maxdecimal 5
K#7	TRBC Long description	EURO	32	105	131	Available in Normalized History for all regions
G#7	Exclude Flag	IBES	18	60	89	See Measures chart in Appendix
O#9	Announce Time	2004.	7	2	12	Parent/Consolidated Flag (NON-US)
K#7	Product ID	NDETFLAT.<REG>	103	186	190	Numeric codes
G#3	Footnote Type	DETFLAT.<REG>	210	12	40	See Region Appendix
E#5	Primary/Diluted Indicator	172	58	9999 9999 9999	1000 0000 00039	Numeric codes
G#4	I/B/E/S Ticker	2.	64	120	136	Parent/Consolidated Flag (NON-US)
K#7	Product Status	USER	101	222222	222249	Available in Normalized History for all regions
H	Stop Date	100	74	95	96	Available in Normalized History for all regions
C#2	Reserved	255	177	157	180	Available in Standard/Regular History Non-US files only
F#4	I/B/E/S Ticker	MSCIP	120	69	92	Blank where not applicable
Q4	Primary/Diluted Indicator	45	31	54	77	yymmdd format in history files
R	Analyst Code	2005	0512	101	102	Maxdecimal 5
I#5	Currency	2000.	58	81	111	yymmdd format in history files
B	Currency at Company Level	61	28	34	69	See Measures chart in Appendix
M	Exclude Flag	EURO	36	2000	2030	Available in Normalized History for all regions
O	Region ID	49	100	999999	100002	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
N	Stop Time	USER	60	179	207	Blank where not applicable
K#7	TRBC Short description	22	0412	186	217	Available in Standard/Regular History Non-US files only
E#4	Announce Time	19	2.34	55	59	Numeric codes
H#5	Product Status	83	8	34	48	See Region Appendix
A#1	Stop Time	QFS	49	56	84	See Region Appendix
H	Primary/Diluted Indicator	ENB	9812	28	62	Maxdecimal 5
Q4	Product Status	14	99	63	99	See Region Appendix
J#6	Review Date	EXLFILAT.INT	26	72	83	Numeric codes
E#4	Home mkt code	63.406	33	30	38	Available in Normalized History for all regions
C	Review Date	YYMMDD	81	96	113	Maxdecimal 5
J#6	Product ID	159	33	99	112	Blank where not applicable
N	Review Date	25	50	11111	11116	Maxdecimal 5
I	Analyst Name	AM	64	512	545	Maxdecimal 5
E	Review Date	FTP	38	1	10	Maxdecimal 5

Detail Recommendation Data Files

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name (Adjusted):** NEXL<MEAS>AT.US, EXLFILAT.INT, HSTRBCDATA.<REG>

Name (Unadjusted): DETFILUT.<REG>, STPFILAT.<REG>, ADJFILI.<REG>

Level: Detail

Frequency: Daily/Historical

- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.

Key	Data Field	Data Type	Data Length	Comments
O	Currency	int	50	Parent/Consolidated Flag (NON-US)
I#5	Exclude Flag	D	85	Numeric codes
C	TRBCPermID	date	50	Numeric codes
N	Exclude Time	date	12	Maxdecimal 5
C#2	Footnote Type	varchar	92	yymmdd format in history files
I#5	Activation Time	varchar	1987	Available in Standard/Regular History Non-US files only
I#5	Expiration Date	int	8	See Measures chart in Appendix
G#7	Expiration Date	time	75	Numeric codes
F#3	Review Time	X	95	Available in Normalized History for all regions
C#2	Activation Time	smallint	69	Blank where not applicable
P	Estimator ID	time	157	See Measures chart in Appendix
E#5	Canadian Currency	int	18	See Region Appendix
F#6	TRBC Short description	varchar	25	Available in Standard/Regular History Non-US files only
G#3	Activation Date	date	124	See Region Appendix
D	Analyst Name	varchar	73	Parent/Consolidated Flag (NON-US)
G#3	Exclude Flag	D	56	See Measures chart in Appendix
F#5	Measure Unit	varchar	149	Blank where not applicable
C#3	Stop Time	tinyint	99	yymmdd format in history files
I#5	Forecast Period Indicator	date	90	yymmdd format in history files
J#6	Measure	int	85	Parent/Consolidated Flag (NON-US)
F#3	Footnote Type	int	66	Available in Normalized History for all regions
D	I/B/E/S Ticker	N	1	Available in Normalized History for all regions
M	Analyst Code	int	9912	yymmdd format in history files
B	Exclude Flag	X	120	See Region Appendix
G#3	Currency at Company Level	X	38	Available in Normalized History for all regions
D#4	Estimate Currency	char	1987	Available in Normalized History for all regions
F	Product ID	D	58	Numeric codes
J	Primary/Diluted Indicator	D	0412	See Measures chart in Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
Q4	I/B/E/S Ticker	char	36	Available in Normalized History for all regions
M	Analyst Name	int	1999	Parent/Consolidated Flag (NON-US)
F#3	Currency at Company Level	N	152	See Measures chart in Appendix
J	Estimate Currency	date	6	Available in Normalized History for all regions
N	Product ID	varchar	40	yymmdd format in history files
L	Dilution Factor	tinyint	12	Available in Standard/Regular History Non-US files only
C	Estimator	int	87	See Measures chart in Appendix
D	Reserved	time	42	Parent/Consolidated Flag (NON-US)
G#7	Reserved	smallint	40	See Measures chart in Appendix
G#3	Primary/Diluted Indicator	D	19	Maxdecimal 5
G#4	Announce Date	D	152	Numeric codes
C#3	Exclude End Date	tinyint	46	See Region Appendix

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STP<MEAS>AT.<REG>, NDET<MEAS>AT.<REG>

Name (Unadjusted): HSTRBCDATA.<REG>, EXL<MEAS>AT.INT

Level: Summary

Frequency: Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
J	Measure	NDET FILUT. <REG>	21	999999	100000	yyymmdd format in history files
D#4	Footnote Type	STANDARD	42	100	103	Blank where not applicable
K	Announce Time	8.0372	1987	67	82	See Measures chart in Appendix
H	Exclude End Date	2003.	58	11	28	See Measures chart in Appendix
O	Exclude Time	011115	186	49	61	See Measures chart in Appendix
H	Company Name	85	83	5	44	See Measures chart in Appendix
L	Primary/Diluted Indicator	NORMALIZED	12	68	99	Parent/Consolidated Flag (NON-US)
G	I/B/E/S Ticker	KPI	76	20001229	20001267	See Region Appendix
B#2	Value	99999.9999	180	92	124	Available in Standard/Regular History Non-US files only
M	Currency	INT	155	201	236	Parent/Consolidated Flag (NON-US)
G#4	Analyst Code	99999.999	75	100000	100023	Maxdecimal 5
P	Home mkt code	NON-US	17.0	870115	870151	Available in Normalized History for all regions
O#9	Forecast Period End Date	NEXL FILAT. INT	18	42	57	See Measures chart in Appendix
G#4	Announce Date	CAD	202	131	147	Available in Standard/Regular History Non-US files only
D	Currency	HRECSTPT. <REG>	8	990211	990234	Parent/Consolidated Flag (NON-US)
J	Official Ticker	101	34	27	30	Maxdecimal 5
O#9	Currency	NEXL FILAT. INT	30	20001229	20001258	Maxdecimal 5
J#6	Forecast Period End Date	NEXL<MEAS>AT. US	159	66	69	Blank where not applicable
K#7	Primary/Diluted Indicator	162	7	2000	2005	See Measures chart in Appendix
B#2	Official Ticker	MON	255	58	67	Available in Standard/Regular History Non-US files only

Detail Price Target Data Files

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NEXL<MEAS>AT.INT, DET<MEAS>AT.<REG>

Name (Unadjusted): DET<MEAS>UT.<REG>, DETFILUT.<REG>

Level: Detail

Frequency: Monthly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
C	Product Type	NEXL<MEAS>AT. US	69	100	134	See Measures chart in Appendix
F#4	Canadian Currency	EUR	26	20030422	20030426	Available in Normalized History for all regions
F#6	Product Type	0412	27	13	23	Blank where not applicable
Q4	Currency at Company Level	27	100	179	210	Parent/Consolidated Flag (NON-US)
X	Stop Time	999	44	100000	100014	yymmdd format in history files
A	Review Time	17.000	17	71	103	See Region Appendix
B	Official Ticker	101	4	7	23	See Measures chart in Appendix
E#4	Stop Time	32	162	7	34	Parent/Consolidated Flag (NON-US)
K#7	Dilution Factor	103	17	9999 9999 9999	9999 9999 9999	yymmdd format in history files
B	Exclude Time	HSFCO. <REG>	999	25	62	Available in Standard/Regular History Non-US files only
M	Currency at Company Level	20.635	21	13	42	See Region Appendix
A#1	Activation Time	80	46	9812	9838	See Region Appendix
J	I/B/E/S Ticker	BRANFILI. <REG>	72	87	115	See Measures chart in Appendix
B#2	Activation Time	99.99	35	60	71	Numeric codes
N	Currency at Company Level	HSTRBCDATA. <REG>	83	9	9	See Measures chart in Appendix
D	Product ID	74	3	94	133	Available in Normalized History for all regions
F#6	TRBCPermID	CCCCC	13	59	99	Blank where not applicable
E#4	Measure Unit	100	41	55	78	Maxdecimal 5
B	Exclude Date	29250N10	21	11	21	Numeric codes
C	Exclude End Date	FTP	46	19991231	19991267	Available in Normalized History for all regions
C	Home mkt code	131	74	68	107	Maxdecimal 5
C#3	Currency	EXLFILAT.US	5	76	94	See Region Appendix
O	Estimate Currency	TRBC	64	10	33	See Region Appendix
G#7	Company Name	99.99	73	180	198	Available in Standard/Regular History Non-US files only
Q4	Product ID	EXLFILAT.INT	2000	29	65	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
C#2	Activation Date	100000	18	102	102	Parent/Consolidated Flag (NON-US)
N#8	Stop Date	20030422	94	20	33	Available in Normalized History for all regions
F#3	Estimate Currency	HSTRBCDATA. <REG>	69	100	113	Blank where not applicable
N#8	Forecast Period End Date	47	80	21	53	Parent/Consolidated Flag (NON-US)

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXLFILAT . INT, NEXL<MEAS>AT . INT, HRECSTPT . <REG>

Level: Summary

Frequency: Monthly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
D#4	Currency	2.340	34	142	146	Maxdecimal 5
B	Estimator ID	19991231	155	67	86	See Region Appendix
C#3	Footnote Text	65	9812	870115	870120	Maxdecimal 5
A#1	Stop Date	94	85	33	38	Available in Normalized History for all regions
K#7	Product Type	CCCCC	2000	102	104	See Region Appendix
H	Reserved	NA	85	62	78	Blank where not applicable
K#7	Currency	99999	1999	76	104	Available in Normalized History for all regions
G#3	Review Date	IPL2.	75	1987	1988	See Region Appendix
F#3	Region ID	TRBC	19	51	64	Blank where not applicable
X	Measure	63	73	8	44	Maxdecimal 5
D#3	Currency at Company Level	HDXRATI. <REG>	51	39	48	See Measures chart in Appendix
L	Activation Date	177	999	152	187	Available in Standard/Regular History Non-US files only
O	Review Time	BRANFILD. <REG>	74	96	123	Available in Normalized History for all regions
D#4	Estimator ID	CUSIP/ SEDOL	96	19991231	19991231	Available in Normalized History for all regions
J	Home mkt code	18	101	11111	11146	yymmdd format in history files
N#8	Estimator	1024	34	120	137	See Measures chart in Appendix
F#3	Currency at Company Level	DETFILAT. <REG>	10	69	73	Available in Standard/Regular History Non-US files only
J#6	Announce Time	XX	3	75	96	See Region Appendix
G#3	Analyst Code	32	26	100	118	Blank where not applicable
K#7	Dilution Factor	NC	1	10	50	See Region Appendix
B	TRBC Long description	ID	51	75	76	See Measures chart in Appendix
J	Estimate Currency	DET	38	32	53	Parent/Consolidated Flag (NON-US)
Q4	Announce Time	2000.	186	73	106	yymmdd format in history files
K	Currency at Company Level	17	179	2	7	Available in Standard/Regular History Non-US files only
N	Activation Time	B.	45	169	194	See Measures chart in Appendix
J#6	Announce Date	CUSIP/	32	30	69	See Measures chart in Appendix
O	Company Name	010213	59	76	88	Numeric codes
P	Announce Date	103	61	202	226	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Format	Length	Start	End	Comments
H#5	TRBCPermID	HRECIDI. <REG>	120	9999 9999 9999	1000 0000 00001	Parent/Consolidated Flag (NON-US)
B#2	Footnote Type	NEXL<MEAS> US	210	9999 9999 9999	1000 0000 00026	yymmdd format in history files
A#1	Footnote Type	HRECIDI. <REG>	72	52	82	Available in Normalized History for all regions
R	Stop Time	54	31	59	59	Maxdecimal 5
N#8	TRBC Long description	999999	101	16	20	yymmdd format in history files
Q4	Stop Time	35	134	155	192	See Region Appendix
X	Exclude Date	20	87	9999 9999 9999	1000 0000 00029	Parent/Consolidated Flag (NON-US)
Q4	Activation Time	30	69	75	85	Numeric codes
I#5	Estimator	0012	99	20040304	20040329	Parent/Consolidated Flag (NON-US)
A#1	Estimate Currency	9912	2	101	128	Numeric codes
I#5	Currency at Company Level	ADJFILI. <REG>	55	9999 9999 9999	1000 0000 00005	Parent/Consolidated Flag (NON-US)
C	Region ID	2.	2005	155	155	See Measures chart in Appendix
E	Product Status	186	210	31	51	Parent/Consolidated Flag (NON-US)
E	TRBC Long description	4.	66	39	44	Numeric codes
C#2	Estimator ID	0.34	2005	6	22	Maxdecimal 5
E#5	Estimator ID	EURO	58	149	157	Maxdecimal 5
E	Estimate Currency	124	0512	11111	11113	yymmdd format in history files
B#2	Canadian Currency	990211	53	92	119	Numeric codes
F#6	Activation Date	61	17.0	34	40	Parent/Consolidated Flag (NON-US)
G#3	Footnote Text	62	159	20001229	20001246	Maxdecimal 5
A#1	Currency	33	103	68	107	Blank where not applicable

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** EXL<MEAS>AT.US, HSFCO.<REG>

Name (Unadjusted): EXL<MEAS>AT.INT, EXLFILAT.US

Level: Detail

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
P	Measure Unit	162	23	134	168	Available in Standard/Regular History Non-US files only
M	Exclude End Date	LSE	75	17	41	Available in Normalized History for all regions
G#4	Currency	99999999 9999	17	87	126	Available in Normalized History for all regions
G#7	Stop Date	179	51	78	87	yymmdd format in history files
C#3	TRBC Long description	NEXLFILUT. INT	1	63	101	Maxdecimal 5
J#6	Analyst Name	000201	0012	18	50	Maxdecimal 5
G#3	Analyst Code	NEXL<MEAS>AT. US	179	172	206	See Measures chart in Appendix
I	Expiration Date	EXL<MEAS>UT. INT	76	179	201	See Measures chart in Appendix
A	Value	EXLFILAT.INT	186	870115	870124	Available in Normalized History for all regions
G#3	TRBC Short description	2004.	40	9999 9999 9999	1000 0000 00039	See Measures chart in Appendix
B#2	Home mkt code	EUROFILI. <REG>	124	12	29	Blank where not applicable
J#6	Activation Date	20001229	8	71	84	yymmdd format in history files
F#5	TRBC Short description	IPL1	47	1	27	See Measures chart in Appendix
O	Dilution Factor	CUSIP/	59	512	546	Available in Standard/Regular History Non-US files only

Supplemental Data Files

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** EXL<MEAS>AT.US, EXLFILAT.US, HRECBKRI.<REG>

Name (Unadjusted): DET<MEAS>UT.<REG>, NEXL<MEAS>AT.INT, DETFILUT.<REG>

Level: Standard

Frequency: Daily

Key	Item	Format	Length	Start	End	Comments
H	Activation Date	71	63	60	97	Numeric codes
M	Company Name	83	1024	22	32	See Region Appendix
G	TRBCPermID	78	40	2	19	Available in Normalized History for all regions
F#3	Exclude Date	HH:MM:SS	2	17	55	See Region Appendix
F#5	Estimate Currency	162	1	1987	2000	Available in Standard/Regular History Non-US files only
Q4	Analyst Name	EXLFILAT.INT	47	11111	11117	See Region Appendix
G#4	Forecast Period Indicator	DETFILAT.<REG>	68	96	122	Available in Standard/Regular History Non-US files only
O#9	Stop Time	ID	2005	36	43	Available in Standard/Regular History Non-US files only
G#4	Stop Time	55	162	4	7	Maxdecimal 5
H#5	TRBC Short description	SIG	16	16	18	Available in Normalized History for all regions
F#4	Exclude Flag	2.34	45	20	27	yymmdd format in history files
B	Estimator	EPS.	3	202	210	Available in Normalized History for all regions
R	Estimator	BRANFILI.<REG>	38	71	100	See Region Appendix
O	CUSIP/SEDOL	157	179	65	105	See Measures chart in Appendix
O#9	Product Description	15	71	41	79	Parent/Consolidated Flag (NON-US)
L	Product Type	124	2005	103	136	Blank where not applicable
A	Announce Time	EXL<MEAS>AT.US	180	210	211	Maxdecimal 5
E#4	Expiration Date	64	177	12	43	Maxdecimal 5
K	Product Description	9812	19	96	103	See Region Appendix
E#5	Primary/Diluted Indicator	SEDOL.	31	62	79	Parent/Consolidated Flag (NON-US)
G	Measure	95	80	92	125	yymmdd format in history files
I#5	Exclude End Time	80	47	35	67	Available in Standard/Regular History Non-US files only

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** DETFILUT.<REG>

Level: Standard

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
B	Analyst Name	3.37193	172	122	141	Maxdecimal 5
L	I/B/E/S Ticker	CUSIP	14	66	103	Maxdecimal 5
O#9	Announce Time	64	100	124	152	See Region Appendix
K	Stop Date	20	18	16	23	See Region Appendix
C#3	Currency at Company Level	90	131	63	88	Numeric codes
B	TRBC Long description	41	74	73	113	yymmdd format in history files
G#4	Exclude End Date	HSTRBCDESC	30	50	88	yymmdd format in history files
K	TRBC Short description	2.	17	81	117	Parent/Consolidated Flag (NON-US)
D	Footnote Text	QFS.	16	1024	1054	See Measures chart in Appendix
G	Footnote Type	142	1024	999999	1000029	Available in Standard/Regular History Non-US files only
O	Analyst Name	45	19	53	81	See Region Appendix
E	Exclude End Date	.INT	186	94	109	See Region Appendix
K#7	Region ID	80	11	13	31	See Measures chart in Appendix
G	Review Date	011115	12	29	57	Parent/Consolidated Flag (NON-US)
H	Currency at Company Level	JPY	9912	66	102	yymmdd format in history files
E#4	Review Time	90	83	35	62	See Measures chart in Appendix
D#4	Estimate Currency	8.8185	32	103	103	See Region Appendix
D	Value	BRANFIELD. <REG>	92	13	21	Parent/Consolidated Flag (NON-US)
R	Region ID	YYMMDD	1	11111	11124	Numeric codes
F#3	Dilution Factor	62	7	5	26	Maxdecimal 5
G#3	Review Time	NEXL<MEAS>A64 US	64	28	55	Blank where not applicable
K	Exclude End Date	2003.	177	94	130	Maxdecimal 5
I#5	TRBC Long description	63.406000	61	60	60	Parent/Consolidated Flag (NON-US)
E	TRBC Short description	99999999 9999	54	38	65	See Measures chart in Appendix
E#4	Measure Unit	95	78	73	108	Maxdecimal 5
K#7	TRBC Long description	EURO	27	38	56	Maxdecimal 5
G	Region ID	0012	179	22	23	Blank where not applicable
B	TRBC Long description	HSTRBCDESC	17.0	100	140	Parent/Consolidated Flag (NON-US)
G	Product Status	SUM	74	62	72	Available in Normalized History for all regions

Detail Estimates Data Files

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** CURFILD.<REG>, DET<MEAS>AT.<REG>

Level: Normalized

Frequency: Monthly

Key	Data Field	Data Type	Data Length	Comments
G	Review Date	varchar	45	yymmdd format in history files
A#1	TRBC Short description	char	31	Parent/Consolidated Flag (NON-US)
O#9	CUSIP/SEDOL	int	96	Maxdecimal 5
E	Canadian Currency	int	179	Maxdecimal 5
G	CUSIP/SEDOL	date	179	yymmdd format in history files
F#4	Product Type	char	28	See Measures chart in Appendix
A#1	Currency	smallint	36	Parent/Consolidated Flag (NON-US)
E	Estimator	X	17.0	Parent/Consolidated Flag (NON-US)
K#7	Reserved	int	85	See Region Appendix
A	Value	char	47	Available in Normalized History for all regions
K#7	TRBC Long description	smallint	19	Numeric codes
E#5	Review Date	tinyint	25	Blank where not applicable
I	Region ID	tinyint	0412	Parent/Consolidated Flag (NON-US)
F#6	Stop Date	D	100	Blank where not applicable
E#5	Exclude End Date	smallint	162	See Region Appendix
R	Measure Unit	char	87	Numeric codes
H#5	TRBC Long description	D	38	Available in Normalized History for all regions
G	Footnote Text	varchar	23	Maxdecimal 5
G#7	Primary/Diluted Indicator	char	1987	Parent/Consolidated Flag (NON-US)
N#8	Official Ticker	date	87	Blank where not applicable
B#2	CUSIP/SEDOL	tinyint	56	Blank where not applicable

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HSTRBCDESC, DETPTG.<REG>

Name (Unadjusted): IDFIL.I.<REG>, EXL<MEAS>AT.INT

Level: Detail

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
N#8	TRBC Long description	N	6	Maxdecimal 5
R	Review Time	D	5	Available in Standard/Regular History Non-US files only
E	Company Name	D	0512	Available in Standard/Regular History Non-US files only
K#7	Measure Unit	int	17	Numeric codes
R	Exclude End Time	date	162	Parent/Consolidated Flag (NON-US)
E#5	Stop Date	tinyint	14	See Measures chart in Appendix
D#4	Primary/Diluted Indicator	N	172	yymmdd format in history files
A	Activation Date	varchar	27	Numeric codes
N	Announce Date	time	75	Parent/Consolidated Flag (NON-US)
J#6	Forecast Period Indicator	N	94	See Measures chart in Appendix
A	Estimator	date	101	Blank where not applicable
P	Activation Date	int	19	Maxdecimal 5
M	CUSIP/SEDOL	smallint	67	Parent/Consolidated Flag (NON-US)
H#5	Product Status	X	94	Blank where not applicable
P	Activation Time	int	38	Available in Standard/Regular History Non-US files only
C	Company Name	char	72	yymmdd format in history files
J#6	Measure Unit	int	33	See Region Appendix
E#4	Analyst Name	date	78	Maxdecimal 5
L	Reserved	N	11	Maxdecimal 5
A	Measure Unit	D	101	yymmdd format in history files
C#3	Analyst Name	char	42	yymmdd format in history files
A#1	Exclude End Date	time	27	Numeric codes
D#4	Product Type	smallint	27	Available in Normalized History for all regions
C#3	TRBC Short description	D	62	See Region Appendix
X	Company Name	D	95	yymmdd format in history files
D#4	I/B/E/S Ticker	tinyint	17	Available in Normalized History for all regions
K#7	Stop Time	D	95	Maxdecimal 5
S	Footnote Type	D	6	See Measures chart in Appendix
Q4	TRBC Long description	int	63	Parent/Consolidated Flag (NON-US)
N#8	Activation Time	char	152	Blank where not applicable
G	Canadian Currency	varchar	34	Available in Normalized History for all regions
F#6	Measure	varchar	26	See Region Appendix
H	Activation Date	time	131	Parent/Consolidated Flag (NON-US)
E	Exclude Time	varchar	99	Available in Standard/Regular History Non-US files only
O	Product Type	varchar	80	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
D#3	Exclude Time	time	17.0	See Measures chart in Appendix
N	Estimator	N	95	Available in Normalized History for all regions
E	Footnote Type	D	40	Blank where not applicable
X	Announce Time	smallint	81	Available in Standard/Regular History Non-US files only
D	Announce Date	date	17	Available in Standard/Regular History Non-US files only
H#5	Exclude End Time	D	1987	yymmdd format in history files
N	Exclude Flag	int	33	Maxdecimal 5
Q4	Product Type	date	13	Maxdecimal 5
M	Company Name	D	16	See Measures chart in Appendix
F	Company Name	time	51	yymmdd format in history files
X	Value	D	41	Parent/Consolidated Flag (NON-US)
I	Footnote Type	date	74	See Measures chart in Appendix
J	Home mkt code	N	1024	See Measures chart in Appendix
C#2	Analyst Code	N	149	Numeric codes

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): HRECSTPT.<REG>, NCURFIL.<REG>, ADJ<MEAS>.<REG>

Level: Summary

Frequency: Daily **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
R	Review Date	222222	78	177	214	Numeric codes
J#6	Company Name	157	81	11111	11118	See Region Appendix
I	Stop Time	94	16	20040304	20040320	yyymmdd format in history files
D	I/B/E/S Ticker	2.	80	412	432	Blank where not applicable
F	TRBC Short description	49	67	142	151	Numeric codes
H#5	TRBCPermID	11111	202	78	103	Blank where not applicable
R	Measure	14	11	73	89	See Region Appendix
M	Currency	LSE	22	32	33	See Measures chart in Appendix
C#3	Footnote Text	63.406000	59	38	54	Maxdecimal 5
S	Estimator ID	999999.999	1024	72	95	Numeric codes
L	Analyst Code	22	210	16	17	Maxdecimal 5
K#7	Exclude Time	11111	60	87	94	Blank where not applicable
P	Activation Time	102	81	20040304	20040331	Available in Standard/Regular History Non-US files only
G#4	Product ID	ACTK<MMM>.<REG>	177	122	149	See Region Appendix
J	Announce Time	67	2.34	11	17	Maxdecimal 5
D#4	Exclude Date	65	3	134	149	Blank where not applicable
F	Analyst Code	PREG	3	11115	11145	Numeric codes
K	Announce Time	134	90	210	233	Blank where not applicable
K	Review Time	NON-US	69	49	72	Available in Normalized History for all regions
S	Stop Date	67	102	47	64	Available in Standard/Regular History Non-US files only

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DETPTGUT . <REG>

Name (Unadjusted): NDET<MEAS>UT . <REG>

Level: Normalized

Frequency: Historical

- Some files represent snapshots; others represent incremental updates.
- Record-level fields are presented in fixed-width layouts.

Note: Values and codes are provided for referential use only.

Key	Data Field	Data Type	Data Length	Comments
B#2	Exclude Date	time	76	Available in Standard/Regular History Non-US files only
I	Estimate Currency	char	16	See Measures chart in Appendix
E	Product Description	int	76	See Region Appendix
S	Estimator ID	tinyint	186	See Measures chart in Appendix
B#2	Exclude Flag	D	92	Available in Normalized History for all regions
H	Exclude Flag	X	15	yymmdd format in history files
G#7	Product Description	time	50	yymmdd format in history files
N#8	Exclude End Date	time	152	Parent/Consolidated Flag (NON-US)
O#9	Exclude Time	N	59	Maxdecimal 5
K#7	Currency	N	92	Parent/Consolidated Flag (NON-US)
P	Announce Time	X	51	Blank where not applicable
P	Footnote Text	varchar	21	Available in Standard/Regular History Non-US files only
Q4	Product Type	int	142	Available in Standard/Regular History Non-US files only
F	Activation Date	date	186	yymmdd format in history files
E#4	Primary/Diluted Indicator	X	13	yymmdd format in history files
H	Product ID	int	41	Blank where not applicable
G#3	Expiration Date	varchar	2005	Parent/Consolidated Flag (NON-US)
N#8	TRBC Short description	tinyint	76	Parent/Consolidated Flag (NON-US)
G#7	Exclude End Time	X	49	Numeric codes
J	Stop Time	D	74	Numeric codes
O#9	Activation Time	time	62	Blank where not applicable
L	Dilution Factor	X	124	See Measures chart in Appendix
E#5	Exclude Date	char	50	Blank where not applicable
Q4	Measure Unit	date	157	Available in Normalized History for all regions
G#3	Forecast Period Indicator	date	76	See Region Appendix
O#9	Review Date	X	0512	Parent/Consolidated Flag (NON-US)
H	Region ID	X	105	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
G	Stop Date	D	999	Available in Standard/Regular History Non-US files only
K#7	Product Status	X	62	Numeric codes
Q4	TRBC Long description	X	186	Numeric codes
R	Forecast Period End Date	smallint	103	Maxdecimal 5
H#5	Product Type	char	41	Parent/Consolidated Flag (NON-US)
J#6	Activation Date	D	1999	See Measures chart in Appendix
F#4	Exclude Flag	D	5	Parent/Consolidated Flag (NON-US)
N	Activation Date	smallint	5	Available in Standard/Regular History Non-US files only
K#7	Measure Unit	N	11	yymmdd format in history files
P	Product ID	date	27	See Measures chart in Appendix
B	Dilution Factor	N	44	Available in Normalized History for all regions
J	Product Type	tinyint	74	yymmdd format in history files
G#3	Stop Time	tinyint	66	Numeric codes
B#2	Expiration Date	N	3	See Region Appendix
H#5	Announce Date	date	63	Parent/Consolidated Flag (NON-US)
D#3	I/B/E/S Ticker	tinyint	87	Parent/Consolidated Flag (NON-US)
F#3	Exclude End Date	tinyint	69	Available in Normalized History for all regions
G#3	Review Time	time	12	yymmdd format in history files
I	Product ID	smallint	149	Numeric codes
G	Product ID	int	41	See Measures chart in Appendix
A	I/B/E/S Ticker	time	19	Blank where not applicable
Q4	Estimator ID	D	1987	See Measures chart in Appendix
J	Exclude End Time	X	58	Blank where not applicable
A	Forecast Period End Date	smallint	0412	Maxdecimal 5

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HDXRATI.<REG>, IDFIL.I.<REG>

Name (Unadjusted): HRECSTPT.<REG>, HRECIDU.<REG>

Level: Detail

Frequency: Daily

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.

Note: Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
S	Exclude End Date	YYYYMMDD	99	29	62	Available in Standard/Regular History Non-US files only
M	Analyst Code	20030422	10	35	60	Parent/Consolidated Flag (NON-US)
X	Exclude End Time	EPS	0012	47	66	yymmdd format in history files
E	Primary/Diluted Indicator	IBES	69	36	43	Numeric codes
R	Exclude Date	24.03	83	69	107	Available in Standard/Regular History Non-US files only
E#5	Canadian Currency	NEXL<MEAS>U INT	0012	999999	1000028	Available in Standard/Regular History Non-US files only
S	Announce Time	63.406000	73	11111	11140	Available in Standard/Regular History Non-US files only
H	Region ID	ID	66	54	79	Maxdecimal 5
Q4	Announce Time	20.6353	120	180	211	Blank where not applicable
G#7	Product Description	GUIDE	100	10	50	Parent/Consolidated Flag (NON-US)
F#5	Announce Date	NDETPTGAT. <REG>	120	20040304	2004031	See Region Appendix
O	Currency	2.34	0012	20030422	20030456	Blank where not applicable
L	Product ID	CAD	42	169	189	Parent/Consolidated Flag (NON-US)
I#5	Estimator	152	186	6	46	Available in Normalized History for all regions
C#2	Measure Unit	8.0372	9912	72	81	Available in Normalized History for all regions
G#3	Exclude Date	186	3	96	113	Blank where not applicable
C	Exclude Date	999999.999	80	73	78	yymmdd format in history files
K#7	Stop Time	USD	9812	990211	990221	See Region Appendix
D	Product ID	38	34	71	73	Blank where not applicable
F	Forecast Period Indicator	41	6	64	103	Available in Standard/Regular History Non-US files only
C	Review Time	20.635	7	1024	1048	Maxdecimal 5
Q4	Announce Date	NDETPTGAT. <REG>	72	59	76	yymmdd format in history files

Continued on next page

Key	Item	Format	Length	Start	End	Comments
E#4	Footnote Text	78	90	155	161	See Measures chart in Appendix
K	Measure	DETAIL	22	255	289	Parent/Consolidated Flag (NON-US)
A	Product Description	UNADJ	13	13	41	Maxdecimal 5
A	Forecast Period Indicator	EURO	78	20001229	20001230	See Region Appendix
A	Footnote Text	NDET FILUT. <REG>	13	149	185	See Region Appendix
C#3	Announce Time	999999.999	2.34	87	105	Parent/Consolidated Flag (NON-US)
B	TRBC Short description	011115	1	21	60	yymmdd format in history files
G	Footnote Type	4.	5	11115	11146	See Measures chart in Appendix
I	Currency	19	33	14	20	See Measures chart in Appendix
L	Company Name	NEXL<MEAS> US	17	186	188	Maxdecimal 5
B	Region ID	2000	39	512	543	Available in Standard/Regular History Non-US files only
G#4	Exclude Time	ADJ	78	1999	2006	Available in Normalized History for all regions
P	Primary/Diluted Indicator	USD	1999	11115	11139	Available in Normalized History for all regions
F#4	Estimate Currency	CUSIP/ SEDOL	7	11	46	See Measures chart in Appendix
D	Exclude Time	US	17.0	159	194	Blank where not applicable
H#5	Review Date	EUROFILI. <REG>	38	20040304	20040348	Blank where not applicable
D#4	Estimator ID	99.99	134	40	65	Numeric codes
R	Dilution Factor	3.3719	120	11111	11115	Available in Normalized History for all regions
C	TRBC Short description	26	49	32	68	Numeric codes
G#4	Currency at Company Level	AM	52	47	79	See Region Appendix
F#3	CUSIP/SEDOL	NOK	68	51	60	Numeric codes
E#5	Canadian Currency	179	9	10213	10226	Numeric codes
X	Exclude Flag	NDETPTGAT. <REG>	180	100	118	Available in Normalized History for all regions
E#4	Reserved	61	24	186	191	Available in Normalized History for all regions
F#6	I/B/E/S Ticker	23	61	971110	971132	Parent/Consolidated Flag (NON-US)
B	Dilution Factor	99999.9999	169	142	152	Available in Normalized History for all regions
N	TRBCPermID	HRECIDU. <REG>	157	155	155	Numeric codes

KPI File Description and layouts

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HSTRBCDESC, ADJ<MEAS>.<REG>, DETPTGUT.<REG>

Name (Unadjusted): EXL<MEAS>AT.US, DETFILUT.<REG>, STPFILAT.<REG>

Level: Detail

Frequency: Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
O#9	Expiration Date	PREG	142	94	110	Numeric codes
F#3	Analyst Code	105	0512	157	166	See Region Appendix
G#7	Canadian Currency	SEDOL/ CUSIP	83	201	239	Available in Standard/Regular History Non-US files only
F#3	Region ID	QTR	105	13	47	Parent/Consolidated Flag (NON-US)
H	TRBCPermID	.US	5	120	136	Blank where not applicable
F#3	Analyst Name	NORMALIZED	131	76	82	Numeric codes
D#3	Exclude Flag	YYYY	0512	21	33	Numeric codes
O	Exclude Time	0.34	999	1024	1061	Maxdecimal 5
M	Footnote Type	NON-US	26	76	97	Maxdecimal 5
C#2	Dilution Factor	56	155	41216	41232	Numeric codes
P	Stop Time	11	17	99999	100017	See Measures chart in Appendix
D#3	Review Time	NEXLFILAT. US	94	32	70	See Measures chart in Appendix
O#9	Exclude Flag	75	120	1999	2036	Available in Standard/Regular History Non-US files only
S	Dilution Factor	149	76	24	33	yymmdd format in history files
M	Review Date	HISTORY	159	134	139	Parent/Consolidated Flag (NON-US)
C#2	Estimator ID	14	0412	971110	971110	See Measures chart in Appendix
A#1	Review Date	2001.	76	20	49	yymmdd format in history files
D	Exclude Date	GBP	152	44	73	Maxdecimal 5
G#4	Review Date	EXLFILAT.INT	179	42	60	Parent/Consolidated Flag (NON-US)
C#3	Reserved	YYMM	39	30	62	Available in Standard/Regular History Non-US files only
O	Exclude End Date	EUROFILI. <REG>	14	102	136	Available in Normalized History for all regions
B	Home mkt code	0412	149	24	33	yymmdd format in history files
F#4	Region ID	2.340	0.34	179	216	Numeric codes
C#3	Exclude End Date	0.34	36	10	29	Maxdecimal 5
X	Currency at Company Level	1999	50	180	183	Blank where not applicable
E#5	Exclude Date	PID2	10	32	52	Numeric codes
G#4	Exclude Time	STPFILAT. <REG>	80	29	60	See Region Appendix
F#3	Exclude End Time	45	202	23	38	Numeric codes

Currency Conversion

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** CURFILD.<REG>, HSTRBCDESC, EUROFILI.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical

Key	Data Field	Data Type	Data Length	Comments
O	Activation Date	tinyint	99	Blank where not applicable
H#5	Forecast Period End Date	time	2000	yymmdd format in history files
K	Measure	D	68	Maxdecimal 5
J	Exclude Flag	date	26	Parent/Consolidated Flag (NON-US)
K#7	Review Time	smallint	76	Available in Normalized History for all regions
D#3	Measure	D	63	Numeric codes
H	Currency	tinyint	35	Blank where not applicable
A	Announce Date	X	69	Available in Normalized History for all regions
K	Dilution Factor	N	20	Parent/Consolidated Flag (NON-US)
F#3	Reserved	char	101	See Region Appendix
C#3	TRBC Short description	int	0012	See Measures chart in Appendix
O#9	Announce Time	tinyint	255	yymmdd format in history files
H#5	Reserved	date	157	Blank where not applicable
C	Forecast Period Indicator	date	172	Available in Normalized History for all regions
K#7	Exclude Time	N	62	Numeric codes
F#4	Estimator	varchar	55	Numeric codes
G	Forecast Period End Date	D	100	Maxdecimal 5
D#3	Canadian Currency	varchar	58	Available in Normalized History for all regions
X	Stop Time	varchar	44	See Region Appendix
F#5	Estimator ID	date	61	See Measures chart in Appendix
K#7	Footnote Type	tinyint	2.34	yymmdd format in history files
B#2	Company Name	char	255	Blank where not applicable
N#8	Product ID	date	17	Available in Normalized History for all regions
F	Estimator	tinyint	23	Available in Standard/Regular History Non-US files only
D	Exclude End Date	date	152	Parent/Consolidated Flag (NON-US)
O#9	Official Ticker	tinyint	0512	yymmdd format in history files
O	Primary/Diluted Indicator	int	14	yymmdd format in history files
J#6	Forecast Period End Date	varchar	22	See Region Appendix
D#3	TRBC Long description	time	100	Available in Standard/Regular History Non-US files only
C#2	Activation Time	date	4	See Measures chart in Appendix
F	CUSIP/SEDOL	D	177	Maxdecimal 5
H#5	Analyst Code	smallint	31	Numeric codes
H	Product Type	int	45	yymmdd format in history files
C#3	Dilution Factor	smallint	7	Maxdecimal 5
F#4	Forecast Period Indicator	time	255	Numeric codes

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
N	Review Date	int	6	See Region Appendix
D#4	Exclude End Date	time	39	Blank where not applicable

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXLFILAT.US, BRANFILI.<REG>

Name (Unadjusted): HDXRATI.<REG>, BRANFILI.<REG>

Level: Detail

Frequency: Daily **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
E	Product Status	tinyint	36	yymmdd format in history files
K	TRBC Short description	X	46	See Measures chart in Appendix
H#5	TRBC Short description	D	186	Blank where not applicable
J#6	Exclude Flag	date	26	Numeric codes
G#7	Home mkt code	char	31	Available in Normalized History for all regions
F#3	Exclude Date	X	120	yymmdd format in history files
E	Estimate Currency	int	31	yymmdd format in history files
H	Exclude End Time	time	46	yymmdd format in history files
Q4	Activation Time	time	83	Maxdecimal 5
C	Exclude End Time	date	103	See Region Appendix
P	Review Time	int	0412	See Measures chart in Appendix
J	Exclude Time	char	19	Maxdecimal 5
C#3	Official Ticker	time	53	Blank where not applicable
C#2	Estimate Currency	int	142	yymmdd format in history files

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NCURFIL.<REG>, NDETFLAT.<REG>

Name (Unadjusted): CURFILI.<REG>, IDFIELD.<REG>

Level: Summary

Frequency: Daily/Weekly/Historical **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
H#5	Forecast Period Indicator	50	64	134	169	Numeric codes
I#5	Company Name	131	94	94	132	Maxdecimal 5
X	Product Status	QFS	11	19991231	19991240	Available in Normalized History for all regions
I	Analyst Name	103	68	29	60	See Region Appendix
O#9	Analyst Name	100	155	16	38	Parent/Consolidated Flag (NON-US)
G#4	Canadian Currency	1999.	60	35	50	yymmdd format in history files
M	Product Type	59	42	9	13	yymmdd format in history files
I	Forecast Period End Date	CUSIP/	28	100000	100005	Numeric codes
G#4	Exclude Flag	NOK	0412	53	64	Maxdecimal 5
O#9	Exclude End Date	HRECSTPT.<REG>	92	92	122	Blank where not applicable
D	Primary/Diluted Indicator	96	12	33	57	Numeric codes
G#7	Announce Date	QTR	159	53	55	Parent/Consolidated Flag (NON-US)
L	Measure Unit	JPY	202	83	92	Parent/Consolidated Flag (NON-US)
D	Measure	0412	42	6	25	Available in Normalized History for all regions
L	Review Time	NDETFLUT.<REG>	55	45	49	See Region Appendix
I	Analyst Code	TPC	36	155	172	Available in Normalized History for all regions
S	Estimator ID	QFS.	56	255	294	See Region Appendix
F#4	Review Date	HSTRBCDESC	54	58	73	Blank where not applicable
D#3	Activation Date	41	149	29	39	Blank where not applicable
D#4	Announce Time	ACTK<MMM>.<REG>	172	103	121	Maxdecimal 5
L	Company Name	USD	81	210	241	Available in Normalized History for all regions
B	TRBC Short description	122	60	50	84	Numeric codes
G#3	Announce Time	STPFILAT.<REG>	92	14	36	See Measures chart in Appendix
F#5	Region ID	EXL<MEAS>UT.1 US		4	25	Maxdecimal 5
K#7	Official Ticker	49	42	55	93	See Measures chart in Appendix
X	Primary/Diluted Indicator	222222	210	40	68	Available in Standard/Regular History Non-US files only
D	Review Date	ENB	61	18	39	Numeric codes

Continued on next page

Key	Item	Format	Length	Start	End	Comments
D	Exclude Date	EPS	49	8	8	Maxdecimal 5
G#4	Measure Unit	FTP	47	74	99	Blank where not applicable
H#5	Estimate Currency	55	92	56	63	Maxdecimal 5
F#4	Official Ticker	210	74	26	64	Available in Normalized History for all regions
I#5	I/B/E/S Ticker	SUM	1	157	189	Maxdecimal 5
N#8	Exclude Date	124	120	131	163	Parent/Consolidated Flag (NON-US)
Q4	Exclude Date	32	14	19991231	19991267	Available in Normalized History for all regions
G	Currency at Company Level	152	0412	9999 9999 9999	1000 0000 00026	Available in Standard/Regular History Non-US files only
N#8	Review Date	179	34	11111	11114	See Measures chart in Appendix
K	Exclude Flag	40	29	14	34	Blank where not applicable

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HRECBKRU.<REG>

Name (Unadjusted): STOPPTG.<REG>

Level: Standard

Frequency: Daily/Weekly/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
E#5	Currency	HRECIDI. <REG>	202	255	276	Available in Normalized History for all regions
I	Estimator ID	56	76	19	20	Available in Normalized History for all regions
K#7	Exclude Date	202	159	36	51	Maxdecimal 5
I#5	Region ID	18	60	80	105	Parent/Consolidated Flag (NON-US)
F#6	Primary/Diluted Indicator	000201	32	10	38	Numeric codes
G#3	Review Time	142	9812	36	49	Blank where not applicable
P	Product Type	AM	103	134	141	Parent/Consolidated Flag (NON-US)
C	Footnote Type	45	169	6	7	Maxdecimal 5
A#1	Product Description	53	17	179	200	Parent/Consolidated Flag (NON-US)
D	Forecast Period End Date	HRECSTPT. <REG>	41	14	45	Maxdecimal 5
D#3	Estimate Currency	2000.	122	39	39	Available in Standard/Regular History Non-US files only
C#3	Measure Unit	STAT	21	20030422	20030447	See Measures chart in Appendix
J	I/B/E/S Ticker	EUR	124	90	105	Parent/Consolidated Flag (NON-US)
C#2	I/B/E/S Ticker	54	25	49	60	Available in Normalized History for all regions
S	Review Time	CUSIP/ SEDOL	15	65	95	Parent/Consolidated Flag (NON-US)
P	Primary/Diluted Indicator	58	15	210	220	Maxdecimal 5
E#4	Activation Date	NACTK<MMM>. <REG>	100	67	98	Blank where not applicable
G#7	I/B/E/S Ticker	EXL<MEAS>UT INT	22	162	201	Available in Normalized History for all regions
G	Measure Unit	ADJ<MEAS>. <REG>	62	990211	990218	yymmdd format in history files
H#5	Forecast Period End Date	32	33	2005	2045	Available in Standard/Regular History Non-US files only
M	Forecast Period Indicator	2003.	172	9	43	See Measures chart in Appendix
Q4	Product Status	NOK.	13	11115	11142	Maxdecimal 5
B	Value	NORMALIZED	120	11111	11150	See Region Appendix
D	Review Date	999999.999	68	20030422	20030447	yymmdd format in history files
F	CUSIP/SEDOL	14.200	36	120	135	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
Q4	Canadian Currency	NOK	4	102	131	Available in Standard/Regular History Non-US files only
B#2	Exclude Flag	54	155	58	82	Available in Standard/Regular History Non-US files only
A#1	Canadian Currency	HRECBKRU. <REG>	100	16	18	Available in Normalized History for all regions
G#7	Exclude End Time	NA	28	870115	870121	Maxdecimal 5
C#2	Region ID	QFS	75	60	71	See Measures chart in Appendix
F#3	Activation Date	31	0512	39	45	See Measures chart in Appendix
J#6	Analyst Code	UNADJ	255	30	69	Available in Standard/Regular History Non-US files only
D	Analyst Code	8.8185	95	49	73	Numeric codes
Q4	Exclude Date	64	0.34	222222	222258	Maxdecimal 5
R	Exclude Date	BRANFILD. <REG>	26	30	43	Available in Standard/Regular History Non-US files only
B	Dilution Factor	255	39	8	23	yymmdd format in history files
P	Estimate Currency	STAT	75	75	87	Numeric codes
M	Value	177	36	186	198	Available in Normalized History for all regions
I#5	Expiration Date	GBP	149	68	98	See Region Appendix
A#1	Product Status	42	0012	1	24	Maxdecimal 5
N	Stop Time	96	177	201	218	Maxdecimal 5
M	Review Time	122	58	11	21	Available in Standard/Regular History Non-US files only
L	Analyst Name	92	81	11111	11137	Numeric codes
L	Dilution Factor	8.8185	0012	11115	11120	See Measures chart in Appendix
B	TRBC Long description	8.037200	92	67	69	Blank where not applicable
E	Official Ticker	105	68	24	60	Maxdecimal 5

Detail Price Target Data Files

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** EUROFIL.I.<REG>, NEXL<MEAS>AT.I.INT, HSFCO.<REG>

Level: Normalized

Frequency: Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
J	Measure Unit	int	103	See Measures chart in Appendix
G	Analyst Code	X	45	Maxdecimal 5
D#4	Dilution Factor	time	1	Parent/Consolidated Flag (NON-US)
K	Review Time	tinyint	81	Available in Normalized History for all regions
G#7	Product ID	smallint	87	Numeric codes
B	Exclude End Time	int	2.34	Blank where not applicable
H	Footnote Text	tinyint	4	Parent/Consolidated Flag (NON-US)
N#8	Stop Date	time	80	See Region Appendix
I	Home mkt code	time	59	Parent/Consolidated Flag (NON-US)
C	Analyst Name	date	10	Blank where not applicable
I	Announce Time	tinyint	134	See Region Appendix
Q4	Product ID	smallint	52	See Measures chart in Appendix
J#6	Product ID	X	32	Maxdecimal 5
S	Product ID	smallint	52	Blank where not applicable

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** HRECBKRI.<REG>, DET<MEAS>UT.<REG>, BRANFILD.<REG>

Name (Unadjusted): NDETFILEUT.<REG>, STP<MEAS>AT.<REG>, HSTRBCDATA.<REG>

Level: Summary

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
E#5	Official Ticker	smallint	34	Maxdecimal 5
G#4	Forecast Period Indicator	D	100	Blank where not applicable
C	Canadian Currency	char	50	See Measures chart in Appendix
G#4	Stop Time	date	30	Parent/Consolidated Flag (NON-US)
O#9	Activation Date	int	0512	yymmdd format in history files
G	Region ID	char	17.0	Parent/Consolidated Flag (NON-US)
B#2	Stop Date	time	152	Blank where not applicable
G#3	CUSIP/SEDOL	time	34	Numeric codes
O#9	Expiration Date	D	15	Blank where not applicable
H	Analyst Name	X	87	Blank where not applicable
C#2	Reserved	D	186	Numeric codes
I	Product ID	char	92	Available in Normalized History for all regions
H	Stop Date	time	40	Available in Normalized History for all regions
N	Footnote Text	time	120	Available in Normalized History for all regions
L	Product ID	tinyint	14	Blank where not applicable
D#3	Exclude Flag	date	78	Available in Normalized History for all regions

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** IDFIELD.<REG>

Name (Unadjusted): IDFILE.<REG>

Level: Summary

Frequency: Daily

Key	Data Field	Data Type	Data Length	Comments
K#7	TRBC Short description	X	26	See Region Appendix
F	Exclude Flag	D	3	See Measures chart in Appendix
N#8	Exclude Time	N	32	yymmdd format in history files
I#5	I/B/E/S Ticker	time	94	Available in Standard/Regular History Non-US files only
G	Home mkt code	D	81	Maxdecimal 5
A#1	TRBC Long description	smallint	19	Parent/Consolidated Flag (NON-US)
H#5	Home mkt code	smallint	4	Maxdecimal 5
B#2	Exclude End Date	X	17	See Measures chart in Appendix
H#5	Activation Date	N	56	Maxdecimal 5
A#1	CUSIP/SEDOL	smallint	7	Blank where not applicable
K	Official Ticker	int	186	Blank where not applicable
B#2	Exclude Flag	char	69	Maxdecimal 5
N#8	Footnote Text	time	38	Available in Standard/Regular History Non-US files only
L	Review Date	char	99	Maxdecimal 5
P	TRBCPermID	time	124	See Region Appendix
E#4	Measure	smallint	134	See Region Appendix
E	Forecast Period Indicator	date	25	See Measures chart in Appendix
D	Analyst Code	tinyint	0012	yymmdd format in history files
D#3	Exclude Time	D	45	yymmdd format in history files
C	TRBC Short description	D	50	Available in Standard/Regular History Non-US files only
K#7	Announce Time	X	101	See Measures chart in Appendix
X	Currency	D	0412	Maxdecimal 5
D#4	Product Type	time	100	See Measures chart in Appendix
I	TRBC Long description	time	180	Parent/Consolidated Flag (NON-US)

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** STPFILAT.<REG>, HSFCO.<REG>

Level: Summary

Frequency: Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
D#4	Product Description	tinyint	28	Parent/Consolidated Flag (NON-US)
F#4	Company Name	time	2000	Available in Normalized History for all regions
D#4	Estimator ID	X	120	Available in Standard/Regular History Non-US files only
K	Announce Date	N	172	Parent/Consolidated Flag (NON-US)
D#4	Exclude Flag	varchar	29	Available in Normalized History for all regions
F#4	Product Description	char	177	Maxdecimal 5
I#5	Measure	tinyint	0412	See Region Appendix
B	Product Description	X	59	See Measures chart in Appendix
B#2	Analyst Name	varchar	134	Blank where not applicable
E	Dilution Factor	X	134	Maxdecimal 5
C#2	Stop Date	N	152	Available in Standard/Regular History Non-US files only
G	TRBC Long description	D	99	Blank where not applicable
C	Announce Time	date	17	Parent/Consolidated Flag (NON-US)
C#3	Footnote Type	date	1999	Available in Standard/Regular History Non-US files only
J#6	Exclude End Date	date	1024	Available in Normalized History for all regions
D#3	Dilution Factor	time	41	See Measures chart in Appendix
D	Measure Unit	time	172	Maxdecimal 5
G#3	Product Description	N	149	Maxdecimal 5
A	TRBC Long description	smallint	42	Available in Standard/Regular History Non-US files only
H#5	Stop Time	varchar	210	Maxdecimal 5
F#3	Product ID	varchar	49	Numeric codes
J#6	Official Ticker	date	7	Maxdecimal 5
Q4	TRBC Long description	N	122	Numeric codes
N	TRBC Long description	char	19	See Measures chart in Appendix
B	Measure Unit	char	99	yymmdd format in history files
O	Exclude End Time	X	180	Blank where not applicable
N#8	Activation Time	date	73	See Region Appendix
I	Product Status	N	68	Available in Standard/Regular History Non-US files only
B#2	Stop Time	varchar	103	Numeric codes
A#1	Footnote Type	tinyint	255	Available in Standard/Regular History Non-US files only
O#9	Review Date	date	103	See Region Appendix
J#6	Exclude End Time	varchar	53	See Region Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
J#6	Stop Time	date	39	Available in Standard/Regular History Non-US files only
N	Measure Unit	varchar	12	yymmdd format in history files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** NDETFILEAT.<REG>

Name (Unadjusted): EXL<MEAS>AT.INT

Level: Detail

Frequency: Daily

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.
- Some files represent snapshots; others represent incremental updates.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
D#3	Estimator	N	73	yymmdd format in history files
F#3	Review Time	int	87	Blank where not applicable
I	Estimator ID	int	177	See Region Appendix
Q4	Announce Date	varchar	51	Maxdecimal 5
D	Analyst Name	char	17.0	Numeric codes
I	Analyst Code	X	54	Blank where not applicable
O#9	TRBC Long description	D	101	Available in Normalized History for all regions
G#7	Forecast Period End Date	N	92	Maxdecimal 5
I#5	Analyst Code	tinyint	20	Blank where not applicable
F	Estimator ID	date	94	Available in Standard/Regular History Non-US files only
A	Product Status	tinyint	0.34	Maxdecimal 5
C#3	Announce Time	char	53	Parent/Consolidated Flag (NON-US)
F#6	Exclude Flag	smallint	25	Parent/Consolidated Flag (NON-US)
C#3	Exclude End Date	smallint	9812	Parent/Consolidated Flag (NON-US)
J#6	Exclude Flag	time	24	Available in Standard/Regular History Non-US files only
H#5	Analyst Name	int	52	Maxdecimal 5
D#4	Estimator	smallint	46	Blank where not applicable
K	Estimator ID	N	74	yymmdd format in history files
A#1	I/B/E/S Ticker	D	15	Parent/Consolidated Flag (NON-US)
O#9	Currency at Company Level	varchar	49	See Measures chart in Appendix
N#8	Product ID	int	16	Parent/Consolidated Flag (NON-US)
N#8	Estimate Currency	char	45	Numeric codes
E#5	Company Name	char	40	Blank where not applicable
L	Canadian Currency	char	62	Blank where not applicable
X	Announce Time	smallint	80	Available in Normalized History for all regions
X	Currency at Company Level	N	0412	Parent/Consolidated Flag (NON-US)
N#8	TRBC Long description	int	9	Maxdecimal 5

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
P	Measure	X	71	Parent/Consolidated Flag (NON-US)
G#4	Reserved	tinyint	38	Blank where not applicable
C	TRBC Long description	X	18	Available in Normalized History for all regions
C#2	Stop Time	time	26	Available in Normalized History for all regions
J	Activation Date	D	85	See Measures chart in Appendix
H	Region ID	time	100	See Measures chart in Appendix
N#8	Review Date	char	0.34	Maxdecimal 5
E#5	Activation Date	varchar	6	Available in Standard/Regular History Non-US files only
P	Measure	D	3	See Measures chart in Appendix
E	Currency	smallint	49	Numeric codes
K#7	Estimator ID	time	17	Available in Standard/Regular History Non-US files only
G#7	Stop Date	smallint	20	Maxdecimal 5
C#2	Currency at Company Level	time	0512	Parent/Consolidated Flag (NON-US)
C#2	Reserved	D	2005	Parent/Consolidated Flag (NON-US)
J	Company Name	N	60	Available in Normalized History for all regions
G#4	Exclude Flag	date	90	See Measures chart in Appendix

Supplemental Data Files

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECIDU.<REG>, BRANFILI.<REG>, HRECSTPT.<REG>

Level: Normalized

Frequency: Daily **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
G	Estimate Currency	char	999999999999	9912	9	18	Maxdecimal 5
F#5	Review Time	smallint	GUIDE	96	34	42	Available in Standard/Regular History Non-US files only
O	Dilution Factor	varchar	5.	95	202	228	Available in Standard/Regular History Non-US files only
K	Currency	X	PD1.<REG>	94	103	115	Blank where not applicable
J	TRBC Long description	X	124	17.0	61	72	Available in Normalized History for all regions
E#4	Canadian Currency	date	999	92	61	87	Available in Standard/Regular History Non-US files only
K	Dilution Factor	time	67	96	50	60	Parent/Consolidated Flag (NON-US)
N	Forecast Period End Date	char	3.	45	134	172	Parent/Consolidated Flag (NON-US)
C	I/B/E/S Ticker	N	50	159	6	20	Numeric codes
E#5	Value	smallint	56	19	971120	971147	See Measures chart in Appendix
L	Footnote Type	X	HSFCO.<REG>	38	20	57	Maxdecimal 5
A	Canadian Currency	varchar	131	210	64	77	Blank where not applicable
H	Measure	N	CAD	24	46	72	Blank where not applicable
F#6	TRBC Long description	N	31	99	62	63	yymmdd format in history files
K	Official Ticker	char	19991231	7	512	523	Maxdecimal 5
C#2	TRBC Long description	time	78	999	80	86	Maxdecimal 5
K	Region ID	N	NEXLFILUT.INT	27	12	31	Numeric codes
F#4	Reserved	varchar	0012	96	3	31	Available in Normalized History for all regions
S	Announce Date	smallint	AM	63	13	50	Available in Normalized History for all regions
J	Analyst Name	int	BRANFILI.<REG>	124	6	13	See Measures chart in Appendix
S	Activation Date	int	29250N1X	32	9812	9817	Numeric codes
I#5	Analyst Name	N	105	38	73	97	See Measures chart in Appendix
D#4	Activation Date	N	1024	68	16	55	Available in Normalized History for all regions

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Currency	N	62	61	19991231	19991231	Numeric codes
I	Estimate Currency	D	76	8	15	18	Parent/Consolidated Flag (NON-US)
L	Exclude Time	char	CAD	2	7	33	Available in Standard/Regular History Non-US files only
O	Forecast Period Indicator	time	134	169	149	166	See Region Appendix
S	Exclude Date	N	ACTK<MMM> <REG>	159	100	111	Numeric codes
F#6	Currency at Company Level	varchar	HSTRBCDATA <REG>	1987	42	63	See Region Appendix
S	Product ID	time	49	134	87	124	See Region Appendix
F	Estimator ID	time	KPI	95	412	412	See Region Appendix

Detail Price Target Data Files

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name:** DETFILUT.<REG>, CURFILI.<REG>, ADJFILI.<REG>

Name (Unadjusted): BRANFILI.<REG>, HRECIDI.<REG>, NDETFILE.<REG>

Level: Summary

Frequency: Monthly

Key	Data Field	Data Type	Data Length	Comments
O#9	Canadian Currency	X	72	Available in Standard/Regular History Non-US files only
G#3	Activation Date	X	66	Maxdecimal 5
N#8	Value	D	54	Blank where not applicable
L	Exclude End Date	tinyint	1987	See Measures chart in Appendix
A#1	Home mkt code	D	30	Available in Standard/Regular History Non-US files only
I	Currency at Company Level	date	999	Available in Standard/Regular History Non-US files only
R	Exclude Date	D	75	Parent/Consolidated Flag (NON-US)
X	Product Description	varchar	105	See Region Appendix
L	Product Description	date	122	Numeric codes
K#7	Estimator ID	time	49	Numeric codes
K#7	Dilution Factor	char	19	Available in Normalized History for all regions
A#1	Exclude Flag	int	17	Available in Normalized History for all regions
B#2	Exclude Time	varchar	162	yymmdd format in history files
H	Footnote Type	X	17	Parent/Consolidated Flag (NON-US)
F#5	Estimator ID	char	62	See Measures chart in Appendix
D#4	Exclude End Time	varchar	29	Maxdecimal 5
S	Value	varchar	14	See Measures chart in Appendix
E#5	Value	N	2000	See Region Appendix
L	Exclude Flag	D	64	Maxdecimal 5
A#1	TRBC Long description	D	54	yymmdd format in history files
R	Review Date	smallint	4	yymmdd format in history files
Q4	TRBC Short description	D	63	Available in Standard/Regular History Non-US files only
F	Expiration Date	tinyint	39	Available in Normalized History for all regions
B	Company Name	X	39	Available in Standard/Regular History Non-US files only
J#6	Estimator	smallint	172	yymmdd format in history files

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DET<MEAS>UT.<REG>, NDETFILEUT.<REG>

Name (Unadjusted): DETPTGUT.<REG>, ADJFIELD.<REG>

Level: Summary

Frequency: Daily/Weekly/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
D	Product Type	STPFILAT. <REG>	122	63	68	See Region Appendix
C#2	Value	2005	2005	46	86	Available in Normalized History for all regions
E#4	TRBC Long description	EUR	18	61	68	See Region Appendix
J#6	TRBC Short description	99999.999	28	1999	2030	Available in Normalized History for all regions
G#4	Stop Time	47	179	12	41	Available in Normalized History for all regions
H	Product ID	20001229	83	9	39	Parent/Consolidated Flag (NON-US)
E#5	Review Date	PID2	120	222222	222261	Numeric codes
F#6	CUSIP/SEDOL	SEDOL.	142	80	88	Parent/Consolidated Flag (NON-US)
S	Canadian Currency	QTR	44	12	13	yymmdd format in history files
G#7	Forecast Period End Date	20.635	186	1999	2038	Numeric codes
M	Footnote Text	U.S.	51	157	157	See Measures chart in Appendix
F#4	CUSIP/SEDOL	63.406	99	201	216	Numeric codes
R	Forecast Period Indicator	59	6	971110	971146	Available in Standard/Regular History Non-US files only
K	Forecast Period Indicator	95	157	971120	971139	See Region Appendix
C#3	Canadian Currency	50	95	81	109	Maxdecimal 5

Detail Recommendation Data Files

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECIDI.<REG>, EUROFILI.<REG>, HRECBKRI.<REG>

Level: Summary

Frequency: Monthly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
B#2	Activation Time	X	0012	80	9999 9999 9999	1000 0000 00028	See Region Appendix
R	Exclude Date	char	0512	0512	172	202	yymmdd format in history files
F#4	Region ID	tinyint	BRANFILD. <REG>	149	122	125	yymmdd format in history files
A	I/B/E/S Ticker	X	KPI	180	59	68	Parent/Consolidated Flag (NON-US)
E	Estimator ID	N	XX	53	60	99	Available in Normalized History for all regions
G#4	Currency at Company Level	N	15	75	62	101	Maxdecimal 5
X	Exclude Flag	X	PTG	78	39	67	yymmdd format in history files
G#3	Reserved	time	68	162	32	55	Parent/Consolidated Flag (NON-US)
N#8	Reserved	tinyint	IPL2.	25	81	81	Available in Standard/Regular History Non-US files only
I#5	Official Ticker	varchar	76	169	105	142	Numeric codes
I	Product Status	X	AM	83	42	74	Available in Standard/Regular History Non-US files only
G	Forecast Period Indicator	varchar	17	142	8	37	Numeric codes
N#8	Exclude Time	N	EST.	46	49	88	yymmdd format in history files
S	Region ID	tinyint	41	18	34	62	See Region Appendix
Q4	Region ID	varchar	20030422	32	152	186	yymmdd format in history files
F#4	Review Date	X	180	21	169	207	yymmdd format in history files
K#7	Measure Unit	time	99999	2	9912	9941	Parent/Consolidated Flag (NON-US)
B	Expiration Date	char	EXL<MEAS> INT	ATB6	2000	2036	Available in Standard/Regular History Non-US files only
P	Canadian Currency	date	EST.	2	155	194	Available in Normalized History for all regions
C	Announce Date	time	99.99	7	46	57	Available in Normalized History for all regions
X	Estimator	N	NEXLFILAT. US	13	83	120	See Measures chart in Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
I	Currency	D	ENB	38	16	17	Available in Standard/Regular History Non-US files only
N#8	Activation Time	tinyint	HRECBKRU <REG>	87	61	91	yymmdd format in history files
F#5	Review Date	X	NC	0.34	17	48	Available in Standard/Regular History Non-US files only
F	Currency at Company Level	date	LSE	44	6	9	Numeric codes

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NCURFIL.<REG>

Name (Unadjusted): HRECIDU.<REG>

Level: Summary

Frequency: Daily

- Record-level fields are presented in fixed-width layouts.
- Some files represent snapshots; others represent incremental updates.

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Dilution Factor	varchar	17	3	5	34	Available in Standard/Regular History Non-US files only
O#9	Product Status	varchar	ENB	3	22	37	Blank where not applicable
G#3	Forecast Period End Date	char	15	13	9	37	Parent/Consolidated Flag (NON-US)
H	Product Description	date	CCC	75	162	164	Available in Standard/Regular History Non-US files only
J#6	TRBC Long description	time	NDETPTGAT.7<REG>		10	34	See Region Appendix
A	Exclude End Date	varchar	ADJFILI.<REG>	162	71	83	See Region Appendix
F	Value	char	EUROFILI.<REG>	69	19	58	yymmdd format in history files
P	Analyst Code	date	99	62	39	63	See Measures chart in Appendix
E#5	TRBC Short description	date	74	20	12	34	See Region Appendix
J	Estimator	varchar	100	19	74	113	See Measures chart in Appendix
R	TRBCPermID	time	999999.999	52	34	42	Blank where not applicable
G#7	I/B/E/S Ticker	time	15	255	29	35	yymmdd format in history files
G#3	Stop Time	D	GBP	51	162	198	Available in Normalized History for all regions
D#4	Dilution Factor	char	PID1.<REG>	25	142	155	Available in Normalized History for all regions
I	Region ID	N	EPS	31	71	103	Parent/Consolidated Flag (NON-US)
B#2	Dilution Factor	date	63.406	31	95	95	See Measures chart in Appendix
K	Footnote Text	int	CUSIP	44	971120	971145	See Region Appendix
O	Analyst Code	date	16	2.34	65	104	See Region Appendix
Q4	Measure	varchar	NOK	105	124	136	Parent/Consolidated Flag (NON-US)
G#4	Announce Date	date	14.200	67	35	66	See Region Appendix
G#7	Region ID	char	STANDARD	73	50	63	Numeric codes

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** ADJ<MEAS>.<REG>, STOPPTG.<REG>

Name (Unadjusted): EXLFILAT.US, IDFIELD.<REG>

Level: Summary

Frequency: Daily/Weekly/Historical

- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
S	Exclude End Time	smallint	177	8	33	49	Blank where not applicable
X	Reserved	varchar	54	120	38	77	Maxdecimal 5
E#4	TRBC Long description	int	120	99	74	74	yymmdd format in history files
C	Company Name	date	202	0.34	134	173	yymmdd format in history files
G	TRBC Short description	N	USER	101	73	111	Blank where not applicable
K#7	Review Date	int	63	16	255	278	Available in Normalized History for all regions
N	Announce Time	char	DETPTG.<REG>	94	24	62	yymmdd format in history files
R	Primary/Diluted Indicator	N	142	1	172	187	Maxdecimal 5
X	Home mkt code	D	2.34	28	201	201	Numeric codes
D#3	Activation Time	smallint	35	9812	202	240	Available in Standard/Regular History Non-US files only
D#3	Announce Time	int	21.558	155	13	41	Parent/Consolidated Flag (NON-US)
B	Reserved	char	NACTK<MMM><REG>	22	59	69	Numeric codes
I	Estimator ID	N	169	50	53	85	Parent/Consolidated Flag (NON-US)
G#3	Stop Time	date	NEXLFILAT.US	76	23	55	Parent/Consolidated Flag (NON-US)
F#5	Product Status	X	1024	51	24	34	See Region Appendix
D	I/B/E/S Ticker	X	222222	102	87	99	Blank where not applicable
A	CUSIP/SEDOL	X	1024	9912	90	130	Available in Standard/Regular History Non-US files only
F#6	Footnote Type	smallint	EST.	47	31	57	Maxdecimal 5
C#2	Expiration Date	time	159	32	990211	990211	yymmdd format in history files
M	Home mkt code	X	58	47	100000	100006	See Region Appendix
M	Announce Time	varchar	NEXLFILAT.US	210	35	69	Blank where not applicable
C#2	Estimator	smallint	HISTORY	62	33	54	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
I#5	Exclude Date	date	FY1	186	131	152	Blank where not applicable
H	Forecast Period End Date	time	3.37193	169	62	62	Parent/Consolidated Flag (NON-US)

Detail Estimates Data Files

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** STOPPTG.<REG>, NDET<MEAS>AT.<REG>, BRANFILI.<REG>

Name (Unadjusted): EUROFILI.<REG>, EXL<MEAS>AT.INT, STP<MEAS>AT.<REG>

Level: Normalized

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
J	Value	smallint	45	Blank where not applicable
D#4	Region ID	X	95	Blank where not applicable
E#5	Review Date	varchar	1	Available in Normalized History for all regions
F#5	Product ID	X	11	See Region Appendix
C#2	Expiration Date	date	7	yymmdd format in history files
I#5	Primary/Diluted Indicator	varchar	49	Maxdecimal 5
E	Product Description	int	9912	Maxdecimal 5
Q4	TRBC Long description	time	21	Available in Standard/Regular History Non-US files only
N	Expiration Date	int	78	yymmdd format in history files
F#6	Activation Time	X	179	Available in Normalized History for all regions
A	Review Time	int	180	Numeric codes
A#1	Estimate Currency	tinyint	52	Parent/Consolidated Flag (NON-US)
G#3	CUSIP/SEDOL	date	30	Blank where not applicable
F#3	Product Status	N	101	Numeric codes
F#5	Company Name	date	44	yymmdd format in history files
A#1	Expiration Date	varchar	105	Available in Normalized History for all regions
P	Announce Time	smallint	45	Blank where not applicable
P	Currency at Company Level	int	71	Maxdecimal 5
F	Forecast Period End Date	smallint	11	Available in Normalized History for all regions
N	Value	time	18	Numeric codes
G#3	Official Ticker	char	9912	Blank where not applicable
C#3	Exclude Flag	X	1987	Parent/Consolidated Flag (NON-US)
D#4	Product Type	time	51	See Region Appendix
D#3	Dilution Factor	varchar	50	Available in Standard/Regular History Non-US files only
K#7	Home mkt code	time	186	Numeric codes
A#1	I/B/E/S Ticker	N	1	Available in Normalized History for all regions
N	Analyst Name	time	29	Available in Normalized History for all regions
E	TRBCPermID	time	999	Parent/Consolidated Flag (NON-US)
G#3	Product ID	int	23	Available in Standard/Regular History Non-US files only
A#1	Expiration Date	char	100	Maxdecimal 5
G#4	Review Time	N	172	See Measures chart in Appendix
B#2	Dilution Factor	N	3	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
N#8	Review Time	tinyint	19	Available in Standard/Regular History Non-US files only
A	Announce Date	smallint	68	Blank where not applicable
A#1	Forecast Period Indicator	tinyint	52	Maxdecimal 5
L	Exclude Time	varchar	67	Parent/Consolidated Flag (NON-US)
L	Product Description	X	59	See Region Appendix
R	Product ID	date	60	Numeric codes

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NEXLFILAT.INT

Name (Unadjusted): EXLFILAT.INT

Level: Detail

Frequency: Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
J#6	Announce Date	time	0.34	yymmdd format in history files
E#5	Stop Time	N	159	Available in Standard/Regular History Non-US files only
C#3	Value	date	155	Parent/Consolidated Flag (NON-US)
F	Product Status	tinyint	96	Blank where not applicable
X	Exclude Flag	varchar	20	yymmdd format in history files
G#4	Activation Date	smallint	66	Parent/Consolidated Flag (NON-US)
F#5	Company Name	time	83	See Region Appendix
E#4	Official Ticker	varchar	28	Parent/Consolidated Flag (NON-US)
A#1	Official Ticker	time	47	Maxdecimal 5
K#7	Product Status	D	18	Available in Normalized History for all regions
A#1	Estimator ID	N	24	Available in Normalized History for all regions
I#5	Reserved	time	142	See Region Appendix
F	Currency at Company Level	time	6	See Measures chart in Appendix
D	Exclude Date	char	122	See Measures chart in Appendix
F#6	Activation Date	tinyint	155	Blank where not applicable
R	Dilution Factor	int	52	yymmdd format in history files
G#7	Estimator ID	smallint	2.34	Available in Normalized History for all regions
A	Footnote Text	int	61	See Region Appendix
P	Exclude Flag	N	10	Parent/Consolidated Flag (NON-US)
L	Value	time	65	Available in Normalized History for all regions
D#4	Announce Date	int	157	Maxdecimal 5
D#3	Product Type	tinyint	122	Parent/Consolidated Flag (NON-US)
F#6	Canadian Currency	X	6	Parent/Consolidated Flag (NON-US)
N#8	Expiration Date	D	16	See Measures chart in Appendix
J#6	Activation Time	X	177	yymmdd format in history files
G	TRBCPermID	int	26	See Region Appendix
N#8	Company Name	X	11	Available in Standard/Regular History Non-US files only
L	Activation Date	time	49	Numeric codes
F#3	Product Type	tinyint	9	See Measures chart in Appendix
M	Announce Date	date	44	Maxdecimal 5
S	Company Name	int	39	Maxdecimal 5
F#5	Official Ticker	int	58	Numeric codes
O	Exclude End Date	D	47	yymmdd format in history files
D#4	Product Status	varchar	55	Available in Normalized History for all regions
E	Exclude Date	varchar	78	yymmdd format in history files

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
J#6	CUSIP/SEDOL	D	87	Available in Normalized History for all regions
P	Reserved	D	210	See Measures chart in Appendix
Q4	Official Ticker	int	34	Maxdecimal 5

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STPFILAT.<REG>, STP<MEAS>AT.<REG>, DETPTG.<REG>

Name (Unadjusted): EXL<MEAS>AT.US, NEXLFILAT.US, CURFILD.<REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
F	Product ID	time	64	Blank where not applicable
F#3	Analyst Code	smallint	62	Available in Standard/Regular History Non-US files only
A#1	Product Status	smallint	17	Blank where not applicable
M	Expiration Date	varchar	22	See Region Appendix
D	TRBCPermID	char	9	Parent/Consolidated Flag (NON-US)
F#5	Canadian Currency	char	78	Numeric codes
X	Measure	D	51	See Region Appendix
E#4	Product Type	X	24	Available in Standard/Regular History Non-US files only
N	Review Time	D	63	See Region Appendix
H	Analyst Code	varchar	186	Maxdecimal 5
J#6	Activation Date	varchar	0512	Numeric codes
E#4	CUSIP/SEDOL	char	4	Numeric codes
J	Exclude End Date	int	169	Parent/Consolidated Flag (NON-US)
B#2	Review Time	X	11	Blank where not applicable
F#6	Primary/Diluted Indicator	D	13	Maxdecimal 5
F	Region ID	time	46	Numeric codes
C#2	Product ID	X	100	Available in Normalized History for all regions
C	TRBCPermID	int	31	Maxdecimal 5
D	Home mkt code	D	25	Numeric codes
F#3	Announce Date	time	16	Parent/Consolidated Flag (NON-US)
S	Stop Time	smallint	81	Available in Standard/Regular History Non-US files only

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** IDFILIT.<REG>

Level: Detail

Frequency: Daily/Weekly/Historical

- Region and measure codes enable consistent joins across files.
- Timestamps support change tracking and reconciliation.
- Record-level fields are presented in fixed-width layouts.

Note: Values and codes are provided for referential use only.

Key	Item	Format	Length	Start	End	Comments
J#6	Region ID	870115	6	169	183	Available in Standard/Regular History Non-US files only
O	Currency at Company Level	USD	46	17	27	Parent/Consolidated Flag (NON-US)
L	Estimator	QTR	64	87	90	Blank where not applicable
B	Exclude Flag	D.	10	22	34	See Measures chart in Appendix
A	Exclude Flag	CCCCC	1	169	194	Numeric codes
S	Currency at Company Level	14.200	25	155	165	yymmdd format in history files
E	Dilution Factor	25	1987	47	47	Available in Normalized History for all regions
F#4	Activation Time	DETFILUT.<REG>	131	999	1032	Available in Normalized History for all regions
C#3	Exclude Flag	NDETPTGUT.<REG>	9	96	129	Numeric codes
B	Official Ticker	SEDOL/CUSIP	142	5	9	Numeric codes
D	I/B/E/S Ticker	ANN	12	999	1028	Available in Normalized History for all regions
C#3	Stop Date	UNADJ	6	6	23	Numeric codes
A	Exclude Date	28	0.34	30	58	Parent/Consolidated Flag (NON-US)
S	Product ID	99999.9999	100	1987	2002	Numeric codes
G#7	Currency	44	94	22	54	See Measures chart in Appendix
G	Exclude Flag	DETPTG.<REG>	179	870115	870124	Blank where not applicable
D#4	Stop Date	34	14	75	90	See Measures chart in Appendix
B	Region ID	2005	31	28	46	Available in Normalized History for all regions
B#2	Measure Unit	NDETFILUT.<REG>	78	41216	41223	Numeric codes
K	I/B/E/S Ticker	72	159	12	43	Available in Normalized History for all regions
G#4	Exclude Date	99999	179	56	70	Available in Normalized History for all regions

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#6	Analyst Name	96	72	172	190	See Measures chart in Appendix
G	Exclude Flag	BRANFILI. <REG>	59	55	64	Parent/Consolidated Flag (NON-US)
F#3	Exclude Time	74	33	9	15	See Measures chart in Appendix
D#3	Exclude Time	101	78	92	103	Available in Standard/Regular History Non-US files only
R	Activation Time	IPL1	5	102	141	See Region Appendix
R	Activation Date	KPI	101	10213	10224	Available in Normalized History for all regions
C#2	Announce Date	IDFILI. <REG>	45	142	177	Available in Standard/Regular History Non-US files only
F#4	CUSIP/SEDOL	55	179	180	197	yymmdd format in history files

Supplemental Data Files

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HRECBKRU.<REG>, EXLFILAT.US

Level: Detail

Frequency: Daily/Weekly/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
L	Estimate Currency	date	60	Numeric codes
J	Review Time	X	202	Available in Normalized History for all regions
E#5	Canadian Currency	X	38	Numeric codes
B	CUSIP/SEDOL	time	101	Parent/Consolidated Flag (NON-US)
O	Reserved	date	131	See Measures chart in Appendix
G	Product Status	char	25	Maxdecimal 5
O	Reserved	X	55	Available in Standard/Regular History Non-US files only
D#3	Product Type	D	6	Numeric codes
E#4	Measure	X	80	Available in Standard/Regular History Non-US files only
X	Footnote Type	date	80	See Measures chart in Appendix
E#4	Review Date	date	69	See Measures chart in Appendix
H	Activation Time	date	101	Available in Normalized History for all regions
D#4	Measure	int	92	Available in Normalized History for all regions
D	Expiration Date	X	65	Maxdecimal 5
B#2	Measure	tinyint	75	Blank where not applicable
A	Exclude Date	tinyint	0012	Blank where not applicable
H#5	Footnote Type	N	74	Numeric codes
C#2	Dilution Factor	smallint	186	See Region Appendix
J#6	Activation Date	date	2.34	Blank where not applicable
R	Exclude Time	tinyint	24	See Measures chart in Appendix
B	Analyst Name	smallint	14	Available in Normalized History for all regions

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** BRANFILD.<REG>, NEXLFILAT.US, EXL<MEAS>AT.INT

Level: Standard

Frequency: Daily/Weekly/Historical

- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
I#5	Product Status	char	142	22	19991231	19991231	Parent/Consolidated Flag (NON-US)
O	Review Date	time	011115	92	29	37	See Measures chart in Appendix
E	Region ID	X	19991231	179	68	90	Numeric codes
A	Currency	varchar	IPL2	66	9912	9914	Blank where not applicable
E#5	Estimator ID	char	40	13	63	74	Maxdecimal 5
O	Forecast Period Indicator	tinyint	DET	1999	28	32	See Measures chart in Appendix
E#4	Footnote Text	D	999999.999	162	58	84	Available in Standard/Regular History Non-US files only
F	Review Date	tinyint	CUSIP/SEDOL	59	105	136	Available in Normalized History for all regions
E#4	Exclude Flag	X	SEDOL.	27	44	69	Maxdecimal 5
R	Official Ticker	N	IBES	78	41216	41227	See Region Appendix
O#9	Exclude End Date	tinyint	12	2005	50	63	Available in Standard/Regular History Non-US files only
D	Announce Date	varchar	ADJ<MEAS><REG>	42	44	55	yymmdd format in history files
D#3	Estimator ID	X	1.	58	31	35	yymmdd format in history files
R	Activation Date	time	EXL<MEAS>AT.US	61	870115	870122	Numeric codes
F#6	Company Name	X	UNADJ	46	4	15	Parent/Consolidated Flag (NON-US)
E#4	TRBCPermID	date	USD.	6	179	179	Parent/Consolidated Flag (NON-US)
A	Value	X	222222	53	8	48	Blank where not applicable
C#3	Canadian Currency	varchar	23	76	7	30	See Measures chart in Appendix
H	Product Description	X	4.	2000	39	41	Parent/Consolidated Flag (NON-US)
C#3	Footnote Text	time	9912	54	971110	971144	Parent/Consolidated Flag (NON-US)

Detail Recommendation Data Files

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** DETPTGUT.<REG>, ADJFILD.<REG>

Name (Unadjusted): NEXLFILAT.US, NDET<MEAS>AT.<REG>

Level: Detail

Frequency: Monthly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
C#2	Forecast Period End Date	3.37193	54	177	192	yymmdd format in history files
H#5	Analyst Name	LSE	134	80	92	Blank where not applicable
O	Activation Date	AM	0012	60	66	Available in Standard/Regular History Non-US files only
D#3	Stop Date	103	62	38	66	See Region Appendix
O#9	Measure	XX	27	73	92	See Measures chart in Appendix
S	Exclude End Time	ADJ	17.0	20040302	20040344	Numeric codes
B#2	Home mkt code	36	1	39	69	Available in Normalized History for all regions
H	Estimator	51	1024	12	43	See Measures chart in Appendix
R	Announce Time	CCCCCCCC	50	76	110	Parent/Consolidated Flag (NON-US)
A#1	Product Type	76	24	29	33	yymmdd format in history files
D	Estimator	YYMM	4	172	198	See Measures chart in Appendix
F#6	Footnote Text	34	149	60	74	Available in Standard/Regular History Non-US files only
C#2	Value	9999999.999	90	186	191	Available in Standard/Regular History Non-US files only
E#4	Footnote Text	3.37193	0.34	20030422	20030445	yymmdd format in history files
J#6	I/B/E/S Ticker	ADJ	7	42	49	Blank where not applicable
D#4	Product Type	999.999	80	11115	11139	Available in Normalized History for all regions
N	Activation Time	94	0512	124	163	See Measures chart in Appendix
H#5	Dilution Factor	USER	103	13	19	Available in Standard/Regular History Non-US files only
R	Official Ticker	210	94	20001229	20001262	See Measures chart in Appendix
X	Region ID	100	65	36	61	Blank where not applicable
P	Estimator ID	CCCCC	1024	2	24	Blank where not applicable
Q4	Activation Time	ACTK<MMM>.<REG>	85	10	29	See Region Appendix
D#3	Analyst Code	1024	0512	122	141	Maxdecimal 5
K#7	Stop Time	HSFCO.<REG>	202	60	91	yymmdd format in history files
I	Footnote Type	DET	9912	96	117	yymmdd format in history files
A#1	Exclude Flag	142	2.34	58	94	See Region Appendix
K#7	Exclude End Time	35	21	201	209	yymmdd format in history files
J#6	TRBC Short description	3.37193	186	25	51	Blank where not applicable
N#8	Product Status	22	87	15	33	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Item	Format	Length	Start	End	Comments
Q4	Value	SAN	105	24	63	Parent/Consolidated Flag (NON-US)
A#1	Estimator	75	142	64	92	Numeric codes
C#2	Announce Date	38	95	60	85	Available in Standard/Regular History Non-US files only
F#4	Measure Unit	56	20	19991231	19991247	See Measures chart in Appendix

KPI File Description and layouts

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name (Adjusted):** CURFILI.<REG>, DET<MEAS>UT.<REG>, HRECBKRI.<REG>

Name (Unadjusted): HRECSTPT.<REG>, NEXLFILAT.US, HSFCO.<REG>

Level: Detail

Frequency: Daily **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
F	Announce Time	92	1024	1987	2020	See Measures chart in Appendix
K	Estimator ID	75	103	78	82	yymmdd format in history files
G#4	Estimate Currency	STOPPTG. <REG>	47	85	102	Numeric codes
Q4	Value	73	124	1	22	Available in Standard/Regular History Non-US files only
Q4	Announce Time	149	120	18	20	Parent/Consolidated Flag (NON-US)
N	Estimator ID	KPI	36	75	77	Maxdecimal 5
F#6	Exclude Flag	74	47	78	107	See Measures chart in Appendix
D#4	Estimator ID	CCCCC	103	51	85	See Region Appendix
K	Review Date	SAN	152	68	68	See Region Appendix
E	Exclude Time	92	12	40	80	Parent/Consolidated Flag (NON-US)
Q4	Exclude Time	96	122	56	66	Blank where not applicable
D#4	Product Type	NEXLFILAT. US	0012	99	109	Parent/Consolidated Flag (NON-US)
H#5	I/B/E/S Ticker	EUROFILI. <REG>	103	26	26	See Measures chart in Appendix
S	Measure Unit	120	0412	11115	11144	See Region Appendix
G#4	Region ID	2000.	210	27	62	Parent/Consolidated Flag (NON-US)

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DETPTGUT.<REG>

Name (Unadjusted): NDETFLAT.<REG>

Level: Summary

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
E#4	Forecast Period Indicator	USD	64	9812	9843	Parent/Consolidated Flag (NON-US)
J#6	Estimate Currency	USD.	73	42	76	Blank where not applicable
P	TRBC Short description	XX	40	971120	971126	See Region Appendix
O#9	Exclude Time	0012	152	100000	100019	yymmdd format in history files
G#7	Home mkt code	NON-US	69	9	42	See Measures chart in Appendix
D#4	Footnote Text	ANN	152	1024	1061	Parent/Consolidated Flag (NON-US)
D#4	Currency at Company Level	PREG	27	103	132	Numeric codes
K	Estimator	38	1999	75	81	Blank where not applicable
E	Announce Date	SAN	177	172	195	Available in Standard/Regular History Non-US files only
I	Estimator ID	159	80	72	88	Blank where not applicable
N#8	Footnote Text	0012	19	39	39	Maxdecimal 5
G#3	Review Time	157	134	42	52	yymmdd format in history files
J	Company Name	BRANFILI.<REG>	68	13	26	Available in Standard/Regular History Non-US files only
J	Exclude End Time	JPY	25	28	58	Parent/Consolidated Flag (NON-US)
G	Analyst Code	HISTORY	102	19991231	19991240	Blank where not applicable
N	Estimator	202	15	159	169	See Measures chart in Appendix
F#6	Region ID	NOK.	94	87	107	See Measures chart in Appendix
H	CUSIP/SEDOL	NDETFLAT.<REG>	72	47	86	See Region Appendix
D#3	Exclude Time	971120	13	971110	971138	Parent/Consolidated Flag (NON-US)
E#4	Stop Time	255	2000	81	100	Available in Normalized History for all regions
E#5	Exclude Date	QFS.	105	78	82	See Measures chart in Appendix
H	Company Name	HSTRBCDATA.<REG>	49	39	74	Blank where not applicable
B#2	TRBC Short description	75	35	60	91	yymmdd format in history files
K	Review Time	122	53	103	104	yymmdd format in history files
E	TRBC Short description	142	39	202	219	See Region Appendix
A#1	Exclude Flag	14	45	26	33	See Measures chart in Appendix
C#2	Reserved	2.1151	10	222222	222239	Available in Normalized History for all regions
H	I/B/E/S Ticker	50	28	152	160	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
K	Product Type	EURO	142	2000	2006	Blank where not applicable
K#7	Estimate Currency	157	10	22	50	Blank where not applicable
F#5	Exclude Flag	56	1024	20040304	20040336	See Region Appendix
F#4	Review Date	CUSIP/ SEDOL	102	20040304	20040336	Maxdecimal 5
F#6	Announce Date	0012	99	1	2	Parent/Consolidated Flag (NON-US)
G#3	Product Description	66	90	53	57	See Region Appendix
G#4	Exclude End Date	14.200	2005	61	63	yymmdd format in history files
F	Activation Date	26	28	41	71	Blank where not applicable
F#4	Company Name	20	2005	33	44	yymmdd format in history files
G	Home mkt code	NEXL<MEAS> US	124	990211	990247	Maxdecimal 5
A	Stop Date	HRECBKRU. <REG>	102	27	48	See Region Appendix
N	Exclude Date	17	51	20001229	20001245	Maxdecimal 5
K	TRBC Short description	2.34	34	4	23	yymmdd format in history files
E	Measure Unit	NEXLFILUT. US	92	201	238	Available in Normalized History for all regions
M	Analyst Code	USD.	124	18	42	See Region Appendix
N#8	Review Time	2003.	13	45	55	Numeric codes
N	Canadian Currency	LU	18	46	64	yymmdd format in history files
B	Product Description	CCCC	202	81	92	Available in Normalized History for all regions
H#5	Activation Time	78	28	10213	10228	Available in Normalized History for all regions
C	Review Time	4.	73	2000	2018	See Measures chart in Appendix
P	Company Name	QFS.	63	29	36	Available in Standard/Regular History Non-US files only
C#2	Reserved	27	0.34	179	195	Parent/Consolidated Flag (NON-US)

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** IDFI.LI.<REG>, IDFI.LD.<REG>, ADJFI.LI.<REG>

Level: Normalized

Frequency: Daily

Key	Item	Format	Length	Start	End	Comments
L	Dilution Factor	157	122	36	56	Available in Normalized History for all regions
B#2	Home mkt code	HRECSTPT.<REG>	81	12	23	Maxdecimal 5
S	Footnote Type	CURFILD.<REG>	19	5	10	yymmdd format in history files
I#5	Footnote Type	222222	19	142	174	Blank where not applicable
D#4	Stop Date	PID1.<REG>	96	85	120	Available in Standard/Regular History Non-US files only
N	Estimate Currency	7.127050	152	55	91	Available in Standard/Regular History Non-US files only
G#7	Company Name	CUSIP/	73	25	61	Available in Normalized History for all regions
E	Region ID	EPS	23	1987	2024	yymmdd format in history files
N	Product Description	LSE	9912	100	124	Available in Standard/Regular History Non-US files only
F#4	Forecast Period End Date	DETPTG.<REG>	1	11115	11149	Available in Standard/Regular History Non-US files only
H	Currency at Company Level	USD	30	92	104	Available in Standard/Regular History Non-US files only
E#5	Currency	29250N10	18	81	99	Available in Standard/Regular History Non-US files only
L	Currency	34	99	10213	10220	Available in Standard/Regular History Non-US files only
E	Footnote Type	5.	0012	149	157	Numeric codes
E#5	Product Type	011115	999	15	21	Available in Normalized History for all regions
F#6	Measure Unit	MSCIP	63	81	84	Parent/Consolidated Flag (NON-US)
G	Analyst Name	IDFILD.<REG>	3	999999	999999	yymmdd format in history files
C#3	Announce Date	UNADJ	180	41	55	Available in Standard/Regular History Non-US files only
X	Measure	44	142	67	102	See Region Appendix
P	Announce Time	990211	11	65	68	See Measures chart in Appendix
J#6	Announce Date	NEXLFILUT.US	102	27	44	Blank where not applicable
F#6	Estimator	NEXL<MEAS>UT10-US	110	61	99	Parent/Consolidated Flag (NON-US)
E#5	I/B/E/S Ticker	9812	33	35	58	See Region Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
G#4	Forecast Period End Date	DETPTG. <REG>	63	75	108	yymmdd format in history files
E#5	Footnote Type	971110	2	61	63	Available in Standard/Regular History Non-US files only
D#4	Product ID	3.	51	155	155	Blank where not applicable
K#7	Forecast Period End Date	NEXLFILAT. US	2	9	9	Numeric codes
F#4	Activation Time	NEXLFILUT. INT	2005	870115	870116	See Measures chart in Appendix
A#1	Analyst Code	IPL1	94	26	57	Available in Standard/Regular History Non-US files only
Q4	TRBC Long description	18	16	255	273	Available in Normalized History for all regions
E	Expiration Date	CCCC	69	47	73	Available in Standard/Regular History Non-US files only
N	Reserved	CCCCCCCC	60	87	105	Blank where not applicable
J	Primary/Diluted Indicator	ENBRIDGE	20	39	39	Blank where not applicable
F#5	Announce Time	YYYY	62	100000	100034	Parent/Consolidated Flag (NON-US)
D	Activation Date	NDETFLAT. <REG>	21	30	48	Maxdecimal 5

Detail Recommendation Data Files

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DET<MEAS>AT.<REG>, HSTRBCDESC, HRECSTPT.<REG>

Level: Summary

Frequency: Daily **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
J#6	Announce Time	smallint	80	30	45	85	Parent/Consolidated Flag (NON-US)
K	Analyst Code	smallint	180	42	7	29	Blank where not applicable
O	TRBC Long description	tinyint	99999	27	96	134	Available in Standard/Regular History Non-US files only
E#5	Canadian Currency	date	ACTK<MMM><REG>	134	35	59	Blank where not applicable
G	Exclude Time	X	22	14	94	107	Blank where not applicable
L	TRBCPermID	int	U.S.	180	31	47	See Region Appendix
G	Value	int	.US	73	24	50	Available in Normalized History for all regions
K	TRBC Short description	time	18	87	67	105	Blank where not applicable
F#5	Measure Unit	N	HISTORY	102	47	53	Available in Normalized History for all regions
I#5	Activation Date	X	990211	56	60	84	Blank where not applicable
C	Estimator	date	DET	162	45	85	Blank where not applicable
G#4	Measure	D	67	169	9912	9914	Numeric codes
C#3	TRBC Long description	D	8.818500	6	83	95	Maxdecimal 5
C#3	Estimate Currency	varchar	45	81	39	63	yymmdd format in history files
E#5	Footnote Type	tinyint	1999	0012	5	16	Parent/Consolidated Flag (NON-US)
L	Product Description	X	CCCCCCC	56	14	27	Maxdecimal 5
A	Footnote Type	smallint	23	1999	202	237	Available in Standard/Regular History Non-US files only
F#4	TRBCPermID	int	9812	152	103	139	See Measures chart in Appendix
F#4	Announce Time	varchar	100	63	122	152	See Measures chart in Appendix
N	Footnote Text	D	US	255	21	56	Parent/Consolidated Flag (NON-US)
S	Estimate Currency	X	38	47	99	107	Available in Normalized History for all regions
F	TRBC Short description	tinyint	NDETPTGUT.<REG>	162	210	232	Available in Normalized History for all regions
I	Exclude Flag	N	122	20	62	96	See Measures chart in Appendix
X	Company Name	D	CURFILI.<REG>	4	2	26	Maxdecimal 5
I	Footnote Type	smallint	172	33	80	81	Available in Normalized History for all regions
X	Primary/Diluted Indicator	char	32	90	78	86	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
P	Footnote Type	X	SUM	101	210	220	See Region Appendix
X	Stop Time	N	LSE	102	179	182	Parent/Consolidated Flag (NON-US)

Supplemental Data Files

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: NEXL<MEAS>AT.INT

Level: Detail

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
K	Canadian Currency	X	16	Available in Normalized History for all regions
G#7	TRBCPermID	int	42	Blank where not applicable
A#1	TRBCPermID	time	62	Blank where not applicable
B	TRBC Long description	varchar	51	yymmdd format in history files
O	Estimator	date	46	Maxdecimal 5
C#3	Footnote Text	time	62	yymmdd format in history files
F#3	Product Description	int	2	Numeric codes
E	Reserved	int	85	Parent/Consolidated Flag (NON-US)
B#2	Activation Time	time	92	Available in Normalized History for all regions
B#2	Expiration Date	N	15	See Measures chart in Appendix
F#3	Product Description	X	210	Maxdecimal 5
F#5	Forecast Period Indicator	date	52	See Region Appendix
G#3	TRBCPermID	D	14	Available in Normalized History for all regions
E#5	Estimate Currency	tinyint	10	Available in Standard/Regular History Non-US files only
F#4	Estimator	D	64	See Measures chart in Appendix
H	TRBC Long description	smallint	51	Available in Normalized History for all regions
G#4	Exclude Date	int	1	Numeric codes
G#7	Product Status	time	36	See Measures chart in Appendix
Q4	TRBC Long description	char	35	Blank where not applicable
G#3	Reserved	D	7	Numeric codes
A	CUSIP/SEDOL	N	56	Available in Normalized History for all regions
G	Estimator ID	tinyint	122	See Region Appendix
E#5	Reserved	D	58	Available in Standard/Regular History Non-US files only
H#5	Review Date	time	155	yymmdd format in history files
J#6	Product Description	smallint	177	yymmdd format in history files
Q4	Stop Time	int	2.34	yymmdd format in history files
D#3	Exclude Time	D	18	Blank where not applicable
A	Measure	D	60	Maxdecimal 5
F#3	Product Type	D	87	yymmdd format in history files
G	Announce Time	N	72	yymmdd format in history files
H#5	TRBCPermID	date	27	See Region Appendix
J	Exclude Date	int	6	Available in Standard/Regular History Non-US files only
G#3	Estimate Currency	varchar	87	Available in Normalized History for all regions

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
F#3	Expiration Date	smallint	81	yymmdd format in history files
P	Official Ticker	int	179	Available in Standard/Regular History Non-US files only
G#3	Measure Unit	X	0412	Available in Normalized History for all regions
N	Review Time	varchar	0512	Maxdecimal 5
J#6	Announce Date	smallint	47	yymmdd format in history files
J	Region ID	smallint	24	Parent/Consolidated Flag (NON-US)
A	Reserved	X	78	See Measures chart in Appendix
A	Currency at Company Level	X	45	Available in Standard/Regular History Non-US files only
L	Forecast Period End Date	X	142	Blank where not applicable
N	Analyst Code	N	177	Available in Standard/Regular History Non-US files only
E#4	I/B/E/S Ticker	varchar	134	Blank where not applicable
A	Exclude Flag	int	62	Blank where not applicable
N#8	Measure Unit	date	20	Available in Normalized History for all regions
B	Expiration Date	date	54	Parent/Consolidated Flag (NON-US)
D#3	Measure Unit	time	18	Available in Standard/Regular History Non-US files only

KPI File Description and layouts

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name (Adjusted):** EUROFILI.<REG>

Level: Normalized

Frequency: Weekly

- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Key	Item	Data Type	Format	Length	Start	End	Comments
X	Canadian Currency	time	54	90	52	87	Numeric codes
C	Analyst Code	time	DETPTG.<REG>	6	202	221	See Measures chart in Appendix
D#4	TRBC Short description	tinyint	60	40	180	212	Parent/Consolidated Flag (NON-US)
D	Exclude Time	time	24	24	26	27	Available in Standard/Regular History Non-US files only
E#5	Forecast Period End Date	varchar	59	25	202	235	Available in Normalized History for all regions
C#3	Company Name	char	1987	16	39	62	Maxdecimal 5
D	Region ID	smallint	186	83	131	171	yymmdd format in history files
H#5	Dilution Factor	tinyint	CCCCC	2005	20001222	20001242	Parent/Consolidated Flag (NON-US)
M	Announce Time	int	8.037200	152	53	77	Parent/Consolidated Flag (NON-US)
N#8	Expiration Date	D	149	155	15	18	Available in Normalized History for all regions
G	Measure	int	14	202	62	97	See Region Appendix
D	Reserved	char	0012	159	73	100	Available in Normalized History for all regions
F#6	Value	time	CAD	18	31	46	Available in Standard/Regular History Non-US files only
F#4	Product Status	time	99.99	0012	152	155	Parent/Consolidated Flag (NON-US)
F#4	TRBC Long description	char	DETAIL	1987	58	64	Blank where not applicable
O	Exclude End Time	time	.INT	24	41	77	yymmdd format in history files
B	Announce Date	N	SIG	51	20040304	20040319	yymmdd format in history files
X	Review Time	X	90	1	131	139	See Region Appendix
E#4	Activation Date	D	UNADJ	49	124	144	yymmdd format in history files
F	Primary/Diluted Indicator	D	24	149	2005	2037	Maxdecimal 5

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
K#7	CUSIP/SEDOL	char	NACTK<MM> <REG>	234	30	64	Blank where not applicable
H#5	Dilution Factor	smallint	USD.	36	999999	1000015	See Measures chart in Appendix
A#1	Review Date	char	870115	60	11115	11136	Parent/Consolidated Flag (NON-US)
G#3	Stop Time	X	LTG	35	60	75	Available in Standard/Regular History Non-US files only
O#9	Forecast Period End Date	N	LSE	18	10	42	Available in Standard/Regular History Non-US files only
F	Expiration Date	D	CCC	56	67	73	yymmdd format in history files
B#2	I/B/E/S Ticker	int	2000.	31	222222	222253	Maxdecimal 5
M	Review Date	tinyint	31	142	186	208	See Region Appendix
F	Reserved	char	LSE	162	12	39	See Region Appendix
H#5	Reserved	int	19991231	13	49	51	yymmdd format in history files
L	Exclude End Date	time	122	42	131	149	See Region Appendix
P	Footnote Type	N	STANDARD	69	20040304	20040327	Available in Standard/Regular History Non-US files only
X	Announce Time	varchar	HSTRBCDES	80	180	197	Parent/Consolidated Flag (NON-US)

Detail Estimates Data Files

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** DET<MEAS>AT.<REG>, DETPTG.<REG>, NEXL<MEAS>AT. INT

Name (Unadjusted): NEXL<MEAS>AT. US, HRECIDI.<REG>, ADJ<MEAS>.<REG>

Level: Detail

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
B	CUSIP/SEDOL	ADJ	41	40	44	See Region Appendix
M	Announce Date	9912	60	32	33	Parent/Consolidated Flag (NON-US)
A#1	Primary/Diluted Indicator	100000	2005	2	42	See Measures chart in Appendix
F#4	Value	ADJ	28	25	52	See Region Appendix
S	Value	SUM	75	56	96	Parent/Consolidated Flag (NON-US)
C#3	Product Status	149	155	58	76	Available in Standard/Regular History Non-US files only
N#8	CUSIP/SEDOL	HRECIDU.<REG>	152	47	78	See Region Appendix
J#6	Forecast Period Indicator	90	40	9912	9913	See Region Appendix
O	Footnote Text	9999999.999	94	11111	11113	Available in Normalized History for all regions
F#6	Product ID	DET	179	14	30	Parent/Consolidated Flag (NON-US)
F	Exclude End Date	JPY	1024	75	112	yymmdd format in history files
B	Product Status	9912	74	10	34	Numeric codes
J#6	Company Name	HISTORY	58	120	145	Available in Standard/Regular History Non-US files only
F#3	Footnote Type	210	134	210	250	Available in Standard/Regular History Non-US files only
M	Primary/Diluted Indicator	83	155	41	51	yymmdd format in history files
G#3	Product Type	XX	23	971110	971144	Available in Standard/Regular History Non-US files only
F	Primary/Diluted Indicator	NEXLFILUT. US	19	201	208	Maxdecimal 5
E#5	TRBCPermID	ID	0412	39	68	Blank where not applicable
A	Exclude Flag	IPL1	76	102	109	Parent/Consolidated Flag (NON-US)
F	I/B/E/S Ticker	IBES	25	131	133	Maxdecimal 5
F#3	Product Type	222222	14	11115	11148	Numeric codes
K#7	Stop Time	SUM	47	971120	971121	See Measures chart in Appendix
B#2	Footnote Type	SEDOL.	103	11115	11122	See Region Appendix
P	Estimator	IPL1	51	210	217	Available in Normalized History for all regions
R	Product Description	103	30	100000	100007	yymmdd format in history files
G#3	Product ID	28	177	14	34	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
Q4	Home mkt code	255	26	210	249	See Region Appendix
D	Product Description	TPC	1	49	84	Available in Standard/Regular History Non-US files only

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: ADJ<MEAS>.<REG>, NEXLFILAT.INT, CURFILD.<REG>

Name (Unadjusted): DETPTGUT.<REG>, EXL<MEAS>AT.US, BRANFILD.<REG>

Level: Detail

Frequency: Monthly

Key	Item	Format	Length	Start	End	Comments
G#4	Footnote Text	2003.	54	19	59	Numeric codes
K	Estimate Currency	65	1999	169	208	yymmdd format in history files
B#2	Estimate Currency	2000.	25	27	40	Available in Standard/Regular History Non-US files only
A#1	Estimator	30	2000	18	38	See Measures chart in Appendix
G#3	TRBC Short description	2005	142	96	127	Maxdecimal 5
H	TRBC Short description	YYYY	90	41	58	Maxdecimal 5
D	Stop Time	NACTK<MMM>.<REG>	44	80	85	See Region Appendix
G#4	Region ID	99999	162	30	54	Blank where not applicable
B	Stop Date	19	180	22	24	Numeric codes
G#7	Estimator ID	99.99	1	7	38	Available in Standard/Regular History Non-US files only
E#4	Activation Date	011115	83	92	113	Parent/Consolidated Flag (NON-US)
F#3	Canadian Currency	44	15	971110	971125	See Region Appendix
N	Value	HSTRBCDESC	7	51	71	Maxdecimal 5
K#7	Exclude Flag	IPL2	41	74	78	Blank where not applicable
R	I/B/E/S Ticker	2.340	105	102	125	See Region Appendix
D#4	Activation Date	HH:MM:SS	99	1024	1038	Available in Normalized History for all regions
D	Footnote Type	CCCCCCCC	41	11	43	Maxdecimal 5
H	Activation Date	67	124	100	113	See Measures chart in Appendix
I	Stop Time	3.3719	159	5	45	Available in Standard/Regular History Non-US files only
N#8	Stop Date	CAD	59	149	152	Available in Standard/Regular History Non-US files only
F#3	Currency at Company Level	19991231	83	10	35	Blank where not applicable
C	Footnote Type	33	24	13	48	Maxdecimal 5
J	Activation Date	NEXLFILUT.INT	159	67	75	Blank where not applicable
F#6	Home mkt code	19991231	59	971110	971125	Numeric codes

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** DET<MEAS>AT.<REG>

Name (Unadjusted): EXLFILAT.US

Level: Normalized

Frequency: Weekly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
C#3	Exclude End Date	char	177	Blank where not applicable
E#4	Canadian Currency	D	0012	Numeric codes
L	Estimator	N	94	Parent/Consolidated Flag (NON-US)
N#8	Footnote Type	varchar	26	Parent/Consolidated Flag (NON-US)
I#5	Analyst Name	time	24	yymmdd format in history files
B#2	Currency	smallint	2.34	Numeric codes
G#4	Measure Unit	tinyint	20	yymmdd format in history files
S	Estimator	N	87	Maxdecimal 5
R	CUSIP/SEDOL	date	169	See Measures chart in Appendix
C	Region ID	D	65	yymmdd format in history files
A#1	Analyst Name	time	32	Maxdecimal 5
E#4	Estimator ID	D	35	See Measures chart in Appendix
D	Currency at Company Level	date	1999	Maxdecimal 5
Q4	TRBC Short description	varchar	29	See Measures chart in Appendix
E#4	Region ID	char	1024	Parent/Consolidated Flag (NON-US)
E	Footnote Type	X	62	Available in Normalized History for all regions
O#9	Expiration Date	date	60	Numeric codes
P	Company Name	X	180	See Measures chart in Appendix
G#3	I/B/E/S Ticker	varchar	152	Available in Normalized History for all regions
B	Official Ticker	smallint	21	yymmdd format in history files
P	Estimator	N	66	Blank where not applicable
B	Forecast Period Indicator	tinyint	62	Blank where not applicable

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HSTRBCDESC

Name (Unadjusted): DETPTGUT.<REG>

Level: Detail

Frequency: Daily/Weekly/Historical

Key	Item	Format	Length	Start	End	Comments
J	Value	102	95	52	52	Numeric codes
K#7	Official Ticker	ADJ<MEAS>. <REG>	95	177	193	Available in Standard/Regular History Non-US files only
F#3	TRBC Short description	58	255	40	58	Blank where not applicable
H	Product ID	1024	99	180	195	See Region Appendix
D	I/B/E/S Ticker	SEDOL/ CUSIP	177	29	60	Maxdecimal 5
C#2	Exclude Time	95	32	47	73	Available in Standard/Regular History Non-US files only
D#4	Exclude End Date	103	8	72	96	Available in Standard/Regular History Non-US files only
S	Product Description	HDXRATI. <REG>	6	61	79	Available in Normalized History for all regions
I#5	Product ID	19991231	38	22	38	Maxdecimal 5
D	Currency	47	101	162	177	Blank where not applicable
G	Announce Time	2005	100	25	31	yymmdd format in history files
F#3	Forecast Period End Date	1999.	24	2000	2008	Parent/Consolidated Flag (NON-US)
B#2	Currency at Company Level	QFS.	92	80	106	See Region Appendix
F#4	Company Name	0012	53	80	97	Parent/Consolidated Flag (NON-US)
R	Estimator ID	67	9	94	113	yymmdd format in history files
G	Expiration Date	33	9812	20040304	20040318	See Region Appendix
O#9	Stop Time	ANN	105	20030422	20030425	See Region Appendix
H#5	Exclude End Date	ADJ	14	92	111	See Measures chart in Appendix
F#3	Exclude Flag	5.	1	12	30	Available in Standard/Regular History Non-US files only

Currency Conversion

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): HRECIDU.<REG>

Level: Normalized

Frequency: Daily/Historical

- Record-level fields are presented in fixed-width layouts.
- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.

Key	Item	Format	Length	Start	End	Comments
G#4	Stop Date	PID2	50	102	107	yymmdd format in history files
O#9	Primary/Diluted Indicator	17.0	60	10	45	See Measures chart in Appendix
C#3	Product Description	HRECBKRI. <REG>	3	31	53	Blank where not applicable
F#4	Footnote Type	95	8	47	57	Maxdecimal 5
I#5	Home mkt code	15	55	20040304	20040315	Maxdecimal 5
I#5	Region ID	11111	4	210	232	See Measures chart in Appendix
F	Stop Time	NEXLFILAT. US	52	39	49	Numeric codes
N	Dilution Factor	CCCCCCCC	0412	180	202	Available in Standard/Regular History Non-US files only
F#3	Product Description	LU	0412	83	115	Numeric codes
F#4	Official Ticker	25	15	100000	100012	Blank where not applicable
H#5	Footnote Type	EPS	47	65	75	Available in Normalized History for all regions
G#4	Currency at Company Level	55	1024	210	214	See Region Appendix
K	Company Name	TPC	27	20001229	20001264	Available in Normalized History for all regions
D	Exclude End Time	PTG	17.0	38	58	Available in Standard/Regular History Non-US files only
B#2	Announce Date	56	5	990211	990234	See Region Appendix
X	Primary/Diluted Indicator	HRECBKRU. <REG>	64	14	54	See Region Appendix
J#6	CUSIP/SEDOL	999999	186	31	36	Parent/Consolidated Flag (NON-US)
X	Region ID	142	9812	142	157	Maxdecimal 5
H#5	Estimator	HISTORY	103	4	21	Parent/Consolidated Flag (NON-US)

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NCURFIL.<REG)

Level: Detail

Frequency: Daily/Weekly/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
E#4	Estimate Currency	char	13	See Region Appendix
C#2	Announce Date	N	45	Available in Standard/Regular History Non-US files only
H#5	Expiration Date	D	5	yymmdd format in history files
E	Estimate Currency	D	152	Blank where not applicable
N#8	Product ID	time	92	Numeric codes
N	Currency at Company Level	smallint	134	Available in Standard/Regular History Non-US files only
I	Analyst Code	N	50	Available in Normalized History for all regions
C#2	Product Type	smallint	1987	Parent/Consolidated Flag (NON-US)
G#7	Exclude End Date	D	22	See Region Appendix
F	Stop Time	N	30	Blank where not applicable
X	Product Status	time	1024	yymmdd format in history files
F#4	Exclude Date	smallint	0012	Available in Normalized History for all regions
F#3	Product ID	X	40	Parent/Consolidated Flag (NON-US)
F#3	Home mkt code	N	2005	yymmdd format in history files
D	Exclude Time	time	149	Numeric codes
O#9	Exclude Date	smallint	71	Parent/Consolidated Flag (NON-US)
E	Reserved	N	0012	Available in Normalized History for all regions
G#3	CUSIP/SEDOL	smallint	0012	See Measures chart in Appendix
C#3	Expiration Date	D	14	Maxdecimal 5
X	Activation Time	date	7	See Region Appendix
C#2	Footnote Text	int	101	Available in Normalized History for all regions
J#6	Stop Date	D	169	Blank where not applicable
F#3	Exclude Date	X	131	yymmdd format in history files
B#2	Currency	D	10	Blank where not applicable
N#8	Analyst Name	X	21	Available in Standard/Regular History Non-US files only
G#7	Reserved	char	23	Available in Standard/Regular History Non-US files only
F#4	Currency at Company Level	int	4	Maxdecimal 5
K#7	Exclude End Time	char	35	Maxdecimal 5
F#4	Stop Time	D	157	Available in Standard/Regular History Non-US files only
E#4	Exclude End Date	varchar	58	Available in Normalized History for all regions
N#8	Forecast Period Indicator	N	94	Available in Standard/Regular History Non-US files only

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXLFILAT.US, HRECSTPT.<REG>, DET<MEAS>UT.<REG>

Name (Unadjusted): CURFILD.<REG>, IDFILD.<REG>, IDFILI.<REG>

Level: Detail

Frequency: Monthly

- Timestamps support change tracking and reconciliation.
- Record-level fields are presented in fixed-width layouts.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
D	Analyst Code	NOK	92	69	104	See Measures chart in Appendix
C	TRBC Short description	3.37193	2000	186	220	Available in Normalized History for all regions
K#7	Stop Date	GBP	159	42	82	Available in Standard/Regular History Non-US files only
N#8	TRBCPermID	7.127050	15	16	22	See Measures chart in Appendix
C	Reserved	ADJ<MEAS>.<REG>	63	31	39	Available in Normalized History for all regions
B#2	Company Name	4.	0512	66	102	See Measures chart in Appendix
B	Review Date	172	72	25	58	yymmdd format in history files
H	Exclude Time	20030422	102	27	30	Available in Standard/Regular History Non-US files only
R	Estimate Currency	UNADJ	44	20	31	Available in Standard/Regular History Non-US files only
J	Expiration Date	NOK	18	122	162	Blank where not applicable
K#7	TRBC Short description	66	26	100000	100007	Parent/Consolidated Flag (NON-US)
I	CUSIP/SEDOL	9999999.999	90	87	119	Numeric codes
O#9	Measure Unit	DETPTG.<REG>	62	9999 9999 9999	1000 0000 00028	Blank where not applicable
H	Stop Date	MSCIP	6	32	39	Numeric codes
S	Activation Time	80	31	76	95	Available in Normalized History for all regions
N	Expiration Date	MEAS	54	20	33	Numeric codes
F#5	Announce Date	INT	1024	87	99	See Measures chart in Appendix
H#5	Footnote Type	64	0.34	74	87	Maxdecimal 5
P	CUSIP/SEDOL	EPS	18	14	23	Available in Normalized History for all regions
F#5	TRBC Short description	26	51	210	250	Available in Normalized History for all regions
F#4	Currency at Company Level	ANN	60	17	32	Maxdecimal 5
P	Footnote Type	9912	255	42	60	Maxdecimal 5

Continued on next page

Key	Item	Format	Length	Start	End	Comments
N#8	Review Date	SEDOL/ CUSIP	54	11	12	Numeric codes
J	Dilution Factor	STPFILAT. <REG>	4	12	20	See Measures chart in Appendix
O#9	Home mkt code	HRECBKRI. <REG>	95	21	38	Available in Standard/Regular History Non-US files only
K	Measure Unit	67	131	51	67	Available in Standard/Regular History Non-US files only
F#6	Official Ticker	000201	159	56	81	See Region Appendix
G	Product Type	SAN	60	202	233	Available in Standard/Regular History Non-US files only
I	TRBCPermID	8.8185	17.0	40	74	See Measures chart in Appendix
D#3	Announce Time	CURFILI. <REG>	1987	101	125	Available in Normalized History for all regions
J	Review Date	MEAS	61	971110	971144	See Region Appendix
K#7	Value	NON-US	42	101	138	Blank where not applicable

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** HRECBKRU.<REG>

Level: Standard

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
H	Measure Unit	D	94	Maxdecimal 5
F#4	Announce Time	time	51	Available in Normalized History for all regions
X	Primary/Diluted Indicator	X	10	Available in Normalized History for all regions
S	Measure	varchar	54	See Measures chart in Appendix
F#5	Currency	D	33	Available in Normalized History for all regions
F#5	Estimator	smallint	155	Maxdecimal 5
D#3	Company Name	tinyint	17.0	Parent/Consolidated Flag (NON-US)
O#9	Stop Date	tinyint	29	Numeric codes
F#4	Exclude End Date	D	61	Parent/Consolidated Flag (NON-US)
J	Region ID	smallint	102	See Measures chart in Appendix
G#7	Estimator ID	varchar	35	Available in Standard/Regular History Non-US files only
C#2	Exclude End Time	time	53	See Region Appendix
G#3	Exclude Time	int	134	See Measures chart in Appendix
D	Footnote Type	char	87	Parent/Consolidated Flag (NON-US)
D#3	Product Status	int	25	See Region Appendix
H#5	Region ID	tinyint	157	Blank where not applicable
P	Official Ticker	varchar	0012	Numeric codes
N#8	Exclude End Date	time	14	Available in Standard/Regular History Non-US files only
R	Activation Time	int	96	Available in Normalized History for all regions
A	Stop Time	N	162	Available in Standard/Regular History Non-US files only
F#6	Analyst Name	int	75	Maxdecimal 5
E#4	Exclude Time	int	67	See Measures chart in Appendix
F#3	Home mkt code	char	29	Parent/Consolidated Flag (NON-US)
X	Currency at Company Level	smallint	157	Parent/Consolidated Flag (NON-US)
F#3	Official Ticker	X	210	Blank where not applicable
D#4	Analyst Code	smallint	73	Blank where not applicable
J	CUSIP/SEDOL	tinyint	69	See Measures chart in Appendix
C#2	I/B/E/S Ticker	time	74	Blank where not applicable
D#4	Analyst Name	date	31	Available in Standard/Regular History Non-US files only
I	CUSIP/SEDOL	tinyint	0412	Blank where not applicable
F	Stop Time	char	124	Available in Standard/Regular History Non-US files only
K	Activation Time	int	124	Numeric codes
N	TRBC Long description	time	22	yymmdd format in history files
K	Product Type	X	30	Blank where not applicable
A	Announce Time	tinyint	66	yymmdd format in history files

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
R	I/B/E/S Ticker	varchar	65	Available in Normalized History for all regions
J	Activation Time	tinyint	92	Blank where not applicable
G	Value	tinyint	50	yymmdd format in history files
G#7	Estimator	char	92	Parent/Consolidated Flag (NON-US)
E	Product Type	varchar	162	See Measures chart in Appendix
A	I/B/E/S Ticker	tinyint	17.0	See Region Appendix
H#5	Currency	int	85	See Measures chart in Appendix
P	Stop Time	smallint	46	Maxdecimal 5
G#3	Analyst Code	D	2000	Parent/Consolidated Flag (NON-US)
I#5	Dilution Factor	int	124	Available in Standard/Regular History Non-US files only
I#5	Estimate Currency	date	0.34	Numeric codes
G#3	Exclude End Time	D	38	Numeric codes
J#6	Announce Date	D	21	Blank where not applicable
A	TRBC Short description	time	16	Parent/Consolidated Flag (NON-US)

Supplemental Data Files

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): IDFILE.<REG>, HSFCO.<REG>

Level: Detail

Frequency: Daily/Weekly/Historical **Note:** Values and codes are provided for referential use only.

Key	Data Field	Data Type	Data Length	Comments
F#4	Estimate Currency	X	103	See Measures chart in Appendix
F#4	Activation Date	smallint	56	See Measures chart in Appendix
F#4	Product Description	D	87	Available in Standard/Regular History Non-US files only
K	Canadian Currency	N	47	See Region Appendix
P	Currency at Company Level	smallint	210	yymmdd format in history files
F	CUSIP/SEDOL	int	71	Blank where not applicable
B#2	Dilution Factor	char	44	See Region Appendix
E	Dilution Factor	varchar	202	Maxdecimal 5
K	Currency	int	75	yymmdd format in history files
C	Dilution Factor	N	60	yymmdd format in history files
G#7	Analyst Name	N	0412	See Region Appendix
A#1	Analyst Code	varchar	103	See Measures chart in Appendix
H	Product Type	time	71	Available in Normalized History for all regions
A	Product Type	smallint	157	See Measures chart in Appendix
F	Dilution Factor	smallint	72	Blank where not applicable
G#3	Footnote Text	X	54	Available in Normalized History for all regions
M	Currency at Company Level	char	122	yymmdd format in history files
D#4	Analyst Name	int	46	Maxdecimal 5
F#4	Currency	time	78	See Measures chart in Appendix
N#8	Estimate Currency	D	80	Available in Normalized History for all regions
F#5	Product Status	tinyint	2005	Available in Normalized History for all regions
H#5	I/B/E/S Ticker	date	94	See Region Appendix
I#5	Estimator	time	50	Available in Normalized History for all regions
E#5	Stop Date	int	8	See Region Appendix
K#7	Stop Time	tinyint	36	Blank where not applicable
J	Forecast Period Indicator	smallint	99	See Measures chart in Appendix
B#2	Dilution Factor	tinyint	62	Numeric codes
F#6	Product ID	time	101	See Region Appendix
J	Measure Unit	smallint	35	Maxdecimal 5
S	Footnote Type	N	27	Available in Standard/Regular History Non-US files only
M	TRBC Short description	tinyint	38	Available in Normalized History for all regions
L	Stop Time	time	2005	Available in Normalized History for all regions

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: HSTRBCDATA.<REG>

Level: Detail

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
F#3	Estimate Currency	varchar	76	Available in Normalized History for all regions
S	Estimator ID	date	36	Blank where not applicable
E#4	TRBC Long description	varchar	55	yymmdd format in history files
F#5	Exclude End Time	char	0.34	Maxdecimal 5
X	Forecast Period Indicator	int	62	See Measures chart in Appendix
H	Canadian Currency	varchar	83	Maxdecimal 5
F#6	TRBC Long description	time	54	Maxdecimal 5
H	Announce Time	N	1	Blank where not applicable
G#4	Region ID	varchar	8	Numeric codes
D#4	Reserved	date	0412	Available in Normalized History for all regions
D#4	Analyst Code	time	99	Available in Normalized History for all regions
G	Dilution Factor	varchar	9912	Numeric codes
F#6	Estimator ID	N	99	Maxdecimal 5
F#5	Stop Time	tinyint	3	yymmdd format in history files
P	TRBC Short description	X	41	See Measures chart in Appendix
F#6	Stop Date	date	155	Available in Standard/Regular History Non-US files only
J	Activation Date	char	73	See Measures chart in Appendix
F#4	Stop Time	smallint	87	Blank where not applicable
D	Stop Date	N	3	yymmdd format in history files
K#7	Product ID	date	169	Available in Standard/Regular History Non-US files only
A	Review Date	tinyint	999	yymmdd format in history files
N#8	Expiration Date	N	42	Available in Normalized History for all regions
J	Estimator ID	char	28	See Region Appendix
D#3	Primary/Diluted Indicator	smallint	29	yymmdd format in history files
X	Analyst Code	int	94	Available in Standard/Regular History Non-US files only
P	Canadian Currency	tinyint	10	Available in Standard/Regular History Non-US files only
D#4	Announce Date	N	15	yymmdd format in history files
P	TRBC Long description	tinyint	25	Maxdecimal 5
J	Home mkt code	time	28	Available in Standard/Regular History Non-US files only
Q4	Announce Date	char	71	Available in Standard/Regular History Non-US files only
N#8	Product Description	int	72	See Region Appendix
K	Forecast Period Indicator	X	10	Available in Standard/Regular History Non-US files only
D#4	Dilution Factor	time	17.0	Numeric codes

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
G#3	Estimator ID	D	39	Blank where not applicable
R	Expiration Date	varchar	59	yymmdd format in history files
A#1	Exclude Time	X	47	Parent/Consolidated Flag (NON-US)
R	Estimator ID	varchar	33	Parent/Consolidated Flag (NON-US)
D	Expiration Date	D	95	Available in Normalized History for all regions
M	Expiration Date	date	33	Maxdecimal 5

Detail Recommendation Data Files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NDET<MEAS>UT . <REG> , HSFCO . <REG>

Name (Unadjusted): NEXL<MEAS>AT . INT , DET<MEAS>AT . <REG>

Level: Normalized

Frequency: Monthly **Note:** Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
F#3	Announce Date	N	SAN	85	35	53	Blank where not applicable
A#1	Exclude Date	tinyint	124	162	11111	11114	Blank where not applicable
R	Exclude End Time	int	25	74	12	22	Available in Standard/Regular History Non-US files only
M	Estimator ID	time	17.00	36	28	65	Maxdecimal 5
H#5	Stop Date	int	HRECDT. <REG>	7	68	71	Available in Normalized History for all regions
C	Exclude Flag	N	HH:MM:SS	31	44	81	See Measures chart in Appendix
S	Canadian Currency	D	2000	73	180	210	See Region Appendix
B	Measure Unit	time	GBP	162	35	64	Blank where not applicable
G#7	TRBCPermID	varchar	101	81	24	35	See Measures chart in Appendix
D#4	Review Date	N	131	94	1	32	Available in Normalized History for all regions
S	Primary/Diluted Indicator	date	100	53	64	66	See Measures chart in Appendix
B	Activation Date	tinyint	FY1	0.34	65	78	Available in Normalized History for all regions
K#7	Estimate Currency	date	61	27	71	98	Available in Standard/Regular History Non-US files only
D#3	Measure Unit	time	5.	74	49	50	Available in Standard/Regular History Non-US files only
O	Estimate Currency	varchar	14	35	30	40	See Measures chart in Appendix
F#4	Product Status	smallint	15	92	50	77	Maxdecimal 5
G#3	Review Date	tinyint	HDXRATI. <REG>	8	76	99	See Measures chart in Appendix
P	Estimator ID	varchar	0512	35	68	98	Parent/Consolidated Flag (NON-US)
E#4	Dilution Factor	time	41	1	179	197	Parent/Consolidated Flag (NON-US)
R	CUSIP/SEDOL	D	186	26	180	189	Available in Standard/Regular History Non-US files only
C	Primary/Diluted Indicator	N	NOK	75	20040304	20040331	Numeric codes
I	Forecast Period Indicator	int	8.818500	34	142	151	See Region Appendix

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STOPPTG.<REG>, EUROFILI.<REG>

Name (Unadjusted): IDFIELD.<REG>, DETFILUT.<REG>

Level: Normalized

Frequency: Historical

Key	Item	Format	Length	Start	End	Comments
N	Footnote Type	EUR	94	512	515	See Measures chart in Appendix
F#5	TRBC Long description	U.S.	17.0	11111	11130	Available in Normalized History for all regions
E#4	Announce Time	NEXLFILUT. US	30	152	188	Available in Standard/Regular History Non-US files only
F#5	Product Description	169	73	22	61	Blank where not applicable
R	Exclude Flag	PTG	34	34	71	Available in Standard/Regular History Non-US files only
E	Forecast Period Indicator	7.127050	11	20030422	20030425	Maxdecimal 5
C#3	Product Status	11111	999	13	38	Available in Standard/Regular History Non-US files only
F	Estimator ID	1999.	100	2005	2037	Available in Normalized History for all regions
D#3	Home mkt code	92	23	10213	10240	Available in Normalized History for all regions
G	Reserved	17	4	124	126	See Measures chart in Appendix
M	Product ID	2001.	85	76	115	yymmdd format in history files
B#2	Exclude Date	DETPGTUT. <REG>	2000	15	44	Available in Standard/Regular History Non-US files only
A	Announce Time	SIG	2005	255	256	Available in Standard/Regular History Non-US files only
O	Forecast Period Indicator	USER	44	157	176	Blank where not applicable
I	Official Ticker	USER	1	1999	2031	Parent/Consolidated Flag (NON-US)
F	Activation Date	SEDOL	80	66	103	yymmdd format in history files
D#3	Official Ticker	17.00	99	149	175	Parent/Consolidated Flag (NON-US)
P	Measure	PREG	34	76	80	yymmdd format in history files
K#7	Home mkt code	EUROFILI. <REG>	90	59	89	Parent/Consolidated Flag (NON-US)
M	TRBC Long description	LSE	1999	56	78	Parent/Consolidated Flag (NON-US)
K	Exclude Flag	NEXLFILAT. INT	105	12	18	Blank where not applicable
C#3	Footnote Type	100000	42	3	8	yymmdd format in history files
N#8	Analyst Code	20.635	58	62	68	Parent/Consolidated Flag (NON-US)
S	Footnote Text	BRANFIELD. <REG>	51	201	204	Available in Normalized History for all regions
K#7	Announce Date	75	210	40	50	Blank where not applicable
H#5	Estimate Currency	USD.	80	18	51	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
C#2	Review Date	EUROFILI. <REG>	85	12	18	See Measures chart in Appendix
C	Company Name	25	16	7	44	yymmdd format in history files
O#9	Stop Time	75	78	1999	2031	Available in Normalized History for all regions
F#3	Product ID	USD	6	16	48	Available in Normalized History for all regions
D	Dilution Factor	92	76	162	166	Maxdecimal 5
X	Analyst Code	92	23	999	1001	Maxdecimal 5

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** BRANFILD.<REG>, BRANFILI.<REG>

Level: Standard

Frequency: Daily/Historical

- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
E#4	Exclude Date	char	NEXLFILUT. INT	122	186	186	Available in Normalized History for all regions
I	CUSIP/SEDOL	date	63.406000	35	62	99	Available in Standard/Regular History Non-US files only
H	Home mkt code	varchar	0512	0.34	26	35	yymmdd format in history files
D	Product Description	int	CCC	16	46	71	Parent/Consolidated Flag (NON-US)
O#9	Product Description	smallint	24.03	1	65	71	Available in Normalized History for all regions
C	Currency	date	TRBC	4	971110	971149	See Measures chart in Appendix
G#4	Measure	D	17	1987	8	18	Maxdecimal 5
Q4	Value	time	CCCC	179	1024	1026	Parent/Consolidated Flag (NON-US)
I#5	Official Ticker	N	7.127050	96	38	41	Available in Standard/Regular History Non-US files only
E#4	Footnote Text	char	8.8185	69	81	94	See Region Appendix
L	Exclude Time	date	31	124	27	41	Parent/Consolidated Flag (NON-US)
K	Value	N	2.1151	99	6	7	Available in Normalized History for all regions
E#5	Dilution Factor	varchar	TPC	95	33	40	yymmdd format in history files
D#4	Region ID	X	62	69	29	55	Available in Normalized History for all regions

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DETPTGUT.<REG>

Name (Unadjusted): EXL<MEAS>AT.INT

Level: Detail

Frequency: Daily/Weekly/Historical

- Region and measure codes enable consistent joins across files.
- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.

Key	Item	Format	Length	Start	End	Comments
M	Forecast Period End Date	ADJ<MEAS>.<REG>	159	53	59	Parent/Consolidated Flag (NON-US)
J#6	Exclude Flag	IDFILI.<REG>	2	10	13	Available in Standard/Regular History Non-US files only
S	Home mkt code	11111	28	11111	11123	Maxdecimal 5
G#3	Footnote Text	CCCCCC	51	53	67	yymmdd format in history files
J	Product Status	LTG	255	18	22	See Region Appendix
C	Product ID	75	76	10213	10246	See Measures chart in Appendix
C	Analyst Name	83	3	22	29	Available in Normalized History for all regions
I#5	Reserved	2001.	38	177	200	Parent/Consolidated Flag (NON-US)
C#3	Dilution Factor	14.200	186	28	61	See Measures chart in Appendix
F#3	Analyst Name	2001.	179	32	38	yymmdd format in history files
G	Announce Time	YYMMDD	90	971110	971143	Numeric codes
F#5	Expiration Date	CUSIP/SEDOL	52	9912	9934	Available in Normalized History for all regions
G#7	Review Time	USER	2005	24	27	Parent/Consolidated Flag (NON-US)
L	Announce Date	74	999	85	107	Parent/Consolidated Flag (NON-US)
H	Exclude End Time	Q4	31	870115	870135	yymmdd format in history files
H	Exclude Time	28	180	16	17	yymmdd format in history files
F	Estimator	100000	68	80	101	Parent/Consolidated Flag (NON-US)
F#5	Exclude Time	ENB	34	67	104	Blank where not applicable
F	CUSIP/SEDOL	PTG	4	1	33	See Measures chart in Appendix
L	Product Status	TPC	65	7	45	yymmdd format in history files
G	Canadian Currency	TRBC	39	87	123	Parent/Consolidated Flag (NON-US)
I	Measure Unit	35	69	63	92	yymmdd format in history files
O	Analyst Name	105	87	75	89	See Region Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
N	Review Date	ADJFILI. <REG>	1024	131	142	Blank where not applicable
B#2	Exclude Flag	64	6	10213	10243	yymmdd format in history files

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STPFILAT.<REG>, HDXRATI.<REG>, EXLFILAT.INT

Level: Normalized

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
C#3	Exclude Time	X	14	Available in Standard/Regular History Non-US files only
K#7	Exclude Flag	int	2000	See Region Appendix
G#7	Estimator	X	23	Blank where not applicable
K#7	Exclude End Time	X	76	See Measures chart in Appendix
F#3	Analyst Name	int	44	Available in Normalized History for all regions
F#3	Primary/Diluted Indicator	time	102	Numeric codes
A#1	Home mkt code	smallint	210	Available in Standard/Regular History Non-US files only
H#5	Value	date	45	yymmdd format in history files
P	Value	varchar	17.0	See Region Appendix
C#2	Expiration Date	time	120	yymmdd format in history files
Q4	Currency	X	64	Available in Standard/Regular History Non-US files only
R	Dilution Factor	char	12	yymmdd format in history files
A#1	TRBCPermID	int	15	Numeric codes
J#6	Estimate Currency	char	27	yymmdd format in history files
K#7	Exclude End Time	D	36	Maxdecimal 5
L	Forecast Period End Date	tinyint	76	yymmdd format in history files
Q4	I/B/E/S Ticker	D	2000	Parent/Consolidated Flag (NON-US)
O#9	Product Description	N	64	yymmdd format in history files
E	Announce Time	smallint	5	Blank where not applicable
G#7	Primary/Diluted Indicator	D	120	Maxdecimal 5
O#9	TRBC Long description	date	20	See Region Appendix
F#3	Currency	int	6	Maxdecimal 5
B#2	Exclude Time	tinyint	87	Parent/Consolidated Flag (NON-US)

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HRECIDI.<REG>

Name (Unadjusted): HRECSTPT.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical

Key	Data Field	Data Type	Data Length	Comments
F	Currency at Company Level	tinyint	18	Blank where not applicable
G#4	Product Status	varchar	105	Available in Normalized History for all regions
A#1	Announce Date	X	36	Available in Standard/Regular History Non-US files only
A	Footnote Text	X	10	Parent/Consolidated Flag (NON-US)
N	Announce Time	char	155	Numeric codes
E#5	Measure	N	56	See Measures chart in Appendix
H	Announce Date	char	157	Blank where not applicable
C#3	Announce Time	N	60	Maxdecimal 5
M	Forecast Period Indicator	varchar	46	See Measures chart in Appendix
M	Activation Date	time	7	Available in Standard/Regular History Non-US files only
G#4	Home mkt code	varchar	59	Maxdecimal 5
G#3	TRBC Long description	X	40	Parent/Consolidated Flag (NON-US)
K#7	TRBC Short description	smallint	9812	Parent/Consolidated Flag (NON-US)
E	Estimate Currency	varchar	27	Maxdecimal 5
K#7	Currency at Company Level	int	41	Parent/Consolidated Flag (NON-US)
X	Estimator	char	1999	Available in Standard/Regular History Non-US files only
C	TRBCPermID	smallint	172	Parent/Consolidated Flag (NON-US)
A#1	Activation Date	time	105	Blank where not applicable
F#6	Exclude End Time	N	99	Parent/Consolidated Flag (NON-US)
K#7	Forecast Period End Date	char	102	yymmdd format in history files
P	Activation Time	time	122	Maxdecimal 5
C	Review Date	char	1024	Available in Normalized History for all regions
H#5	Value	time	1999	Numeric codes
S	Estimator	D	45	Maxdecimal 5

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NDETFILAT.<REG>, NDETFILUT.<REG>, CURFILD.<REG>

Level: Summary

Frequency: Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
O#9	Exclude Date	time	54	49	32	71	Blank where not applicable
J	Stop Time	date	USD	87	65	103	See Measures chart in Appendix
Q4	Product Status	N	21.558	40	51	51	Numeric codes
G#4	Estimate Currency	date	IBES	59	999	1012	Parent/Consolidated Flag (NON-US)
I	Region ID	time	10	177	1999	2000	See Measures chart in Appendix
F#4	Exclude End Date	smallint	HISTORY	28	94	104	yymmdd format in history files
I#5	Estimate Currency	D	2004.	8	23	45	See Measures chart in Appendix
K	Exclude Flag	D	1024	131	85	92	Maxdecimal 5
O	Currency at Company Level	char	NACTK<MM><REG>	29	100	128	Available in Standard/Regular History Non-US files only
O#9	Measure	tinyint	SUM	71	33	68	Numeric codes
C	Exclude End Time	tinyint	EXL<MEAS><REG>US	85	1987	2009	Maxdecimal 5
G#7	Measure Unit	time	PID2	28	30	53	yymmdd format in history files
N	Review Time	N	ID	31	6	42	yymmdd format in history files
K	Estimator	N	0.34	71	69	87	See Measures chart in Appendix
P	Reserved	char	169	66	25	26	Available in Normalized History for all regions
M	Review Time	tinyint	92	5	870115	870122	Parent/Consolidated Flag (NON-US)
A#1	Expiration Date	varchar	990211	27	177	216	See Measures chart in Appendix
E#5	Estimator	date	26	59	67	70	Available in Normalized History for all regions
Q4	Product Description	int	99999999 9999	99	2000	2029	yymmdd format in history files
P	Stop Time	date	971110	1024	31	47	Maxdecimal 5
F#6	Announce Date	int	IPL2	9912	75	80	Parent/Consolidated Flag (NON-US)
G#7	Activation Date	time	131	0.34	8	45	See Measures chart in Appendix
X	Value	date	19991231	95	29	42	yymmdd format in history files
F#5	Estimate Currency	D	MSCIP	120	1	10	See Region Appendix
C#2	Product ID	time	40	169	172	179	Available in Standard/Regular History Non-US files only
H	Review Time	X	NEXLFILUT. US	65	66	99	See Region Appendix
K	Measure Unit	date	011115	5	65	97	See Region Appendix
E#4	Analyst Name	varchar	041216	39	58	73	Maxdecimal 5
F#3	Review Date	date	XX	32	66	68	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F#4	Official Ticker	int	YYMM	90	29	63	See Region Appendix
F#3	TRBC Short description	X	DETFILUT. <REG>	51	53	58	yymmdd format in history files
A#1	Estimator	varchar	85	41	55	82	Numeric codes
N#8	Review Date	varchar	102	124	32	62	Numeric codes
A	Estimate Currency	smallint	29250N1X	2005	99	101	Blank where not applicable
C	Product Type	smallint	CCCCC	52	41216	41246	Available in Standard/Regular History Non-US files only
P	Official Ticker	D	EXLFILAT. INT	95	30	51	Maxdecimal 5
F#5	Measure Unit	tinyint	159	74	5	43	Available in Normalized History for all regions
F#5	Expiration Date	tinyint	QFS.	1024	90	103	Available in Normalized History for all regions
X	Product Status	X	STOPPTG. <REG>	90	80	109	See Region Appendix
E#4	Estimator	X	69	96	28	58	Maxdecimal 5
F#3	Estimator	N	222222	1024	155	161	Maxdecimal 5
C	CUSIP/SEDOL	N	46	1	180	191	See Region Appendix
B	Canadian Currency	X	155	50	9999 9999 9999	1000 0000 00014	Maxdecimal 5
J	Estimator ID	char	2000.	63	177	211	Available in Standard/Regular History Non-US files only

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): STPFILAT.<REG>, NEXLFILAT.INT, HDXRATI.<REG>

Name (Unadjusted): NEXL<MEAS>AT.US, DETFILAT.<REG>, HRECBKRU.<REG>

Level: Standard

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
E	Exclude Flag	N	102	81	2	9	Maxdecimal 5
N#8	Review Date	varchar	41	76	222222	222235	Parent/Consolidated Flag (NON-US)
D	Estimate Currency	char	99999	36	155	157	Available in Standard/Regular History Non-US files only
L	Exclude Flag	tinyint	EUROFILI.<REG>	41	11	19	yymmdd format in history files
O#9	Product ID	int	NEXLFILUT.INT	102	95	131	Numeric codes
X	I/B/E/S Ticker	date	EXL<MEAS>AT.US	59	39	72	yymmdd format in history files
Q4	Value	X	102	2005	25	65	Maxdecimal 5
F#5	Product Type	date	NEXLFILAT.INT	45	20030422	20030429	Available in Normalized History for all regions
K#7	Product ID	date	14.200	169	23	29	Parent/Consolidated Flag (NON-US)
D#3	Review Date	time	EST.	155	1	15	Parent/Consolidated Flag (NON-US)
F#3	Product Status	smallint	186	63	51	65	See Measures chart in Appendix
H	Home mkt code	char	HDXRATI.<REG>	22	20040304	20040313	See Measures chart in Appendix
C#2	Estimator	X	EXL<MEAS>AT.US	20	20030422	20030426	Numeric codes
F#4	Review Date	N	30	2005	9	34	Available in Standard/Regular History Non-US files only
D#3	Product ID	int	CAD	255	159	173	Maxdecimal 5
D	Forecast Period End Date	N	QFS.	9912	4	44	yymmdd format in history files
D#4	TRBCPermID	date	12	202	162	177	Numeric codes
M	Primary/Diluted Indicator	D	CCCCCCCC	9812	62	101	Maxdecimal 5
A	Official Ticker	smallint	IDFILI.<REG>	96	23	44	Available in Normalized History for all regions
F	Review Date	varchar	MON	1024	63	86	Parent/Consolidated Flag (NON-US)
G#7	Currency at Company Level	char	73	1024	100	116	Numeric codes
G#3	Currency at Company Level	time	990211	27	122	122	Numeric codes

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
H	Home mkt code	char	58	58	4	4	Available in Standard/Regular History Non-US files only
B#2	Review Date	time	87	131	54	63	See Measures chart in Appendix
E#5	Exclude End Time	int	CCCCCCCC	73	41	57	See Region Appendix
F#3	Estimator ID	X	61	83	101	135	See Region Appendix
F#4	Announce Time	tinyint	99999.999	101	172	172	Available in Standard/Regular History Non-US files only
G#7	Value	char	177	157	96	132	See Measures chart in Appendix
G#4	Region ID	tinyint	NA	131	99	117	See Region Appendix
C#2	Product Status	smallint	CCCC	157	101	139	Blank where not applicable
A	Stop Time	char	UNADJ	67	10213	10230	See Region Appendix
Q4	Measure Unit	X	26	71	30	35	See Measures chart in Appendix

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HSFC0.<REG>

Level: Summary

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
P	Official Ticker	tinyint	34	Maxdecimal 5
J	Estimator	time	78	Maxdecimal 5
D	Measure	varchar	9812	Blank where not applicable
I	Region ID	varchar	75	Parent/Consolidated Flag (NON-US)
F	Product Status	int	180	Available in Normalized History for all regions
L	Exclude Flag	varchar	0512	yymmdd format in history files
I#5	Exclude Date	varchar	33	Available in Standard/Regular History Non-US files only
J	Exclude Date	date	21	Numeric codes
E#4	Analyst Code	char	134	Parent/Consolidated Flag (NON-US)
C#3	Exclude End Time	date	255	Blank where not applicable
F#4	Exclude End Time	X	9912	See Region Appendix
E#5	I/B/E/S Ticker	X	152	yymmdd format in history files
E#4	Company Name	varchar	22	Blank where not applicable
K#7	Expiration Date	X	180	Numeric codes
D#4	TRBC Long description	char	1024	yymmdd format in history files
S	Stop Date	time	36	Parent/Consolidated Flag (NON-US)
H#5	Analyst Code	tinyint	59	Available in Standard/Regular History Non-US files only
E#4	Exclude Time	char	27	See Measures chart in Appendix
G	Product ID	N	95	Maxdecimal 5
K	Company Name	char	50	See Measures chart in Appendix
K	Exclude End Date	smallint	2	Available in Standard/Regular History Non-US files only
X	TRBCPermID	N	105	Numeric codes
C	TRBC Long description	N	74	Blank where not applicable
X	Canadian Currency	N	159	Maxdecimal 5
J#6	Currency	N	9912	Maxdecimal 5
F#3	Estimator ID	char	50	See Region Appendix
E#4	Review Time	int	20	Numeric codes
P	Estimator	tinyint	10	Numeric codes
B	CUSIP/SEDOL	smallint	0012	See Region Appendix
N	Product ID	date	100	Numeric codes
M	Primary/Diluted Indicator	tinyint	16	Numeric codes
H	CUSIP/SEDOL	D	96	Available in Standard/Regular History Non-US files only
I	Expiration Date	tinyint	39	Blank where not applicable
D	Exclude End Time	X	19	Blank where not applicable
H	CUSIP/SEDOL	int	66	yymmdd format in history files
K#7	Activation Date	smallint	85	Maxdecimal 5

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
I	Measure	smallint	2005	Maxdecimal 5
C#2	Exclude Flag	date	0512	Maxdecimal 5
D#4	Analyst Name	smallint	1999	Available in Standard/Regular History Non-US files only
O	Official Ticker	N	2	Available in Standard/Regular History Non-US files only
C#2	Primary/Diluted Indicator	tinyint	142	See Region Appendix
J#6	Announce Time	char	255	yymmdd format in history files
D#3	Review Date	date	22	Numeric codes
R	TRBCPermID	char	131	Maxdecimal 5
F#3	Analyst Code	D	39	Available in Standard/Regular History Non-US files only
F	Product Status	tinyint	80	Blank where not applicable
G#7	Announce Date	X	72	Blank where not applicable

Currency Conversion

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** IDFIL1.<REG>

Name (Unadjusted): HRECSTPT.<REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
C	Company Name	char	971110	69	35	72	Maxdecimal 5
E#4	Exclude Time	D	EXLFILAT. INT	26	20040304	20040327	Blank where not applicable
F#6	Analyst Name	varchar	EPS.	75	1987	1999	Available in Normalized History for all regions
A	Estimator	D	1024	120	59	71	Available in Normalized History for all regions
L	Forecast Period End Date	D	CUSIP/	32	67	107	Numeric codes
J#6	Analyst Name	time	25	66	4	42	See Measures chart in Appendix
E#4	Product Status	X	NEXL<MEAS>6T. US	5	32		Blank where not applicable
F	Value	time	45	2005	1999	2025	Numeric codes
G	I/B/E/S Ticker	date	SEDOL/ CUSIP	101	7	44	yymmdd format in history files
R	Forecast Period End Date	date	NDETFILUT. <REG>	35	68	93	Parent/Consolidated Flag (NON-US)
F#4	TRBC Long description	N	YYYY	122	100	127	Numeric codes
E#4	Canadian Currency	N	29250N1X	64	59	65	Available in Standard/Regular History Non-US files only
P	Estimator	char	CAD	177	35	42	Parent/Consolidated Flag (NON-US)
L	Product ID	char	GUIDE	35	29	39	Parent/Consolidated Flag (NON-US)
K	Measure Unit	int	7.127050	120	69	82	Maxdecimal 5
F	TRBCPermID	time	ENBRIDGE	159	103	105	Numeric codes
S	Dilution Factor	time	21	12	971110	971114	Blank where not applicable
D	Exclude End Date	char	95	56	36	48	Numeric codes
J#6	Analyst Name	tinyint	NC	44	142	142	Blank where not applicable
G#7	Company Name	tinyint	13	4	8	17	Maxdecimal 5
L	Company Name	X	122	54	24	36	See Measures chart in Appendix
Q4	Exclude End Date	int	142	2	76	101	Available in Standard/Regular History Non-US files only
K#7	Expiration Date	D	NEXLFILUT. US	94	142	158	Available in Standard/Regular History Non-US files only
F#6	Stop Time	char	SEDOL.	22	29	59	Blank where not applicable
J	Exclude End Date	tinyint	2.34	10	44	52	Blank where not applicable
N#8	Review Date	date	LSE	45	99999	100000	Numeric codes

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
K#7	Forecast Period Indicator	char	LU	1999	51	53	See Region Appendix
I	Exclude End Time	time	19	124	25	47	See Measures chart in Appendix

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** EXL<MEAS>AT.US

Level: Normalized

Frequency: Daily

- Some files represent snapshots; others represent incremental updates.
- Region and measure codes enable consistent joins across files.

Note: Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
I#5	Reserved	IPL2	28	6	40	Numeric codes
H#5	Review Time	EPS.	9912	1987	2018	See Measures chart in Appendix
K	Estimate Currency	CUSIP	999	99999	100029	Available in Standard/Regular History Non-US files only
I#5	Activation Date	14	16	122	156	Available in Standard/Regular History Non-US files only
F#4	Review Date	NACTK<MMM>.<REG>	157	23	57	Available in Standard/Regular History Non-US files only
J	Product Type	IPL1	40	1	34	Numeric codes
P	Region ID	QTR	2	120	128	Numeric codes
K	Canadian Currency	65	11	971110	971130	Parent/Consolidated Flag (NON-US)
B#2	Forecast Period Indicator	157	64	45	74	Parent/Consolidated Flag (NON-US)
I	TRBCPermID	52	24	162	175	Available in Normalized History for all regions
E#5	TRBC Short description	HSFCO.<REG>	131	53	88	Blank where not applicable
K	Company Name	20.635	22	42	48	See Measures chart in Appendix
D#3	Reserved	103	103	24	36	See Measures chart in Appendix
F	TRBC Short description	PREG	55	21	33	See Region Appendix
F#4	Product Type	PID2	53	18	54	Parent/Consolidated Flag (NON-US)
X	Forecast Period End Date	53	162	96	120	See Region Appendix
O#9	Product Description	ADJFILD.<REG>	30	15	37	See Region Appendix
B	Activation Date	31	67	42	42	Available in Normalized History for all regions
O#9	Exclude End Date	HSTRBCDATA.<REG>	1	54	74	Available in Normalized History for all regions

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECSTPT.<REG>, NEXLFILAT.US

Level: Detail

Frequency: Daily **Note:** Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
A	Stop Time	tinyint	870115	22	2	31	yymmdd format in history files
M	Estimator	int	179	18	152	168	Parent/Consolidated Flag (NON-US)
I	Analyst Name	varchar	31	49	83	99	See Region Appendix
F#4	TRBC Short description	int	PTG	44	101	124	Available in Normalized History for all regions
B	Product Type	int	68	131	53	79	See Measures chart in Appendix
O#9	Estimator ID	varchar	CCCCC	40	12	29	See Region Appendix
F#4	Measure Unit	smallint	75	32	13	38	Available in Normalized History for all regions
K#7	Dilution Factor	time	NEXLFILAT. INT	61	971120	971138	Available in Standard/Regular History Non-US files only
A	Review Time	N	NDETPTGUT6 <REG>	54	54	74	Available in Normalized History for all regions
D#3	Stop Date	X	KPI	64	28	34	yymmdd format in history files
O#9	Home mkt code	char	IBES	9912	2	13	Parent/Consolidated Flag (NON-US)
F#4	Footnote Text	time	17.0	46	122	130	Numeric codes
D	Exclude Time	smallint	63.406	134	56	68	Parent/Consolidated Flag (NON-US)
P	Estimator	X	131	62	990211	990237	Parent/Consolidated Flag (NON-US)
G	I/B/E/S Ticker	time	Q4	149	3	19	Blank where not applicable
I#5	Estimate Currency	char	67	66	27	48	Numeric codes
F	Analyst Code	D	USD.	0512	45	51	See Region Appendix
D	Exclude Time	char	NEXL<MEAS US	255	60	71	See Region Appendix
O	Estimator	smallint	EXLFILAT. INT	60	172	212	Available in Standard/Regular History Non-US files only
J#6	Announce Date	X	90	0.34	87	91	Numeric codes
M	Product ID	X	64	13	1	18	See Region Appendix
H#5	Currency at Company Level	D	1024	44	19991231	19991231	Blank where not applicable
H#5	Activation Date	char	FTP	39	155	190	Available in Normalized History for all regions
D	Stop Date	D	NACTK<MM <REG>	36	162	189	yymmdd format in history files
A#1	Announce Time	tinyint	95	2	971120	971146	See Measures chart in Appendix
C	Product Type	varchar	NON-US	49	120	142	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
N#8	Expiration Date	D	80	186	9912	9914	Available in Standard/Regular History Non-US files only
H	Exclude Time	char	GUIDE	14	67	82	yymmdd format in history files
C#2	Product Type	varchar	39	162	23	29	Available in Normalized History for all regions
H#5	TRBCPermID	varchar	101	40	4	22	Numeric codes
K#7	Announce Time	D	169	30	9999 9999 9999	1000 0000 00006	Blank where not applicable
F#3	Exclude Flag	date	000201	131	20001222	20001261	Available in Standard/Regular History Non-US files only
G#3	Stop Date	char	HH:MM:SS	71	45	68	See Region Appendix
F	Official Ticker	tinyint	25	180	9999 9999 9999	1000 0000 00027	Blank where not applicable
C	Review Date	D	31	3	31	46	Maxdecimal 5
F	Product Type	char	32	2005	87	116	Available in Normalized History for all regions
F#5	Estimator ID	date	EPS.	68	971120	971133	Blank where not applicable
C#2	Company Name	X	25	45	31	63	Parent/Consolidated Flag (NON-US)
P	Forecast Period Indicator	tinyint	102	11	21	53	yymmdd format in history files
L	Footnote Text	N	24.03	102	100000	100016	yymmdd format in history files
F#3	Dilution Factor	varchar	ADJ	42	100	101	Parent/Consolidated Flag (NON-US)
D#4	Product ID	date	EST.	55	66	77	Available in Normalized History for all regions
G#7	Product Type	int	USER	33	159	191	Available in Normalized History for all regions
M	Stop Time	int	1.	172	92	102	Blank where not applicable
J	Official Ticker	char	13	3	29	43	Numeric codes
F#4	Home mkt code	smallint	EUR	55	62	87	Blank where not applicable
D	Review Date	time	CCC	14	162	164	yymmdd format in history files
B	Expiration Date	varchar	SUM	56	2	18	Parent/Consolidated Flag (NON-US)

Detail Recommendation Data Files

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECIDI.<REG>

Name (Unadjusted): NEXLFILAT.INT

Level: Normalized

Frequency: Daily

- Some files represent snapshots; others represent incremental updates.
- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.

Note: Values and codes are provided for referential use only.

Key	Item	Format	Length	Start	End	Comments
C#3	Review Time	99999.999	32	999	1037	See Measures chart in Appendix
X	Currency	103	134	72	105	Maxdecimal 5
F#4	Product ID	ID	0.34	2	35	See Measures chart in Appendix
X	Product Status	75	29	64	88	Parent/Consolidated Flag (NON-US)
G	Expiration Date	14.200	10	71	98	Available in Standard/Regular History Non-US files only
L	TRBCPermID	63	17	36	50	Blank where not applicable
G#3	Exclude Flag	HRECSTPT.<REG>	11	31	36	Numeric codes
C#2	Exclude End Date	870115	69	11	16	Available in Standard/Regular History Non-US files only
N#8	Currency	INT	30	102	139	See Region Appendix
N#8	Stop Time	8.818500	29	53	64	Available in Standard/Regular History Non-US files only
F	Product Description	66	0012	61	86	Blank where not applicable
F#3	Estimate Currency	87	58	99	105	See Measures chart in Appendix
I	Estimate Currency	9999999.999	58	3	7	Numeric codes
H#5	Dilution Factor	16	94	9999 9999 9999	1000 0000 00025	yymmdd format in history files
G#7	Official Ticker	BRANFILD.<REG>	62	971110	971124	Numeric codes
N	Exclude Date	180	3	81	118	yymmdd format in history files
F#5	Value	HDXRATI.<REG>	68	44	68	Parent/Consolidated Flag (NON-US)
J	Primary/Diluted Indicator	NOK.	99	41	72	See Region Appendix
F#3	Review Time	162	15	20	48	Maxdecimal 5
L	Stop Time	PID2	19	63	90	Numeric codes

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#4	Home mkt code	971110	23	157	174	Maxdecimal 5
X	TRBC Short description	5.	5	222222	222229	See Measures chart in Appendix
X	Region ID	134	38	3	5	Maxdecimal 5
E#4	TRBC Short description	NACTK<MMM> <REG>	25	51	90	Blank where not applicable
F#5	Dilution Factor	0012	2	14	46	See Region Appendix
C	Exclude End Date	DET	72	60	96	Available in Standard/Regular History Non-US files only
I#5	Footnote Text	96	45	870115	870139	Numeric codes
H	Canadian Currency	20030422	124	10213	10253	Parent/Consolidated Flag (NON-US)
G#3	Home mkt code	55	66	36	73	See Measures chart in Appendix
G#3	Review Date	BPN	14	9812	9827	Available in Normalized History for all regions
E	Measure	52	0012	52	79	See Region Appendix
D#3	Exclude Flag	2000	149	999999	1000005	Maxdecimal 5
O	Measure Unit	.US	103	66	71	Blank where not applicable
F	Exclude Time	9999999.999	169	68	100	Maxdecimal 5
C#3	TRBC Short description	103	60	38	73	See Measures chart in Appendix
K#7	Activation Time	HH:MM:SS	50	9	14	Available in Normalized History for all regions
R	Product Type	EST.	56	66	90	Numeric codes
L	Reserved	26	33	1024	1032	Maxdecimal 5
X	Measure	EURO	83	46	74	Blank where not applicable
F#3	Exclude Flag	2003.	162	50	52	See Region Appendix
C#2	Official Ticker	2.34	85	100	118	Parent/Consolidated Flag (NON-US)

Detail Recommendation Data Files

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** IDFIL. <REG>, HRECIDI. <REG>, EXLFILAT. US

Name (Unadjusted): NCURFIL. <REG>, HRECIDU. <REG>, NEXLFILAT. US

Level: Detail

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
A#1	Stop Date	N	134	Available in Standard/Regular History Non-US files only
H	Product ID	int	33	yymmdd format in history files
E#5	Exclude End Time	varchar	10	Parent/Consolidated Flag (NON-US)
C	Announce Date	int	122	See Region Appendix
L	Company Name	D	44	Available in Standard/Regular History Non-US files only
F#6	Estimator ID	X	75	Available in Normalized History for all regions
B#2	Currency at Company Level	int	71	Numeric codes
J#6	Exclude Flag	N	12	Parent/Consolidated Flag (NON-US)
C	Home mkt code	char	60	See Region Appendix
K#7	Footnote Type	tinyint	10	Numeric codes
K#7	Estimate Currency	tinyint	8	See Measures chart in Appendix
H	Exclude End Date	date	40	Blank where not applicable
K	I/B/E/S Ticker	date	179	Blank where not applicable
J	TRBCPermID	N	50	Numeric codes
F	Expiration Date	tinyint	14	Available in Standard/Regular History Non-US files only
N#8	Analyst Code	date	47	Numeric codes
A#1	Canadian Currency	date	3	Numeric codes

Supplemental Data Files

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** BRANFILI.<REG>, EXL<MEAS>AT.US

Name (Unadjusted): HRECDETT.<REG>, BRANFILI.<REG>

Level: Normalized

Frequency: Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
F#3	Announce Date	24.03	10	2	37	yymmdd format in history files
G#7	Exclude Flag	999.999	58	105	128	yymmdd format in history files
O#9	Activation Time	33	67	24	58	Available in Normalized History for all regions
A	Analyst Code	172	15	169	196	Parent/Consolidated Flag (NON-US)
Q4	Official Ticker	NDETFLUT.<REG>	59	255	286	Available in Standard/Regular History Non-US files only
F#5	Official Ticker	000201	17.0	35	60	See Measures chart in Appendix
C#3	Stop Date	2000.	0012	9912	9939	See Region Appendix
F	Measure	NORMALIZED	13	56	57	Maxdecimal 5
H#5	Review Date	13	46	210	218	yymmdd format in history files
L	Measure Unit	INT	9	30	31	See Measures chart in Appendix
F	TRBC Long description	2004.	1999	32	68	Numeric codes
D#3	Forecast Period End Date	NA	40	68	79	Maxdecimal 5
B	Forecast Period Indicator	31	61	11115	11127	Blank where not applicable
C	Footnote Type	NDETFLAT.<REG>	172	87	110	See Region Appendix
F	Footnote Type	3.37193	1999	19991231	19991248	Blank where not applicable
H#5	Activation Date	134	30	169	197	Parent/Consolidated Flag (NON-US)
N	Primary/Diluted Indicator	HSTRBCDESC	124	1999	2035	Available in Normalized History for all regions

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** NDET<MEAS>AT.<REG>, HRECDETT.<REG>

Name (Unadjusted): HSFCO.<REG>, ADJFILI.<REG>

Level: Detail

Frequency: Monthly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
X	Primary/Diluted Indicator	ADJFILI. <REG>	72	28	39	See Region Appendix
I#5	Currency at Company Level	EPS	65	64	92	Available in Normalized History for all regions
P	Announce Date	11	72	92	126	yymmdd format in history files
C#2	Measure	2.	102	102	103	Numeric codes
G#7	Exclude End Date	2000	40	122	162	See Region Appendix
F#5	Stop Date	PTG	100	14	46	Maxdecimal 5
H	Stop Date	011115	4	870115	870132	Available in Standard/Regular History Non-US files only
I	Announce Date	29250N1X	90	65	69	See Region Appendix
K#7	Value	66	85	46	59	Maxdecimal 5
B	Review Date	90	96	22	49	Maxdecimal 5
E	Dilution Factor	TRBC	100	9	41	Available in Standard/Regular History Non-US files only
G#3	TRBC Short description	22	36	202	215	Available in Normalized History for all regions
N	Product Description	2000.	24	102	140	See Measures chart in Appendix
S	Reserved	STOPPTG. <REG>	49	8	9	Numeric codes
D#3	Stop Date	0.34	9	10	21	See Measures chart in Appendix
F#6	Reserved	255	2.34	52	88	Maxdecimal 5
H#5	Analyst Code	CCCCCCC	157	2000	2007	See Measures chart in Appendix
G#4	Reserved	142	102	3	21	Numeric codes
G	Review Time	17.0	1	512	530	Numeric codes
C	Canadian Currency	NDETPTGUT. <REG>	131	52	74	Available in Normalized History for all regions
H#5	Estimator ID	LSE	80	3	31	See Region Appendix
G#4	Activation Date	HDXRATI. <REG>	2000	100000	100016	Maxdecimal 5
K	Estimator	USD.	11	67	107	See Region Appendix
I	Exclude Time	EXL<MEAS>AT. US	90	149	185	Parent/Consolidated Flag (NON-US)
L	Activation Time	17.000	120	67	79	See Region Appendix
O	Dilution Factor	142	4	101	122	Available in Standard/Regular History Non-US files only
H	Currency at Company Level	2001.	255	3	21	Numeric codes
E#4	Exclude End Time	ADJFILD. <REG>	90	2	35	Blank where not applicable
F#5	I/B/E/S Ticker	EST.	0.34	870115	870140	See Region Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
C	Footnote Text	103	12	49	86	Parent/Consolidated Flag (NON-US)
X	Product Description	54	96	85	97	See Region Appendix
G#4	Home mkt code	2004.	40	20030422	20030442	Available in Normalized History for all regions
G#3	Activation Time	8.8185	76	20001229	20001231	Parent/Consolidated Flag (NON-US)
D	Primary/Diluted Indicator	HSTRBCDESC	17	73	88	Available in Standard/Regular History Non-US files only
M	Review Date	STANDARD	999	62	88	Parent/Consolidated Flag (NON-US)
I	Stop Time	8.0372	999	19991231	19991231	Numeric codes
C#3	Currency at Company Level	YYYY	0.34	12	26	Maxdecimal 5
I#5	I/B/E/S Ticker	YYYYMMDD	1999	103	122	Numeric codes

Detail Estimates Data Files

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HRECBKRI . <REG>, CURFILD . <REG>

Level: Summary

Frequency: Daily

- Record-level fields are presented in fixed-width layouts.
- Timestamps support change tracking and reconciliation.

Note: Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
G	Footnote Type	char	USD	80	78	87	Available in Normalized History for all regions
F#3	Currency at Company Level	X	66	47	412	420	Numeric codes
K	Region ID	int	58	46	75	113	Blank where not applicable
M	Product ID	time	EST.	8	42	46	See Region Appendix
F#5	Canadian Currency	smallint	2.	66	21	49	Parent/Consolidated Flag (NON-US)
J	Exclude Flag	char	0012	9912	23	46	See Measures chart in Appendix
F#6	Reserved	time	9912	83	58	74	yymmdd format in history files
C	Dilution Factor	char	BRANFILD. <REG>	6	3	12	yymmdd format in history files
J	Footnote Text	char	20040304	78	103	128	Available in Normalized History for all regions
F#6	Exclude Date	time	SAN	101	134	144	Maxdecimal 5
D#4	Exclude Time	varchar	11	83	101	120	Available in Normalized History for all regions
C	Expiration Date	varchar	101	59	20001229	20001249	Parent/Consolidated Flag (NON-US)
S	Exclude End Time	X	202	87	56	76	Maxdecimal 5
G#3	Dilution Factor	N	SEDOL/ CUSIP	25	46	66	Available in Normalized History for all regions
J	Review Time	N	83	169	56	88	See Measures chart in Appendix
J#6	Company Name	date	MON	87	47	68	Numeric codes
N#8	Review Time	int	PTG	5	169	176	See Measures chart in Appendix
G#4	Activation Time	varchar	EXLFILAT. US	56	53	72	See Region Appendix
B	Company Name	X	44	30	201	210	Available in Normalized History for all regions
C#2	Product Description	D	2000	103	22	32	Available in Normalized History for all regions
C#2	Announce Date	tinyint	52	10	73	76	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
E	Exclude Flag	date	134	50	28	66	See Region Appendix
G#3	Currency	time	0.34	62	7	21	Available in Normalized History for all regions
S	Product Status	varchar	14.200	21	59	60	Numeric codes
K#7	TRBC Long description	char	YYMM	26	32	45	Parent/Consolidated Flag (NON-US)
E#5	Exclude Time	X	2000	179	1024	1028	See Measures chart in Appendix
R	Estimator ID	char	21.558	65	134	136	See Region Appendix
E#4	Value	smallint	20040304	94	162	197	See Region Appendix
A	Primary/Diluted Indicator	varchar	Q4	31	95	112	See Measures chart in Appendix
F#4	Estimator	date	2000	134	35	35	See Measures chart in Appendix
K	Stop Date	date	46	1	5	37	Available in Normalized History for all regions
O	Footnote Text	smallint	IPL2.	66	62	83	Blank where not applicable
H	Stop Date	smallint	TRBC	12	35	66	Maxdecimal 5
S	Review Time	tinyint	NDETPTGAT.9<REG>	255	284		Available in Standard/Regular History Non-US files only
J#6	Home mkt code	N	SEDOL/CUSIP	1024	36	65	Available in Normalized History for all regions
D	Footnote Text	smallint	NA	7	152	180	See Measures chart in Appendix
M	Estimator ID	date	172	169	41216	41256	Available in Normalized History for all regions
N	Estimator	time	STAT	26	74	87	See Region Appendix
G#3	Currency at Company Level	N	87	210	60	64	See Region Appendix
N	TRBC Short description	tinyint	EXL<MEAS>NDUS	169	172		Available in Normalized History for all regions
E#4	Estimator	tinyint	HRECSTPT.<REG>	3	142	157	Maxdecimal 5
F#3	Analyst Name	char	EXLFILAT.US	90	94	131	See Measures chart in Appendix
D#3	Measure	tinyint	39	35	20001229	20001231	Numeric codes
O#9	Product Status	tinyint	92	155	202	207	yymmdd format in history files
D#4	TRBCPermID	int	STAT	120	20030422	20030422	Numeric codes
A	Value	char	24.03	15	28	53	Maxdecimal 5

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NDETFILET.<REG>, HSFCO.<REG>

Level: Standard

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
D#3	Activation Date	IPL2.	2000	85	90	See Region Appendix
O	Estimator	16	81	7	31	Maxdecimal 5
D#3	Expiration Date	BRANFILD.<REG>	41	38	52	Maxdecimal 5
A	TRBCPermID	120	54	65	83	Available in Normalized History for all regions
I#5	Announce Time	21	45	2005	2023	Maxdecimal 5
N	Exclude Flag	96	103	1	5	See Measures chart in Appendix
E	Review Time	8.818500	31	47	83	Blank where not applicable
X	Dilution Factor	.INT	54	1987	2014	Maxdecimal 5
F#3	TRBC Short description	PID1.<REG>	7	46	81	yyymmdd format in history files
H	Review Date	29	13	222222	222240	Maxdecimal 5
E#5	TRBC Short description	B.	34	67	90	Blank where not applicable
C#2	Exclude Flag	EUR	169	103	121	Maxdecimal 5
A#1	Activation Time	BRANFILI.<REG>	66	33	35	Available in Standard/Regular History Non-US files only
O#9	Product ID	42	159	75	99	Parent/Consolidated Flag (NON-US)
D#3	Announce Date	EXL<MEAS>AT.35 US	179	179	214	Blank where not applicable
G#4	Announce Time	EPS	1	134	149	Blank where not applicable
A	Exclude End Time	64	10	412	418	See Measures chart in Appendix
I	Currency at Company Level	159	59	155	159	Numeric codes
B	Review Time	999999	131	41216	41256	Available in Normalized History for all regions
G#7	Currency	3.37193	2005	28	39	Parent/Consolidated Flag (NON-US)
X	Footnote Text	13	103	74	105	Blank where not applicable
H	Estimator	STANDARD	63	134	163	Available in Standard/Regular History Non-US files only
O#9	Currency	NDETFILET.<REG>	255	2000	2013	See Measures chart in Appendix
O#9	Region ID	21	8	999999	1000000	Parent/Consolidated Flag (NON-US)
R	Measure	21	66	56	94	Numeric codes

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HSTRBCDESC

Level: Detail

Frequency: Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Forecast Period End Date	varchar	STANDARD	122	66	104	Parent/Consolidated Flag (NON-US)
J	Stop Date	varchar	NDETFILET.<REG>	172	10	21	See Region Appendix
O	Forecast Period End Date	tinyint	169	186	45	61	Blank where not applicable
E#4	Footnote Text	X	169	58	41	69	Available in Standard/Regular History Non-US files only
E#4	Review Time	smallint	3.37193	9	90	108	See Measures chart in Appendix
M	TRBCPermID	smallint	EXL<MEAS>INT	23	92	114	Parent/Consolidated Flag (NON-US)
D#4	Forecast Period Indicator	N	ADJFILET.<REG>	33	75	91	Parent/Consolidated Flag (NON-US)
M	Product ID	tinyint	NOK.	38	179	213	Blank where not applicable
J	Primary/Diluted Indicator	char	CURFILET.<REG>	49	63	95	Parent/Consolidated Flag (NON-US)
F#6	Activation Date	date	CURFILET.<REG>	162	25	37	Blank where not applicable
O#9	Forecast Period Indicator	char	NDETFILET.<REG>	100	73	100	Blank where not applicable
J#6	Announce Date	N	29250N10	255	124	159	Numeric codes
X	Exclude Time	date	55	81	40	80	See Measures chart in Appendix
S	Dilution Factor	int	IPL2	162	25	65	Available in Standard/Regular History Non-US files only
A#1	Exclude Date	D	NEXLFILET.INT	4	100	127	See Region Appendix
C#2	Product Description	N	MON	78	12	45	Numeric codes
G#4	Footnote Type	N	222222	21	162	201	Numeric codes
G#7	Dilution Factor	N	100	134	31	56	Available in Normalized History for all regions
D	TRBCPermID	D	149	22	15	53	yymmdd format in history files
L	Currency at Company Level	D	ACTK<MMM><REG>	87	26	50	Available in Standard/Regular History Non-US files only
P	Currency	X	96	10	971110	971113	Parent/Consolidated Flag (NON-US)
A#1	Value	time	HSFCO.<REG>	1024	172	200	Parent/Consolidated Flag (NON-US)
N#8	Analyst Code	varchar	2.	54	999999	1000035	See Region Appendix
N#8	Measure	tinyint	52	80	21	30	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F	Exclude End Time	D	83	177	201	225	Parent/Consolidated Flag (NON-US)

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** NEXL<MEAS>AT.INT, HSFCO.<REG>, HRECSTPT.<REG>

Name (Unadjusted): IDFIL.I.<REG>, ADJFILD.<REG>, HRECDETT.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
J#6	Exclude End Time	51	40	94	102	Available in Standard/Regular History Non-US files only
J#6	CUSIP/SEDOL	971120	28	201	220	Parent/Consolidated Flag (NON-US)
F	Activation Time	NDET FILUT.<REG>	999	65	74	Available in Standard/Regular History Non-US files only
G#7	Forecast Period End Date	IDFIL.D.<REG>	60	52	59	Blank where not applicable
M	Currency	20.635	101	61	100	Available in Normalized History for all regions
B#2	Company Name	67	24	85	103	yymmdd format in history files
C#3	Official Ticker	STANDARD	74	999	1038	See Region Appendix
C#3	Exclude Time	XX	17.0	44	61	See Measures chart in Appendix
R	Estimator ID	SEDOL.	159	61	81	yymmdd format in history files
E#5	Primary/Diluted Indicator	134	105	83	110	See Measures chart in Appendix
E#4	Estimator	NEXL<MEAS>AT.INT	9912	96	129	Available in Normalized History for all regions
F#3	Dilution Factor	2003.	24	34	54	Maxdecimal 5
A	Canadian Currency	SIG	149	96	127	See Measures chart in Appendix
F#6	Analyst Name	HH:MM:SS	58	179	200	Blank where not applicable
C	CUSIP/SEDOL	ACTK<MMM>.<REG>	90	95	98	Available in Standard/Regular History Non-US files only
A#1	Estimate Currency	999	142	60	87	See Measures chart in Appendix
H	Review Time	55	142	39	50	See Measures chart in Appendix
H	Analyst Code	99999.9999	63	152	162	Blank where not applicable
C	Stop Time	66	60	210	224	See Region Appendix
I#5	Product Type	202	20	186	226	yymmdd format in history files
K	Product Description	HRECBKRI.<REG>	2000	41216	41238	See Measures chart in Appendix
A	TRBC Long description	65	16	23	59	Parent/Consolidated Flag (NON-US)
I#5	Exclude Date	B.	152	67	86	Available in Normalized History for all regions
G#4	Product Type	MSCIP	6	63	102	Available in Standard/Regular History Non-US files only
G#3	Reserved	1987	0412	61	101	Blank where not applicable
D#3	Value	177	61	21	29	Available in Normalized History for all regions

Continued on next page

Key	Item	Format	Length	Start	End	Comments
E#5	Exclude Date	96	42	9999 9999 9999	1000 0000 00033	Available in Standard/Regular History Non-US files only
G#7	Estimator	CUSIP	68	78	105	Numeric codes
A#1	Estimator	73	0512	52	56	Maxdecimal 5
O	Reserved	8.8185	34	60	77	yymmdd format in history files
G#4	Forecast Period Indicator	50	52	12	26	Available in Normalized History for all regions
K#7	I/B/E/S Ticker	4.	46	6	36	Maxdecimal 5
I#5	Review Time	17	27	18	37	Available in Standard/Regular History Non-US files only
D	Review Date	63.406000	51	102	121	yymmdd format in history files
H#5	I/B/E/S Ticker	010213	20	999999	1000009	See Region Appendix
K#7	CUSIP/SEDOL	28	56	990211	990236	Available in Standard/Regular History Non-US files only
I#5	Review Date	NOK.	6	105	106	yymmdd format in history files
K	Primary/Diluted Indicator	105	61	60	81	Maxdecimal 5
F#5	Forecast Period End Date	102	120	14	18	Parent/Consolidated Flag (NON-US)
J#6	Product Description	CURFILD. <REG>	0.34	59	90	See Region Appendix
M	Dilution Factor	149	69	78	113	See Measures chart in Appendix
E	Reserved	HSTRBCDESC	157	177	188	Blank where not applicable
F#5	Announce Date	29	2.34	60	62	yymmdd format in history files
H	Home mkt code	EXL<MEAS>AT. INT	23	157	160	Blank where not applicable
G#3	Estimate Currency	MON	87	52	83	yymmdd format in history files
N#8	Home mkt code	EXLFILAT.US	31	90	110	Blank where not applicable
K	Footnote Type	B.	34	94	117	Available in Standard/Regular History Non-US files only

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** IDFIL.I.<REG>

Level: Detail

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
G#4	Reserved	26	63	75	95	Maxdecimal 5
F	Analyst Code	122	23	134	148	See Measures chart in Appendix
J#6	Review Date	EUROFILI. <REG>	100	180	188	Parent/Consolidated Flag (NON-US)
E	Value	3.	65	159	190	Maxdecimal 5
S	Official Ticker	B.	120	49	63	Numeric codes
O	Announce Time	NOK	124	60	91	Parent/Consolidated Flag (NON-US)
X	TRBC Short description	USD	1	179	213	Numeric codes
D#4	Exclude Flag	.INT	9812	1999	2023	See Measures chart in Appendix
R	TRBC Short description	971120	35	102	134	Blank where not applicable
F	Product Description	2.340	34	73	91	See Measures chart in Appendix
D	Estimator ID	99	71	69	94	Blank where not applicable
N	Forecast Period End Date	CCCC	34	990211	990243	Maxdecimal 5
D	Announce Date	177	36	36	55	Available in Standard/Regular History Non-US files only
N	Stop Time	NDETFLAT. <REG>	124	177	207	Available in Standard/Regular History Non-US files only
B	Estimator	55	64	102	133	Parent/Consolidated Flag (NON-US)
C	Announce Date	124	186	201	224	Blank where not applicable
H	Home mkt code	EPS.	51	83	114	Available in Normalized History for all regions
I#5	Exclude Time	14	73	19991231	19991231	Maxdecimal 5
C#3	Forecast Period End Date	74	64	155	170	See Region Appendix
D#3	Activation Date	XX	90	58	70	Available in Standard/Regular History Non-US files only
C#3	Stop Date	3.3719	157	73	109	Available in Standard/Regular History Non-US files only
G#4	TRBCPermID	9812	54	142	177	yymmdd format in history files
F#3	Exclude Date	DETPTG. <REG>	101	39	62	Numeric codes
S	Review Date	HRECIDU. <REG>	49	31	47	Parent/Consolidated Flag (NON-US)
B#2	Official Ticker	21.558	6	42	61	Blank where not applicable
P	CUSIP/SEDOL	99999.999	67	20030422	20030425	Available in Standard/Regular History Non-US files only
D#4	Exclude Flag	2.340	134	28	51	Numeric codes
S	Review Time	202	36	19	50	See Region Appendix
F#4	Product Status	33	30	999999	1000033	See Region Appendix
H#5	Product Status	2005	122	45	69	Maxdecimal 5

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F	Measure	99.99	80	87	120	Available in Normalized History for all regions
M	Product ID	IBES	17	92	125	See Measures chart in Appendix
D#3	Product Type	EURO	83	81	97	Available in Standard/Regular History Non-US files only
C#2	Announce Date	IPL2	38	69	95	Blank where not applicable
N	Exclude Date	SEDOL	122	159	195	See Region Appendix
G#7	Product ID	CCCCC	49	122	131	Maxdecimal 5

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** BRANFILD.<REG>

Level: Summary

Frequency: Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
O#9	Exclude Date	tinyint	NOK.	72	71	97	Available in Normalized History for all regions
G#4	Estimate Currency	smallint	HRECBKRU.<REG>	95	95	108	Maxdecimal 5
H	Exclude End Date	varchar	96	14	27	28	Numeric codes
N#8	Forecast Period Indicator	tinyint	10	92	50	71	Parent/Consolidated Flag (NON-US)
E#5	Estimator	date	42	159	38	73	Maxdecimal 5
E#5	Region ID	smallint	68	61	179	202	Blank where not applicable
C	Exclude Flag	D	ADJFILD.<REG>	6	28	37	See Measures chart in Appendix
G#3	Review Date	D	210	46	66	77	Numeric codes
Q4	Product Type	N	122	1999	122	137	Blank where not applicable
A	Activation Time	int	EPS	172	201	209	Blank where not applicable
C	Activation Date	time	186	1987	159	162	Available in Standard/Regular History Non-US files only
A	Expiration Date	time	MON	11	67	105	Available in Normalized History for all regions
A	Estimate Currency	char	NEXL<MEAS>SAT.INT	15	44		See Measures chart in Appendix
E	Measure	varchar	7.127050	51	157	192	Blank where not applicable
A#1	Measure Unit	char	75	162	24	61	Maxdecimal 5
E#5	Product Type	char	72	52	35	44	Maxdecimal 5
P	Exclude End Time	smallint	122	157	134	160	Maxdecimal 5
K	Company Name	D	TRBC	51	149	154	yymmdd format in history files
S	Home mkt code	date	62	24	99999	100020	See Region Appendix
X	Company Name	varchar	PID1.<REG>	32	74	110	See Measures chart in Appendix
F	Exclude Date	tinyint	177	46	41216	41227	Blank where not applicable
N	Expiration Date	date	CUSIP/	68	47	56	Available in Standard/Regular History Non-US files only
D	TRBC Short description	int	101	50	24	35	yymmdd format in history files
G#3	Exclude Time	varchar	159	6	96	112	Parent/Consolidated Flag (NON-US)
M	Exclude End Time	char	CURFILI.<REG>	162	24	60	Parent/Consolidated Flag (NON-US)
F#4	Company Name	X	NDET FILAT.<REG>	159	9812	9832	yymmdd format in history files
F#6	Review Date	N	MON	17	52	86	See Region Appendix
N#8	Exclude Time	int	IPL2.	9812	131	137	Numeric codes

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F#6	Canadian Currency	X	99999999 9999	1024	1987	2023	Maxdecimal 5
L	Review Time	time	124	31	85	113	Available in Standard/Regular History Non-US files only
K#7	Exclude End Time	time	PD1. <REG>	13	101	136	Available in Normalized History for all regions
O	Stop Time	smallint	870115	46	68	104	Numeric codes
C#2	Forecast Period End Date	smallint	75	59	85	123	yymmdd format in history files
N	Activation Time	D	157	66	30	59	Maxdecimal 5

Detail Estimates Data Files

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** IDFILD . <REG>

Name (Unadjusted): NDET<MEAS>UT . <REG>

Level: Summary

Frequency: Daily/Weekly/Historical

Key	Data Field	Data Type	Data Length	Comments
S	Currency at Company Level	D	149	Blank where not applicable
E#5	Stop Date	varchar	39	Blank where not applicable
F	Exclude Flag	int	30	See Measures chart in Appendix
G#7	TRBCPermID	N	162	See Measures chart in Appendix
F	Exclude Flag	date	1999	See Measures chart in Appendix
D#3	Product Description	smallint	1024	Blank where not applicable
B#2	Announce Date	varchar	1987	Numeric codes
B#2	TRBC Long description	N	255	Parent/Consolidated Flag (NON-US)
F	Estimator ID	int	1987	Available in Standard/Regular History Non-US files only
R	Analyst Name	smallint	22	See Region Appendix
R	Analyst Code	time	64	Maxdecimal 5
O	Primary/Diluted Indicator	tinyint	0512	See Measures chart in Appendix
F#6	Stop Time	D	155	Numeric codes
A	Footnote Type	date	80	Parent/Consolidated Flag (NON-US)
F#5	Exclude End Time	X	0012	Numeric codes
F#5	Exclude Flag	date	54	See Measures chart in Appendix
K	Value	X	9812	Parent/Consolidated Flag (NON-US)
B	Exclude End Time	D	1987	Available in Normalized History for all regions
C	Announce Date	varchar	75	Blank where not applicable
F#6	Home mkt code	int	0412	Maxdecimal 5
N#8	Announce Date	N	100	Parent/Consolidated Flag (NON-US)
B	Dilution Factor	int	28	Parent/Consolidated Flag (NON-US)
M	Official Ticker	N	69	yymmdd format in history files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** STPFILAT.<REG>, ADJFILD.<REG>, HSTRBCDATA.<REG>

Level: Standard

Frequency: Daily

Key	Data Field	Data Type	Data Length	Comments
D#3	Expiration Date	char	255	Maxdecimal 5
D#3	Dilution Factor	X	56	See Region Appendix
C#2	I/B/E/S Ticker	tinyint	95	Available in Standard/Regular History Non-US files only
C	Forecast Period Indicator	N	81	See Measures chart in Appendix
F#6	Product Status	D	66	Numeric codes
F#6	Exclude End Date	char	22	Maxdecimal 5
P	Product ID	date	95	Available in Standard/Regular History Non-US files only
C#3	TRBC Short description	char	50	yymmdd format in history files
S	Forecast Period End Date	tinyint	46	See Region Appendix
O#9	Review Date	D	94	Available in Normalized History for all regions
G#3	Activation Date	date	94	See Region Appendix
K	Currency	X	80	Available in Normalized History for all regions
J	Product Description	D	94	yymmdd format in history files
D	Analyst Code	time	59	Maxdecimal 5
F#3	Exclude Time	varchar	92	yymmdd format in history files
F	Forecast Period Indicator	tinyint	75	Maxdecimal 5
Q4	Forecast Period End Date	X	120	Available in Standard/Regular History Non-US files only
H#5	Value	tinyint	29	Available in Normalized History for all regions
A#1	Exclude Date	varchar	2.34	See Region Appendix
D	Product ID	D	7	yymmdd format in history files
D#3	Expiration Date	varchar	68	See Region Appendix
F#5	Currency	X	142	See Measures chart in Appendix
I#5	Exclude End Time	time	68	yymmdd format in history files
E#5	Announce Date	smallint	56	See Region Appendix
D#4	Exclude End Date	tinyint	177	Blank where not applicable
M	Expiration Date	D	25	Blank where not applicable
I#5	Estimate Currency	date	149	Parent/Consolidated Flag (NON-US)
A#1	Estimate Currency	date	67	Available in Standard/Regular History Non-US files only
C#3	Expiration Date	tinyint	255	See Measures chart in Appendix
L	Forecast Period Indicator	X	63	Available in Standard/Regular History Non-US files only
P	Reserved	smallint	62	Parent/Consolidated Flag (NON-US)
F	Announce Time	date	15	Blank where not applicable
X	Estimate Currency	tinyint	7	See Measures chart in Appendix
D#4	Activation Date	char	78	Available in Normalized History for all regions
E#4	Stop Date	N	94	Numeric codes

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
K#7	Product Status	time	134	See Region Appendix
J#6	Announce Time	varchar	11	Parent/Consolidated Flag (NON-US)
G#4	Stop Date	tinyint	23	Numeric codes
P	Region ID	date	11	Blank where not applicable
Q4	Announce Date	int	71	Numeric codes
H	Forecast Period End Date	tinyint	85	yymmdd format in history files
F#3	Footnote Text	char	180	Blank where not applicable
C#3	Company Name	time	38	Available in Normalized History for all regions
R	Analyst Code	D	11	See Region Appendix
K	Dilution Factor	N	69	Blank where not applicable
C	Footnote Type	date	177	Maxdecimal 5
I#5	Analyst Name	N	22	Available in Normalized History for all regions
I#5	Exclude Flag	N	94	Parent/Consolidated Flag (NON-US)
F#5	Exclude Flag	X	100	Available in Standard/Regular History Non-US files only
C	Currency	date	39	Numeric codes

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: HRECDETT.<REG>, HRECBKRI.<REG>, HSTRBCDATA.<REG>

Level: Detail

Frequency: Monthly **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
F#6	Reserved	date	28	yymmdd format in history files
M	Exclude Time	char	5	Numeric codes
H	Estimator	smallint	94	Blank where not applicable
H#5	Reserved	X	75	Available in Standard/Regular History Non-US files only
F#3	Dilution Factor	date	39	Numeric codes
F#4	Primary/Diluted Indicator	char	29	See Region Appendix
F#4	Canadian Currency	smallint	75	Available in Normalized History for all regions
O#9	Estimator ID	N	20	See Measures chart in Appendix
G	Region ID	varchar	10	Numeric codes
G#7	Product Description	int	17.0	See Measures chart in Appendix
P	Official Ticker	tinyint	172	See Region Appendix
F#6	Announce Date	time	17	See Region Appendix
A	Forecast Period End Date	X	4	yymmdd format in history files
H	Measure Unit	int	202	See Region Appendix
G	Currency at Company Level	date	67	Parent/Consolidated Flag (NON-US)
D#4	Exclude Date	D	45	Available in Standard/Regular History Non-US files only
A#1	Announce Time	N	142	See Measures chart in Appendix
C	TRBC Long description	tinyint	1999	See Measures chart in Appendix
K	Activation Time	D	72	See Region Appendix
M	Measure Unit	N	103	Available in Normalized History for all regions
J	Official Ticker	tinyint	120	Numeric codes
E#4	Stop Time	int	51	See Measures chart in Appendix
A#1	Product Type	char	101	See Region Appendix
F#6	Official Ticker	int	34	Numeric codes
O#9	Expiration Date	X	47	See Region Appendix
R	Activation Time	tinyint	26	Available in Standard/Regular History Non-US files only
H#5	Forecast Period End Date	date	0512	Maxdecimal 5
E#4	Exclude Flag	D	0012	yymmdd format in history files
F#3	Exclude End Date	D	74	Maxdecimal 5
D	Measure	tinyint	34	Available in Normalized History for all regions
L	Analyst Name	char	2000	See Region Appendix

Detail Price Target Data Files

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** HRECSTPT.<REG>, NEXLFILAT.US

Name (Unadjusted): STPFILAT.<REG>, NEXLFILAT.INT

Level: Standard

Frequency: Monthly

Key	Data Field	Data Type	Data Length	Comments
M	Analyst Code	tinyint	53	See Region Appendix
J#6	Reserved	smallint	152	Available in Standard/Regular History Non-US files only
D	Company Name	smallint	19	See Region Appendix
D	Dilution Factor	varchar	120	Maxdecimal 5
K	Home mkt code	smallint	62	See Measures chart in Appendix
C#3	Activation Date	N	47	Available in Normalized History for all regions
P	Estimator	smallint	3	Maxdecimal 5
C#2	Stop Date	smallint	179	yymmdd format in history files
J#6	Exclude Time	D	49	yymmdd format in history files
K	Estimator ID	D	85	Available in Standard/Regular History Non-US files only
D#3	Company Name	tinyint	105	yymmdd format in history files
G	Announce Date	N	60	Available in Normalized History for all regions
R	CUSIP/SEDOL	smallint	96	Available in Normalized History for all regions
D	Measure	D	169	Blank where not applicable
E#5	Estimator	D	68	Numeric codes
L	Region ID	X	6	Available in Normalized History for all regions
C#3	TRBCPermID	X	101	See Measures chart in Appendix
G#4	Stop Time	tinyint	73	Maxdecimal 5
F#3	TRBC Short description	D	67	Maxdecimal 5
D	Region ID	smallint	155	yymmdd format in history files
K#7	CUSIP/SEDOL	N	25	Available in Standard/Regular History Non-US files only
E#5	Exclude End Date	X	20	Numeric codes
N#8	Primary/Diluted Indicator	N	29	Blank where not applicable
O#9	Forecast Period End Date	D	28	Blank where not applicable
D	TRBC Short description	smallint	67	Parent/Consolidated Flag (NON-US)
J	Stop Date	time	64	See Region Appendix
O	Currency at Company Level	D	78	Parent/Consolidated Flag (NON-US)
M	Activation Date	D	24	Available in Standard/Regular History Non-US files only
E	Currency	varchar	149	See Region Appendix
C#3	Footnote Text	N	85	Available in Normalized History for all regions

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DETFILUT.<REG>, DETFILAT.<REG>, ADJFILD.<REG>

Level: Detail

Frequency: Daily

- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
F#5	Announce Date	varchar	60	7	999	1034	Parent/Consolidated Flag (NON-US)
K	Product Status	smallint	8.037200	90	21	36	Numeric codes
C	Exclude End Date	N	24.03	46	149	169	yymmdd format in history files
B#2	Announce Date	tinyint	YYYY	9912	2000	2036	Available in Normalized History for all regions
G	Product Type	X	56	5	412	413	Parent/Consolidated Flag (NON-US)
G#4	Official Ticker	date	USER	24	971110	971132	See Measures chart in Appendix
I#5	Forecast Period Indicator	date	9812	14	20030422	20030429	Parent/Consolidated Flag (NON-US)
G#4	Currency at Company Level	char	QFS.	20	71	109	Parent/Consolidated Flag (NON-US)
E#5	Exclude Date	N	.INT	20	201	222	Available in Standard/Regular History Non-US files only
Q4	Region ID	char	U.S.	21	179	182	See Measures chart in Appendix
J	Canadian Currency	date	9812	7	80	94	Parent/Consolidated Flag (NON-US)
P	Stop Date	tinyint	255	131	222222	222245	See Measures chart in Appendix
M	Estimator ID	D	DETFILAT.<REG>	9	76	87	Blank where not applicable
C#2	TRBCPermID	X	177	74	46	66	Available in Standard/Regular History Non-US files only

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** CURFILI.<REG>

Name (Unadjusted): NEXL<MEAS>AT.US

Level: Normalized

Frequency: Historical

Key	Data Field	Data Type	Data Length	Comments
F	Home mkt code	X	18	See Region Appendix
N	CUSIP/SEDOL	tinyint	21	Parent/Consolidated Flag (NON-US)
G#7	Product Status	smallint	21	Available in Standard/Regular History Non-US files only
F	Company Name	smallint	0.34	yymmdd format in history files
E#4	Analyst Code	D	64	See Measures chart in Appendix
D#4	Footnote Type	smallint	73	Available in Normalized History for all regions
F#5	Footnote Type	N	60	Available in Standard/Regular History Non-US files only
F#4	Measure	smallint	58	Maxdecimal 5
C	Activation Time	smallint	30	See Region Appendix
G#7	Exclude End Time	X	17.0	See Region Appendix
G	Measure	int	7	yymmdd format in history files
M	Activation Time	X	14	Available in Standard/Regular History Non-US files only
J	Company Name	int	1987	See Measures chart in Appendix
N#8	Exclude End Time	date	155	Numeric codes
E#4	Product Description	tinyint	75	Available in Normalized History for all regions
D#4	Measure	varchar	33	Blank where not applicable
I	Analyst Code	smallint	120	Blank where not applicable
P	Primary/Diluted Indicator	time	24	Parent/Consolidated Flag (NON-US)
F#3	Footnote Type	D	64	See Measures chart in Appendix
I	Announce Time	time	255	See Region Appendix
F#5	Footnote Text	tinyint	101	Available in Normalized History for all regions
M	Home mkt code	D	74	Numeric codes
E#5	Exclude Date	date	40	Maxdecimal 5

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NDET<MEAS>AT.<REG>

Name (Unadjusted): HSTRBCDATA.<REG>

Level: Detail

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
F#3	Estimate Currency	int	49	Parent/Consolidated Flag (NON-US)
B	Company Name	N	52	Blank where not applicable
E	Company Name	D	38	Available in Normalized History for all regions
K#7	Currency at Company Level	D	52	Blank where not applicable
M	Dilution Factor	X	1987	See Region Appendix
H	Exclude End Date	tinyint	40	yymmdd format in history files
S	Canadian Currency	varchar	999	Blank where not applicable
D#3	Stop Date	int	0.34	Numeric codes
D#3	Product Description	time	83	Blank where not applicable
J#6	Footnote Text	D	51	Maxdecimal 5
G#4	TRBCPermID	time	162	yymmdd format in history files
D#4	Footnote Text	time	54	Available in Standard/Regular History Non-US files only
B#2	Exclude End Date	char	81	Available in Standard/Regular History Non-US files only
K#7	Official Ticker	tinyint	100	Available in Normalized History for all regions
L	Stop Time	char	10	Available in Standard/Regular History Non-US files only
E#4	Primary/Diluted Indicator	X	96	Parent/Consolidated Flag (NON-US)
J#6	Analyst Name	tinyint	2	yymmdd format in history files
X	TRBC Short description	int	39	Available in Standard/Regular History Non-US files only
E#5	Analyst Name	date	34	Numeric codes
C	Primary/Diluted Indicator	tinyint	16	Available in Normalized History for all regions
S	Expiration Date	date	17.0	Numeric codes
J	Footnote Text	smallint	159	Numeric codes
J	Estimator	char	61	yymmdd format in history files
C#2	Footnote Text	int	122	Parent/Consolidated Flag (NON-US)
A	Exclude Flag	D	131	Parent/Consolidated Flag (NON-US)
N	TRBCPermID	char	40	Maxdecimal 5
A	TRBC Long description	date	20	Numeric codes
O#9	Reserved	varchar	13	Numeric codes
F	Product Type	varchar	9	Blank where not applicable
J	Analyst Name	time	159	See Region Appendix
F#4	Dilution Factor	smallint	20	See Measures chart in Appendix
B#2	Region ID	X	32	yymmdd format in history files
R	Forecast Period Indicator	N	19	Maxdecimal 5
E	Footnote Text	date	134	See Measures chart in Appendix

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NEXLFILAT.US

Level: Detail

Frequency: Daily

Key	Item	Data Type	Format	Length	Start	End	Comments
G#3	Review Time	varchar	18	92	255	281	See Region Appendix
G	Exclude End Time	time	23	42	1024	1025	Blank where not applicable
F#3	I/B/E/S Ticker	smallint	35	62	55	72	Parent/Consolidated Flag (NON-US)
C	Product Status	X	2003.	1999	22	39	Maxdecimal 5
M	TRBCPermID	X	13	29	38	67	Blank where not applicable
B	Review Date	N	1024	76	2	40	yymmdd format in history files
A#1	Currency	varchar	990211	99	152	189	See Region Appendix
J#6	TRBC Short description	char	LSE	124	69	102	Blank where not applicable
G#3	Measure	tinyint	BPN	60	80	115	Blank where not applicable
P	TRBC Long description	X	GUIDE	24	142	158	Maxdecimal 5
I#5	Review Date	char	169	67	27	36	Available in Standard/Regular History Non-US files only
G	Estimator ID	N	14.200	28	3	36	Blank where not applicable
F#6	Announce Time	D	19	28	99999	100039	Available in Standard/Regular History Non-US files only
H	Review Date	N	73	67	157	166	See Measures chart in Appendix
B#2	Forecast Period End Date	X	94	52	64	71	Numeric codes
F#4	TRBC Short description	int	STOPPTG. <REG>	255	100	110	Parent/Consolidated Flag (NON-US)
B	TRBCPermID	tinyint	72	124	1	23	Available in Standard/Regular History Non-US files only
S	Footnote Text	X	CUSIP/ SEDOL	45	47	53	See Measures chart in Appendix
I#5	Region ID	N	CCCC	177	69	97	See Region Appendix
O	Stop Time	time	NEXLFILUT. INT	13	92	120	See Region Appendix
C	Product ID	date	ID	5	64	69	See Region Appendix
G#3	TRBC Short description	D	124	64	59	62	Blank where not applicable
B	Announce Date	smallint	35	85	412	433	Maxdecimal 5
S	Exclude End Date	X	210	67	72	108	See Region Appendix
B	Company Name	N	67	65	50	68	Parent/Consolidated Flag (NON-US)
I	Measure	tinyint	999.999	74	1	17	Blank where not applicable

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** DET<MEAS>UT.<REG>, DET<MEAS>AT.<REG>, EXLFILAT.US

Level: Summary

Frequency: Daily/Historical **Note:** Some fields may be blank where not applicable.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	Reserved	D	BPN	172	202	228	See Measures chart in Appendix
F#3	Product Type	N	202	87	124	156	Available in Standard/Regular History Non-US files only
I	Region ID	date	USD.	2005	255	293	See Region Appendix
C#3	Currency at Company Level	char	999.999	33	63	103	See Region Appendix
P	Activation Time	int	0.34	122	131	135	Available in Standard/Regular History Non-US files only
C	Estimate Currency	tinyint	41	28	412	435	Numeric codes
A#1	Review Date	smallint	NDETPTGAT.<REG>	9912	28	45	Parent/Consolidated Flag (NON-US)
I#5	Activation Time	N	NEXL<MEAS>UT.INT	971120	971120	971156	Numeric codes
I#5	Official Ticker	D	16	49	210	217	Parent/Consolidated Flag (NON-US)
H	Currency at Company Level	int	EXL<MEAS>AT.INT	971120	971120	971128	See Region Appendix
M	Activation Date	smallint	STOPPTG.<REG>	149	67	80	See Region Appendix
C#3	Measure Unit	X	HSFCO.<REG>	83	63	76	Blank where not applicable
D#4	Company Name	smallint	HSTRBCDATA.<REG>	120	120	134	Available in Normalized History for all regions
B#2	Measure Unit	D	33	19	39	67	Available in Standard/Regular History Non-US files only
D	Product Description	date	3.37193	100	5	39	Available in Standard/Regular History Non-US files only
H#5	Expiration Date	smallint	83	142	412	426	Numeric codes
D	Footnote Type	smallint	BPN	26	2	4	Maxdecimal 5
G#7	Forecast Period Indicator	time	72	51	22	61	Maxdecimal 5
F#5	CUSIP/SEDOL	N	105	29	6	18	Maxdecimal 5
G	Exclude Flag	time	USER	12	21	33	yymmdd format in history files
Q4	Stop Time	tinyint	KPI	11	64	89	Available in Normalized History for all regions
B#2	Product Status	date	SUM	74	95	103	yymmdd format in history files
D#4	Official Ticker	X	TPC	32	41216	41236	Available in Normalized History for all regions
C	Exclude End Date	D	10	149	38	60	Maxdecimal 5
F	Dilution Factor	int	99999.9999	25	11	42	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J#6	Announce Date	date	16	28	13	45	Available in Standard/Regular History Non-US files only
A	Announce Date	int	999999	6	157	174	See Region Appendix
F#3	TRBC Short description	smallint	DET FILUT. <REG>	103	51	70	Numeric codes
J#6	Estimator	varchar	74	8	56	83	Available in Normalized History for all regions
F#6	Measure Unit	date	75	60	9	9	Parent/Consolidated Flag (NON-US)
K	Review Time	time	NDET FILUT. <REG>	87	412	451	Parent/Consolidated Flag (NON-US)
B#2	Primary/Diluted Indicator	char	ADJ	34	20030422	20030459	Numeric codes
H	Reserved	D	35	9812	10	30	Maxdecimal 5
M	Value	varchar	ENBRIDGE	131	72	89	Parent/Consolidated Flag (NON-US)
H#5	Official Ticker	N	17.000	23	13	41	Numeric codes
M	Review Date	D	24.03	7	102	114	Numeric codes
G#7	Value	X	39	1999	76	95	Maxdecimal 5
G#4	Currency at Company Level	char	DETPTG. <REG>	63	17	23	See Measures chart in Appendix
P	Activation Date	time	CCC	90	30	51	Available in Normalized History for all regions
H	Activation Date	int	1987	71	65	70	Maxdecimal 5

Detail Estimates Data Files

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** NDETFILET.<REG>, ADJFIELD.<REG>, HSTRBCDATA.<REG>

Name (Unadjusted): EXL<MEAS>AT.US, ADJFILI.<REG>, HRECBKRI.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical **Note:** Values and codes are provided for referential use only.

Key	Item	Format	Length	Start	End	Comments
Q4	Exclude End Time	IDFIELD. <REG>	65	56	79	Available in Standard/Regular History Non-US files only
O	Measure Unit	2000	58	74	84	Available in Standard/Regular History Non-US files only
D#3	Analyst Name	11	42	19991231	19991231	Available in Standard/Regular History Non-US files only
B	Official Ticker	FY1	65	5	44	Numeric codes
S	Product Type	2.1151	1987	124	146	Numeric codes
J#6	I/B/E/S Ticker	XX	74	18	40	yymmdd format in history files
G#3	TRBCPermID	STANDARD	94	54	81	See Measures chart in Appendix
J	Exclude End Date	EST.	61	27	63	See Measures chart in Appendix
O#9	Currency at Company Level	31	19	34	65	Available in Standard/Regular History Non-US files only
D#4	Value	PREG	58	186	221	Parent/Consolidated Flag (NON-US)
D#4	Exclude End Time	NORMALIZED	105	28	35	Maxdecimal 5
E	Expiration Date	ID	1999	11115	11149	Parent/Consolidated Flag (NON-US)
C#2	Product Description	EUROFILI. <REG>	92	17	55	Parent/Consolidated Flag (NON-US)
D#4	Product Description	19991231	159	162	187	Available in Standard/Regular History Non-US files only
C#3	Analyst Name	0512	179	9	49	Available in Standard/Regular History Non-US files only
C#2	Estimate Currency	QFS.	0412	202	242	Parent/Consolidated Flag (NON-US)
E	Analyst Code	18	124	61	98	Maxdecimal 5
M	Footnote Type	50	32	3	39	Maxdecimal 5
A	Product Status	172	56	73	89	Maxdecimal 5
R	Activation Date	SIG	8	1024	1062	Maxdecimal 5
K#7	TRBC Short description	PD1.<REG>	83	72	87	Numeric codes
C#3	Primary/Diluted Indicator	CAD	1	157	159	yymmdd format in history files
B	Reserved	131	152	41216	41217	See Measures chart in Appendix
G#7	Announce Date	44	65	20	43	Numeric codes
S	Forecast Period Indicator	18	9812	58	87	Blank where not applicable
E	Estimator	3.37193	71	58	84	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
A	Forecast Period Indicator	SEDOL/ CUSIP	26	17	39	See Region Appendix
F#3	Stop Time	19	103	210	241	Blank where not applicable
G#4	Company Name	CCCCCCCC	9	38	51	Blank where not applicable
J	Home mkt code	99999.9999	71	11	30	Parent/Consolidated Flag (NON-US)
B#2	Exclude Flag	32	66	162	195	Maxdecimal 5
A#1	Announce Date	USD	69	16	23	Parent/Consolidated Flag (NON-US)
O#9	Product Status	8.8185	162	52	90	See Region Appendix
G#3	Review Date	11	40	38	43	See Measures chart in Appendix
O#9	Canadian Currency	BRANFIELD. <REG>	71	105	137	Available in Standard/Regular History Non-US files only
F#5	Product Type	8.0372	1	99999	100014	See Region Appendix
L	Company Name	94	0412	4	37	yymmdd format in history files
C	Exclude Flag	3.37193	54	25	36	See Region Appendix
F#3	Review Date	041216	52	50	66	Available in Standard/Regular History Non-US files only
Q4	Company Name	CCCCCC	50	159	194	Blank where not applicable
K	Canadian Currency	HRECIDI. <REG>	66	25	44	See Region Appendix
R	Canadian Currency	33	9912	81	111	See Measures chart in Appendix
B#2	Measure	120	23	11115	11155	See Region Appendix
C#3	Announce Date	LSE	24	28	37	Parent/Consolidated Flag (NON-US)
N	Forecast Period Indicator	MEAS	76	177	200	See Measures chart in Appendix
E#5	Estimate Currency	27	78	27	52	yymmdd format in history files
D#4	Review Date	CCCCCCC	66	2000	2035	Available in Standard/Regular History Non-US files only
R	Activation Time	95	64	2005	2026	Maxdecimal 5
P	Stop Time	041216	92	96	109	Available in Normalized History for all regions

Detail Estimates Data Files

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** ADJ<MEAS>.<REG>, NCURFIL.<REG>, EXLFILAT.INT

Level: Normalized

Frequency: Daily/Weekly/Historical

Key	Item	Format	Length	Start	End	Comments
F#3	Stop Date	EXL<MEAS>AT. US	53	2005	2027	Available in Normalized History for all regions
E#4	Review Date	177	55	75	115	Available in Normalized History for all regions
K	Product Status	US	14	58	80	Available in Normalized History for all regions
D	Activation Time	65	29	61	101	See Measures chart in Appendix
G	Measure	72	62	64	79	Parent/Consolidated Flag (NON-US)
I#5	Forecast Period Indicator	180	65	95	112	yymmdd format in history files
A	Currency at Company Level	NC	28	11	40	Blank where not applicable
E#5	TRBC Short description	ADJFILI. <REG>	73	971120	971149	See Region Appendix
M	Analyst Name	ADJ	21	6	26	See Measures chart in Appendix
E#4	TRBC Short description	25	13	134	136	Maxdecimal 5
G	Forecast Period End Date	78	162	60	74	Numeric codes
N#8	Exclude End Time	KPI	61	41	74	See Region Appendix
K	Home mkt code	NEXL<MEAS>AT. INT	101	22	50	Blank where not applicable
X	Stop Time	EXLFILAT.INT	35	1999	2010	Available in Standard/Regular History Non-US files only
A	Product Description	92	28	21	21	Maxdecimal 5
O	I/B/E/S Ticker	IDFILD. <REG>	96	177	206	Numeric codes
E#4	Exclude End Date	71	55	30	40	yymmdd format in history files
D	TRBC Short description	20.635	177	10213	10243	Numeric codes
S	Review Date	STANDARD	96	10	14	See Region Appendix

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** EXL<MEAS>AT.US, NEXL<MEAS>AT.US

Level: Summary

Frequency: Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
O#9	Product ID	65	69	67	71	Maxdecimal 5
F#6	Home mkt code	18	99	51	52	See Measures chart in Appendix
E#4	Exclude End Time	61	90	12	38	Blank where not applicable
D#4	Exclude Flag	HISTORY	76	142	153	Numeric codes
J	Estimator	CCCCCCCC	18	142	178	yymmdd format in history files
A#1	Estimator	38	186	162	181	Parent/Consolidated Flag (NON-US)
I	Stop Time	34	95	28	41	Numeric codes
I#5	Activation Time	YYMM	7	55	63	yymmdd format in history files
F#5	Measure	56	1999	21	52	Blank where not applicable
B#2	Announce Date	13	63	157	159	Available in Normalized History for all regions
S	Analyst Code	EST.	12	62	85	Maxdecimal 5
Q4	Measure Unit	UNADJ	103	53	70	See Region Appendix
D#3	Product Description	CURFILD. <REG>	55	201	240	Numeric codes
A	Measure Unit	81	24	169	171	Available in Standard/Regular History Non-US files only
A	Product ID	15	23	6	37	Available in Standard/Regular History Non-US files only
A#1	TRBC Short description	HDXRATI. <REG>	169	255	281	Maxdecimal 5

Currency Exchange Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** NDETFLUT.<REG>, DETPTG.<REG>, HSTRBCDATA.<REG>

Level: Detail

Frequency: Monthly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
E#4	Exclude End Date	74	21	169	179	Blank where not applicable
I#5	Exclude Time	FTP	36	3	33	Available in Normalized History for all regions
O#9	Product Status	2001.	105	124	139	yymmdd format in history files
L	Analyst Name	HH:MM:SS	42	78	106	Numeric codes
A	Currency at Company Level	HSTRBCDATA.<REG>	0012	201	204	Available in Normalized History for all regions
F#4	Activation Time	7.127050	17	54	62	Parent/Consolidated Flag (NON-US)
F#5	Estimate Currency	90	35	222222	222228	Available in Standard/Regular History Non-US files only
I	Product ID	8.8185	255	16	31	Blank where not applicable
N#8	Exclude End Date	94	17	45	84	Available in Standard/Regular History Non-US files only
H	Measure Unit	66	35	6	33	See Measures chart in Appendix
R	Activation Time	000201	134	971120	971124	Parent/Consolidated Flag (NON-US)
O#9	Measure	17.00	49	44	73	Blank where not applicable
C#3	Forecast Period End Date	EUR	38	15	30	Maxdecimal 5
R	Estimator ID	US	21	27	58	yymmdd format in history files
P	Home mkt code	MEAS	19	870115	870141	See Measures chart in Appendix
L	Product Type	DETPTG.<REG>	62	31	34	See Region Appendix
F	Forecast Period End Date	Q4	0012	120	130	Available in Normalized History for all regions
A#1	Primary/Diluted Indicator	20030422	0412	101	121	Available in Normalized History for all regions
D	TRBC Long description	DET	159	92	106	Available in Standard/Regular History Non-US files only
G	Product ID	99999.999	122	179	201	See Region Appendix
D#3	Activation Time	CUSIP/SEDOL	120	47	48	Available in Normalized History for all regions
O	Official Ticker	60	2.34	152	178	See Region Appendix
D	Forecast Period Indicator	41	13	60	87	See Measures chart in Appendix
C#2	Currency at Company Level	EST.	80	20	56	Available in Standard/Regular History Non-US files only
C#2	Forecast Period Indicator	80	15	8	34	yymmdd format in history files
J	Official Ticker	CCCC	29	66	92	Maxdecimal 5
N	Forecast Period Indicator	56	78	27	31	Blank where not applicable
C	Estimate Currency	69	5	42	78	Numeric codes

Continued on next page

Key	Item	Format	Length	Start	End	Comments
O#9	Estimate Currency	NEXLFILUT. INT	61	179	190	Blank where not applicable
E	Estimator ID	0512	0012	71	77	Parent/Consolidated Flag (NON-US)
D#4	Reserved	CURFILI. <REG>	90	50	69	Available in Standard/Regular History Non-US files only
C#2	Product ID	21	46	202	204	Available in Standard/Regular History Non-US files only
A	Home mkt code	DETFILAT. <REG>	122	12	45	See Measures chart in Appendix
G#4	Stop Time	30	101	85	99	Available in Normalized History for all regions
H	Estimator ID	186	32	12	40	Maxdecimal 5
M	Company Name	HRECBKRI. <REG>	35	3	11	Available in Normalized History for all regions
F#5	Product ID	99999.999	46	11111	11127	Available in Standard/Regular History Non-US files only
H	Dilution Factor	EUR	172	30	36	yymmdd format in history files
F	Estimator ID	149	0.34	92	98	See Region Appendix
K	CUSIP/SEDOL	21	87	38	73	Parent/Consolidated Flag (NON-US)
G	Currency	IDFILI. <REG>	42	32	53	See Region Appendix
O#9	I/B/E/S Ticker	255	55	22	25	Available in Normalized History for all regions
R	Dilution Factor	HRECIDU. <REG>	3	55	91	Available in Standard/Regular History Non-US files only
E#4	Announce Date	UNADJ	1024	67	92	Blank where not applicable
R	Footnote Text	19	9812	29	36	Available in Standard/Regular History Non-US files only
E#5	Company Name	2.34	180	76	85	Parent/Consolidated Flag (NON-US)
I#5	Expiration Date	EXL<MEAS>AT. INT	53	9812	9832	Parent/Consolidated Flag (NON-US)
F#4	Product Description	YYYY	50	20030422	20030456	See Measures chart in Appendix
B	TRBC Short description	000201	186	100	101	Available in Normalized History for all regions
E#4	Estimate Currency	20040304	1	27	55	See Region Appendix
D	TRBC Short description	2.340	62	1	7	Numeric codes
X	Product Type	LSE	54	24	53	Blank where not applicable
C#2	Product ID	870115	155	1999	2012	Blank where not applicable
Q4	Estimate Currency	55	179	159	195	Available in Standard/Regular History Non-US files only

Detail Recommendation Data Files

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HRECDETT.<REG>, NEXL<MEAS>AT.US, HDXRATI.<REG>

Level: Standard

Frequency: Daily **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
A	Product ID	131	54	62	97	Available in Standard/Regular History Non-US files only
G	Dilution Factor	180	149	30	42	Parent/Consolidated Flag (NON-US)
S	Exclude End Time	HISTORY	23	101	131	See Region Appendix
E#4	Value	TRBC	255	96	97	See Measures chart in Appendix
F#4	Footnote Type	EUROFILI.<REG>	999	3	6	yymmdd format in history files
K#7	Announce Time	HSFCO.<REG>	45	1	10	See Region Appendix
G#4	TRBCPermID	85	179	14	40	See Region Appendix
F#4	Currency	.INT	1	33	73	Available in Standard/Regular History Non-US files only
S	Dilution Factor	ID	2	33	65	Numeric codes
G#4	Exclude Time	67	157	9812	9814	Available in Standard/Regular History Non-US files only
Q4	Exclude Date	0512	5	74	87	See Region Appendix
I	Currency at Company Level	STOPPTG.<REG>	65	41216	41216	yymmdd format in history files
E#4	Activation Time	IDFILI.<REG>	15	29	33	Blank where not applicable
K	Product Type	NDET FILAT.<REG>	169	999	1030	Maxdecimal 5
A	Product Status	PID2	95	99	118	yymmdd format in history files
O#9	Forecast Period End Date	96	10	202	210	Available in Normalized History for all regions
O#9	Currency	YYMMDD	0.34	5	12	See Measures chart in Appendix
R	Estimator ID	NDETPTGAT.<REG>	61	80	118	yymmdd format in history files
H	Reserved	NOK	71	210	248	See Region Appendix
B	Exclude Date	CURFILD.<REG>	68	16	50	Maxdecimal 5
R	Expiration Date	7.127050	186	7	10	Blank where not applicable
A#1	Review Date	61	2	96	121	Blank where not applicable
A#1	Estimator	63.406000	180	51	58	Maxdecimal 5
G	Estimator ID	JPY	78	27	34	See Region Appendix

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** EXL<MEAS>AT . INT

Level: Summary

Frequency: Historical

Key	Item	Format	Length	Start	End	Comments
O	Home mkt code	ID	162	159	181	Available in Normalized History for all regions
M	Estimator ID	142	52	2000	2020	Parent/Consolidated Flag (NON-US)
K#7	TRBC Short description	CURFILI. <REG>	36	49	76	Parent/Consolidated Flag (NON-US)
L	Estimate Currency	8.818500	13	412	422	See Measures chart in Appendix
H#5	I/B/E/S Ticker	STANDARD	69	101	101	Available in Normalized History for all regions
D	Product Description	102	122	222222	222234	yymmdd format in history files
J#6	Expiration Date	IPL1	255	76	87	Numeric codes
G#3	Stop Time	CURFILI. <REG>	22	94	133	Blank where not applicable
D#3	Footnote Text	MSCIP	14	169	177	Maxdecimal 5
C#2	Footnote Type	ENB	7	172	173	Maxdecimal 5
D#3	Announce Time	MEAS	73	95	130	Parent/Consolidated Flag (NON-US)
D#4	Activation Date	47	34	41	60	Blank where not applicable
F#4	Exclude Date	71	92	152	165	Available in Standard/Regular History Non-US files only
F	Announce Date	75	5	124	148	Numeric codes
A#1	Home mkt code	SAN	0.34	50	87	yymmdd format in history files
J	Estimator	NDETPTGAT. <REG>	68	1999	2007	See Region Appendix
N	Currency	2004.	0012	20030422	20030425	Blank where not applicable
F#4	Official Ticker	2.1151	47	76	90	Blank where not applicable
F#5	Announce Time	999.999	15	73	77	yymmdd format in history files
F#4	Estimator	CCCCCCC	100	41	60	Maxdecimal 5
H#5	Stop Time	TPC	169	971120	971150	Blank where not applicable
F	Currency at Company Level	11111	72	44	84	Blank where not applicable
X	Stop Time	55	1024	28	63	See Region Appendix
F	I/B/E/S Ticker	63.406	71	162	184	Available in Standard/Regular History Non-US files only
N#8	TRBC Short description	NDEFILUT. <REG>	157	65	68	Parent/Consolidated Flag (NON-US)
J#6	Expiration Date	11	20	26	36	See Region Appendix
D#4	Exclude End Date	PTG	56	68	83	Numeric codes
E#5	Forecast Period Indicator	172	105	2	17	See Region Appendix
X	Exclude Flag	PID2	71	44	64	See Measures chart in Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F	Official Ticker	EXLFILAT.INT	16	19991231	19991256	Available in Standard/Regular History Non-US files only
N	Reserved	PTG	255	20030422	20030422	Blank where not applicable
G	Exclude Flag	29	40	29	56	Blank where not applicable
P	Product Description	122	63	30	47	Parent/Consolidated Flag (NON-US)
O	Expiration Date	99999999 9999	131	255	294	See Measures chart in Appendix
C#2	Product Status	51	49	20040304	20040331	Numeric codes
A	I/B/E/S Ticker	990211	1987	201	216	Available in Normalized History for all regions
C	Estimate Currency	20	80	94	121	Available in Normalized History for all regions
Q4	Exclude Time	DETPTGUT. <REG>	35	16	18	Available in Normalized History for all regions
O	Canadian Currency	CUSIP	142	31	35	See Region Appendix
D	Primary/Diluted Indicator	73	85	25	38	Available in Standard/Regular History Non-US files only
H#5	Company Name	76	149	40	58	yymmdd format in history files
C#2	CUSIP/SEDOL	BPN	22	72	72	See Measures chart in Appendix
G#7	Currency	DETAIL	7	67	74	Available in Normalized History for all regions
G#7	Product ID	73	53	31	39	Available in Standard/Regular History Non-US files only
G#4	Footnote Type	NC	124	870115	870144	Blank where not applicable
F#4	Analyst Name	24.03	255	12	13	Available in Normalized History for all regions
S	Review Date	ENBRIDGE	69	31	37	yymmdd format in history files
I	Dilution Factor	99999.999	5	63	87	yymmdd format in history files
E#4	Footnote Text	39	134	2005	2024	Parent/Consolidated Flag (NON-US)
D	Analyst Code	MON	64	56	92	Blank where not applicable
G#4	TRBCPermID	1024	18	61	61	See Measures chart in Appendix
E#4	TRBCPermID	36	0012	39	63	Numeric codes
F#3	Home mkt code	999999.999	20	74	90	yymmdd format in history files
D#3	TRBC Long description	101	90	120	137	Blank where not applicable

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HSFCO.<REG>, NEXLFILAT.INT

Name (Unadjusted): EXLFILAT.US, HSFCO.<REG>

Level: Detail

Frequency: Daily/Historical

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
J	Region ID	134	124	39	54	Numeric codes
M	Estimate Currency	ADJFILI. <REG>	1999	8	47	Parent/Consolidated Flag (NON-US)
D	Announce Date	18	87	58	87	Available in Standard/Regular History Non-US files only
L	Exclude Date	99999	35	9912	9950	Maxdecimal 5
F#3	Region ID	870115	38	5	16	See Measures chart in Appendix
F#6	Currency at Company Level	25	100	76	112	See Region Appendix
O#9	Exclude Flag	66	76	36	44	See Region Appendix
G#4	Currency	65	2.34	2	15	See Region Appendix
H#5	Announce Time	DETFILAT. <REG>	122	172	181	Available in Normalized History for all regions
D#4	Exclude End Date	134	51	53	77	Available in Standard/Regular History Non-US files only
N#8	Exclude Time	YYYYMMDD	54	202	237	Available in Normalized History for all regions
G#3	Stop Date	99	62	101	102	Numeric codes
N#8	Exclude Date	EPS	120	131	146	See Region Appendix
K#7	Review Time	53	5	28	45	Maxdecimal 5
B#2	Activation Time	USD	999	22	54	Maxdecimal 5
B	Canadian Currency	EXL<MEAS>AT. INT	80	44	74	Blank where not applicable
M	Review Date	2.	36	19	55	Numeric codes
D#4	CUSIP/SEDOL	EUROFILI. <REG>	1999	45	49	Blank where not applicable
M	Announce Time	63	44	4	38	Blank where not applicable
K#7	TRBC Long description	NACTK<MMM>. <REG>	4	142	162	Available in Normalized History for all regions
G#7	Reserved	B.	172	870115	870146	See Region Appendix
F#5	Currency	23	1024	64	85	See Measures chart in Appendix
X	Exclude Time	1987	42	152	172	Parent/Consolidated Flag (NON-US)
E	Reserved	71	47	62	66	See Measures chart in Appendix
G#4	Estimate Currency	94	152	201	201	See Region Appendix

Continued on next page

Key	Item	Format	Length	Start	End	Comments
S	Footnote Text	14.200	96	51	67	yymmdd format in history files
Q4	Footnote Text	999999	172	12	26	Numeric codes
G	Currency at Company Level	.INT	71	179	211	Blank where not applicable
G#4	Forecast Period Indicator	2.340	54	44	76	Available in Standard/Regular History Non-US files only
F#6	Announce Date	28	96	52	54	Parent/Consolidated Flag (NON-US)
J#6	Value	IDFILD. <REG>	8	155	183	yymmdd format in history files
F#6	Announce Time	TRBC	58	80	115	See Region Appendix
L	TRBC Long description	NEXL<MEAS> INT	36	32	44	yymmdd format in history files
G#7	Exclude Time	EPS	134	76	110	Maxdecimal 5
L	Review Time	EST.	10	67	68	See Measures chart in Appendix
A#1	Analyst Name	DETFILAT. <REG>	1987	26	59	Blank where not applicable
G#7	TRBC Long description	ID	33	11	46	Parent/Consolidated Flag (NON-US)
J#6	Activation Date	54	134	41	54	Maxdecimal 5
C	Exclude End Time	971110	124	78	111	See Region Appendix
F#5	Product ID	NON-US	101	971110	971144	See Region Appendix
K#7	Currency	CCCC	2005	152	174	Parent/Consolidated Flag (NON-US)
F#4	CUSIP/SEDOL	NEXL<MEAS> INT	12	40	66	yymmdd format in history files
H#5	TRBC Long description	2.34	149	2000	2026	Parent/Consolidated Flag (NON-US)
S	Activation Time	172	94	177	216	Blank where not applicable
C#3	Forecast Period Indicator	JPY	63	68	87	Available in Normalized History for all regions
H	Estimate Currency	16	149	64	96	Available in Normalized History for all regions
E#4	Exclude Flag	162	99	36	54	Available in Normalized History for all regions
N#8	Estimate Currency	63.406	50	159	171	Maxdecimal 5

KPI File Description and layouts

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** NEXLFILAT.US, STP<MEAS>AT.<REG>, IDFIL.I.<REG>

Level: Detail

Frequency: Daily/Weekly/Historical

- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
L	Measure	varchar	2.34	Available in Normalized History for all regions
Q4	Reserved	X	44	See Measures chart in Appendix
E	Forecast Period Indicator	N	31	Available in Normalized History for all regions
D#4	Estimate Currency	char	46	Maxdecimal 5
X	Dilution Factor	tinyint	101	Numeric codes
P	Activation Time	N	90	yymmdd format in history files
J	Dilution Factor	D	41	Maxdecimal 5
D	Announce Date	N	20	Parent/Consolidated Flag (NON-US)
L	Announce Time	date	26	Available in Standard/Regular History Non-US files only
M	Product Description	int	90	Parent/Consolidated Flag (NON-US)
Q4	Home mkt code	char	0.34	yymmdd format in history files
R	Activation Date	time	47	Maxdecimal 5
E	Activation Time	varchar	202	Parent/Consolidated Flag (NON-US)
P	Measure	tinyint	4	Available in Normalized History for all regions
I	Estimator ID	X	94	yymmdd format in history files
G	Announce Time	tinyint	21	yymmdd format in history files
B#2	Dilution Factor	N	99	Available in Standard/Regular History Non-US files only
G	Reserved	char	124	Available in Standard/Regular History Non-US files only
P	Value	N	66	Available in Standard/Regular History Non-US files only
P	Exclude Flag	smallint	103	yymmdd format in history files
D	Canadian Currency	N	102	yymmdd format in history files
L	Company Name	smallint	20	Blank where not applicable
G#3	Region ID	tinyint	162	yymmdd format in history files
G	Measure	tinyint	54	Parent/Consolidated Flag (NON-US)
F#4	Exclude End Date	time	58	See Region Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
B	Activation Time	time	24	See Measures chart in Appendix
H	Official Ticker	tinyint	2.34	See Measures chart in Appendix

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** IDFIL. <REG>, HRECDET. <REG>, HSTRBCDESC

Name (Unadjusted): STPFILAT. <REG>, HRECIDU. <REG>, HSTRBCDATA. <REG>

Level: Detail

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
J	Forecast Period End Date	int	ADJFIL. <REG>	17.0	41216	41227	See Region Appendix
G#3	CUSIP/SEDOL	tinyint	IDFIL. <REG>	1024	12	27	Available in Standard/Regular History Non-US files only
E#4	Home mkt code	char	17	68	9912	9933	Blank where not applicable
A	Footnote Type	int	50	2000	56	85	Blank where not applicable
I	Analyst Code	char	25	122	29	52	Maxdecimal 5
O	TRBC Long description	D	HRECSTPT. <REG>	29	162	175	See Measures chart in Appendix
H#5	Exclude End Time	char	.INT	11	41216	41239	See Measures chart in Appendix
I	Exclude End Date	tinyint	94	162	62	86	Blank where not applicable
O	Review Date	date	4.	74	34	62	yymmdd format in history files
A	Dilution Factor	X	62	172	9	44	See Measures chart in Appendix
I	Product ID	int	CURFIL. <REG>	100	54	91	Numeric codes
K	I/B/E/S Ticker	X	U.S.	0012	102	119	Maxdecimal 5
E#5	Stop Time	char	DETFILAT. <REG>	99	10	36	See Measures chart in Appendix
Q4	Primary/Diluted Indicator	varchar	YYYYMMDD	61	56	96	yymmdd format in history files
A#1	Measure	tinyint	1.	7	64	86	See Region Appendix

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name:** NEXL<MEAS>AT.US, HRECSTPT.<REG>, HSTRBCDATA.<REG>

Level: Detail

Frequency: Weekly **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
N#8	I/B/E/S Ticker	varchar	STANDARD	255	124	157	Available in Normalized History for all regions
C	Expiration Date	N	IDFIL. <REG>	1987	20040304	20040314	Available in Standard/Regular History Non-US files only
S	Stop Time	smallint	USD	32	69	84	Blank where not applicable
I	Official Ticker	time	39	16	38	57	See Region Appendix
F#3	Exclude Date	varchar	42	62	44	67	Blank where not applicable
F#6	Estimate Currency	date	NEXL<MEAS>AT. US	187	76	98	Blank where not applicable
F#5	Estimate Currency	time	SAN	8	3	3	yymmdd format in history files
L	Forecast Period Indicator	int	2004.	53	60	85	See Measures chart in Appendix
H#5	Product Description	X	HH:MM:SS	64	255	292	Maxdecimal 5
S	Product ID	varchar	31	63	11111	11124	Maxdecimal 5
E#5	Home mkt code	N	159	27	13	42	Maxdecimal 5
K#7	Expiration Date	X	27	10	18	54	Maxdecimal 5
S	Estimator ID	smallint	DETPTGUT. <REG>	6	19991231	19991269	Available in Normalized History for all regions
C#2	Stop Date	int	1024	122	74	88	Parent/Consolidated Flag (NON-US)
G#7	Measure	tinyint	YYYYMMDD	3	99	124	Blank where not applicable
D#3	Estimator	tinyint	50	15	53	86	See Measures chart in Appendix
G	Estimate Currency	X	IPL2.	63	870115	870152	Available in Standard/Regular History Non-US files only
E	Activation Date	int	011115	134	14	37	Numeric codes
D#4	Official Ticker	smallint	20040304	26	105	140	Maxdecimal 5
X	Announce Time	smallint	USD	149	94	97	Available in Standard/Regular History Non-US files only
B#2	Forecast Period Indicator	char	2.	0412	27	27	Blank where not applicable
O#9	Announce Time	D	63.406000	31	1999	2025	Available in Normalized History for all regions
Q4	Review Time	varchar	EXL<MEAS>AT. INT	171	172	176	Blank where not applicable
S	TRBC Long description	varchar	155	131	66	82	See Region Appendix
R	Measure Unit	N	44	44	50	87	Parent/Consolidated Flag (NON-US)
F#4	Measure Unit	smallint	ADJ<MEAS>AT. <REG>	95	9999 9999 9999	1000 0000 00010	See Region Appendix
K	TRBCPermID	date	971110	44	35	67	Maxdecimal 5
F#3	Estimate Currency	int	ADJ	157	41216	41254	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
F#4	Review Time	varchar	8.8185	105	177	199	Maxdecimal 5
G#7	Exclude End Time	date	20.635	24	73	84	See Measures chart in Appendix
D	Company Name	time	52	67	162	171	Available in Standard/Regular History Non-US files only
E#5	Product Description	X	21.558	67	28	29	Available in Standard/Regular History Non-US files only
K#7	Exclude Flag	smallint	92	67	12	49	Blank where not applicable
C	Analyst Name	N	101	28	9	25	yymmdd format in history files
P	Reserved	D	55	51	177	193	Blank where not applicable
B	Exclude Flag	smallint	56	51	512	528	Parent/Consolidated Flag (NON-US)
K#7	Home mkt code	varchar	105	41	31	56	See Region Appendix
F	Exclude Time	time	131	22	102	131	Maxdecimal 5
N#8	Footnote Type	D	1999	85	53	79	Numeric codes
F#6	Stop Time	smallint	EXLFILAT. INT	169	142	179	See Region Appendix
F#5	Footnote Type	smallint	124	105	60	70	Maxdecimal 5
G#7	TRBC Long description	int	DETFILAT. <REG>	59	47	66	Parent/Consolidated Flag (NON-US)
G	Product Description	tinyint	BRANFILD. <REG>	54	14	32	See Measures chart in Appendix
B#2	Forecast Period Indicator	tinyint	NON-US	162	99999	100038	See Region Appendix
I#5	Product Status	N	NEXLFILAT. INT	50	172	184	See Measures chart in Appendix
I	TRBC Long description	smallint	63.406000	5	71	84	See Measures chart in Appendix
I	Canadian Currency	X	5.	76	162	191	Available in Standard/Regular History Non-US files only
C#2	Primary/Diluted Indicator	time	D.	0.34	20030422	20030442	Available in Normalized History for all regions
G#3	Estimate Currency	D	72	75	18	37	Numeric codes

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** HSTRBCDESC, NDET<MEAS>UT . <REG>

Level: Detail

Frequency: Weekly

- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.
- Record-level fields are presented in fixed-width layouts.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
K#7	Canadian Currency	tinyint	81	Parent/Consolidated Flag (NON-US)
E#5	Forecast Period End Date	tinyint	36	Parent/Consolidated Flag (NON-US)
F#4	Exclude End Date	time	56	Maxdecimal 5
J#6	Product ID	smallint	74	See Region Appendix
C	CUSIP/SEDOL	time	47	Numeric codes
F#3	Forecast Period Indicator	tinyint	40	See Measures chart in Appendix
C#2	Exclude Date	char	81	See Region Appendix
K	Forecast Period Indicator	int	33	yymmdd format in history files
J	Reserved	N	186	See Region Appendix
S	Value	varchar	9812	Numeric codes
D	Product Type	int	0512	Maxdecimal 5
F	TRBC Short description	smallint	16	Blank where not applicable
X	Announce Time	int	76	Available in Standard/Regular History Non-US files only
S	Footnote Text	tinyint	40	See Region Appendix
O#9	Exclude Time	date	74	Numeric codes
A#1	Region ID	varchar	55	Available in Normalized History for all regions
H	Forecast Period Indicator	X	51	Parent/Consolidated Flag (NON-US)
Q4	Activation Date	N	99	Numeric codes
J	Home mkt code	smallint	78	Available in Normalized History for all regions
F	Canadian Currency	D	9912	yymmdd format in history files
F#5	Forecast Period Indicator	varchar	45	Blank where not applicable
I#5	Dilution Factor	time	142	Numeric codes
O	Currency at Company Level	X	36	Parent/Consolidated Flag (NON-US)
F	Footnote Text	time	100	See Region Appendix
N	Exclude End Date	date	15	Numeric codes
M	Forecast Period Indicator	D	45	Blank where not applicable
O	Analyst Code	D	68	See Measures chart in Appendix
G#3	Official Ticker	int	66	See Region Appendix
I	TRBCPermID	X	2	Blank where not applicable

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
H#5	Forecast Period End Date	time	999	yymmdd format in history files
K#7	Estimator	time	23	Available in Normalized History for all regions
D#3	Analyst Name	varchar	6	Parent/Consolidated Flag (NON-US)
J#6	Analyst Name	tinyint	149	Parent/Consolidated Flag (NON-US)
C#2	Region ID	date	131	Maxdecimal 5
A#1	Exclude Time	char	69	Blank where not applicable
F#5	I/B/E/S Ticker	tinyint	1	Maxdecimal 5
K#7	Exclude Time	X	103	Parent/Consolidated Flag (NON-US)

Stop Records Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** STPFILAT.<REG>, HRECIDI.<REG>, NEXLFILAT.INT

Name (Unadjusted): STOPPTG.<REG>, HSTRBCDESC, HRECBKRI.<REG>

Level: Summary

Frequency: Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
C#3	Announce Date	23	42	512	530	Numeric codes
C#2	Forecast Period End Date	23	15	101	107	Available in Normalized History for all regions
K#7	Analyst Code	HSFCO.<REG>	23	60	67	Available in Normalized History for all regions
J	Currency	124	122	11	34	Available in Normalized History for all regions
N	Activation Time	999.999	90	169	183	yymmdd format in history files
G	Review Time	8.8185	1024	142	179	Parent/Consolidated Flag (NON-US)
A#1	Reserved	16	52	412	425	Parent/Consolidated Flag (NON-US)
D#3	Footnote Text	3.37193	1	99999	100020	See Region Appendix
Q4	Product ID	100000	149	12	49	Blank where not applicable
L	Stop Time	DETFILUT.<REG>	0.34	29	67	Numeric codes
R	Review Date	159	73	40	68	yymmdd format in history files
B#2	Analyst Name	45	50	44	53	Available in Standard/Regular History Non-US files only
X	Company Name	19	9912	9999 9999 9999	1000 0000 00018	yymmdd format in history files
I	Product Type	IDFILI.<REG>	4	78	103	See Measures chart in Appendix
F#6	Region ID	MSCIP	186	149	170	Parent/Consolidated Flag (NON-US)
P	Estimate Currency	HRECBKRI.<REG>	131	64	70	Parent/Consolidated Flag (NON-US)
O#9	Currency at Company Level	101	80	157	167	Blank where not applicable
R	Forecast Period End Date	17.0	0012	177	182	See Region Appendix
N#8	Region ID	180	2000	105	131	yymmdd format in history files
K#7	Exclude Date	99	100	971120	971157	See Region Appendix
J	Forecast Period Indicator	PTG	102	55	64	Numeric codes
D#4	Primary/Diluted Indicator	83	152	35	44	Maxdecimal 5
L	Activation Time	EPS	15	10	37	Numeric codes
N#8	Primary/Diluted Indicator	EUR	0412	68	83	Maxdecimal 5
J	Stop Time	83	17.0	52	60	Numeric codes
X	Currency at Company Level	999	72	45	49	Parent/Consolidated Flag (NON-US)
D	Measure Unit	2000.	0512	63	82	yymmdd format in history files

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#6	Canadian Currency	29	172	20	33	See Measures chart in Appendix
G#7	Company Name	18	102	60	62	Maxdecimal 5
I#5	Reserved	17.00	17.0	41	66	Numeric codes
E#5	Currency	HISTORY	38	149	172	Blank where not applicable
A	Official Ticker	25	26	19991231	19991231	See Measures chart in Appendix
C#2	Review Time	NON-US	169	95	134	See Region Appendix
F	I/B/E/S Ticker	52	8	100000	100035	Maxdecimal 5
R	Currency at Company Level	LTG	56	1	21	yymmdd format in history files
B	Announce Time	NEXL<MEAS> INT	412	63	83	Parent/Consolidated Flag (NON-US)

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HRECBKRU.<REG>, DET<MEAS>UT.<REG>

Name (Unadjusted): HRECSTPT.<REG>, HRECDETT.<REG>

Level: Normalized

Frequency: Daily/Weekly/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
S	Value	85	66	52	87	Available in Normalized History for all regions
N	Currency at Company Level	29250N1X	72	35	35	Maxdecimal 5
I#5	Estimator ID	LSE	21	20040304	20040317	yyymmdd format in history files
G#7	Activation Date	NC	20	62	87	yyymmdd format in history files
C#2	Official Ticker	0412	5	34	41	Available in Normalized History for all regions
P	I/B/E/S Ticker	041216	56	41	72	See Region Appendix
J#6	TRBCPermID	CUSIP	10	63	73	yyymmdd format in history files
F#4	Primary/Diluted Indicator	62	72	2000	2001	See Region Appendix
K#7	Dilution Factor	D.	41	62	86	See Measures chart in Appendix
P	Review Date	120	999	30	56	Maxdecimal 5
H	Exclude Date	83	100	17	55	Blank where not applicable
J	Footnote Text	CUSIP/ SEDOL	36	255	267	Available in Standard/Regular History Non-US files only
K	TRBCPermID	PID2	7	20001229	20001231	See Measures chart in Appendix
S	Forecast Period End Date	62	120	10	47	Available in Normalized History for all regions
F#6	Product Description	CUSIP/ SEDOL	22	14	21	Available in Standard/Regular History Non-US files only
G#4	Review Time	EST.	186	1999	2004	Available in Normalized History for all regions
X	Product Description	HRECDETT. <REG>	5	162	187	Available in Standard/Regular History Non-US files only
E#5	Product Type	159	999	19	36	Maxdecimal 5
N#8	Exclude Flag	53	75	2000	2018	Maxdecimal 5
J#6	Reserved	CCCCC	69	65	100	yyymmdd format in history files
I	Announce Date	NA	96	26	63	Blank where not applicable
I	Announce Time	94	56	90	106	yyymmdd format in history files
C	Company Name	XX	17	42	79	See Measures chart in Appendix
N#8	Stop Time	105	999	122	159	See Measures chart in Appendix
L	Currency at Company Level	9912	92	971120	971143	yyymmdd format in history files
H#5	Review Date	14.200	67	90	96	Available in Normalized History for all regions
C#3	Stop Date	010213	40	152	181	Available in Normalized History for all regions
D#3	Dilution Factor	0.34	103	33	72	yyymmdd format in history files
M	Activation Date	YYYYMMDD	62	8	19	Parent/Consolidated Flag (NON-US)
O	Exclude Time	50	31	13	18	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#6	Announce Date	31	162	87	123	Parent/Consolidated Flag (NON-US)
I	Product Type	51	63	12	34	Parent/Consolidated Flag (NON-US)
O#9	Footnote Text	EXLFILAT.US	31	155	162	See Region Appendix
C	Footnote Type	17.00	157	10213	10224	Numeric codes
X	Exclude Flag	USD.	202	64	70	Available in Standard/Regular History Non-US files only

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NDETFILEUT.<REG>, NDETFILEAT.<REG>

Level: Detail

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
H	Exclude End Date	char	JPY	134	999	1019	Blank where not applicable
L	Estimator	varchar	46	85	20030422	20030458	yymmdd format in history files
C#3	TRBC Short description	date	SEDOL.	62	38	58	Maxdecimal 5
N	Forecast Period Indicator	varchar	1024	92	63	100	See Region Appendix
F#3	Region ID	int	8.818500	103	31	40	Blank where not applicable
N	TRBCPermID	char	CCCCCCCC	25	44	78	Numeric codes
I#5	Currency	N	870115	122	999	1032	Parent/Consolidated Flag (NON-US)
F#3	Reserved	time	255	95	18	42	Parent/Consolidated Flag (NON-US)
F#3	Analyst Code	tinyint	HSTRBCDATA <REG>	13	12	38	yymmdd format in history files
H	Dilution Factor	int	81	159	42	71	See Measures chart in Appendix
F#6	Exclude Flag	X	MEAS	19	36	38	Numeric codes
F#5	Product ID	date	ID	69	85	112	Maxdecimal 5
E#5	TRBCPermID	char	222222	27	30	68	Available in Normalized History for all regions
N#8	Region ID	tinyint	122	157	21	59	Available in Standard/Regular History Non-US files only
J	Review Date	D	11111	11	12	26	yymmdd format in history files
R	Activation Date	X	SEDOL	101	870115	870121	Parent/Consolidated Flag (NON-US)

Detail Price Target Data Files

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** CURFILI.<REG>

Level: Summary

Frequency: Daily/Historical **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
H#5	TRBC Long description	255	59	36	64	See Region Appendix
E	Activation Time	99	105	50	64	Blank where not applicable
F#4	Forecast Period Indicator	29250N10	105	32	53	Maxdecimal 5
N	Analyst Code	MON	105	131	140	See Region Appendix
H#5	Exclude Flag	999	58	179	211	yymmdd format in history files
G#7	Estimator	29	179	65	85	Available in Normalized History for all regions
A#1	Measure	92	6	20030422	20030449	yymmdd format in history files
E#4	Exclude Flag	78	134	990211	990236	Available in Standard/Regular History Non-US files only
D#3	Currency at Company Level	2.	1999	142	175	Blank where not applicable
R	Company Name	IBES	15	202	242	See Region Appendix
C#2	Value	53	50	13	35	Maxdecimal 5
F#4	Reserved	131	33	22	29	See Measures chart in Appendix
A#1	Currency	BRANFILD.<REG>	0012	85	123	yymmdd format in history files
O	TRBC Short description	CUSIP/SEDOL	80	20001229	20001231	Maxdecimal 5
H#5	Expiration Date	42	95	49	71	Parent/Consolidated Flag (NON-US)
S	Product Status	UNADJ	46	76	89	Parent/Consolidated Flag (NON-US)
F#4	Official Ticker	21	11	35	69	Blank where not applicable
G	Stop Time	11	29	103	110	Available in Normalized History for all regions
Q4	Footnote Text	SEDOL	157	155	174	Maxdecimal 5
A	Review Time	46	20	73	88	Maxdecimal 5
J#6	Exclude End Time	ADJFILI.<REG>	33	255	271	Maxdecimal 5
C#3	Review Time	NACTK<MMM>.<REG>	16	990211	990211	Numeric codes
I#5	Expiration Date	CCCCC	159	870115	870122	Parent/Consolidated Flag (NON-US)
N	Value	NORMALIZED	26	100000	100013	Maxdecimal 5
E#5	Product Status	GUIDE	999	210	211	See Measures chart in Appendix
I#5	Announce Date	131	99	22	51	Available in Normalized History for all regions
E#5	Currency at Company Level	8.818500	13	42	44	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
A#1	TRBC Long description	4.	120	134	173	Blank where not applicable
P	Company Name	CCCCCCC	49	30	63	Available in Standard/Regular History Non-US files only
F#6	Exclude Date	IPL2.	46	100000	100021	Parent/Consolidated Flag (NON-US)
M	Exclude End Date	HRECIDI. <REG>	95	58	87	Available in Standard/Regular History Non-US files only
F#3	Region ID	53	58	999	1016	See Measures chart in Appendix
E#5	Primary/Diluted Indicator	69	52	96	107	See Measures chart in Appendix
H#5	Activation Time	CAD	39	80	89	Blank where not applicable
S	Activation Time	QFS	95	202	223	Parent/Consolidated Flag (NON-US)
F	Measure Unit	45	94	73	82	Parent/Consolidated Flag (NON-US)
O	Stop Time	UNADJ	64	23	52	See Region Appendix
J	Product ID	24.03	17	92	128	Numeric codes
C#3	Exclude Flag	50	44	60	63	See Measures chart in Appendix
I	Forecast Period Indicator	12	74	971120	971153	See Region Appendix
E#4	Value	58	159	55	85	See Region Appendix
O#9	Review Date	EPS	99	11111	11118	Available in Normalized History for all regions

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name:** DETFILAT.<REG>, NEXL<MEAS>AT.US, STPFILAT.<REG>

Level: Standard

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
H#5	Product Status	FY1	0012	20030422	20030459	Available in Standard/Regular History Non-US files only
K#7	Region ID	NDETPTGAT.<REG>	85	50	89	Blank where not applicable
B#2	Analyst Name	ACTK<MMM>.<REG>	60	35	63	Available in Normalized History for all regions
X	Exclude End Date	62	25	59	87	Maxdecimal 5
F#4	Company Name	NC	71	62	71	See Region Appendix
E	Exclude End Time	NOK	54	52	84	See Measures chart in Appendix
K#7	Company Name	EXL<MEAS>AT.US	72	14	49	See Region Appendix
N#8	Product Type	1999	23	41216	41243	See Region Appendix
E#5	TRBCPermID	STANDARD	105	34	44	Blank where not applicable
D#3	Announce Time	15	34	94	109	Blank where not applicable
E#5	Expiration Date	CCCC	7	76	116	Parent/Consolidated Flag (NON-US)
E#5	Analyst Name	74	0412	53	83	Available in Standard/Regular History Non-US files only
H	Estimator	17	172	19	22	Blank where not applicable
G#3	Estimator	STANDARD	54	412	416	Blank where not applicable
G#4	CUSIP/SEDOL	NON-US	61	20001222	20001269	Available in Standard/Regular History Non-US files only
J	TRBCPermID	NEXLFILUT.INT	75	10213	10221	Parent/Consolidated Flag (NON-US)
M	TRBCPermID	90	186	41	41	Maxdecimal 5
R	Expiration Date	MSCIP	17.0	41216	41242	Parent/Consolidated Flag (NON-US)
J#6	Footnote Text	990211	1	177	205	Available in Normalized History for all regions
R	Estimator ID	22	36	46	79	Maxdecimal 5
K	Official Ticker	.INT	210	255	287	Parent/Consolidated Flag (NON-US)
A#1	Dilution Factor	LTG	10	53	58	Available in Normalized History for all regions
F#3	Reserved	14.200	62	45	49	Maxdecimal 5
N#8	Analyst Name	000201	152	41	59	Numeric codes
I	CUSIP/SEDOL	120	68	100	100	Blank where not applicable
D#3	Exclude Time	HSTRBCDESC	99	80	112	yymmdd format in history files
K	Activation Time	210	51	11115	11123	Available in Standard/Regular History Non-US files only
D#3	Announce Date	GBP	152	26	43	Numeric codes
L	Expiration Date	80	102	157	180	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Format	Length	Start	End	Comments
A#1	Activation Time	IPL2	65	870115	870152	See Region Appendix
A#1	Product Type	83	25	32	38	Available in Normalized History for all regions
M	Stop Date	SUM	180	85	124	Available in Standard/Regular History Non-US files only
B#2	Footnote Type	17	62	59	66	yymmdd format in history files
M	TRBC Short description	PTG	67	20030422	20030430	Parent/Consolidated Flag (NON-US)
D#3	Measure Unit	45	61	50	53	Available in Normalized History for all regions
C	I/B/E/S Ticker	HSTRBCDESC	100	210	215	yymmdd format in history files

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name (Adjusted):** EXL<MEAS>AT.US, NDET FILAT.<REG>, HRECBKRI.<REG>

Level: Standard

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
K	CUSIP/SEDOL	EXL<MEAS>AT.US	76	19991231	19991231	Parent/Consolidated Flag (NON-US)
D	Announce Time	EUR	1024	54	71	Parent/Consolidated Flag (NON-US)
F#5	Footnote Type	45	81	92	132	See Region Appendix
I#5	Currency	DETPTGUT.<REG>	102	99	117	Available in Standard/Regular History Non-US files only
B#2	Footnote Type	SIG	26	49	72	Numeric codes
P	Activation Time	YYMM	26	73	80	Blank where not applicable
N	Product Description	20	202	12	52	Parent/Consolidated Flag (NON-US)
F#5	Value	STANDARD	56	172	204	Available in Normalized History for all regions
J	Currency at Company Level	103	23	24	28	Blank where not applicable
F#6	Activation Time	041216	1024	971110	971118	yymmdd format in history files
K#7	Dilution Factor	99999	47	120	145	Blank where not applicable
P	Stop Time	46	58	7	7	See Measures chart in Appendix
H#5	Activation Date	ID	105	179	201	Numeric codes
I#5	Exclude End Time	DETAIL	152	13	36	Numeric codes
H	Exclude Flag	EUROFILI.<REG>	61	35	63	Available in Standard/Regular History Non-US files only
F	Currency at Company Level	62	92	10	26	Blank where not applicable
B	Activation Date	MON	5	971120	971122	Parent/Consolidated Flag (NON-US)
F#3	Exclude End Time	41	69	71	73	Maxdecimal 5
C	Canadian Currency	HRECSTPT.<REG>	9812	17	35	Blank where not applicable
M	CUSIP/SEDOL	29250N1X	46	47	85	yymmdd format in history files
G#7	Exclude End Time	25	49	83	103	yymmdd format in history files
K#7	TRBCPermID	STAT	95	20	60	yymmdd format in history files
F#3	TRBC Short description	YYMM	0412	67	94	Blank where not applicable
D#4	Measure Unit	CURFILI.<REG>	5	95	126	yymmdd format in history files
K#7	Product Status	27	172	76	97	Parent/Consolidated Flag (NON-US)
L	Review Date	33	103	255	279	See Region Appendix
C	Product ID	870115	42	12	26	yymmdd format in history files
M	Stop Time	DETPTGUT.<REG>	20	46	81	See Region Appendix
B	Announce Time	AM	172	24	56	yymmdd format in history files
R	Primary/Diluted Indicator	DET FILAT.<REG>	83	63	84	Available in Standard/Regular History Non-US files only
E#5	Estimator ID	3.37193	41	222222	222249	Blank where not applicable

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#4	CUSIP/SEDOL	IPL2	58	41216	41226	Blank where not applicable
H	Exclude Flag	HRECBKRU. <REG>	103	222222	222239	Blank where not applicable
H	Reserved	STPFILAT. <REG>	51	105	109	Available in Normalized History for all regions
F#5	Forecast Period Indicator	NEXL<MEAS>AT3 US	49	49	76	Available in Normalized History for all regions
F#6	Currency at Company Level	HISTORY	3	36	39	See Region Appendix
C#2	Official Ticker	NOK.	134	62	83	Numeric codes
G#7	Estimator	999999	52	9999 9999 9999	1000 0000 00009	Available in Standard/Regular History Non-US files only
O	Analyst Name	30	47	159	179	Blank where not applicable
F#6	TRBC Long description	66	0.34	1999	2030	See Region Appendix
D	Home mkt code	11	131	20	59	Available in Standard/Regular History Non-US files only
C#2	Company Name	DETAIL	13	69	79	See Measures chart in Appendix
P	Dilution Factor	NOK	120	67	82	Maxdecimal 5
H#5	Estimator	HSTRBCDESC	80	10	41	Maxdecimal 5
X	Product Type	HRECIDI. <REG>	17.0	81	93	Numeric codes
R	Stop Date	21	74	74	107	Maxdecimal 5
G#7	TRBCPermID	CCCCC	67	44	82	See Region Appendix
J	Analyst Name	010213	2005	999	1027	Available in Normalized History for all regions
G#3	Footnote Type	149	59	155	165	Available in Standard/Regular History Non-US files only
E#4	CUSIP/SEDOL	2.	0012	22	47	yymmdd format in history files
D	Product ID	ADJFILI. <REG>	18	1999	2000	Numeric codes
L	Currency	UNADJ	9812	51	69	Parent/Consolidated Flag (NON-US)
K#7	Exclude End Time	26	10	179	186	See Measures chart in Appendix

KPI File Description and layouts

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** BRANFIELD.<REG>, NEXL<MEAS>AT.US, DETFILUT.<REG>

Name (Unadjusted): HDXRATI.<REG>, DETFILUT.<REG>, HSTRBCDATA.<REG>

Level: Detail

Frequency: Daily/Weekly/Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
E#4	Stop Time	date	18	131	10213	10235	See Region Appendix
G#7	Footnote Type	int	18	152	512	528	See Measures chart in Appendix
E	Stop Date	char	120	210	412	450	yymmdd format in history files
A#1	Value	X	39	33	134	151	Parent/Consolidated Flag (NON-US)
D	Exclude Time	int	.INT	75	27	62	Blank where not applicable
C#3	Analyst Name	X	B.	58	40	76	Numeric codes
O	Primary/Diluted Indicator	tinyint	FY1	177	20	56	Parent/Consolidated Flag (NON-US)
L	Home mkt code	int	9999999.999	2000	69	98	See Measures chart in Appendix
E#5	TRBCPermID	int	21	65	10213	10224	Parent/Consolidated Flag (NON-US)
G#3	Announce Date	time	USD.	12	42	62	Blank where not applicable
F#5	Product Description	X	ENBRIDGE	999	59	95	Numeric codes
H	Value	N	CCCC	46	120	148	Blank where not applicable
O#9	Footnote Type	X	ADJ	69	9912	9920	See Measures chart in Appendix
J	Measure Unit	N	SIG	2.34	152	177	See Region Appendix
K#7	Exclude End Date	tinyint	CUSIP/SEDOL	0012	19991231	19991231	Maxdecimal 5
D	Exclude End Time	X	186	179	62	82	Maxdecimal 5
K#7	Product Status	char	51	14	6	20	See Measures chart in Appendix
Q4	Home mkt code	N	QFS	64	9812	9822	Available in Normalized History for all regions
J	Analyst Code	char	46	152	19991231	19991231	yymmdd format in history files
H#5	TRBCPermID	time	14.200	162	9912	9912	See Region Appendix
G	Product Status	D	99999.9999	11	120	128	Numeric codes
H#5	Product Description	int	19	0412	78	97	Numeric codes
Q4	TRBCPermID	time	20040304	78	24	64	Maxdecimal 5
I#5	Announce Date	smallint	LSE	177	999	1036	See Measures chart in Appendix
I	Estimate Currency	X	HH:MM:SS	18	222222	222254	Parent/Consolidated Flag (NON-US)
F#5	Activation Date	X	177	33	52	75	Parent/Consolidated Flag (NON-US)
N#8	Activation Time	D	5.	59	26	46	See Region Appendix
D#4	Exclude Flag	time	990211	69	14	43	Blank where not applicable

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
N	Measure	tinyint	15	33	38	50	Parent/Consolidated Flag (NON-US)
F#6	Exclude End Date	X	44	62	41216	41256	See Region Appendix
B	Exclude Flag	smallint	8.037200	31	103	140	Parent/Consolidated Flag (NON-US)
C#3	Footnote Text	int	63.406	66	9	45	Parent/Consolidated Flag (NON-US)
D#3	Exclude Date	date	102	30	59	62	Numeric codes
N	Announce Time	int	HSFCO. <REG>	21	13	35	Numeric codes
E#5	Dilution Factor	N	DETAIL	124	17	57	Maxdecimal 5
G#3	Currency	D	99999	21	58	65	yymmdd format in history files
G	TRBC Long description	char	DETFILAT. <REG>	8	100000	100038	Available in Normalized History for all regions
E#5	Exclude Flag	N	21	149	95	127	Parent/Consolidated Flag (NON-US)
R	Analyst Code	date	CURFILD. <REG>	255	210	239	Maxdecimal 5
Q4	TRBC Short description	int	DEPTGUT. <REG>	61	44	64	yymmdd format in history files
N#8	TRBC Long description	tinyint	B.	85	42	57	Blank where not applicable
O#9	Canadian Currency	tinyint	11	0412	74	108	yymmdd format in history files
C#3	Currency at Company Level	D	USD.	35	96	100	Blank where not applicable
R	Review Time	tinyint	94	29	7	19	Available in Normalized History for all regions
F#5	Stop Time	D	59	2005	12	52	See Region Appendix

Detail Recommendation Data Files

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. **Name:** NDETFILAT.<REG>, NDETFILUT.<REG>, NEXLFILAT.US

Level: Standard

Frequency: Daily/Historical **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Format	Length	Start	End	Comments
B#2	Exclude Date	99	1987	9999 9999 9999	1000 0000 00013	Numeric codes
A#1	Exclude End Date	NEXL<MEAS>UT US	127	1999	2031	Numeric codes
M	Footnote Type	CCCCC	103	45	78	Numeric codes
C	Home mkt code	NDETFILAT. <REG>	29	162	183	Maxdecimal 5
N#8	CUSIP/SEDOL	120	56	54	65	See Measures chart in Appendix
C	Product Description	0012	120	1024	1042	Maxdecimal 5
F#5	Primary/Diluted Indicator	USD	60	35	68	Parent/Consolidated Flag (NON-US)
G#7	Exclude Time	971120	186	68	97	Available in Normalized History for all regions
Q4	Expiration Date	8.037200	42	131	152	Available in Normalized History for all regions
I	Exclude End Date	EST.	50	69	107	yymmdd format in history files
J	Official Ticker	2.340	31	41216	41234	See Measures chart in Appendix
H	Measure	IDFILI. <REG>	15	55	65	Available in Normalized History for all regions
D	Exclude Date	124	41	971120	971153	Available in Standard/Regular History Non-US files only
G#4	Product Type	11	149	53	56	Available in Normalized History for all regions
P	Exclude Flag	33	255	39	72	Available in Standard/Regular History Non-US files only
F#6	Currency	NEXLFILUT. US	202	20040304	20040320	Parent/Consolidated Flag (NON-US)
K	Announce Time	1999	134	67	95	Available in Standard/Regular History Non-US files only
F#4	Announce Date	2.1151	6	142	178	Available in Normalized History for all regions
B	TRBC Long description	162	31	38	44	Maxdecimal 5
M	Primary/Diluted Indicator	20040304	16	990211	990212	Numeric codes
P	Region ID	IDFILD. <REG>	5	412	439	yymmdd format in history files
O#9	Currency	SUM	67	36	62	Parent/Consolidated Flag (NON-US)
C	Activation Time	2.1151	6	26	59	yymmdd format in history files

Continued on next page

Key	Item	Format	Length	Start	End	Comments
F#4	Activation Time	2000.	180	96	97	Available in Standard/Regular History Non-US files only
Q4	Announce Date	2003.	83	41	73	yymmdd format in history files
S	Activation Time	DET	45	870115	870120	Blank where not applicable
R	Exclude Time	SAN	80	4	37	Maxdecimal 5
D#4	Analyst Name	NOK	71	14	17	Numeric codes

KPI File Description and layouts

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NDET<MEAS>UT.<REG>

Level: Normalized

Frequency: Monthly

Key	Data Field	Data Type	Data Length	Comments
I	Value	date	75	Parent/Consolidated Flag (NON-US)
O	Stop Time	X	25	See Region Appendix
A	Expiration Date	smallint	17.0	yymmdd format in history files
A#1	Activation Date	varchar	73	Available in Standard/Regular History Non-US files only
F#3	Exclude Time	char	100	Parent/Consolidated Flag (NON-US)
C	Dilution Factor	smallint	131	Available in Standard/Regular History Non-US files only
I#5	Home mkt code	smallint	9812	See Region Appendix
L	Product Description	D	42	See Measures chart in Appendix
G#4	Company Name	tinyint	103	See Measures chart in Appendix
P	Value	time	155	yymmdd format in history files
O#9	Home mkt code	char	52	See Measures chart in Appendix
X	Measure	int	90	See Measures chart in Appendix
F#3	Announce Date	D	14	Numeric codes
D#4	Activation Time	varchar	155	Blank where not applicable
A	Dilution Factor	X	99	See Measures chart in Appendix
G#7	Review Time	D	0.34	Available in Standard/Regular History Non-US files only
L	Dilution Factor	date	49	Maxdecimal 5
O	Announce Date	X	131	See Region Appendix
I	TRBCPermID	tinyint	152	See Region Appendix

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** DET<MEAS>UT.<REG>, NEXLFILAT.INT

Level: Summary

Frequency: Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
Q4	Announce Date	tinyint	NEXL<MEAS>UT. US	32	2005	2005	Numeric codes
D#3	Review Time	X	159	103	32	52	Blank where not applicable
L	Region ID	tinyint	.INT	39	100	100	Available in Normalized History for all regions
F#6	Product Description	X	83	155	68	89	Maxdecimal 5
P	Canadian Currency	D	MSCIP	83	134	150	See Measures chart in Appendix
O#9	Product Status	X	63.406000	7	2003042	2003043	Numeric codes
J	Expiration Date	smallint	0412	31	31	54	Parent/Consolidated Flag (NON-US)
R	Exclude Flag	date	2.	67	131	143	Available in Normalized History for all regions
E#5	Product Type	varchar	74	180	61	96	Parent/Consolidated Flag (NON-US)
F#5	Estimate Currency	int	17.000	999	41216	41217	See Region Appendix
N#8	Stop Time	X	2003.	142	157	172	Maxdecimal 5
H	Company Name	varchar	21.558	24	50	52	yymmdd format in history files
N	Measure Unit	N	142	9812	78	118	Blank where not applicable
F#4	Activation Time	N	169	169	177	185	See Region Appendix
L	Forecast Period End Date	date	U.S.	63	152	153	See Measures chart in Appendix
G#3	Product ID	smallint	3.	62	222222	222255	Maxdecimal 5
Q4	Product Status	date	HRECIDI. <REG>	75	412	414	Numeric codes
C#2	Exclude End Date	smallint	HSTRBCDES	85	29	62	Available in Standard/Regular History Non-US files only
I	Forecast Period Indicator	char	8.8185	85	124	163	See Region Appendix
L	Forecast Period Indicator	D	180	76	39	48	See Measures chart in Appendix
O	I/B/E/S Ticker	smallint	ENBRIDGE	96	54	60	See Measures chart in Appendix
O#9	Review Date	D	49	9912	64	104	See Measures chart in Appendix
X	Exclude Time	tinyint	PREG	9	201	208	Numeric codes
S	Review Date	date	31	179	17	25	Maxdecimal 5
B#2	TRBC Short description	smallint	17	94	131	169	See Measures chart in Appendix
X	Product Status	N	186	9912	159	199	Available in Standard/Regular History Non-US files only
J	Estimate Currency	varchar	B.	23	44	74	Blank where not applicable
D#4	Measure	tinyint	999.999	71	9912	9941	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
K#7	TRBCPermID	smallint	ADJFILI. <REG>	53	99999	100034	Available in Normalized History for all regions
G	Product Description	X	2.34	6	1	32	Available in Normalized History for all regions
R	Product ID	int	EST.	11	51	79	Maxdecimal 5
F#3	Expiration Date	smallint	32	1999	92	131	Maxdecimal 5
B#2	Exclude Time	int	ADJ<MEAS> <REG>	28	12	44	Available in Normalized History for all regions
K#7	Currency	date	USD.	45	11115	11121	Parent/Consolidated Flag (NON-US)
C#2	Value	D	50	0012	25	62	Available in Standard/Regular History Non-US files only
Q4	Analyst Code	smallint	52	63	6	43	See Measures chart in Appendix

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** ADJFILI.<REG>, NDET<MEAS>UT.<REG>, CURFILD.<REG>

Name (Unadjusted): CURFILD.<REG>, NEXL<MEAS>AT.US, HRECDETT.<REG>

Level: Summary

Frequency: Weekly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
J#6	Exclude Flag	D	105	See Region Appendix
B	Analyst Name	N	71	Available in Standard/Regular History Non-US files only
G#3	Estimator	N	210	See Region Appendix
D#4	Exclude End Date	smallint	54	Available in Normalized History for all regions
K#7	CUSIP/SEDOL	smallint	60	Parent/Consolidated Flag (NON-US)
H	Dilution Factor	varchar	6	See Measures chart in Appendix
K	Announce Date	time	155	Available in Standard/Regular History Non-US files only
D#4	Activation Date	char	999	Parent/Consolidated Flag (NON-US)
B	Forecast Period Indicator	X	180	yymmdd format in history files
F#3	Currency	time	34	See Measures chart in Appendix
J#6	Official Ticker	char	45	Numeric codes
J#6	I/B/E/S Ticker	int	63	Maxdecimal 5
G#3	Dilution Factor	N	4	Available in Normalized History for all regions
O	Primary/Diluted Indicator	tinyint	96	Available in Normalized History for all regions
F#3	Product Status	N	92	Numeric codes
D	Exclude End Time	varchar	71	Parent/Consolidated Flag (NON-US)
H	Exclude End Date	smallint	44	Parent/Consolidated Flag (NON-US)
F#5	Measure	varchar	122	Available in Normalized History for all regions
E#4	Exclude End Date	D	124	Maxdecimal 5
L	Footnote Text	X	38	Parent/Consolidated Flag (NON-US)
D#3	TRBC Short description	date	12	Blank where not applicable
E#4	Company Name	tinyint	29	Available in Normalized History for all regions
I#5	Forecast Period End Date	int	78	Available in Standard/Regular History Non-US files only

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** EXL<MEAS>AT.US

Name (Unadjusted): CURFILI.<REG>

Level: Detail

Frequency: Weekly

Key	Data Field	Data Type	Data Length	Comments
E#4	Value	D	46	Maxdecimal 5
J#6	Activation Date	char	122	See Measures chart in Appendix
F#5	CUSIP/SEDOL	time	49	Available in Standard/Regular History Non-US files only
G#3	Exclude Date	N	20	Parent/Consolidated Flag (NON-US)
O	Exclude End Date	N	92	Parent/Consolidated Flag (NON-US)
O	Forecast Period End Date	N	186	Blank where not applicable
D#4	Exclude End Time	smallint	50	Available in Standard/Regular History Non-US files only
E#5	Analyst Code	varchar	62	Maxdecimal 5
D	Forecast Period End Date	int	30	Maxdecimal 5
K#7	Footnote Text	tinyint	149	See Region Appendix
P	Announce Time	tinyint	255	Available in Normalized History for all regions
A#1	Analyst Code	time	80	Available in Normalized History for all regions
F	Measure	smallint	11	yymmdd format in history files
K#7	Company Name	tinyint	172	Maxdecimal 5
F#3	Expiration Date	D	63	Numeric codes
B#2	Product Type	int	41	Blank where not applicable
E	Home mkt code	date	30	See Measures chart in Appendix
C#3	Reserved	X	18	See Measures chart in Appendix
G	Announce Date	date	30	Blank where not applicable
S	Exclude Flag	smallint	25	Available in Normalized History for all regions
B	Reserved	N	169	yymmdd format in history files
B	Stop Date	smallint	99	See Measures chart in Appendix
E	Estimate Currency	D	7	Available in Normalized History for all regions
Q4	Product ID	time	2	See Region Appendix
H#5	Currency	tinyint	65	Blank where not applicable
F	Currency	D	103	Parent/Consolidated Flag (NON-US)
B	Exclude End Time	time	2005	yymmdd format in history files
A	Primary/Diluted Indicator	D	87	See Measures chart in Appendix
K	Stop Time	int	0512	Maxdecimal 5

Detail Recommendation Data Files

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** HSTRBCDATA.<REG>, NDET<MEAS>UT.<REG>, EUROFILI.<REG>

Name (Unadjusted): HRECIDI.<REG>, HDXRATI.<REG>, STP<MEAS>AT.<REG>

Level: Summary

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
G#3	TRBC Short description	smallint	159	yymmdd format in history files
Q4	Canadian Currency	D	102	Parent/Consolidated Flag (NON-US)
F	Currency at Company Level	D	75	Blank where not applicable
E	TRBC Short description	smallint	17	See Measures chart in Appendix
P	Review Date	tinyint	62	yymmdd format in history files
S	Product ID	X	60	Maxdecimal 5
C#3	Analyst Name	date	67	Available in Normalized History for all regions
C#3	TRBCPermID	D	90	Parent/Consolidated Flag (NON-US)
E#5	Primary/Diluted Indicator	char	142	Parent/Consolidated Flag (NON-US)
N	Reserved	smallint	74	Available in Standard/Regular History Non-US files only
B	Exclude End Time	tinyint	4	yymmdd format in history files
I	Canadian Currency	D	87	See Measures chart in Appendix
C	Analyst Code	char	67	Available in Standard/Regular History Non-US files only
C	Official Ticker	D	2.34	Available in Normalized History for all regions
I#5	Activation Time	date	69	Numeric codes
O#9	Footnote Text	varchar	72	Maxdecimal 5
G#7	Measure	tinyint	1987	Available in Normalized History for all regions
G	Forecast Period End Date	tinyint	202	Available in Normalized History for all regions
J#6	Announce Time	date	255	Blank where not applicable
G#4	Announce Time	time	35	Available in Standard/Regular History Non-US files only
F#6	Footnote Type	tinyint	85	Numeric codes
M	Announce Date	X	18	yymmdd format in history files
K	Analyst Name	tinyint	2.34	Blank where not applicable
C#3	Exclude End Time	varchar	94	Available in Standard/Regular History Non-US files only
P	TRBCPermID	X	50	See Measures chart in Appendix
Q4	Value	N	63	Available in Standard/Regular History Non-US files only
F#4	TRBCPermID	N	50	Parent/Consolidated Flag (NON-US)
E	TRBC Short description	D	100	Numeric codes
I#5	Stop Date	char	66	Blank where not applicable
O#9	CUSIP/SEDOL	D	35	Blank where not applicable
F	Product Status	smallint	1987	yymmdd format in history files

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
B#2	Reserved	tinyint	33	Available in Standard/Regular History Non-US files only
Q4	Primary/Diluted Indicator	int	17.0	Available in Standard/Regular History Non-US files only
I#5	Exclude End Date	time	42	Available in Standard/Regular History Non-US files only
F#5	Review Date	varchar	68	yymmdd format in history files
A#1	Forecast Period Indicator	N	31	Numeric codes
R	Exclude Time	time	73	Available in Standard/Regular History Non-US files only
N	Home mkt code	N	69	Numeric codes
R	Estimate Currency	tinyint	60	Maxdecimal 5
G	Region ID	tinyint	157	Blank where not applicable
A	Activation Date	varchar	17.0	Numeric codes
S	Company Name	smallint	101	Available in Normalized History for all regions
N	Forecast Period End Date	varchar	20	See Measures chart in Appendix
O	Home mkt code	date	96	See Measures chart in Appendix
B	Home mkt code	date	159	Available in Normalized History for all regions
C#3	I/B/E/S Ticker	tinyint	15	Available in Standard/Regular History Non-US files only

Currency Conversion

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: BRANFILI.<REG>, NEXLFILAT.INT, HSTRBCDATA.<REG>

Level: Standard

Frequency: Daily/Weekly/Historical **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
F#5	Exclude End Time	varchar	180	Available in Standard/Regular History Non-US files only
N	Measure Unit	tinyint	19	Parent/Consolidated Flag (NON-US)
C	Exclude End Time	tinyint	16	Numeric codes
C	Analyst Code	date	99	yymmdd format in history files
K#7	Dilution Factor	char	179	yymmdd format in history files
B	Product ID	N	10	yymmdd format in history files
O	Estimator	date	179	Blank where not applicable
G#7	Measure	N	2.34	See Measures chart in Appendix
F#4	Estimator	D	26	Available in Standard/Regular History Non-US files only
D#3	Home mkt code	N	95	Maxdecimal 5
F#4	Exclude Date	date	71	See Region Appendix
L	Measure	varchar	26	See Region Appendix
A#1	Product Description	tinyint	30	Blank where not applicable
I	Activation Time	tinyint	80	Available in Standard/Regular History Non-US files only
F	Stop Time	char	162	Available in Normalized History for all regions
K	TRBC Long description	N	999	yymmdd format in history files
B#2	Announce Time	char	15	Available in Standard/Regular History Non-US files only
L	Product Status	date	51	Blank where not applicable
L	Value	date	47	See Measures chart in Appendix
B#2	CUSIP/SEDOL	N	61	Parent/Consolidated Flag (NON-US)
S	Product Type	N	31	Parent/Consolidated Flag (NON-US)
O#9	Exclude End Time	D	131	Available in Normalized History for all regions
G	Official Ticker	X	22	See Region Appendix
F	Review Date	N	131	Available in Normalized History for all regions
M	Announce Date	int	177	See Region Appendix
J	Currency	date	155	Numeric codes
Q4	TRBCPermID	smallint	159	See Measures chart in Appendix
I	Review Time	varchar	999	yymmdd format in history files
P	Announce Time	int	29	Available in Normalized History for all regions
Q4	Product Type	X	96	Available in Normalized History for all regions

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** DETPTG.<REG>, ADJFILI.<REG>

Level: Detail

Frequency: Monthly

Key	Data Field	Data Type	Data Length	Comments
K#7	TRBCPermID	D	134	See Measures chart in Appendix
N	TRBC Short description	tinyint	41	See Region Appendix
F#6	TRBC Long description	smallint	40	Available in Normalized History for all regions
F#3	Measure Unit	date	4	Numeric codes
I#5	Region ID	time	103	Maxdecimal 5
H#5	Measure	D	95	Blank where not applicable
N#8	Currency	smallint	74	Parent/Consolidated Flag (NON-US)
X	Estimator	D	44	yymmdd format in history files
P	Exclude Flag	int	5	Parent/Consolidated Flag (NON-US)
C#2	Activation Date	smallint	177	See Measures chart in Appendix
C#3	Product Status	smallint	162	Parent/Consolidated Flag (NON-US)
L	Reserved	smallint	66	yymmdd format in history files
Q4	Company Name	date	53	See Region Appendix
I	Stop Time	date	52	Available in Standard/Regular History Non-US files only
C#3	Currency at Company Level	N	68	yymmdd format in history files
D#3	I/B/E/S Ticker	smallint	25	Maxdecimal 5
I	Stop Time	X	51	yymmdd format in history files
G	Announce Time	time	69	Maxdecimal 5
C#3	Exclude Time	tinyint	30	Blank where not applicable
O	Currency at Company Level	time	49	Available in Normalized History for all regions
C#3	Stop Time	date	59	See Region Appendix
B#2	Activation Date	int	0412	Parent/Consolidated Flag (NON-US)
A	Announce Time	smallint	81	See Measures chart in Appendix
X	Currency	X	23	Blank where not applicable
Q4	Primary/Diluted Indicator	tinyint	47	yymmdd format in history files
G#3	Activation Date	int	24	Maxdecimal 5
R	Product ID	X	9	See Region Appendix
O	Exclude Time	int	180	Numeric codes
X	CUSIP/SEDOL	D	38	Available in Standard/Regular History Non-US files only
O#9	Forecast Period Indicator	X	2005	Blank where not applicable
M	Measure	date	34	yymmdd format in history files
O#9	Exclude Flag	char	16	Maxdecimal 5
G#7	Activation Time	time	15	See Region Appendix
O#9	CUSIP/SEDOL	char	4	yymmdd format in history files
M	Product ID	tinyint	10	Blank where not applicable
H	Exclude End Date	varchar	51	Available in Standard/Regular History Non-US files only
A#1	Product Type	N	54	yymmdd format in history files

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
I	Announce Time	int	29	Blank where not applicable

KPI Detail Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name:** HRECBKRU.<REG>, DETFILUT.<REG>, STPFILAT.<REG>

Level: Summary

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
H	TRBC Long description	NOK.	76	42	54	Numeric codes
O	TRBC Short description	38	210	64	101	Numeric codes
R	Review Date	66	19	100000	100022	See Measures chart in Appendix
K	Activation Time	EXLFILAT.INT	155	179	187	Numeric codes
R	Company Name	DETFILUT.<REG>	9	17	31	yymmdd format in history files
A#1	Forecast Period End Date	76	58	990211	990234	Maxdecimal 5
E#5	Review Time	IBES	105	12	32	Maxdecimal 5
I	CUSIP/SEDOL	NDETPTGUT.<REG>	152	12	37	Numeric codes
L	Currency	PID1.<REG>	20	56	77	See Measures chart in Appendix
C	Footnote Text	26	72	35	55	yymmdd format in history files
J#6	Canadian Currency	28	47	1999	2017	Available in Standard/Regular History Non-US files only
D	Product Status	29250N1X	75	30	51	See Region Appendix
L	TRBCPermID	YYYYMMDD	99	34	64	Numeric codes
C#2	Footnote Text	1999	17	85	96	Numeric codes
N	TRBC Short description	999.999	5	94	124	Parent/Consolidated Flag (NON-US)
B	Product Description	68	20	9912	9950	Available in Standard/Regular History Non-US files only
P	Product ID	100000	50	29	38	Parent/Consolidated Flag (NON-US)
A	Product Type	HISTORY	87	45	62	yymmdd format in history files
E	Measure	NDETPTGAT.<REG>	4	42	64	Parent/Consolidated Flag (NON-US)
N#8	Analyst Code	IBES	81	105	144	Available in Standard/Regular History Non-US files only
C	Official Ticker	ENBRIDGE	5	5	42	Available in Standard/Regular History Non-US files only
H	Region ID	FTP	33	149	170	yymmdd format in history files
B	Announce Date	USER	44	102	138	See Region Appendix
C#3	Measure	ADJFIELD.<REG>	15	159	173	Maxdecimal 5
C#2	Exclude Date	EPS.	45	971110	971116	Available in Standard/Regular History Non-US files only
B	Announce Time	STOPPTG.<REG>	18	971120	971123	See Region Appendix

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name (Adjusted): EXL<MEAS>AT.US

Name (Unadjusted): NDET<MEAS>AT.<REG>

Level: Summary

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Item	Format	Length	Start	End	Comments
A	Measure	157	61	5	35	Maxdecimal 5
P	Canadian Currency	1024	100	55	77	Maxdecimal 5
B#2	Analyst Code	.US	69	65	88	See Measures chart in Appendix
L	Expiration Date	23	18	44	63	See Region Appendix
B#2	Review Date	9912	66	1987	2000	Blank where not applicable
Q4	Announce Time	CURFILD. <REG>	34	78	111	Available in Standard/Regular History Non-US files only
E#4	TRBC Long description	U.S.	24	17	48	Maxdecimal 5
S	Measure	53	51	20040304	20040331	Blank where not applicable
G#7	Product ID	NEXL<MEAS>US	51	20040304	20040331	See Region Appendix
H	Announce Date	63.406	18	999	1018	Numeric codes
E#4	Estimator	NACTK<MMM> <REG>	44	75	115	Parent/Consolidated Flag (NON-US)
J	Currency at Company Level	NDETFILAT. <REG>	134	149	174	yymmdd format in history files
P	Announce Date	51	27	157	191	Parent/Consolidated Flag (NON-US)
G	Exclude Date	HISTORY	120	69	100	Parent/Consolidated Flag (NON-US)
H#5	Dilution Factor	XX	2005	5	12	See Region Appendix
H#5	Company Name	SEDOL	180	13	43	See Region Appendix

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** STPFILAT.<REG>, DETPTG.<REG>

Name (Unadjusted): NEXLFILAT.US, DETFILUT.<REG>

Level: Normalized

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	Product Type	char	GUIDE	21	40	48	Numeric codes
J	Measure	varchar	YYYYMMDD	35	870115	870146	Numeric codes
B#2	Official Ticker	N	KPI	3	142	167	Maxdecimal 5
D#3	Exclude End Date	char	SEDOL.	210	90	98	Parent/Consolidated Flag (NON-US)
J#6	Company Name	tinyint	999999.999	11	157	196	Available in Normalized History for all regions
O	Company Name	char	NON-US	9812	71	86	Available in Standard/Regular History Non-US files only
O#9	Exclude Time	smallint	STANDARD	72	1999	2004	Available in Standard/Regular History Non-US files only
C#2	CUSIP/SEDOL	varchar	2001.	3	19991231	19991240	See Measures chart in Appendix
J#6	Region ID	smallint	NEXL<MEAS>T. US	30	10	28	See Measures chart in Appendix
K#7	CUSIP/SEDOL	char	0012	73	31	39	Maxdecimal 5
D#4	Estimator ID	char	11	13	186	220	See Measures chart in Appendix
D#4	Product Type	char	NOK	159	75	76	Numeric codes
F#3	Official Ticker	varchar	ENB	7	40	47	Maxdecimal 5
I	Primary/Diluted Indicator	date	CCC	36	45	67	yymmdd format in history files
G#4	Review Time	tinyint	25	1987	38	55	See Measures chart in Appendix
B	Estimator	X	EPS	101	95	115	Blank where not applicable
O	TRBC Long description	char	AM	8	100	111	Blank where not applicable
E#4	Estimate Currency	D	69	45	33	59	See Measures chart in Appendix
A#1	Analyst Code	varchar	202	72	34	57	Numeric codes
C	Announce Date	char	YYMMDD	179	2	4	See Region Appendix
K#7	Exclude End Date	tinyint	BRANFILD.<REG>	1	177	198	Parent/Consolidated Flag (NON-US)
K	Dilution Factor	smallint	0.34	39	5	18	See Measures chart in Appendix
G#3	Home mkt code	D	GUIDE	75	100	140	See Region Appendix
K#7	Value	time	EXL<MEAS>T. US	53	4	16	Blank where not applicable
E#4	TRBC Short description	varchar	NEXLFILAT. INT	186	31	52	See Measures chart in Appendix
I	Estimator	N	21	19	1987	2012	Available in Standard/Regular History Non-US files only
C#3	Exclude Flag	D	17	55	5	31	Maxdecimal 5
E#4	Exclude End Time	D	162	124	23	55	Available in Normalized History for all regions

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J	CUSIP/SEDOL	D	EUROFILI. <REG>	41	60	92	See Region Appendix
F#4	Product Description	date	8.8185	94	66	96	See Measures chart in Appendix
J	Review Time	char	NEXLFILUT. US	83	68	81	Available in Standard/Regular History Non-US files only
K	Forecast Period Indicator	time	20001229	22	105	129	Blank where not applicable
C#2	Activation Date	char	NEXLFILUT. INT	210	17	49	See Region Appendix
S	TRBC Short description	int	2003.	5	76	103	Numeric codes

Stop Records Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes.

Name: STPFILAT.<REG>, NDETILAT.<REG>

Name (Unadjusted): HSFCO.<REG>, EXLFILAT.INT

Level: Standard

Frequency: Daily/Historical **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
F#6	Product Type	smallint	26	yymmdd format in history files
A	Exclude Date	X	25	See Measures chart in Appendix
H	Analyst Name	time	19	Numeric codes
H#5	Forecast Period Indicator	int	20	See Measures chart in Appendix
H#5	Product Status	time	162	Numeric codes
N#8	Official Ticker	D	18	Maxdecimal 5
E#4	Product Status	int	76	See Region Appendix
S	Region ID	char	19	Parent/Consolidated Flag (NON-US)
D	Canadian Currency	smallint	41	Blank where not applicable
D#3	Product Status	date	142	Parent/Consolidated Flag (NON-US)
F#5	Value	smallint	64	Available in Standard/Regular History Non-US files only
N#8	Stop Date	time	179	Blank where not applicable
F#4	Company Name	date	69	Parent/Consolidated Flag (NON-US)
X	TRBCPermID	varchar	52	Maxdecimal 5
C#2	Exclude End Time	varchar	22	See Measures chart in Appendix
C#2	Product Description	varchar	1	Available in Standard/Regular History Non-US files only
C	Footnote Text	char	149	See Measures chart in Appendix
G	Estimator ID	N	68	Blank where not applicable
S	Product Status	int	52	Numeric codes
E	Announce Date	X	33	See Measures chart in Appendix
G#3	Estimator ID	varchar	54	Blank where not applicable
F#4	Company Name	smallint	58	Available in Standard/Regular History Non-US files only
J	Activation Date	X	73	yymmdd format in history files
I	Official Ticker	smallint	17.0	Available in Normalized History for all regions
E	Official Ticker	time	4	See Region Appendix
P	Currency	char	10	See Measures chart in Appendix
C#3	Reserved	tinyint	62	Blank where not applicable
K#7	Activation Time	smallint	68	yymmdd format in history files
F	Review Date	N	180	Available in Normalized History for all regions
N#8	Stop Date	X	101	Numeric codes
B#2	TRBC Short description	varchar	64	Available in Normalized History for all regions
D#4	Review Date	X	0412	yymmdd format in history files
K	Value	date	105	Parent/Consolidated Flag (NON-US)
G#4	TRBCPermID	date	56	Maxdecimal 5
I	Primary/Diluted Indicator	smallint	11	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
N#8	Estimate Currency	tinyint	11	Parent/Consolidated Flag (NON-US)
B#2	Dilution Factor	N	122	Parent/Consolidated Flag (NON-US)
A	I/B/E/S Ticker	X	28	See Region Appendix
Q4	Forecast Period Indicator	time	90	Available in Standard/Regular History Non-US files only
O#9	Expiration Date	time	55	Maxdecimal 5

Supplemental Data Files

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HSTRBCDESC

Level: Detail

Frequency: Daily/Historical

- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.
- Region and measure codes enable consistent joins across files.

Key	Data Field	Data Type	Data Length	Comments
F	Exclude End Date	varchar	16	Numeric codes
Q4	Currency at Company Level	smallint	16	Available in Standard/Regular History Non-US files only
E	Product ID	varchar	999	Available in Normalized History for all regions
P	Exclude Date	N	72	Available in Normalized History for all regions
F#4	Exclude Flag	int	94	Available in Standard/Regular History Non-US files only
G#7	Forecast Period End Date	time	122	yymmdd format in history files
N	Exclude Date	char	159	Parent/Consolidated Flag (NON-US)
F#3	Footnote Type	tinyint	157	yymmdd format in history files
N#8	TRBCPermID	varchar	25	Available in Standard/Regular History Non-US files only
C	Official Ticker	date	90	Available in Normalized History for all regions
S	Forecast Period End Date	char	10	yymmdd format in history files
G#3	Estimator ID	D	152	See Measures chart in Appendix
L	TRBC Short description	date	65	Parent/Consolidated Flag (NON-US)
K#7	Product Status	N	255	See Region Appendix
C#3	Announce Time	tinyint	1987	See Region Appendix
G#7	Stop Time	N	53	See Measures chart in Appendix
B	Estimator	smallint	4	Maxdecimal 5
P	Stop Date	X	255	Numeric codes
Q4	Measure	X	56	yymmdd format in history files
C	Company Name	date	179	See Measures chart in Appendix
N#8	Footnote Text	D	202	Numeric codes
P	Activation Time	varchar	56	yymmdd format in history files
J#6	Currency	tinyint	2005	See Measures chart in Appendix
L	Value	time	30	See Measures chart in Appendix
R	Measure Unit	int	15	See Measures chart in Appendix
C#2	Announce Date	char	90	Available in Normalized History for all regions

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
F#3	Forecast Period Indicator	date	64	Available in Standard/Regular History Non-US files only
G#4	Product ID	int	0512	Available in Standard/Regular History Non-US files only
N	CUSIP/SEDOL	varchar	2000	See Measures chart in Appendix
K#7	Estimate Currency	time	44	Blank where not applicable
R	Exclude Date	time	1987	See Measures chart in Appendix
G#7	TRBCPermID	D	83	Available in Normalized History for all regions
H#5	Exclude Time	char	34	See Region Appendix
Q4	Home mkt code	D	28	Maxdecimal 5
D#3	Activation Date	int	6	Maxdecimal 5
N#8	Reserved	time	64	See Region Appendix
D	Home mkt code	char	21	Blank where not applicable
B#2	Measure Unit	varchar	210	See Region Appendix
C	Exclude Flag	char	5	See Measures chart in Appendix
K	Dilution Factor	char	17	Available in Normalized History for all regions
P	Company Name	smallint	22	See Measures chart in Appendix
Q4	Estimator ID	varchar	5	Available in Normalized History for all regions
F	Measure Unit	time	180	See Region Appendix
E	Stop Time	D	13	Available in Normalized History for all regions
G#3	Analyst Code	int	34	Maxdecimal 5
A#1	Canadian Currency	char	45	Available in Normalized History for all regions
H	Footnote Text	varchar	3	Maxdecimal 5
G	Announce Time	int	54	See Measures chart in Appendix
J#6	Home mkt code	X	169	Parent/Consolidated Flag (NON-US)
P	Primary/Diluted Indicator	tinyint	74	Available in Standard/Regular History Non-US files only
F	CUSIP/SEDOL	smallint	35	Blank where not applicable
O	Exclude Time	smallint	66	Blank where not applicable
J	Stop Time	D	11	See Region Appendix
F#4	Forecast Period End Date	smallint	83	See Measures chart in Appendix

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** HRECSTPT.<REG>, NEXL<MEAS>AT.INT, NEXLFILAT.INT

Name (Unadjusted): CURFILI.<REG>, HRECIDU.<REG>, ADJ<MEAS>.<REG>

Level: Detail

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
D	Measure	smallint	HRECDETT.<REG>	105	870115	870124	Maxdecimal 5
F#6	Product Status	varchar	85	26	87	110	Parent/Consolidated Flag (NON-US)
I	Estimate Currency	date	51	124	159	197	Numeric codes
D#4	Forecast Period Indicator	date	CUSIP/SEDOL	41	120	138	See Measures chart in Appendix
D#4	Home mkt code	tinyint	JPY	8	152	164	yymmdd format in history files
P	Exclude Time	smallint	BRANFILI.<REG>	2	870115	870134	Available in Normalized History for all regions
F#3	Exclude Date	X	STPFILAT.<REG>	39	3	35	See Region Appendix
G	Home mkt code	N	67	180	9999 9999 9999	1000 0000 00007	Blank where not applicable
D#3	Analyst Name	char	EPS.	122	87	109	See Measures chart in Appendix
I#5	Stop Date	char	22	122	20	40	See Region Appendix
X	Official Ticker	smallint	19	210	105	137	See Measures chart in Appendix
F#5	Exclude End Time	date	EST.	32	45	63	Available in Standard/Regular History Non-US files only
J	Primary/Diluted Indicator	int	17.00	60	172	180	See Region Appendix
F#3	Exclude Flag	N	103	38	69	78	Numeric codes
J#6	Forecast Period End Date	N	MSCIP	95	20040304	20040327	Maxdecimal 5
O#9	Announce Time	varchar	EXLFILAT.US	20	72	91	yymmdd format in history files
G#4	Footnote Type	char	2004.	15	99999	100031	See Region Appendix
Q4	Footnote Text	N	95	41	33	52	Maxdecimal 5
C#2	Estimate Currency	varchar	96	24	99999	100000	Parent/Consolidated Flag (NON-US)
E#5	Dilution Factor	tinyint	80	64	3	16	See Measures chart in Appendix
J	Announce Date	date	11111	9	20001229	20001246	Available in Normalized History for all regions
H	Primary/Diluted Indicator	tinyint	162	38	2	13	See Measures chart in Appendix
G	Exclude End Date	char	STPFILAT.<REG>	19	20030422	20030447	Available in Normalized History for all regions
G#7	Exclude Date	int	103	40	15	36	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J#6	Exclude Time	smallint	BPN	134	9812	9838	See Measures chart in Appendix
B#2	Home mkt code	D	EXL<MEAS> INT	38	38	45	Available in Standard/Regular History Non-US files only
R	I/B/E/S Ticker	smallint	11111	124	9912	9949	Available in Normalized History for all regions
F#5	Currency at Company Level	int	20.6353	255	1987	2002	Parent/Consolidated Flag (NON-US)
G#7	Official Ticker	date	169	15	59	73	Available in Standard/Regular History Non-US files only
L	Review Time	varchar	9912	2	12	45	See Measures chart in Appendix
K#7	Canadian Currency	tinyint	EUROFILI. <REG>	50	22	40	Blank where not applicable
G#7	Value	N	HSFCO. <REG>	5	33	49	Numeric codes
C#3	Footnote Type	D	60	22	42	54	Available in Standard/Regular History Non-US files only
F#3	Exclude Flag	char	99999	202	65	104	Maxdecimal 5
Q4	Currency at Company Level	D	34	186	122	156	Blank where not applicable
M	Exclude Date	smallint	255	90	61	87	Parent/Consolidated Flag (NON-US)
M	TRBC Long description	smallint	2005	149	87	102	Numeric codes
I#5	Footnote Text	X	1024	50	99999	100005	Numeric codes
P	Announce Date	time	99999. 9999	19	21	27	Maxdecimal 5
A	Activation Date	N	8.818500	22	8	16	See Measures chart in Appendix

Detail Recommendation Data Files

KPI Detail Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** STPFILAT.<REG>, DET<MEAS>UT.<REG>, EXLFILAT.US

Name (Unadjusted): NDETFILET.<REG>, HRECBKRI.<REG>, HRECBKRU.<REG>

Level: Detail

Frequency: Historical

- Timestamps support change tracking and reconciliation.
- Some files represent snapshots; others represent incremental updates.
- Region and measure codes enable consistent joins across files.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Format	Length	Start	End	Comments
N	Forecast Period End Date	83	210	32	50	Maxdecimal 5
F#6	Company Name	CCCCC	0.34	120	140	yymmdd format in history files
C	Announce Time	60	179	16	47	Maxdecimal 5
F#5	Expiration Date	QTR	157	72	92	See Measures chart in Appendix
G#4	Estimator ID	162	179	15	35	Available in Standard/Regular History Non-US files only
G#7	Product ID	179	31	124	158	Numeric codes
C#2	Expiration Date	PID1.<REG>	0512	51	63	Available in Standard/Regular History Non-US files only
G#4	Measure Unit	IDFILI.<REG>	83	149	180	Available in Standard/Regular History Non-US files only
C	Measure Unit	TPC	152	47	50	Numeric codes
K#7	Dilution Factor	14.200	44	10	46	Parent/Consolidated Flag (NON-US)
M	Review Date	NEXLFILUT.US	72	35	59	Available in Standard/Regular History Non-US files only
E#4	Announce Time	17.0	124	4	4	Parent/Consolidated Flag (NON-US)
G#3	CUSIP/SEDOL	8.818500	30	73	100	yymmdd format in history files
M	Dilution Factor	100	51	11115	11130	Available in Standard/Regular History Non-US files only
K#7	Estimator	CCCC	0412	55	68	Parent/Consolidated Flag (NON-US)
F#6	Currency	29	172	9	49	See Measures chart in Appendix
F#5	Reserved	NDETFILET.<REG>	59	60	68	Numeric codes
A	Review Time	041216	53	101	137	See Measures chart in Appendix
P	Exclude End Time	LSE	33	4	6	Blank where not applicable
I#5	Exclude End Date	CUSIP/SEDOL	10	32	72	Numeric codes

Continued on next page

Key	Item	Format	Length	Start	End	Comments
O#9	Product Description	31	94	33	36	Available in Normalized History for all regions
P	CUSIP/SEDOL	QTR	0012	99	128	See Measures chart in Appendix
H	Region ID	59	30	5	28	Available in Normalized History for all regions
J	Expiration Date	67	19	87	125	Numeric codes
C#3	Exclude End Time	BRANFILD. <REG>	62	180	199	See Measures chart in Appendix
F	Forecast Period Indicator	IPL1	56	11	39	Numeric codes
D#3	Exclude Time	124	42	990211	990237	Numeric codes
K#7	Review Time	18	186	50	65	See Measures chart in Appendix
C#2	I/B/E/S Ticker	NON-US	134	201	218	yymmdd format in history files
B#2	Announce Time	210	5	134	148	Numeric codes
O#9	Primary/Diluted Indicator	EPS.	22	34	64	Numeric codes
G#4	Dilution Factor	ADJ<MEAS>. <REG>	42	169	192	Available in Standard/Regular History Non-US files only
F#4	Footnote Text	94	2000	80	81	yymmdd format in history files
K#7	Stop Time	GUIDE	149	95	130	Parent/Consolidated Flag (NON-US)
X	Product Description	85	22	63	90	Maxdecimal 5
X	Measure Unit	92	45	179	183	Maxdecimal 5
L	Region ID	95	4	255	264	Blank where not applicable
B#2	Review Time	SEDOL/ CUSIP	1999	11115	11117	yymmdd format in history files
I#5	Footnote Type	CAD	157	50	55	See Measures chart in Appendix
F#5	Footnote Type	PTG	78	1987	2000	Parent/Consolidated Flag (NON-US)
R	CUSIP/SEDOL	NC	51	27	60	Available in Normalized History for all regions
J#6	Product Description	17.000	68	69	92	See Measures chart in Appendix
I#5	Footnote Text	NC	999	11111	11140	See Measures chart in Appendix
D#4	Region ID	CCCCCCC	66	186	191	Available in Normalized History for all regions
C#3	Stop Time	NEXLFILUT. INT	0512	66	77	yymmdd format in history files
A#1	Footnote Text	8.8185	101	78	87	Available in Normalized History for all regions
F#4	Currency at Company Level	DETFILAT. <REG>	101	152	158	See Measures chart in Appendix
I#5	Estimate Currency	162	87	124	159	Available in Normalized History for all regions
C	Forecast Period Indicator	0412	95	124	124	See Region Appendix
P	Forecast Period End Date	AM	45	20	36	Numeric codes
J#6	Exclude End Time	NACTK<MMM>. <REG>	16	66	91	See Measures chart in Appendix
X	Official Ticker	HRECIDI. <REG>	85	9	13	See Measures chart in Appendix

Currency Conversion

KPI Detail Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** HRECDETT . <REG>

Level: Standard

Frequency: Weekly

Key	Item	Format	Length	Start	End	Comments
I	Currency at Company Level	3.3719	58	12	41	Parent/Consolidated Flag (NON-US)
H#5	Estimate Currency	85	78	39	39	Available in Standard/Regular History Non-US files only
C#2	Measure	1999.	120	96	115	Available in Normalized History for all regions
O#9	Official Ticker	AM	179	103	111	Maxdecimal 5
F#5	Dilution Factor	16	16	50	71	Blank where not applicable
S	Home mkt code	MON	80	45	63	Blank where not applicable
F#5	I/B/E/S Ticker	SAN	179	15	41	See Measures chart in Appendix
J	Stop Date	85	12	3	31	Maxdecimal 5
K	Review Date	83	80	99999	100033	Numeric codes
R	Primary/Diluted Indicator	EXL<MEAS>AT. US	17.0	69	73	Numeric codes
O	Dilution Factor	25	46	999999	1000037	Parent/Consolidated Flag (NON-US)
B#2	Primary/Diluted Indicator	17.0	30	177	191	yymmdd format in history files

Stop Records Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** NEXLFILAT.US, DET<MEAS>UT.<REG>, CURFILI.<REG>

Level: Normalized

Frequency: Daily/Historical

Key	Data Field	Data Type	Data Length	Comments
D	Exclude End Date	varchar	134	See Measures chart in Appendix
B#2	Forecast Period End Date	N	49	Blank where not applicable
F#5	Estimate Currency	time	26	See Region Appendix
K#7	Forecast Period End Date	varchar	162	Numeric codes
O#9	Company Name	D	2005	Numeric codes
C	Forecast Period End Date	int	3	Available in Normalized History for all regions
G#4	Stop Date	X	67	See Region Appendix
F#5	Announce Time	int	14	Available in Standard/Regular History Non-US files only
P	Primary/Diluted Indicator	tinyint	66	Blank where not applicable
F#4	Product Status	N	7	Parent/Consolidated Flag (NON-US)
G#3	Product Type	char	155	Available in Standard/Regular History Non-US files only
G#4	Activation Date	D	73	See Region Appendix
F#4	Estimate Currency	tinyint	92	See Measures chart in Appendix
D#4	Footnote Type	date	65	Parent/Consolidated Flag (NON-US)
I#5	Product Status	date	56	Available in Normalized History for all regions
E#4	TRBC Short description	char	96	See Measures chart in Appendix
E	TRBC Short description	tinyint	20	See Measures chart in Appendix
P	Review Time	X	134	yymmdd format in history files
C	Exclude Date	N	66	Available in Normalized History for all regions
I	Footnote Text	X	172	See Measures chart in Appendix
X	Estimator ID	date	71	Numeric codes
F	Stop Date	smallint	169	Available in Standard/Regular History Non-US files only
H#5	Forecast Period End Date	tinyint	142	Numeric codes
F	Announce Date	D	12	Numeric codes

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. **Name (Adjusted):** DETFILUT.<REG>, NEXLFILAT.US

Name (Unadjusted): HRECSTPT.<REG>, DETFILAT.<REG>

Level: Normalized

Frequency: Monthly **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
E	Region ID	date	8.8185	24	180	183	Maxdecimal 5
N#8	Estimate Currency	smallint	14.200	73	58	90	Available in Normalized History for all regions
C	Expiration Date	date	157	17.0	999999	1000026	yymmdd format in history files
Q4	TRBC Long description	int	XX	2000	2	6	See Region Appendix
G#4	Review Time	int	2.	2	15	43	Numeric codes
E#4	Canadian Currency	X	ANN	210	8	19	Maxdecimal 5
K#7	TRBCPermID	int	52	76	74	80	yymmdd format in history files
B#2	Footnote Type	char	2004.	21	13	32	Maxdecimal 5
F#3	Stop Date	varchar	179	72	131	159	Maxdecimal 5
M	Region ID	time	74	122	6	46	See Measures chart in Appendix
J#6	Dilution Factor	int	HH:MM:SS	69	177	216	Parent/Consolidated Flag (NON-US)
X	Region ID	char	DETPTG.<REG>	8	28	63	Blank where not applicable
E#4	Company Name	N	92	29	68	74	See Measures chart in Appendix
G#7	CUSIP/SEDOL	int	60	101	149	151	Parent/Consolidated Flag (NON-US)
E	Product Description	N	52	49	990211	990250	Maxdecimal 5
D	Footnote Type	date	TRBC	13	11115	11123	Blank where not applicable
A	Announce Time	date	971110	71	2000	2025	Parent/Consolidated Flag (NON-US)
F	Estimator	D	CCCCCC	69	19991231	1999124	Parent/Consolidated Flag (NON-US)
H#5	Product Status	D	ADJ<MEAS>.<REG>	14	18	34	See Region Appendix
J	Dilution Factor	varchar	38	16	155	171	Parent/Consolidated Flag (NON-US)
L	Forecast Period End Date	varchar	971110	50	26	37	Numeric codes
P	Forecast Period End Date	N	44	34	3	39	Available in Normalized History for all regions
J	Estimate Currency	X	870115	6	20030422	20030439	Parent/Consolidated Flag (NON-US)
P	Announce Time	varchar	1987	159	38	51	See Region Appendix
J#6	Official Ticker	time	CURFILI.<REG>	180	51	74	Maxdecimal 5
F#6	Product ID	time	PTG	162	81	90	Available in Standard/Regular History Non-US files only
G#4	Footnote Type	varchar	83	36	100	139	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
E	Primary/Diluted Indicator	D	999999.999	27	11111	11129	See Region Appendix
I	Exclude Date	int	2000	0012	62	97	See Region Appendix
G#4	Region ID	varchar	80	179	7	15	Blank where not applicable
F	TRBC Short description	char	99999.9999	81	2	21	Available in Standard/Regular History Non-US files only
M	Stop Time	char	177	8	42	61	See Region Appendix
E	Exclude Date	time	59	32	1999	2008	Available in Normalized History for all regions
C	Analyst Name	varchar	20.635	60	149	174	Numeric codes
H#5	Reserved	int	LU	9912	9999 9999 9999	1000 0000 00034	Numeric codes
L	Estimate Currency	D	KPI	2.34	19991231	19991231	Blank where not applicable
Q4	Primary/Diluted Indicator	time	99999.999	1024	9	21	Parent/Consolidated Flag (NON-US)
M	Activation Time	varchar	D.	105	42	75	yymmdd format in history files
I#5	Value	X	67	9912	412	445	Blank where not applicable
Q4	Exclude End Date	tinyint	2001.	87	102	113	Maxdecimal 5

Currency Exchange Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** NEXLFILAT.INT, DET<MEAS>AT.<REG>, DETFILUT.<REG>

Level: Detail

Frequency: Daily/Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
I	Announce Date	D	34	72	18	21	See Measures chart in Appendix
E#5	Review Date	date	0512	75	1024	1050	Blank where not applicable
I#5	Activation Date	time	EUROFILI.<REG>	45	56	69	Numeric codes
B	Forecast Period End Date	int	0.34	18	67	103	Maxdecimal 5
O	TRBCPermID	smallint	USER	179	99	115	See Measures chart in Appendix
N#8	Exclude Time	smallint	EUROFILI.<REG>	59	94	113	See Measures chart in Appendix
J#6	TRBCPermID	tinyint	95	8	69	103	Available in Normalized History for all regions
D	Announce Time	N	MON	120	34	43	See Region Appendix
H	Announce Time	D	010213	120	99	107	See Measures chart in Appendix
I#5	Estimate Currency	N	33	162	56	77	Maxdecimal 5
P	Estimate Currency	tinyint	120	152	8	39	Numeric codes
G#7	Analyst Name	varchar	124	202	76	111	Maxdecimal 5
N#8	Analyst Code	tinyint	52	27	81	110	Blank where not applicable
O	Canadian Currency	tinyint	72	102	20040304	20040311	Parent/Consolidated Flag (NON-US)
I	Product Type	smallint	PTG	142	51	85	Available in Normalized History for all regions
F#6	I/B/E/S Ticker	D	29	56	35	49	Blank where not applicable
G#3	TRBC Long description	int	LSE	15	971110	971120	See Measures chart in Appendix
H#5	Product Status	varchar	2.34	39	971110	971128	yymmdd format in history files
O#9	Footnote Text	time	120	131	1999	2037	yymmdd format in history files
K	Expiration Date	X	120	34	30	69	See Region Appendix
I	Stop Date	time	99.99	50	92	103	yymmdd format in history files
F#4	TRBC Long description	tinyint	STOPPTG.<REG>	85	9	27	Parent/Consolidated Flag (NON-US)
G#3	Activation Time	N	999.999	13	105	134	Blank where not applicable
M	Exclude End Date	varchar	73	169	33	43	See Measures chart in Appendix
N#8	Exclude End Date	int	NDET FILAT.<REG>	103	20001229	20001245	See Region Appendix
I	Estimator ID	time	32	49	19991231	19991242	See Measures chart in Appendix
N#8	Stop Date	tinyint	38	2	56	61	Parent/Consolidated Flag (NON-US)
H	Official Ticker	char	73	172	24	26	Maxdecimal 5
Q4	Expiration Date	tinyint	SEDOL/CUSIP	179	159	170	See Region Appendix
A	Product Status	D	2003.	54	222222	222251	Maxdecimal 5

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
O	Announce Date	N	LTG	172	9	18	yymmdd format in history files
N#8	Activation Date	int	20.6353	85	41216	41226	Available in Normalized History for all regions
N#8	Product ID	smallint	15	28	10213	10242	See Region Appendix
J	Review Date	X	999	65	71	76	Blank where not applicable
C#2	Footnote Text	smallint	71	0412	21	49	See Measures chart in Appendix
G	Stop Date	varchar	105	40	40	41	Parent/Consolidated Flag (NON-US)
Q4	Footnote Text	smallint	74	69	68	104	Numeric codes
K	Forecast Period End Date	X	CUSIP	20	1987	2005	Blank where not applicable
E	Product Status	N	14.200	6	99999	100007	See Region Appendix
E#5	Reserved	smallint	2.1151	49	2000	2018	yymmdd format in history files
E#4	Exclude Time	int	LTG	0512	26	65	Available in Normalized History for all regions
O#9	CUSIP/SEDOL	char	0512	1	142	158	yymmdd format in history files
N	TRBCPermlD	X	90	60	64	96	Available in Standard/Regular History Non-US files only
C#3	Activation Date	tinyint	1987	33	10213	10219	See Measures chart in Appendix
E#4	Footnote Type	D	PID1. <REG>	19	22	38	Numeric codes
J	Expiration Date	X	2000.	24	5	43	Parent/Consolidated Flag (NON-US)

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** ADJ<MEAS> . <REG>

Level: Summary

Frequency: Daily/Historical

- Record-level fields are presented in fixed-width layouts.
- Region and measure codes enable consistent joins across files.

Note: Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
X	Dilution Factor	varchar	45	Parent/Consolidated Flag (NON-US)
G	Currency at Company Level	int	87	Available in Normalized History for all regions
F#6	Exclude End Date	smallint	67	Numeric codes
G	Announce Time	time	63	Numeric codes
P	Currency	date	2000	See Region Appendix
N#8	Company Name	varchar	65	Parent/Consolidated Flag (NON-US)
X	Footnote Text	date	0.34	Blank where not applicable
A	Product Status	D	0012	See Measures chart in Appendix
D	Reserved	X	17	Blank where not applicable
C	TRBC Short description	date	58	Maxdecimal 5
F#4	Activation Date	X	186	See Region Appendix
Q4	Currency at Company Level	smallint	34	Maxdecimal 5
E#4	CUSIP/SEDOL	int	47	Numeric codes
K#7	Region ID	D	87	See Region Appendix
N#8	Product Description	D	179	Available in Standard/Regular History Non-US files only
R	Exclude Flag	date	177	Parent/Consolidated Flag (NON-US)
H#5	Product Status	smallint	15	See Region Appendix
A#1	Exclude Flag	N	2005	See Measures chart in Appendix
P	TRBC Short description	smallint	6	See Measures chart in Appendix
H#5	Currency at Company Level	N	3	Numeric codes
D#3	Official Ticker	D	80	See Region Appendix
J#6	Announce Time	time	94	See Region Appendix
X	I/B/E/S Ticker	X	101	yymmdd format in history files
K#7	Region ID	D	20	Maxdecimal 5
H	Estimate Currency	D	87	See Measures chart in Appendix
H#5	Product Type	N	15	Numeric codes
X	Exclude Date	int	59	Numeric codes
G#4	Exclude End Time	time	131	Numeric codes
G	Forecast Period Indicator	char	177	Blank where not applicable

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
P	Forecast Period End Date	date	78	Available in Standard/Regular History Non-US files only
B	Stop Date	date	76	yymmdd format in history files
O#9	TRBCPermID	smallint	120	See Measures chart in Appendix
F#6	Reserved	varchar	0012	yymmdd format in history files
H	Official Ticker	char	142	See Measures chart in Appendix

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name:** IDFILD.<REG>

Name (Unadjusted): HRECIDU.<REG>

Level: Summary

Frequency: Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
C#2	Region ID	time	0412	9	23	55	Numeric codes
F#6	I/B/E/S Ticker	char	54	31	2005	2043	Available in Standard/Regular History Non-US files only
N	Official Ticker	time	66	101	131	131	Numeric codes
F#3	Currency at Company Level	tinyint	9999999.999	142	23	45	yymmdd format in history files
C	Stop Time	tinyint	YYYYMMDD	42	94	126	Available in Normalized History for all regions
G#4	Forecast Period End Date	varchar	44	202	15	48	Maxdecimal 5
S	Home mkt code	smallint	2003.	202	999	1021	Maxdecimal 5
G#4	Currency	varchar	73	18	11	17	Parent/Consolidated Flag (NON-US)
F	Currency at Company Level	D	5.	74	55	89	See Region Appendix
O	Product Type	tinyint	18	80	169	186	See Measures chart in Appendix
A#1	Activation Date	date	HRECSTPT.<REG>	18	66	86	Available in Standard/Regular History Non-US files only
F#5	Estimator	D	NEXLFILAT.INT	124	25	33	Maxdecimal 5
C#3	Forecast Period Indicator	D	Q4	186	101	125	See Region Appendix
N	Exclude Date	char	9912	62	2005	2008	Available in Standard/Regular History Non-US files only
G#7	Canadian Currency	varchar	DETPTG.<REG>	149	120	126	Available in Normalized History for all regions
G#7	Product Type	date	80	172	100000	100031	Blank where not applicable
S	Home mkt code	N	YYYY	19	80	111	See Region Appendix
I	Product Status	N	990211	18	71	92	Maxdecimal 5
P	Estimator	X	IPL2.	14	100	110	yymmdd format in history files
M	Estimate Currency	smallint	134	75	870115	870116	Blank where not applicable
H#5	TRBCPermID	date	180	60	50	90	yymmdd format in history files
Q4	Footnote Text	date	CUSIP	17	44	56	Available in Standard/Regular History Non-US files only
F#3	Estimator ID	char	EST.	22	87	116	See Measures chart in Appendix
F#3	Exclude Flag	int	14	25	51	91	Parent/Consolidated Flag (NON-US)
P	Exclude End Date	time	9812	9912	971110	971137	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
G#7	I/B/E/S Ticker	smallint	NC	64	512	552	Available in Normalized History for all regions
D#3	Exclude Date	time	0512	90	155	182	yymmdd format in history files
C#2	Currency at Company Level	char	CCC	15	149	154	Maxdecimal 5
C#3	Exclude Time	date	PID2	60	10	38	yymmdd format in history files
J	Product Status	tinyint	67	180	159	181	Parent/Consolidated Flag (NON-US)
C	Exclude Flag	int	99999.999	17	999999	1000026	Maxdecimal 5
X	Exclude Time	D	CCC	49	42	53	Parent/Consolidated Flag (NON-US)
X	Company Name	varchar	87	4	92	113	Available in Normalized History for all regions
Q4	Stop Date	int	YYYYMMDD	180	3	24	Parent/Consolidated Flag (NON-US)
F#3	CUSIP/SEDOL	smallint	MON	177	44	78	Numeric codes
D#4	Exclude Date	time	22	9812	24	62	Available in Standard/Regular History Non-US files only
G#7	Dilution Factor	int	000201	36	1999	2013	Blank where not applicable
E#4	Primary/Diluted Indicator	smallint	62	58	54	84	See Region Appendix
E#4	Review Time	smallint	11	63	14	49	Blank where not applicable
I	Exclude Time	varchar	124	103	59	93	Blank where not applicable
F#4	Stop Date	tinyint	67	1024	255	287	Parent/Consolidated Flag (NON-US)
M	Measure	N	22	28	40	70	Available in Standard/Regular History Non-US files only
S	I/B/E/S Ticker	int	42	149	155	193	Available in Standard/Regular History Non-US files only
C#3	I/B/E/S Ticker	X	74	7	21	34	Available in Normalized History for all regions
K	Currency at Company Level	time	9912	72	20030422	20030440	Blank where not applicable
S	Analyst Name	int	75	101	15	31	Available in Standard/Regular History Non-US files only

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DETPTG.<REG>

Level: Standard

Frequency: Daily/Historical **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
G#7	Region ID	time	76	See Region Appendix
N#8	Footnote Text	smallint	157	Numeric codes
A	Estimator	char	51	Blank where not applicable
P	Review Time	tinyint	17.0	yymmdd format in history files
K#7	Analyst Code	N	68	Available in Normalized History for all regions
X	Product ID	smallint	0.34	See Measures chart in Appendix
I#5	Currency at Company Level	int	41	Blank where not applicable
X	Official Ticker	N	9912	Parent/Consolidated Flag (NON-US)
P	Estimate Currency	N	41	Available in Standard/Regular History Non-US files only
H#5	Home mkt code	X	999	Parent/Consolidated Flag (NON-US)
D#3	Value	smallint	162	See Measures chart in Appendix
N	Product ID	D	54	Parent/Consolidated Flag (NON-US)
C#2	Primary/Diluted Indicator	tinyint	186	yymmdd format in history files
M	Exclude Time	D	152	Numeric codes
O#9	Announce Time	D	75	Maxdecimal 5
B	Primary/Diluted Indicator	tinyint	46	Numeric codes
H	Exclude Date	tinyint	18	See Region Appendix
K	Product Type	varchar	92	Parent/Consolidated Flag (NON-US)
G	Measure Unit	D	6	Available in Standard/Regular History Non-US files only
G#4	Estimator	smallint	142	Parent/Consolidated Flag (NON-US)
D#4	Estimator ID	int	59	Parent/Consolidated Flag (NON-US)
F	Currency	date	142	Parent/Consolidated Flag (NON-US)
E	TRBC Short description	N	255	See Region Appendix
F#3	Official Ticker	char	53	Parent/Consolidated Flag (NON-US)
E#4	Activation Date	X	83	Numeric codes
X	TRBC Short description	D	73	See Measures chart in Appendix
C#3	Exclude Flag	date	38	See Measures chart in Appendix
F#4	Forecast Period Indicator	time	72	Numeric codes
A#1	Analyst Name	date	65	Blank where not applicable
I	Estimator ID	smallint	68	See Measures chart in Appendix
N#8	Dilution Factor	X	41	See Measures chart in Appendix
S	Activation Time	varchar	124	See Measures chart in Appendix
G#7	Forecast Period End Date	tinyint	2000	Numeric codes
C#3	Activation Date	int	2.34	See Region Appendix
D#3	Reserved	tinyint	38	yymmdd format in history files
N#8	Primary/Diluted Indicator	tinyint	999	Numeric codes
F	Region ID	D	105	yymmdd format in history files

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
F	I/B/E/S Ticker	int	210	See Region Appendix
G#7	Official Ticker	N	95	Available in Normalized History for all regions
A	Canadian Currency	D	172	yymmdd format in history files
E	Value	smallint	0.34	Blank where not applicable
K	TRBCPermID	smallint	52	Parent/Consolidated Flag (NON-US)
A	Stop Time	tinyint	7	Maxdecimal 5
H	Activation Date	X	44	Available in Normalized History for all regions
J	Analyst Name	N	7	See Region Appendix
N#8	TRBC Long description	tinyint	38	Blank where not applicable
X	Footnote Type	tinyint	27	yymmdd format in history files
O#9	TRBC Long description	time	120	Blank where not applicable
F#6	CUSIP/SEDOL	date	69	Available in Normalized History for all regions
F	Exclude End Date	int	0512	yymmdd format in history files
G	CUSIP/SEDOL	time	999	Maxdecimal 5
L	Estimate Currency	char	1999	Available in Normalized History for all regions
Q4	Home mkt code	int	40	Available in Normalized History for all regions

Identifier Cross-Reference Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** DETFILUT.<REG>, EXLFILAT.INT, NDETFILAT.<REG>

Level: Normalized

Frequency: Weekly

- Some files represent snapshots; others represent incremental updates.
- Region and measure codes enable consistent joins across files.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
F#6	Footnote Text	char	11111	73	53	57	Parent/Consolidated Flag (NON-US)
Q4	TRBCPermID	varchar	9999999.999	11	21	46	Maxdecimal 5
A#1	TRBC Short description	date	58	24	35	69	Maxdecimal 5
L	Activation Time	char	HSFCO.<REG>	8	92	120	See Region Appendix
F#5	Estimate Currency	tinyint	NA	18	412	446	See Measures chart in Appendix
O	Exclude End Time	int	BRANFILD.<REG>	102	71	108	Available in Standard/Regular History Non-US files only
E	Product Type	D	SEDOL	122	25	46	Blank where not applicable
R	Product Description	time	99.99	152	152	173	Available in Standard/Regular History Non-US files only
G#3	Product Type	N	54	65	412	445	yymmdd format in history files
G#7	Value	date	2003.	6	31	51	Maxdecimal 5
D#4	Stop Date	X	IDFILD.<REG>	2.34	14	48	yymmdd format in history files
G#3	Exclude Date	X	26	124	1987	2023	Available in Normalized History for all regions
F#5	Currency	D	36	142	35	43	Parent/Consolidated Flag (NON-US)
A	Forecast Period End Date	varchar	17.00	8	38	73	Numeric codes
G#3	Expiration Date	date	ACTK<MMM><REG>	68	11111	11119	Maxdecimal 5
O#9	Analyst Name	X	131	64	78	97	Available in Standard/Regular History Non-US files only
O#9	Estimator	smallint	BPN	186	9999 9999 9999	1000 0000 00034	See Measures chart in Appendix
I	Estimator	tinyint	102	67	124	124	Maxdecimal 5
D#4	TRBCPermID	D	010213	172	7	42	Available in Normalized History for all regions
O#9	Exclude End Date	char	2000	120	131	150	See Measures chart in Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
L	Expiration Date	D	99	51	999	1014	Available in Standard/Regular History Non-US files only
E#4	Region ID	X	172	99	201	213	Maxdecimal 5
J	Reserved	D	BPN	177	16	17	Numeric codes
M	Forecast Period Indicator	time	33	38	32	42	See Measures chart in Appendix
I	Company Name	D	STANDARD	41	33	69	Parent/Consolidated Flag (NON-US)
H#5	Forecast Period Indicator	time	USD	95	40	75	Available in Standard/Regular History Non-US files only
N#8	Analyst Name	X	999	45	96	108	See Measures chart in Appendix
G#3	I/B/E/S Ticker	smallint	122	16	26	32	Available in Standard/Regular History Non-US files only
D#4	Product Status	date	186	69	1	3	Available in Normalized History for all regions
J	Canadian Currency	varchar	17.00	62	999	1023	Available in Standard/Regular History Non-US files only
K	Value	D	EXLFILAT. US	999	5	34	Parent/Consolidated Flag (NON-US)
J#6	Exclude Time	N	IPL1	13	69	84	See Region Appendix
O#9	Value	smallint	38	20	2005	2015	Numeric codes
I#5	Dilution Factor	varchar	99999	45	35	58	Maxdecimal 5
I	TRBC Short description	D	IBES	68	45	78	Maxdecimal 5
A#1	Region ID	date	YYMM	15	11115	11141	Blank where not applicable
Q4	Estimator	N	134	42	66	88	Available in Normalized History for all regions
J	Stop Date	N	YYMM	100	4	20	yymmdd format in history files

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** EXLFILAT.US, NEXLFILAT.INT

Level: Detail

Frequency: Weekly **Note:** Values and codes are provided for referential use only.

Key	Data Field	Data Type	Data Length	Comments
O#9	Announce Date	X	102	yymmdd format in history files
A	Footnote Text	D	61	See Region Appendix
K#7	TRBCPermID	date	28	Parent/Consolidated Flag (NON-US)
R	Exclude Time	D	9812	See Measures chart in Appendix
E#4	TRBC Long description	varchar	67	See Region Appendix
D#3	Expiration Date	tinyint	41	Parent/Consolidated Flag (NON-US)
D#4	Announce Time	varchar	95	Maxdecimal 5
E	Product Status	varchar	44	Maxdecimal 5
N	Product Type	int	180	yymmdd format in history files
I	Product Description	time	56	yymmdd format in history files
R	Official Ticker	smallint	62	Available in Standard/Regular History Non-US files only
K#7	Stop Date	D	67	Maxdecimal 5
D#4	Region ID	date	59	Parent/Consolidated Flag (NON-US)
S	Measure Unit	time	186	Parent/Consolidated Flag (NON-US)
K	Forecast Period Indicator	varchar	142	See Region Appendix
H#5	Analyst Code	date	61	See Measures chart in Appendix
D	Estimate Currency	X	50	See Region Appendix
B#2	Expiration Date	smallint	36	Available in Standard/Regular History Non-US files only
L	Expiration Date	tinyint	21	Numeric codes
G#3	Expiration Date	varchar	1024	Maxdecimal 5
F	Announce Time	smallint	31	See Region Appendix
P	Footnote Type	time	90	yymmdd format in history files
A	Activation Time	char	35	See Region Appendix
K	Analyst Name	varchar	11	Available in Standard/Regular History Non-US files only
K#7	Measure	tinyint	59	Blank where not applicable
R	Announce Date	char	19	Available in Standard/Regular History Non-US files only
D	Currency	char	1999	Available in Normalized History for all regions
D#3	Forecast Period Indicator	varchar	35	yymmdd format in history files
C#2	Forecast Period End Date	X	101	Parent/Consolidated Flag (NON-US)
G	TRBCPermID	smallint	85	See Measures chart in Appendix
M	CUSIP/SEDOL	D	54	Blank where not applicable
F	Product Status	D	50	Maxdecimal 5
E#4	Home mkt code	int	19	Available in Standard/Regular History Non-US files only
D	Company Name	varchar	134	Numeric codes
J	Forecast Period Indicator	tinyint	46	Available in Normalized History for all regions

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
H#5	Measure	N	177	See Region Appendix
S	TRBC Long description	tinyint	39	Available in Normalized History for all regions
A	I/B/E/S Ticker	tinyint	53	Available in Standard/Regular History Non-US files only
N	Currency	int	5	Available in Normalized History for all regions

Detail Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** HRECDETT.<REG>

Name (Unadjusted): NDETFILUT.<REG>

Level: Standard

Frequency: Monthly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
C	Footnote Type	smallint	1999	See Measures chart in Appendix
I	CUSIP/SEDOL	time	87	Numeric codes
F#5	TRBC Short description	smallint	103	See Measures chart in Appendix
O#9	Product ID	int	58	See Measures chart in Appendix
G#7	Activation Date	int	96	Maxdecimal 5
O#9	Primary/Diluted Indicator	tinyint	17	yymmdd format in history files
P	Estimator	int	68	See Measures chart in Appendix
J	Announce Time	tinyint	186	See Region Appendix
A	Analyst Name	X	59	Available in Standard/Regular History Non-US files only
A#1	Review Time	smallint	11	Parent/Consolidated Flag (NON-US)
D#4	Exclude End Time	varchar	2	Maxdecimal 5
I#5	Company Name	char	12	Maxdecimal 5
F#4	Region ID	date	255	See Measures chart in Appendix
F	Exclude End Date	time	179	Maxdecimal 5
M	Estimator ID	tinyint	73	See Measures chart in Appendix
E#5	Estimator	time	58	Available in Standard/Regular History Non-US files only
C	Analyst Name	time	100	Maxdecimal 5
D	Exclude Date	char	180	Available in Standard/Regular History Non-US files only
J	Official Ticker	N	81	See Region Appendix
Q4	Exclude End Time	N	1987	Available in Normalized History for all regions
O#9	Stop Time	date	35	See Region Appendix
D	Currency	int	210	Maxdecimal 5
G#7	Exclude Flag	time	54	See Region Appendix
C	Region ID	varchar	202	Parent/Consolidated Flag (NON-US)
B#2	Stop Time	D	5	Available in Standard/Regular History Non-US files only
J	Announce Date	D	58	Blank where not applicable
F#4	Activation Date	N	59	Available in Standard/Regular History Non-US files only
I	Exclude Flag	time	52	Available in Normalized History for all regions
A#1	Footnote Text	time	50	See Measures chart in Appendix
C#2	CUSIP/SEDOL	char	120	yymmdd format in history files
G#3	Product Status	date	1024	See Region Appendix

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. **Name:** EXL<MEAS>AT.INT

Name (Unadjusted): EUROFIL.I.<REG>

Level: Detail

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
X	Exclude End Date	varchar	MSCIP	25	69	84	Blank where not applicable
G#3	Currency at Company Level	D	169	12	30	45	Numeric codes
G#3	Exclude End Date	time	NA	1999	177	217	Maxdecimal 5
K#7	Canadian Currency	X	JPY	36	20040304	20040312	See Measures chart in Appendix
S	TRBC Long description	X	EST.	80	16	49	Parent/Consolidated Flag (NON-US)
B#2	Review Time	time	26	58	74	77	yymmdd format in history files
K	Currency	char	QFS.	96	512	548	Maxdecimal 5
B#2	Value	smallint	73	6	51	71	yymmdd format in history files
J	Exclude Date	D	GBP	87	35	69	yymmdd format in history files
H#5	Estimate Currency	time	72	33	999	1013	Available in Normalized History for all regions
D	Estimate Currency	smallint	USD	92	9812	9813	Available in Normalized History for all regions
M	Estimate Currency	tinyint	120	23	90	118	Available in Normalized History for all regions
H	Estimate Currency	time	102	23	512	534	Blank where not applicable
J#6	Primary/Diluted Indicator	varchar	PTG	16	11	24	Parent/Consolidated Flag (NON-US)
H	Official Ticker	varchar	FTP	120	26	52	Parent/Consolidated Flag (NON-US)
G#7	Product Type	tinyint	BRANFIELD.<REG>	67	18	28	Available in Standard/Regular History Non-US files only
G#3	Review Time	X	999999999999	0012	3	38	See Region Appendix
J#6	Measure	date	101	39	67	91	Parent/Consolidated Flag (NON-US)
D	Analyst Name	tinyint	210	23	103	104	Numeric codes
O	TRBC Long description	time	50	157	68	72	Parent/Consolidated Flag (NON-US)
J#6	TRBC Short description	tinyint	QFS.	46	58	72	See Measures chart in Appendix
G#7	Value	smallint	222222	7	67	88	See Measures chart in Appendix
D#3	Measure Unit	time	29	1	99	117	Available in Standard/Regular History Non-US files only
B#2	Announce Time	date	9812	3	12	22	See Measures chart in Appendix
O#9	I/B/E/S Ticker	varchar	2005	50	23	54	Maxdecimal 5
E#4	Exclude End Time	time	USER	999	83	116	Available in Normalized History for all regions
R	I/B/E/S Ticker	int	NON-US	6	9912	9931	See Region Appendix
X	Analyst Name	N	34	17.0	202	227	yymmdd format in history files

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J#6	Currency at Company Level	date	2001.	36	74	114	See Measures chart in Appendix
G#4	Measure	time	HDXRATI. <REG>	2.34	11111	11139	Parent/Consolidated Flag (NON-US)
G	Footnote Text	tinyint	CUSIP/	0012	1024	1061	Available in Standard/Regular History Non-US files only
F#6	Product Status	date	65	46	120	131	See Measures chart in Appendix
C#3	Exclude Date	X	NDETFLAT. <REG>	69	68	92	Available in Standard/Regular History Non-US files only
G	I/B/E/S Ticker	smallint	85	10	58	81	Numeric codes
I#5	Reserved	tinyint	ACTK<MMM> <REG>	44	9999 9999 9999	1000 0000 00017	Blank where not applicable
J#6	Primary/Diluted Indicator	char	21	202	101	140	Parent/Consolidated Flag (NON-US)
M	Reserved	date	80	64	66	102	See Region Appendix
F#4	Announce Time	varchar	IPL2	49	8	8	Blank where not applicable
E	TRBCPermID	varchar	TRBC	20	72	107	Available in Standard/Regular History Non-US files only
G#7	Activation Time	smallint	67	62	58	95	Parent/Consolidated Flag (NON-US)
O	Product ID	D	100	47	11111	11121	Blank where not applicable
S	Announce Time	X	99	9812	52	90	Available in Normalized History for all regions
R	Home mkt code	varchar	YYMMDD	33	11	11	See Measures chart in Appendix
R	Company Name	char	QFS	46	255	282	See Measures chart in Appendix
E#4	Exclude Flag	time	103	1999	66	71	See Measures chart in Appendix
C#3	Forecast Period End Date	N	134	177	1987	2014	Available in Standard/Regular History Non-US files only
D	Review Time	tinyint	99	31	142	168	yymmdd format in history files
H	Company Name	date	53	31	7	19	Numeric codes
J#6	Value	tinyint	LSE	60	4	31	Parent/Consolidated Flag (NON-US)
E	Product Status	time	72	15	142	171	yymmdd format in history files
G#4	Primary/Diluted Indicator	date	ADJFILI. <REG>	21	180	202	See Region Appendix
R	TRBC Short description	X	75	30	29	41	yymmdd format in history files

Identifier Cross-Reference Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** HSTRBCDESC

Name (Unadjusted): ADJ<MEAS>.<REG>

Level: Normalized

Frequency: Weekly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Data Field	Data Type	Data Length	Comments
F#4	Exclude Time	N	66	Available in Standard/Regular History Non-US files only
B#2	Stop Date	char	69	See Region Appendix
D#3	Region ID	tinyint	4	Available in Normalized History for all regions
A	Stop Time	int	78	See Region Appendix
C#2	Exclude Time	N	4	Numeric codes
L	Product Status	int	47	Parent/Consolidated Flag (NON-US)
M	Estimator ID	time	87	Blank where not applicable
P	Analyst Name	time	95	See Region Appendix
Q4	Exclude Flag	smallint	162	Parent/Consolidated Flag (NON-US)
E#5	Measure Unit	smallint	101	Numeric codes
J#6	Footnote Text	time	53	See Measures chart in Appendix
A	Exclude Date	int	75	See Measures chart in Appendix
I	TRBCPermID	time	24	Available in Normalized History for all regions
F#5	Currency at Company Level	tinyint	78	yymmdd format in history files
J	Region ID	time	134	Maxdecimal 5
E#4	Primary/Diluted Indicator	D	42	Available in Standard/Regular History Non-US files only
C	I/B/E/S Ticker	X	33	See Region Appendix
J	Product ID	date	13	Available in Standard/Regular History Non-US files only
G#7	Analyst Code	N	46	Parent/Consolidated Flag (NON-US)
P	Product Description	int	169	yymmdd format in history files
I	Estimator	varchar	177	Maxdecimal 5
H#5	Analyst Code	date	134	See Region Appendix
G#4	CUSIP/SEDOL	D	180	Numeric codes
F	Exclude Flag	N	0512	Maxdecimal 5
F	Product ID	char	17	Parent/Consolidated Flag (NON-US)
F#3	Footnote Text	char	2.34	See Measures chart in Appendix
L	Reserved	tinyint	76	See Region Appendix
G#3	Analyst Name	tinyint	11	yymmdd format in history files
O	Forecast Period Indicator	tinyint	122	Available in Normalized History for all regions
D#4	Value	N	66	Maxdecimal 5

KPI File Description and layouts

Excluded Estimates Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Fields may include activation, announce, review, or stop timestamps depending on record status. **Name (Adjusted):** DETPTG.<REG>

Name (Unadjusted): NEXLFILAT.INT

Level: Normalized

Frequency: Daily/Weekly/Historical

Key	Item	Data Type	Format	Length	Start	End	Comments
C	Region ID	varchar	18	142	68	91	See Measures chart in Appendix
A#1	Value	date	69	169	27	29	Blank where not applicable
E	Review Date	varchar	2.34	95	14	38	Available in Standard/Regular History Non-US files only
B#2	Dilution Factor	date	65	45	20001229	20001230	See Measures chart in Appendix
G#7	Estimator ID	tinyint	EST.	162	34	46	Numeric codes
M	Product Type	time	61	74	31	59	yymmdd format in history files
I#5	Measure Unit	N	US	11	9812	9833	Blank where not applicable
J	Estimator ID	smallint	PTG	83	55	69	Parent/Consolidated Flag (NON-US)
F#4	Company Name	date	85	25	210	216	Blank where not applicable
O	Announce Time	date	CUSIP	64	20001229	20001230	Available in Normalized History for all regions
F	Footnote Text	varchar	20030422	69	20040304	20040305	Numeric codes
J	Estimate Currency	varchar	1024	3	2	33	See Measures chart in Appendix
E#5	Activation Date	char	NEXL<MEAS>PT. US	68	3	6	Available in Standard/Regular History Non-US files only
G#4	Analyst Name	char	26	90	30	60	yymmdd format in history files
F	Dilution Factor	varchar	10	90	4	9	See Measures chart in Appendix
X	Currency at Company Level	time	47	100	50	77	Available in Normalized History for all regions
H#5	Currency at Company Level	smallint	US	17.0	172	187	Available in Standard/Regular History Non-US files only
G#4	Primary/Diluted Indicator	N	HISTORY	2.34	23	51	Available in Normalized History for all regions
D#4	Currency at Company Level	int	NEXL<MEAS>PT. US	512	512	528	Numeric codes
E#5	Dilution Factor	N	32	24	120	135	Maxdecimal 5
M	Official Ticker	smallint	76	25	177	213	Available in Normalized History for all regions
F#4	Primary/Diluted Indicator	smallint	53	10	5	23	Maxdecimal 5
C#2	TRBC Short description	N	1999	80	1	28	Numeric codes
N#8	Product ID	int	8.8185	155	36	39	Parent/Consolidated Flag (NON-US)
B#2	Exclude Time	N	17.000	0412	55	78	Maxdecimal 5
E#4	Exclude End Time	N	8.8185	33	31	33	yymmdd format in history files
F#6	Stop Time	X	EST.	1024	62	62	Maxdecimal 5

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
J#6	Product ID	tinyint	95	36	85	102	See Measures chart in Appendix
I	Product Type	char	18	64	222222	222243	Numeric codes
G#7	TRBCPermID	varchar	101	66	999	1038	See Region Appendix
F#3	Product ID	X	20	63	34	45	See Measures chart in Appendix
C	Reserved	tinyint	59	17.0	96	123	Parent/Consolidated Flag (NON-US)
O	Product Status	varchar	30	66	1999	2000	Maxdecimal 5
O#9	Review Date	N	TPC	55	34	73	Available in Normalized History for all regions
S	Exclude Date	tinyint	HRECDT. <REG>	0412	78	116	Maxdecimal 5
E#4	Footnote Text	tinyint	105	8	2000	2020	See Region Appendix
B#2	Currency at Company Level	N	SEDOL	9	35	61	yymmdd format in history files
E	Announce Time	varchar	SEDOL/ CUSIP	71	131	137	See Measures chart in Appendix
K#7	Activation Time	int	STPFILAT. <REG>	56	92	111	Parent/Consolidated Flag (NON-US)
O#9	Forecast Period End Date	char	29250N1X	53	180	215	Available in Standard/Regular History Non-US files only
B#2	Product Status	tinyint	29250N10	15	6	13	Numeric codes
R	Review Date	char	17.0	39	12	40	Available in Standard/Regular History Non-US files only
J#6	Region ID	D	8.037200	255	26	46	See Measures chart in Appendix
X	Exclude Time	char	10	152	159	183	Blank where not applicable
F#4	Stop Time	int	NON-US	157	83	84	Numeric codes
G#3	Footnote Text	D	HRECSTPT. <REG>	142	31	32	Numeric codes
R	Product Description	int	HRECSTPT. <REG>	69	16	39	Numeric codes
D	TRBC Long description	char	NEXLFILAT. INT	72	81	108	Parent/Consolidated Flag (NON-US)
Q4	Canadian Currency	D	19991231	162	54	67	Parent/Consolidated Flag (NON-US)

Detail Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. Fields may include activation, announce, review, or stop timestamps depending on record status. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** IDFILE.<REG>

Name (Unadjusted): HRECIDI.<REG>

Level: Detail

Frequency: Monthly **Note:** Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
M	Estimator	D	TPC	71	41	76	Parent/Consolidated Flag (NON-US)
D#3	Footnote Type	varchar	CCCCCCC	75	90	113	yymmdd format in history files
H	Reserved	varchar	010213	65	134	174	Blank where not applicable
N	TRBC Long description	smallint	ENBRIDGE	1	46	85	See Region Appendix
K	Forecast Period End Date	smallint	CUSIP	99	9812	9841	Available in Standard/Regular History Non-US files only
L	Exclude Time	tinyint	131	53	14	15	See Region Appendix
E	Estimator ID	smallint	202	120	65	82	See Region Appendix
A	Announce Time	D	STOPPTG.<REG>	90	1999	2024	Parent/Consolidated Flag (NON-US)
A#1	Stop Date	tinyint	63	75	20040304	20040331	See Measures chart in Appendix
F#3	Official Ticker	varchar	DETPTGUT.<REG>	42	99999	100028	Available in Standard/Regular History Non-US files only
G	Product Status	char	0.34	2	28	30	Numeric codes
Q4	Activation Time	int	19991231	36	9	33	Maxdecimal 5
H	TRBC Long description	X	54	179	412	439	yymmdd format in history files
I#5	Product ID	tinyint	TPC	59	870115	870117	Maxdecimal 5
I#5	TRBCPermID	varchar	59	999	78	84	Blank where not applicable
E	Currency	date	24.03	74	210	220	Blank where not applicable
G#3	Review Date	time	99.99	69	870115	870134	Maxdecimal 5
C#2	Activation Time	char	DETAIL	52	31	54	See Measures chart in Appendix
H#5	Estimator	D	IPL2.	69	7	21	Available in Standard/Regular History Non-US files only
Q4	Exclude End Date	N	20.635	75	54	76	See Measures chart in Appendix
L	Company Name	int	103	1999	45	46	Parent/Consolidated Flag (NON-US)
F#3	CUSIP/SEDOL	date	2003.	96	120	154	Blank where not applicable
N#8	Home mkt code	char	EXLFILAT.US	38	124	138	Available in Normalized History for all regions
J	Exclude End Time	smallint	36	41	47	59	yymmdd format in history files
F#6	TRBC Long description	varchar	15	2005	179	214	yymmdd format in history files
E#4	Forecast Period End Date	smallint	54	169	75	111	yymmdd format in history files
K#7	Product Type	int	HRECSTPT.<REG>	2.34	46	61	See Region Appendix
C#2	Measure Unit	D	5.	202	66	82	Available in Standard/Regular History Non-US files only

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
P	Activation Time	D	ACTK<MMM> <REG>	179	36	41	Available in Standard/Regular History Non-US files only
F#3	CUSIP/SEDOL	int	26	75	32	38	Available in Normalized History for all regions
E#5	TRBCPermID	D	XX	131	180	195	Numeric codes
O#9	Stop Time	int	HRECIDI. <REG>	4	9812	9825	Maxdecimal 5
J	Announce Date	int	17.000	68	124	129	Available in Standard/Regular History Non-US files only
S	Forecast Period Indicator	time	YYMMDD	34	41216	41225	See Region Appendix
H	Exclude End Time	time	HISTORY	26	100000	100033	Numeric codes
O	Region ID	D	35	999	131	133	Blank where not applicable
G#3	Stop Date	tinyint	9999999. 999	72	29	36	See Region Appendix
D#3	Region ID	varchar	9912	30	2	26	Blank where not applicable
E#4	Product ID	varchar	NON-US	102	99	106	Available in Standard/Regular History Non-US files only
L	Footnote Text	smallint	ACTK<MMM> <REG>	2	30	54	See Measures chart in Appendix
D	Estimator ID	tinyint	162	71	96	118	Blank where not applicable

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** NDETFILET.<REG>

Name (Unadjusted): EXLFILAT.US

Level: Normalized

Frequency: Weekly **Note:** Mapping tables can be used to translate contributor and analyst identifiers.

Key	Item	Data Type	Format	Length	Start	End	Comments
A#1	Footnote Type	N	NEXLFILUT. INT	28	255	262	Blank where not applicable
H	Dilution Factor	date	99999999 9999	103	38	67	yymmdd format in history files
B	Expiration Date	time	29	46	75	97	Available in Standard/Regular History Non-US files only
H	Exclude Flag	time	999.999	100	1	18	See Measures chart in Appendix
S	Review Time	time	17.0	5	19	26	See Region Appendix
B#2	Reserved	D	95	99	100	113	Available in Standard/Regular History Non-US files only
F#3	Product Type	tinyint	157	60	159	166	Available in Standard/Regular History Non-US files only
E#5	Estimate Currency	D	28	155	157	193	Parent/Consolidated Flag (NON-US)
O#9	Product Status	X	CCCCC	172	68	99	Numeric codes
G#7	Announce Date	date	CCCC	55	6	23	Available in Normalized History for all regions
O	I/B/E/S Ticker	char	NACTK<MMM> <REG>	18	20	21	See Measures chart in Appendix
F#3	Announce Time	smallint	IBES	53	73	99	See Region Appendix

Excluded Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** CURFILI.<REG>

Name (Unadjusted): NEXL<MEAS>AT.US

Level: Summary

Frequency: Weekly **Note:** Exchange rates are commonly aligned to the activation date for conversions.

Key	Item	Data Type	Format	Length	Start	End	Comments
S	Value	smallint	63.406	38	971110	971129	Blank where not applicable
O#9	Stop Date	int	QFS.	142	45	46	Available in Standard/Regular History Non-US files only
F#5	Currency at Company Level	time	81	7	24	24	Parent/Consolidated Flag (NON-US)
K	Value	char	33	180	59	62	Available in Normalized History for all regions
K#7	Exclude Date	date	HRECBKRU.<REG>	122	50	80	See Region Appendix
N	Activation Date	N	202	12	149	160	Available in Standard/Regular History Non-US files only
L	Review Date	D	100	26	92	107	Numeric codes
A#1	Product Description	D	GUIDE	80	20001229	20001241	Maxdecimal 5
G#7	Measure	D	90	21	179	201	Available in Normalized History for all regions
N#8	Home mkt code	date	ADJ	87	9	48	See Region Appendix
P	Product Status	int	63.406	92	51	82	Parent/Consolidated Flag (NON-US)
N	TRBC Long description	int	HDXRATI.<REG>	202	1987	2019	See Region Appendix
H	Value	date	FY1	1999	870115	870124	yymmdd format in history files
E	Canadian Currency	varchar	NEXL<MEAS>AT.US	105	129		Available in Normalized History for all regions
L	CUSIP/SEDOL	X	CUSIP/SEDOL	62	95	106	See Region Appendix
K	Primary/Diluted Indicator	char	0512	120	20030422	20030429	yymmdd format in history files
J	Expiration Date	varchar	45	28	177	217	Numeric codes
D#3	Primary/Diluted Indicator	tinyint	CCCCCCC	27	71	94	Available in Normalized History for all regions
D#3	Currency at Company Level	tinyint	ID	81	52	82	Available in Standard/Regular History Non-US files only
L	Forecast Period Indicator	D	YYMM	186	412	444	Parent/Consolidated Flag (NON-US)
L	Activation Date	D	CAD	63	16	48	Available in Normalized History for all regions
C#3	Activation Time	smallint	CAD	56	179	197	See Measures chart in Appendix
C#2	Forecast Period End Date	N	20.635	157	65	103	See Region Appendix

Continued on next page

Key	Item	Data Type	Format	Length	Start	End	Comments
B	Stop Date	time	HH:MM:SS	61	31	55	Parent/Consolidated Flag (NON-US)
J#6	Region ID	time	EXLFILAT. US	59	68	94	yymmdd format in history files
I#5	Reserved	tinyint	23	61	31	58	See Measures chart in Appendix
K	Measure Unit	X	YMMM	74	32	53	See Measures chart in Appendix
H#5	Activation Date	char	QFS	6	28	54	yymmdd format in history files
F#6	Footnote Text	N	EXL<MEAS> US	12	11115	11118	yymmdd format in history files
L	Measure	N	BPN	149	10	32	Available in Standard/Regular History Non-US files only
J#6	Measure Unit	varchar	IDFIL. <REG>	202	9999 9999 9999	1000 0000 00037	yymmdd format in history files
H	Product Status	varchar	ENB	67	180	197	See Region Appendix
N	Exclude Date	char	20001229	28	4	32	See Measures chart in Appendix

Excluded Estimates Layout

Use the fields below to interpret estimate activity, currency flags, and period identifiers consistently across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** DETPTGUT.<REG>

Name (Unadjusted): IDFIELD.<REG>

Level: Normalized

Frequency: Daily

Key	Data Field	Data Type	Data Length	Comments
O	Measure Unit	X	159	Numeric codes
H#5	Forecast Period Indicator	X	100	Parent/Consolidated Flag (NON-US)
R	Canadian Currency	tinyint	73	Maxdecimal 5
A#1	Review Time	smallint	99	Parent/Consolidated Flag (NON-US)
M	Currency	D	87	Maxdecimal 5
O	TRBC Long description	X	40	See Measures chart in Appendix
X	Expiration Date	int	11	yymmdd format in history files
C#3	Stop Time	varchar	38	Numeric codes
G#4	CUSIP/SEDOL	varchar	12	yymmdd format in history files
E#4	Home mkt code	char	999	Available in Normalized History for all regions
X	Announce Time	char	44	Numeric codes
F#5	TRBCPermID	tinyint	28	Blank where not applicable
G#4	Review Time	time	68	Blank where not applicable
I#5	Review Time	X	41	Maxdecimal 5
L	Review Date	X	101	See Measures chart in Appendix
O#9	TRBC Long description	tinyint	169	Blank where not applicable
J#6	Exclude End Time	varchar	102	Available in Standard/Regular History Non-US files only
E#4	Review Date	date	103	See Measures chart in Appendix
K	Activation Date	date	92	Maxdecimal 5
A#1	Expiration Date	tinyint	31	Blank where not applicable
N	Estimator ID	tinyint	28	Numeric codes
H	Activation Date	D	24	See Region Appendix
N	Footnote Text	X	11	See Measures chart in Appendix
P	Official Ticker	D	1	Available in Standard/Regular History Non-US files only
R	Reserved	date	85	See Region Appendix
O#9	Exclude End Time	X	9	Available in Standard/Regular History Non-US files only
B#2	I/B/E/S Ticker	char	75	Numeric codes
M	Currency	time	102	Available in Standard/Regular History Non-US files only
C#3	Estimator	tinyint	122	yymmdd format in history files
A	Exclude Flag	D	180	Available in Standard/Regular History Non-US files only
L	Value	date	152	See Measures chart in Appendix
P	Measure	int	62	See Region Appendix
D	Official Ticker	varchar	69	Maxdecimal 5
Q4	Review Date	date	87	See Measures chart in Appendix
H#5	Stop Date	tinyint	50	See Measures chart in Appendix

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
O#9	Stop Time	date	14	Blank where not applicable
M	Footnote Type	tinyint	42	See Measures chart in Appendix
Q4	Analyst Code	time	6	See Region Appendix
K#7	CUSIP/SEDOL	char	66	yymmdd format in history files
D	Analyst Code	varchar	180	Available in Standard/Regular History Non-US files only
B#2	Forecast Period End Date	int	13	Parent/Consolidated Flag (NON-US)
J	Forecast Period Indicator	date	6	Available in Standard/Regular History Non-US files only
J#6	Product Type	X	22	Blank where not applicable
A#1	Exclude Flag	X	8	Blank where not applicable
D#4	Footnote Type	varchar	72	Numeric codes
E#5	Analyst Name	int	9912	Blank where not applicable
B	Announce Time	tinyint	202	Parent/Consolidated Flag (NON-US)
L	Currency	time	85	Maxdecimal 5
H	Estimate Currency	time	2.34	Numeric codes
C#2	Value	date	30	Parent/Consolidated Flag (NON-US)

Currency Exchange Layout

This section summarizes key columns, formats, and usage notes for integrating the file into downstream pipelines. Codes and indicators are intended for mapping and consistency checks across regions and measures. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name (Adjusted):** STPFILAT.<REG>, STOPPTG.<REG>

Level: Detail

Frequency: Daily

- Region and measure codes enable consistent joins across files.
- Some files represent snapshots; others represent incremental updates.
- Record-level fields are presented in fixed-width layouts.

Note: Values and codes are provided for referential use only.

Key	Item	Data Type	Format	Length	Start	End	Comments
O	Estimate Currency	tinyint	29250N10	58	31	56	Maxdecimal 5
Q4	Exclude End Date	D	92	60	149	166	Available in Normalized History for all regions
C#3	Value	int	IPL2	20	42	62	Maxdecimal 5
J	Exclude End Date	varchar	EURO	131	2000	2038	See Region Appendix
D#3	Company Name	N	FTP	120	971120	971140	Parent/Consolidated Flag (NON-US)
X	Review Date	smallint	FTP	30	18	32	yymmdd format in history files
F#5	TRBC Short description	smallint	IPL1	172	870115	870118	Available in Normalized History for all regions
R	Product Type	int	IPL2.	202	44	55	Maxdecimal 5
G#3	Product ID	varchar	SEDOL.	1987	11111	11120	Blank where not applicable
I	Primary/Diluted Indicator	smallint	18	24	39	77	See Measures chart in Appendix
E	Region ID	int	39	10	47	65	See Region Appendix
S	Review Date	N	25	94	1999	2032	Maxdecimal 5

Detail Estimates Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. When integrating downstream, treat currency and period identifiers as record-specific attributes. **Name:** EXLFILAT.US

Name (Unadjusted): DET<MEAS>UT.<REG>

Level: Standard

Frequency: Daily

- Some files represent snapshots; others represent incremental updates.
- Timestamps support change tracking and reconciliation.

Note: Exchange rates are commonly aligned to the activation date for conversions.

Key	Data Field	Data Type	Data Length	Comments
L	Currency	varchar	20	Numeric codes
Q4	Dilution Factor	tinyint	32	See Measures chart in Appendix
I#5	I/B/E/S Ticker	date	64	Maxdecimal 5
K	Currency	int	36	See Region Appendix
B	Company Name	tinyint	22	See Region Appendix
G#4	Activation Time	char	1024	Numeric codes
D#4	Activation Time	varchar	44	Available in Normalized History for all regions
E#5	Product Type	D	99	Maxdecimal 5
C#3	CUSIP/SEDOL	N	21	Blank where not applicable
O#9	Canadian Currency	N	9912	Parent/Consolidated Flag (NON-US)
S	Expiration Date	varchar	54	Available in Normalized History for all regions
F#5	Exclude Date	D	29	Blank where not applicable
G#4	Review Time	date	11	Numeric codes
F#6	Activation Time	char	16	Parent/Consolidated Flag (NON-US)
N#8	Measure	date	95	Blank where not applicable
F	Official Ticker	tinyint	18	See Region Appendix
L	Review Date	time	80	Available in Standard/Regular History Non-US files only
F#3	TRBC Short description	int	3	Blank where not applicable
O#9	Forecast Period End Date	varchar	177	Available in Standard/Regular History Non-US files only
K#7	Dilution Factor	int	95	Parent/Consolidated Flag (NON-US)
A	TRBCPermID	time	62	Available in Standard/Regular History Non-US files only
L	Currency	time	169	Maxdecimal 5
E#4	TRBCPermID	smallint	101	See Measures chart in Appendix
O#9	Exclude End Date	tinyint	53	yymmdd format in history files
M	Home mkt code	char	155	Parent/Consolidated Flag (NON-US)
G#4	Estimate Currency	D	15	Available in Normalized History for all regions
E#5	Footnote Type	tinyint	2000	Blank where not applicable
D	Canadian Currency	varchar	27	Blank where not applicable
D#3	Exclude Date	time	2	Parent/Consolidated Flag (NON-US)

Continued on next page

Key	Data Field	Data Type	Data Length	Comments
L	Estimate Currency	date	31	See Region Appendix
F#3	Stop Time	time	142	Available in Normalized History for all regions
N#8	Company Name	time	7	yymmdd format in history files
P	Analyst Code	smallint	19	Maxdecimal 5
K	Exclude Date	N	210	See Region Appendix
F	Activation Date	D	18	Maxdecimal 5
G#4	Review Time	X	1987	See Measures chart in Appendix
D#4	Analyst Name	N	131	yymmdd format in history files
E#5	Activation Date	tinyint	999	See Measures chart in Appendix
F#6	Reserved	int	52	See Region Appendix
E	Forecast Period Indicator	int	8	See Region Appendix
G#4	TRBCPermID	varchar	13	Parent/Consolidated Flag (NON-US)
P	Footnote Type	smallint	33	See Region Appendix
H	Analyst Code	char	9	Parent/Consolidated Flag (NON-US)
C	Official Ticker	int	102	Parent/Consolidated Flag (NON-US)
Q4	TRBC Short description	date	12	Numeric codes
F#3	Footnote Text	X	12	Numeric codes
B#2	Product Status	char	2000	Available in Standard/Regular History Non-US files only
A#1	Product Description	varchar	29	See Region Appendix
G#7	Footnote Text	date	100	yymmdd format in history files
D	I/B/E/S Ticker	time	21	Maxdecimal 5
D#4	Company Name	N	71	See Measures chart in Appendix
H#5	Reserved	smallint	12	Available in Standard/Regular History Non-US files only
X	Exclude End Date	time	12	See Region Appendix
K#7	Footnote Type	N	177	Maxdecimal 5

Identifier Cross-Reference Layout

This layout describes record-level fields and timestamps used to track updates, announcements, and review events. Codes and indicators are intended for mapping and consistency checks across regions and measures. **Name (Adjusted):** IDFIL.I.<REG>

Name (Unadjusted): DETPTG.<REG>

Level: Standard

Frequency: Weekly **Note:** Some fields may be blank where not applicable.

Key	Data Field	Data Type	Data Length	Comments
G#4	Review Date	tinyint	16	Blank where not applicable
J#6	Official Ticker	X	58	Available in Standard/Regular History Non-US files only
E	Reserved	int	56	Blank where not applicable
N	TRBC Short description	D	54	Parent/Consolidated Flag (NON-US)
R	I/B/E/S Ticker	time	9812	Blank where not applicable
O#9	Announce Date	int	169	yymmdd format in history files
F#4	Measure Unit	X	0412	Parent/Consolidated Flag (NON-US)
B	Currency	smallint	0.34	yymmdd format in history files
G	Product ID	time	35	Numeric codes
F#3	Announce Date	varchar	2	See Measures chart in Appendix
H#5	Stop Time	D	22	See Measures chart in Appendix
O	Forecast Period Indicator	N	54	See Measures chart in Appendix
F#5	Review Time	N	177	Numeric codes
G#4	TRBCPermID	char	5	yymmdd format in history files
D#4	Currency	D	15	See Region Appendix
I#5	Value	time	53	Available in Standard/Regular History Non-US files only
S	Footnote Text	tinyint	39	Numeric codes
G#4	Reserved	int	157	See Region Appendix
O#9	Currency	N	122	Blank where not applicable
Q4	Stop Date	tinyint	23	Blank where not applicable
L	Estimate Currency	smallint	90	Maxdecimal 5
B	Estimator ID	char	15	Maxdecimal 5
B	Measure Unit	char	58	Maxdecimal 5
X	Activation Date	X	131	Parent/Consolidated Flag (NON-US)
J	Activation Date	X	169	Parent/Consolidated Flag (NON-US)
L	I/B/E/S Ticker	varchar	31	See Region Appendix
E#5	Analyst Code	tinyint	999	Available in Normalized History for all regions
F#3	Official Ticker	time	9912	yymmdd format in history files
I	TRBC Long description	date	51	See Measures chart in Appendix
B	Product Status	time	0512	yymmdd format in history files
K	Exclude Date	N	36	Maxdecimal 5
K#7	Dilution Factor	N	210	yymmdd format in history files
N	Announce Time	smallint	90	yymmdd format in history files
D#4	Activation Date	date	27	Numeric codes
K	Forecast Period Indicator	smallint	1987	Numeric codes
G	Canadian Currency	time	9	See Region Appendix
R	Activation Date	int	94	Available in Normalized History for all regions

Appendix Section

Appendix A: Measure List

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
CORE	LEVEL I	QFS	Company	EPS	Earnings per Share	Non-Industry Specific
CORE	LEVEL II	QFS	Company	CPS	Cash Flow per Share	Non-Industry Specific
CORE	LEVEL II	QFS	Company	DPS	Dividend per Share	Non-Industry Specific
CORE	LEVEL II	QFS	Company	EBG	Earnings per Share – Before Goodwill (not available for US region)	Non-Industry Specific
CORE	LEVEL II	QFS	Company	PRE	Pre-tax Profit (Non per Share)	Non-Industry Specific
CORE	LEVEL II	QFS	Company	REC	Recommendation	Non-Industry Specific
CORE	LEVEL II	QFS	Company	SAL	Revenue (Non per Share)	Non-Industry Specific
CORE	LEVEL II	QFS	Company	FFO	Funds from Operations per Share	Real Estate
PREMIUM	LEVEL III	QFS	Company	AFO	Adjusted Funds from Operations per Share	Real Estate
PREMIUM	LEVEL III	QFS	Company	BPS	Book Value per Share	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	CPX	Capital Expenditure (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	CSH	Cash Earnings Per Share	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	EBI	EBIT (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	EBS	EBITDA per share	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	EBT	EBITDA (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	ENT	Enterprise Value (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	EPX	Earnings per Share - Alternate (not avail for INT region)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	FCF	Free Cash Flow per share	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	GPS	GAAP / Earnings per Share – Fully Reported	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	GRM	Gross Margin (Percent)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	NAV	Net Asset Value (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	NDT	Net Debt	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	NER	Reported Net Profit	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	NET	Net income (Non per Share)	Non-Industry Specific

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	QFS	Company	OPR	Operating Profit (Non per Share)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	PRR	Reported Pretax Profit	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	PTG	Price Target	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	ROA	Return On Asset (Percent)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	ROE	Return On Equity (Percent)	Non-Industry Specific
PREMIUM	LEVEL III	QFS	Company	TBV	Tangible Book Valu per Share	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	ASK	Available Seat Kilometers	Airlines
PREMIUM	LEVEL III	KPI File	Company	ASM	Available Seat Miles	Airlines
PREMIUM	LEVEL III	KPI File	Company	CPA	Cost per Seat Miles	Airlines
PREMIUM	LEVEL III	KPI File	Company	OEA	Cost per Available Seat Kilometers	Airlines
PREMIUM	LEVEL III	KPI File	Company	PLF	Passenger Load Factor	Airlines
PREMIUM	LEVEL III	KPI File	Company	PRA	Revenue per Available Seat Kilometers	Airlines
PREMIUM	LEVEL III	KPI File	Company	PRK	Revenue per Available Seat Miles	Airlines
PREMIUM	LEVEL III	KPI File	Company	RPK	Revenue Passengers Kilometers	Airlines
PREMIUM	LEVEL III	KPI File	Company	RPM	Revenue Passengers Miles	Airlines
PREMIUM	LEVEL III	KPI File	Company	RPP	Revenue per RPM	Airlines
PREMIUM	LEVEL III	KPI File	Company	RTR	Revenue per RPK	Airlines
PREMIUM	LEVEL III	KPI File	Company	INE	Interest Expense (Non per Share)	All/Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	OPE	Operating Expense (Non per Share)	All/Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	SHE	Shareholders' Equity (Non per Share)	All/Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TAS	Total Assets (Non per Share)	All/Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	EBR	EBITDAR	All/Real Estate
PREMIUM	LEVEL III	KPI File	Company	NPS	NAV per share	All/Real Estate
PREMIUM	LEVEL III	KPI File	Company	CRT	Compensation Ratio	All/Technology
PREMIUM	LEVEL III	KPI File	Company	RDE	R&D Expense	All/Technology
PREMIUM	LEVEL III	KPI File	Company	SBC	Stock Based Compensation	All/Technology
PREMIUM	LEVEL III	KPI File	Company	SGE	SG&A Expense	All/Technology
PREMIUM	LEVEL III	KPI File	Company	TCE	Total Compensation Expense	All/Technology
PREMIUM	LEVEL III	KPI File	Company	ASP	Average Selling Price	Automobiles
PREMIUM	LEVEL III	KPI File	Company	MOS	Motorcycle Shipments	Automobiles
PREMIUM	LEVEL III	KPI File	Company	AUM	Assets Under Management (Non-per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	BLB	Billed Business (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	CDT	Customer Deposits Under Total Deposits (Non per Share)	Banking and Finance

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	CTO	Core Tier 1 Capital (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	DSF	Discount Fees (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	EFR	Efficiency Ratio (Percent)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	FCI	Fees & Commissions Income (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	IBV	Intangible Book Value (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	LLP	Loan Loss Provisions (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	LNS	Loans (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NAL	Net Charge-Offs to Average Loans (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NGL	Net Gains or Losses (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NIE	Non-Interest Expense (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NII	Net Interest Income (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NIM	Net Interest Margin (Percent)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NIR	Total Non-Interest Revenue (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NIS	Net Interest Spread (Percent)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NNM	Net New Money/Assets (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NPA	Non-Performing Assets (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NPL	Non-Performing Loans (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	NRI	Non-Recurring Items (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	ORE	Other Real Estate Owned Expenses(Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	RNA	Return on Net Operating Assets (Percent)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	RWA	Risk Weighted Assets (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	SID	Securities in Issue Under Total Deposits (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TCO	Tier 1 Capital Ratio (Percent)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TDI	Trading Income (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TDO	Total Deposits (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TIN	Total Income (Non per Share)	Banking and Finance

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	TNB	Tangible Book Value (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	TRI	Total Revenues Net of Interest Expense (Non per Share)	Banking and Finance
PREMIUM	LEVEL III	KPI File	Company	CNC	Chemicals Income (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	DFF	Distributable Cash Flow Aggregate	Energy
PREMIUM	LEVEL III	KPI File	Company	DWI	Downstream Income (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	EBX	EBITDAX (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	EXP	Exploration Expense (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	GCX	Growth Capex	Energy
PREMIUM	LEVEL III	KPI File	Company	GPD	Gas Production Per Day (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	LOE	Lease Operating Expense	Energy
PREMIUM	LEVEL III	KPI File	Company	MCX	Maintenance CapEx	Energy
PREMIUM	LEVEL III	KPI File	Company	MNC	Marketing Income (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	NPP	Natural Gas Liquids Production Per Day (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	OPD	Oil Production Per Day (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	OPU	OPEX Per Unit	Energy
PREMIUM	LEVEL III	KPI File	Company	PEX	Production Expense	Energy
PREMIUM	LEVEL III	KPI File	Company	PTX	Production Tax	Energy
PREMIUM	LEVEL III	KPI File	Company	PVR	1P Proved Reserves	Energy
PREMIUM	LEVEL III	KPI File	Company	RNC	Refining Income (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	RPG	Realized Price Gas	Energy
PREMIUM	LEVEL III	KPI File	Company	RPO	Realized Price Oil	Energy
PREMIUM	LEVEL III	KPI File	Company	RZP	Realized Price (BOE)	Energy
PREMIUM	LEVEL III	KPI File	Company	TPC	Total Production - Total	Energy
PREMIUM	LEVEL III	KPI File	Company	TPD	Total Production Per Day (in BOE) (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	TPG	Total Production – Natural Gas Bcf	Energy
PREMIUM	LEVEL III	KPI File	Company	TPI	Throughput Info (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	TPN	Total Production – NGL (mbbl)	Energy
PREMIUM	LEVEL III	KPI File	Company	TPO	Total Production – Oil/Condensate/NGL (mbbls)	Energy
PREMIUM	LEVEL III	KPI File	Company	TPP	Total Production Per Day (Non per Share)	Energy

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	UPI	Upstream Income (Non per Share)	Energy
PREMIUM	LEVEL III	KPI File	Company	UNT	Unit Sales (Product Level Data)	Generic
PREMIUM	LEVEL III	KPI File	Company	GWN	Gross Win	Hotels & Entertainment
PREMIUM	LEVEL III	KPI File	Company	APE	Annual Premium Earned (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	BEV	Book Value on Enterprise Value Basis (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	BKV	Book Value on GAAP Basis (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	CLR	Catastrophic Loss Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	CMR	Claims Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	COR	Combined Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	CSL	Consolidated Loss Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	EBV	Embedded Value (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	EVO	Embedded Value Operating Profits (Ratio)	Insurance
PREMIUM	LEVEL III	KPI File	Company	EXR	Expense Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	GEP	Gross Earned Premiums (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	GPW	Gross Premiums Written (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	MLR	Medical Loss Ratio (Percent)	Insurance
PREMIUM	LEVEL III	KPI File	Company	NEV	Net Income on Embedded Value Basis (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	NPE	Net Premiums Earned (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	NPW	Net Premiums Written (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	RZG	Realized Gains or Losses (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	SLM	Solvency Margin	Insurance
PREMIUM	LEVEL III	KPI File	Company	VNB	Value of New Business (Non per Share)	Insurance
PREMIUM	LEVEL III	KPI File	Company	ATD	Attendance	Leisure
PREMIUM	LEVEL III	KPI File	Company	ABP	Average Booking Per User	Media
PREMIUM	LEVEL III	KPI File	Company	ARV	Advertisement Revenue	Media
PREMIUM	LEVEL III	KPI File	Company	CPK	Cost Per Click	Media
PREMIUM	LEVEL III	KPI File	Company	CPM	Cost Per Mille	Media
PREMIUM	LEVEL III	KPI File	Company	DAR	Daily Active Users	Media
PREMIUM	LEVEL III	KPI File	Company	GMV	Gross Merchandised Value	Media
PREMIUM	LEVEL III	KPI File	Company	MAU	Monthly Active Users	Media
PREMIUM	LEVEL III	KPI File	Company	MUP	Monthly Unique Payers	Media
PREMIUM	LEVEL III	KPI File	Company	MUU	Monthly Unique Users	Media
PREMIUM	LEVEL III	KPI File	Company	NMV	Net Merchandised Value	Media

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	ACG	All In production Cost (AISC) – Gold	Mining
PREMIUM	LEVEL III	KPI File	Company	ACS	All in production Cost (AISC) – Silver	Mining
PREMIUM	LEVEL III	KPI File	Company	APS	Average Price (Per Metric Tonne) - Steel	Mining
PREMIUM	LEVEL III	KPI File	Company	CCC	Mining Cash Cost Copper	Mining
PREMIUM	LEVEL III	KPI File	Company	LMP	Lead Metal Processing Production	Mining
PREMIUM	LEVEL III	KPI File	Company	MCC	Mining Cash Cost (oz) (Total)	Mining
PREMIUM	LEVEL III	KPI File	Company	MCG	Mining Cash Cost (oz) (Gold)	Mining
PREMIUM	LEVEL III	KPI File	Company	MCP	Mining Cash Cost (oz) (Platinum)	Mining
PREMIUM	LEVEL III	KPI File	Company	MCS	Mining Cash Cost (oz) (Silver)	Mining
PREMIUM	LEVEL III	KPI File	Company	MPG	Mining Production (oz) (Gold)	Mining
PREMIUM	LEVEL III	KPI File	Company	MPP	Mining Production (oz) (Platinum)	Mining
PREMIUM	LEVEL III	KPI File	Company	MPS	Mining Production (oz) (Silver)	Mining
PREMIUM	LEVEL III	KPI File	Company	RGO	Realized Price - Gold	Mining
PREMIUM	LEVEL III	KPI File	Company	RPC	Realized Price - Copper	Mining
PREMIUM	LEVEL III	KPI File	Company	RPS	Realized Price - Silver	Mining
PREMIUM	LEVEL III	KPI File	Company	TMP	Mining Production (oz) (Total)	Mining
PREMIUM	LEVEL III	KPI File	Company	TOC	Total Production - Copper (Weight)	Mining
PREMIUM	LEVEL III	KPI File	Company	TSE	Total Silver Equivalent Production (Weight)	Mining
PREMIUM	LEVEL III	KPI File	Company	USS	Unit Sales - Steel	Mining
PREMIUM	LEVEL III	KPI File	Company	AMT	Amortization	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CCE	Cash & Cash Equivalents	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CFF	Cash Flow from Financing	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CFI	Cash Flow from Investing	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CFO	Cash Flow from Opearitions	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CGS	Cost of Goods Sold	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CRA	Current Assets	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	CRL	Current Liabilities	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	DFR	Deferred Revenue	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	DPA	Depreciation and Amortization	Non-Industry Specific

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	DPR	Depreciation	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	EBA	Earnings before Interest, Tax and Amortization	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	EBP	Earnings before Interest, Tax and Amortization Reported (EBITDA Reported)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	FCD	Franking Credits	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	FRC	Free Cash Flow	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	GAE	General & Admin Expense	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	GRI	Gross Income	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	GWL	Goodwill	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	INV	Inventories	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	ITX	Income Taxes Paid	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	LTG	Long Term Growth	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	LTR	Long-Term Deferred Revenue	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	NIT	Net Investment Income	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	NSO	Number of Shares Outstanding	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	NWC	Net Working Capital	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	OSG	Organic Sales Growth	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	PSR	Price/Sales Ratio	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	RIC	Return on Invested Capital	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	ROC	Return on Capital	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	SMK	Selling and Marketing Expenses	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	TDT	Total Debt	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	TDV	Total Dividends	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	TXP	Tax Provision	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	TXR	Tax rate	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	Company	MME	Membership Enrollment	Pharmaceutical and Healthcare
PREMIUM	LEVEL III	KPI File	Company	NOD	Number of Doctors	Pharmaceutical and Healthcare

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	AFF	Analyst Adjusted Funds From Operation (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	BAP	Backlog Average Price	Real Estate
PREMIUM	LEVEL III	KPI File	Company	BGV	Backlog Values	Real Estate
PREMIUM	LEVEL III	KPI File	Company	BKU	Backlog Units	Real Estate
PREMIUM	LEVEL III	KPI File	Company	CTS	Contracted Sales (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	DAP	Deliveries Average Price	Real Estate
PREMIUM	LEVEL III	KPI File	Company	DCF	Cash Available for Distribution Per Unit	Real Estate
PREMIUM	LEVEL III	KPI File	Company	DLU	Deliveries (Number of Units)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	DLV	Deliveries (Monetary Value)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	DVC	Development Costs (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	FOP	Company Defined Funds from Operations (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	FSV	Financial Services Sales	Real Estate
PREMIUM	LEVEL III	KPI File	Company	HSL	Home Sales	Real Estate
PREMIUM	LEVEL III	KPI File	Company	LCH	Launches	Real Estate
PREMIUM	LEVEL III	KPI File	Company	LLS	Land/Lot Sales	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NCR	Net Operating Income Margin (Percent)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NFO	NAREIT Funds From Operations per Share	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NNV	Non-Periodic Net Asset Value (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NOA	New Orders Average Price	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NOI	Net Operating Income (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NOU	New Orders Units	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NOV	New Orders Value	Real Estate
PREMIUM	LEVEL III	KPI File	Company	NPN	Non-Periodic Net Asset Value per Share	Real Estate
PREMIUM	LEVEL III	KPI File	Company	OCR	Occupancy Rate (Percent)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	PMN	Premium to Net Asset Value (Ratio)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	PRN	Price to Net Asset Value (Ratio)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	RSM	Rent Per Square Foot (Non per Share)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	VCR	Vacancy Rate (Percent)	Real Estate
PREMIUM	LEVEL III	KPI File	Company	REE	Restaurant Expense	Restaurants
PREMIUM	LEVEL III	KPI File	Company	DOS	Department Store Sales	Retail
PREMIUM	LEVEL III	KPI File	Company	FLF	Franchise & Licensing Fees	Retail
PREMIUM	LEVEL III	KPI File	Company	FLS	Floor Space	Retail
PREMIUM	LEVEL III	KPI File	Company	NAS	Net Sales per Average Square Foot	Retail
PREMIUM	LEVEL III	KPI File	Company	NOO	Number of Stores Opened (by Total)	Retail
PREMIUM	LEVEL III	KPI File	Company	NOS	Number of Stores(by Total)	Retail

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	Company	NSC	Number of Stores Closed/Relocated	Retail
PREMIUM	LEVEL III	KPI File	Company	POC	Pre-Opening Costs	Retail
PREMIUM	LEVEL III	KPI File	Company	RES	Retails Sales	Retail
PREMIUM	LEVEL III	KPI File	Company	REX	Rent Expense	Retail
PREMIUM	LEVEL III	KPI File	Company	BBR	Book To Bill Ratio	Technology
PREMIUM	LEVEL III	KPI File	Company	BIL	Billings	Technology
PREMIUM	LEVEL III	KPI File	Company	BKG	Bookings	Technology
PREMIUM	LEVEL III	KPI File	Company	GPV	Gross Payment Volume	Technology
PREMIUM	LEVEL III	KPI File	Company	NRV	Net Revenue	Technology
PREMIUM	LEVEL III	KPI File	Company	TAC	Traffic Acquisition Cost	Technology
PREMIUM	LEVEL III	KPI File	Company	TPV	Total Payment Volume	Technology
PREMIUM	LEVEL III	KPI File	Company	ACL	Access Lines	Telecom
PREMIUM	LEVEL III	KPI File	Company	ARP	Average Revenue per Unit	Telecom
PREMIUM	LEVEL III	KPI File	Company	CRN	CHURN (%)	Telecom
PREMIUM	LEVEL III	KPI File	Company	GSA	Gross Subscriber Additions	Telecom
PREMIUM	LEVEL III	KPI File	Company	NSA	Net Subscriber Additions	Telecom
PREMIUM	LEVEL III	KPI File	Company	SAC	Subscribers Acquisition Cost	Telecom
PREMIUM	LEVEL III	KPI File	Company	SUB	Subscribers	Telecom
PREMIUM	LEVEL III	KPI File	Company	CAK	Cargo Available Tonne Kilometers	Transportation
PREMIUM	LEVEL III	KPI File	Company	CFR	Average Container Freight Rate	Transportation
PREMIUM	LEVEL III	KPI File	Company	CRK	Cargo Revenue Yield Per Tonne Kilometers	Transportation
PREMIUM	LEVEL III	KPI File	Company	RCK	Revenue Cargo Tonne Kilometers	Transportation
PREMIUM	LEVEL III	KPI File	Company	TEU	TEUs Handled	Transportation
PREMIUM	LEVEL III	KPI File	Company	TRL	Total Railcar Loads	Transportation
PREMIUM	LEVEL III	KPI File	KPI	RAR	Revenue Per Available Room	Hotels
PREMIUM	LEVEL III	KPI File	KPI	BSA	Net Subscriber Addition (Business Segments)	Media
PREMIUM	LEVEL III	KPI File	KPI	GSA	Net Subscriber Addition (Geographic Segments)	Media
PREMIUM	LEVEL III	KPI File	KPI	BBI	EBIT (Business Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	BBP	EBITDA Reported (Business Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	BBT	EBITDA (Business Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	BPR	Operating Profit (Business Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	BSL	Business Segment Revenue	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	GBI	EBIT (Geographic Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	GBP	EBITDA Reported (Geographic Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	GBT	EBITDA (Geographic Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	GPR	Operating Profit (Geographic Segments)	Non-Industry Specific
PREMIUM	LEVEL III	KPI File	KPI	GSL	Geographic Segment Revenue	Non-Industry Specific

Package	Level (Legacy)	File Location	Measure Type	Measure Abbreviation	Description	Sector
PREMIUM	LEVEL III	KPI File	KPI	SAL	Pharmaceutical Sales	Pharmaceutical and Healthcare
PREMIUM	LEVEL III	KPI File	KPI	SSS	Same Store Sales	Retail

Appendix B: Instrument Type

Code	Instrument Type
A	ADR Security
C	Currency
D	Dual Listing
G	GDR Security
I	Index
M	Multiple share
O	Commodity
S	Security
U	Funds

Appendix C: Forecast Period Indicator

Code	Description
0	Long Term Growth
1	Fiscal Year 1
2	Fiscal Year 2
3	Fiscal Year 3
4	Fiscal Year 4
5	Fiscal Year 5
E	Fiscal Year 6
F	Fiscal Year 7
G	Fiscal Year 8
H	Fiscal Year 9
I	Fiscal Year 10
A	Semi-Annual 1
B	Semi-Annual 2
C	Semi-Annual 3
D	Semi-Annual 4
J	Semi-Annual 5
K	Semi-Annual 6

Code	Description
6	Quarter 1
7	Quarter 2
8	Quarter 3
9	Quarter 4
N	Quarter 5
O	Quarter 6
P	Quarter 7
Q	Quarter 8
R	Quarter 9
S	Quarter 10
T	Quarter 11
L	Quarter 12
U	Fiscal Year without an actual
X	Fiscal Year more than 10 years in the future
Y	Quarter more than 12 quarters in the future
Z	Semi-annual without an actual or more than 6 semi-annual periods in the future

Appendix D: Data Types

Code	Description
D	Decimal Data
N	Numeric Data, fixed format
X	Character Data, any character string

Appendix E: Company Level Footnote Types

Code	Description
3	Earnings on a fully adjusted basis (IFRS)
4	Earnings on a fully reported basis (IFRS)
8	MMMY Estimate reflects FASB APB 14-1
9	MMMY Estimate does not reflect FASB APB 14-1
A	Accounting alert, Free form
C	Accounting alert, Company followed on a cash earnings basis
E	MMMY Estimate reflects adoption of FAS123(R)
F	MMMY Estimate does not reflect adoption of FAS123(R)
G	MMMY Accounting alert, Company earnings before goodwill amortization
I	MMMY Estimates have always reflected adoption of FAS123(R)
K	Company has filed for bankruptcy on [month, day, year]
N	MMMY No known impact from FAS123(R) on estimates
M	Majority Basis includes/excludes...(freeform criteria utilized to define specific accounting scenario of the mean calculation)
W	MMMY Estimates based on IFRS

Appendix F: Currency Units

Code	Currency	Millions/ Billions
AED	U.A.E. Dirham	Millions
AFN	Afghanistan New Afghani	Millions
AMD	Armenian Dram	Millions
ARS	Argentine Peso	Millions
AUD	Australian \$	Millions
AZN	Azerbaijan Manet New	Millions
BAM	Marka (Bosnia)	Millions
BDT	Bangladesh Taka	Millions
BGN	Bulgarian Lev (New)	Millions
BHD	Bahrain Dinar	Millions
BMD	Bermuda Dollar	Millions
BOB	Bolivian boliviano	Millions
BPN	British Pence	Millions
BRL	Brazilian Real	Millions
BSD	Bahamas \$	Millions
BWP	Botswanan Pula	Millions
BYR	Belarus Rouble	Millions
BZD	Belize Dollar	Millions
CAD	Canadian \$	Millions
CDF	Congolese Franc	Millions
CHF	Swiss Franc	Millions
CLP	Chilean Peso	Billions
CNY	China Renminbi	Millions
COP	Colombian Peso	Billions
CRC	Costa Rica Colon	Millions
CZK	Czech Koruna	Millions
DKK	Danish Krone	Millions

Code	Currency	Millions/ Billions
DOP	Dominican Republic peso	Millions
DZD	Algerian Dinar	Millions
EEK	Estonian Kroon	Millions
EGP	Egyptian Pound	Millions
EUR	Euro	Millions
GEL	Georgian Lari	Millions
GHS	Ghanian Cedi New	Millions
GTQ	Guatemala Quetzal	Millions
HKD	Hong Kong \$	Millions
HNL	Honduran Lempira	Millions
HRK	Croatian Kruna	Millions
HUF	Hungarian Forint	Millions
IDR	Indones. Rupiah	Billions
ILS	Israeli Shekel	Millions
INR	Indian Rupee	Millions
IQD	Iraqi Dinar	Millions
IRR	Iranian Rial	Millions
ISK	Icelandic Krona	Millions
JMD	Jamaican Dollar	Millions
JOD	Jordanian Dinar	Millions
JPY	Japanese Yen	Billions
KES	Kenyan Shilling	Millions
KGS	Kyrgyzstani Som	Millions
KRW	S. Korean Won	Billions
KWD	Kuwait Dinar	Millions
KYD	Cayman Island Dollar	Millions
KZT	Kazakhstan Tenge	Millions

Code	Currency	Millions/ Billions
LBP	Lebanese Pound	Millions
LKR	Sri Lanka Rupee	Millions
LTL	Lithuanian Litas	Millions
LVL	Latvian Lat	Millions
LYD	Libyan Dinar	Millions
MAD	Moroccan Dirham	Millions
MDL	Moldovan Leu	Millions
MKD	Macedonian Denar	Millions
MNT	Mongolian Tugrik	Millions
MOP	Macau Pataca	Millions
MUR	Mauritius Rupee	Millions
MXN	Mexican Peso	Millions
MYR	Malays. Ringgit	Millions
NAD	Namibian Dollar	Millions
NGN	Nigerian Naira	Millions
NIO	Nicaragua Cordoba Oro	Millions
NOK	Norwegian Krone	Millions
NZD	New Zealand \$	Millions
OMR	Oman Rial	Millions
PAB	Panama Balboa	Millions
PEN	Peruvian Soles	Millions
PGK	Papua New Guinea Kina	Millions
PHP	Philip. Peso	Millions
PKR	Pakistan Rupee	Millions
PLN	Polish Zloty	Millions
PYG	Paraguay Guarani	Millions
QAR	Qatar Rial	Millions
RON	Romanian Leu New	Millions

Code	Currency	Millions/ Billions
RSD	Serbian Dinar New	Millions
SAR	Saudi Riyal	Millions
SDG	Sudanese Pound	Millions
SEK	Swedish Krona	Millions
SGD	Singapore \$	Millions
SKK	Slovakian Koruna	Millions
SVC	El Salvadorian Colon	Millions
SYR	Syrian Pound	Millions
THB	Thailand Baht	Millions
TJS	Tajik Somoni	Millions
TMM	Turkmenistani Manet	Millions
TND	Tunisian Dinar	Millions
TRY	Turkish Lira New	Millions
TTD	Trinidad and Tobago Dollar	Millions
TWD	Taiwan \$	Millions
UAH	UKRAINE HRYVNIA	Millions
UDT	\$U.S./1000 Shrs	Millions
UGX	Ugandan Shilling New	Millions
USD	U.S. Dollar	Millions
UYU	Uruguayan New Peso	Millions
UZS	Uzbekistani Som	Millions
VEF	Bolivar Fuerte	Millions
VND	Vietnam Dong	Millions
XAF	Cameroon CFA franc	Millions
ZAR	S. African Rand	Millions
ZMW	Zambian kwacha	Millions
ZWD	Zimbabwe Dollar	Millions

Appendix G: I/B/E/S Country and Currency Codes with Start Dates

Region	Country	Country Code	Currency Code	Currency Name	Start
Asia	Australia	AA	AUD	Australian Dollar	Jan-87
	Afghanistan	GA	AFA	Afghanistan Afghani	
	Bangladesh	FB	BDT	Bangladesh Taka	Jul-96
	China	FC	CNY	Chinese Renminbi	Apr-93
	Hong Kong	FH	HKD	Hong Kong Dollar	Jan-87
	India	FI	INR	Indian Rupee	Jan-93
	Indonesia	FL	IDR	Indonesian Rupiah	May-90
	Japan	FJ	JPY	Japanese Yen	Jan-87
	Korea	FK	KRW	South Korean Won	Feb-88
	Macau	GD			
	Malaysia	FM	MYR	Malaysian Ringgit	Jan-87
	Mongolia	GP			
	New Zealand	AN	NZD	New Zealand Dollar	Jan-87
	Pakistan	FQ	PKR	Pakistani Rupee	Jan-93
	Philippines	FP	PHP	Philippine Peso	Apr-87
	Singapore	FS	SGD	Singapore Dollar	Jan-87
	Sri Lanka	BL	LKR	Sri Lankan Rupee	Jan-93

Region	Country	Country Code	Currency Code	Currency Name	Start
	Taiwan	FA	TWD	Taiwan Dollar	Jan-88
	Tajikistan	DW			
	Thailand	FT	THB	Thailand Baht	Sep-87
	Turkmenistan	DT			
	Uzbekistan	DZ	UZS	Uzbekistani Som	Jul-05
	Vietnam	GV	VND	Vietnam Dong	Sep-05
Canada	Canada	NC	CAD	Canadian Dollar	Jan-85
Europe	Austria*	EA	ATS	Austrian Schilling	Jan-87
	Belarus	DI	BYR	Belarus Rouble	
	Belgium*	EB	BEF	Belgian Franc	Jan-87
	Bosnia & Herzegovina	CB	BAM	Bosnian Marka	
	Bulgaria	DB	BGL	Bulgarian Lev	Jan-00
	Croatia	DC	HRK	Croatian Kuna	May-99
	Cyprus	EO	CYP	Cypriot Pound	Sep-02
	Czech Republic	EC	CZK	Czech Koruna	Jun-95
	Denmark	SD	DKK	Danish Krone	Jan-87
	Estonia	DE	EEK	Estonian Kroon	May-98
	Finland*	SF	FIM	Finnish Markka	Jan-87
	France*	EF	FRF	French Franc	Jan-87
	Georgia	DJ			
	German*	ED	DEM	German Deutschmark	Jan-87
	Gibraltar	GI			
	Greece**	EH	GRD	Greek Drachma	Nov-92
	Guernsey	DY	BPN	British Pence	Jul-09
	Hungary	EM	HUF	Hungarian Forint	Jun-95
	Iceland	SI	ISK	Icelandic Krona	Apr-04
	Ireland*	EZ	IPN	Irish Pence	Jan-87
	Isle of Man	EW	BPN	British Pence	Jul-09
	Israel	FZ	ILS	Israeli Shekel	Jun-95
	Italy*	EI	ITL	Italian Lire	Jan-87
	Jersey	EV	BPN	British Pence	Jul-09
	Kazakhstan	DO	KZT	Kazakhstan Tenge	Nov-04
	Kyrgyzstan	DP			
	Latvia	DK	LVL	Latvian Lats	May-98
	Lithuania	DL	LTL	Lithuanian Litas	May-98
	Luxembourg*	EL	LUF	Luxembourg Franc	Jun-92
	Macedonia	DX			
	Malawi	KO			
	Malta	EQ			
	Moldova	DQ			
	Montenegro	CM			
	Netherlands*	EN	NLG	Netherlands Guilder	Jan-87
	Norway	SN	NOK	Norwegian Krone	Jan-87
	Poland	EG	PLN	Polish Zloty	Jun-95
	Portugal*	EP	PTE	Portuguese Escudo	Apr-91
	Romania	EK	RON	Romanian Leu	May-98
	Russia	ER	USD	US Dollar	Aug-97
	Serbia	EJ			
	Slovakia	DR	SKK	Slovak Koruna	Dec-95
	Slovenia	DV	SIT	Slovenian Tolar	May-99
	Spain*	EE	ESP	Spanish Peseta	Jan-87
	Sweden	SS	SEK	Swedish Krona	Jan-87
	Switzerland	ES	CHF	Swiss Franc	Jan-87
	Tunisia	KV	TND	Tunisian Dinar	Oct-05
	Turkey	ET	TRY	Turkish Lira	Dec-91
	Ukraine	DU	UAH	Ukraine Hryvnia	Jan-00

Region	Country	Country Code	Currency Code	Currency Name	Start
KEY:	United Kingdom	EX	BPN	British Pence	Jan-87
	euro-in country*	----	EUR	Euro	Jan-99
	euro-in country**	----	EUR	Euro	Jan-01
Latin America & Caribbean	Argentina	LA	ARS	Argentine Peso	Jul-92
	Belize	MB	BZD	Belize Dollar	
	Brazil	LB	BRL	Brazilian Real (1000 shares)	Jul-92
			USD	US Dollar (1000 shares)	Jul-92
	Bolivia	LD	BOB	Bolivian boliviano	
	Chile	LC	CLP	Chilean Peso	Oct-92
	Colombia	LL	COP	Colombian Peso	Jun-94
	Costa Rica	LO	CRC	Costa Rican Colon	Oct-04
	Dominican Republic	MD			
	Ecuador	LK			
	El Salvador	LS			
	Guatemala	LQ			
	Honduras	LX			
	Marshall Islands	AI	USD	US Dollar	Jul-09
	Mexico	LM	MXN	New Mexican Peso	May-92
	Panama	LR			
	Paraguay	LZ			
	Peru	LP	USD	US Dollar	Jun-94
	Trinidad & Tobago	LT			
	Uruguay	LU			
	Venezuela	LV	VES	Bolivar Fuerte	Jun-94
Middle East/ Africa	Algeria	KC	DZD	Algerian Dinar	
	Armenia	DD	AMD	Armenian Dram	
	Azerbaijan	DH	AZM	Azerbaijan Manet	
	Bahrain	FD	BHD	Bahrain Dinar	Jun-05
	Botswana	KB	BWP	Botswana Pula	Jan-00
	British Virgin Islands	LE	USD	US Dollar	Jul-09
	Cameroon	JC			
	Congo	KY			
	Egypt	KE	EGP	Egyptian Pound	May-99
	Gabon	KG			
	Ghana	KJ	GHC	Ghanaian Cedi	Jan-00
	Iran	FG			
	Iraq	FV			
	Israel	FZ	ILS	Israeli Shekel	Jul-95
	Ivory Coast	KI			
	Jamaica	LJ			
	Jordan	FR	JOD	Jordanian Dinar	May-99
	Kenya	KK	KES	Kenyan Shilling	Jan-00
	Kuwait	FO	KWD	Kuwait Dinar	May-05
	Lebanon	FX	LBN	Lebanese Pound	Jan-00
	Libya	JL			
	Mauritius	KP	MUS	Mauritian Rupee	Jan-00
	Morocco	KM	MAR	Moroccan Dirham	Jan-00
	Namibia	JX	NAD	NAD	Aug-04
	Nicaragua	LY			
	Nigeria	KN	NGN	Nigerian Naira	Jan-00
	Oman	DM	OMR	OMR	Aug-04
	Palestine	GE			

Region	Country	Country Code	Currency Code	Currency Name	Start
	Qatar	GQ	QAR	Qatar Rial	May-05
	Rwanda	JR			
	Saudi Arabia	FW	SAR	Saudi Riyal	May-05
	South Africa	KS	ZAR	South African Rand	Jan-87
	Sudan	KD			
	Syria	FY			
	U.A.E.	FU	AED	U.A.E. Dirham	Jun-05
	Uganda	KU			
	United Republic of Tanzania	KT			
	Zambia	KZ			
	Zimbabwe	KR	ZWD	Zimbabwe Dollar	Jan-00
United States	United States	NA	USD	US Dollar	Jan-76
	Bahamas	BS	BSD	Bahamas Dollar	
	Bermuda	NB	BMD	Bermuda Dollar	Jul-03
	Cayman Islands	LF	KYD	Cayman Islands Dollar	Jul-03
	Papua New Guinea	AP	PGK	Papua New Guinea Kina	Mar-00
	Puerto Rico	NP			

- Currency code is EUR for Euro-in countries.
- Start Date column refers to earliest date of available Summary History.
- Per-share data items, prices, and shares outstanding in British pence, non-per-share data items in British Pounds.

Appendix H: Primary Consolidated Measure List

Note: Please note: There are no Actuals files for Secondary Measures.

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
ABP	XBP	ABPPAR	XBPPAR	N	Average Booking per User
ACG	ZCG	ACGP	ZCGPAR	N	All In production Cost (AISC) – Gold
ACL	XCL	ACLPAR	XCLPAR	N	Access Lines
ACS	ZCS	ACSPAR	ZCSPAR	N	All in production Cost (AISC) – Silver
AFF	SFF	AFFPAR	SFFPAR	N	Adj FFO
AFO	SAF	AFOPAR	SAFPAR	Y	Adjusted Funds From Operations
AMT	SMT	AMTPAR	SMTPAR	N	Amortization
APE	SAE	APEPAR	SAEPAR	N	Annual premium earned
APS	YPS	APSPAR	YPSPAR	N	Average Price (Per Metric Tonne) - Steel
ARP	XRP	ARPPAR	XRPPAR	N	Average Revenue Per Unit/User
ARV	ZRV	ARVPAR	ZRVPAR	N	Advertisement Revenue
ASK	XSK	ASKPAR	XSKPAR	N	Available Seat Kilometers
ASM	XSM	ASMPAR	XSMPAR	N	Available Seat Miles
ASP	XSP	ASPPAR	XSPPAR	N	Average Selling Price/Vehicle Price
ATD	ZTD	ATDPAR	ZTDPAR	N	Attendance
AUM	SUM	AUMPAR	SUMPAR	N	Assets Under Management
BAP	SAP	BAPPAR	SAPPAR	N	Backlog Avg Price
BBR	ZBR	BBRP	ZBRPAR	N	Book to Bill Ratio
BEV	SEV	BEVPAR	SEVPAR	N	Book value on EV basis
BGV	SGV	BGVPAR	SGVPAR	N	Backlog Value
BIL	ZIL	BILPAR	ZILPAR	N	Billings
BKG	ZKG	BKGPAR	ZKGPAR	N	Gross Bookings
BKU	SKU	BKUPAR	SKUPAR	N	Backlog Units
BKV	SKV	BKVPAR	SKVPAR	N	Book Value on GAAP basis
BLB	SLB	BLBP	SLBP	N	Billed Business
BPS	SBP	BPSPAR	SBPPAR	Y	Book Value Per Share
CAK	ZAK	CAKPAR	ZAKPAR	N	Cargo Available Tonne Kilometers
CCC	ZCC	CCCPAR	ZCCPAR	N	Mining Cash Cost Copper
CCE	ZCE	CCEPAR	ZCEPAR	N	Cash & Cash Equivalents
CDT	SDT	CDTPAR	SDTPAR	N	Customer Deposits under Total Deposits
CFC	XFC	CFCPAR	XFCPAR	N	Completion Factor
CFF	ZFC	CFFPAR	ZFCPAR	N	Cash Flow from Financing
CFI	SFI	CFIPAR	SFIPAR	N	Cash Flow from Investing
CFO	SOF	CFOPAR	SOFPAR	N	Cash Flow from Operations
CFR	ZFR	CFRPAR	ZFRPAR	N	Average Container Freight Rate
CGS	XGS	CGSPAR	XGSPAR	N	Cost of Goods sold
CLR	STR	CLRP	STRPAR	N	Catastrophic Loss Ratio

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
CMR	SMR	CMRPAR	SMRPAR	N	Claims ratio
CNC	SCN	CNCPAR	SCNPAR	N	CHEMICALS INCOME
COR	SOR	CORPAR	SORPAR	N	Combined Ratio
CPA	XPA	CPAPAR	XPAPAR	N	Cost per ASM
CPK	ZPK	CPKPAR	ZPKPAR	N	Cost per Click
CPM	ZPM	CPMPAR	ZPMPAR	N	Cost per Mille
CPN	ZPN	CPNPAR	ZPNPAR	N	Car Production
CPS	SCP	CPSPAR	SCPPAR	Y	Cash Flow
CPX	SPX	CPXPAR	SPXPAR	N	Capital Expenditure - CAPEX
CRA	ZRA	CRAPAR	ZRAPAR	N	Current Assets
CRK	ZRK	CRKPAR	ZRKPAR	N	Cargo Revenue Yield Per Tonne Kilometers
CRL	ZRL	CRLPAR	ZRLPAR	N	Current Liabilities
CRN	XRN	CRNPAR	XRNPAR	N	CHURN (%)
CRT	XRT	CRTPAR	XRTPAR	N	Compensation Ratio
CSH	SCS	CSHPAR	SCSPAR	Y	Cash EPS
CSL	SSL	CSLPAR	SSLPAR	N	Consolidated Loss Ratio
CTO	STO	CTOPAR	STOPAR	N	Core Tier 1 Capital
CTS	STS	CTSPAR	STSPAR	N	Contracted Sales
DAP	SDP	DAPPAR	SDPPAR	N	Deliveries Average Price
DAR	YAR	DARPAR	YARPAR	N	Daily Active Users
DCF	SCF	DCFPAR	SCFPAR	Y	Distributable Cash Flow Per Unit
DFF	XFD	DFFPAR	XFDPAR	N	Distributable CashFlow Aggregate
DFR	XFR	DFRPAR	XFRPAR	N	Current Deferred Revenue
DLU	SLU	DLUPAR	SLUPAR	N	Deliveries Units
DLV	SLV	DLVPAR	SLVPAR	N	Deliveries Value
DOS	SOS	DOSPAR	SOSPAR	N	Department store sales
DPA	SDA	DPAPAR	SDAPAR	N	Depreciation & Amortization
DPR	SDC	DPRPAR	SDCPAR	N	Depreciation
DPS	NULL	NULL	NULL	Y	Dividend Per Share
DSF	SDF	DSFPAR	SDFPAR	N	Discount Fees
DVC	SVC	DVCPAR	SVCPAR	N	Development Costs
DWI	SWI	DWIPAR	SWIPAR	N	Downstream Income
EBA	SBA	EBAPAR	SBAPAR	N	EBITA
EBG	SBG	EBGPAR	SBGPAR	Y	Earnings Before Goodwill
EBI	SBI	EBIPAR	SBIPAR	N	EARNINGS BEFORE INTEREST AND TAXES
EBP	SPP	EBPPAR	SPPPAR	N	EBITDA Reported
EBR	SBR	EBRPAR	SBRPAR	N	EBITDAR
EBS	SEB	EBSPAR	SEBPAPAR	Y	EBITDA Per Share
EBT	SBT	EBTPAR	SBTPAR	N	Earnings Before Interest Taxes and Depreciation
EBV	SMV	EBVPAR	SMVPAR	N	Embedded value

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
EBX	SBX	EBXPAR	SBXPAR	N	EBITDAX
EFR	SFR	EFRPAR	SFRPAR	N	Efficiency Ratio
ENT	SNT	ENTPAR	SNTPAR	N	Enterprise Value
EPS	SEP	EPSPAR	SEPPAR	Y	Earnings Per Share
EPX	NULL	NULL	NULL	Y	Alternate Earnings per Share
EVO	SVO	EVOPAR	SVOPAR	N	EV Operating Profit
EXP	SXP	EXPPAR	SXPPAR	N	EXPLORATION EXPENSE
EXR	SXT	EXRPAR	SXTPAR	N	Expense ratio
FCD	ZCD	FCDPAR	ZCDPAR	N	Franking Credits
FCF	SFC	FCFPAR	SFCPAR	Y	Free Cash Flow Per share
FCI	SCI	FCIPAR	SCIPAR	N	Fees & Commissions Income
FFO	SFO	FFOPAR	SFOPAR	Y	Funds From Operations per share
FLF	ZLF	FLFPAR	ZLFPAR	N	Franchise & Licensing Income/Fees
FLS	SFS	FLSPAR	SFSPAR	N	Floor space
FOP	SFP	FOPPAR	SFPPAR	N	Funds From Operations
FRC	SRC	FRCPAR	SRCPAR	N	Free Cash Flow
FSV	SSV	FSVPAR	SSVPAR	N	Financial Services
GAE	XAE	GAEPAR	XAEPAR	N	General and Admin Expense
GCX	ZCX	GCXPAR	ZCXPAR	N	Growth Capex
GEP	ZGM	GEPPAR	ZGMPAR	N	Gross earned premiums
GMV	ZMV	GMVPAR	ZMVPAR	N	Gross Merchandise Value
GPD	SGD	GPDPAR	SGDPAR	N	Gas Production Per Day
GPS	SGP	GPSPAR	SGPPAR	Y	As Reported EPS
GPV	XPV	GPVPAR	XPVPAR	N	Gross Payment Volume
GPW	SPW	GPWPAR	SPWPAR	N	Gross Premiums Written
GRI	SGI	GRIPAR	SGIPAR	N	Gross Income
GRM	SGM	GRMPAR	SGMPAR	N	Gross Profit Margin
GSA	XGA	GSAPAR	XGAPAR	N	Gross Subscriber Additions
GWL	SWL	GWLPAR	SWLPAR	N	Goodwill
GWN	XWN	GWNPAR	XWNPAR	N	Gross Win
HSL	SHS	HSLPAR	SHSPAR	N	Home Sales
IBV	SIB	IBVPAR	SIBPAR	N	Intangible Book Value
INE	SNE	INEPAR	SNEPAR	N	Interest Expense
INV	ZNV	INVPAR	ZNVPAR	N	Inventory
ITX	STX	ITXPAR	STXPAR	N	Income Taxes Paid
LCH	SCH	LCHPAR	SCHPAR	N	Launches
LLP	SLP	LLPPAR	SLPPAR	N	Loan Loss Provisions
LLS	SLS	LLSPAR	SLSPAR	N	Land/Lot Sales
LMP	ZMP	LMPPAR	ZMPPAR	N	Lead Metal Processing Production
LNS	SNS	LNSPAR	SNSPAR	N	Loans
LOE	ZOE	LOEPAR	ZOEPAR	N	Lease Operating Expense

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
LTR	ZTR	LTRPAR	ZTRPAR	N	Long-Term Deferred Revenue
LVS	ZVS	LVSPAR	ZVSPAR	N	Light Vehicle Sales
MAU	XAU	MAUPAR	XAUPAR	N	Monthly Active Users
MCC	XCC	MCCPAR	XCCPAR	N	Mining Cash Cost (oz) - Total
MCG	XCG	MCGPAR	XCGPAR	N	Mining Cash Cost (oz) - Gold
MCP	YCP	MCPPAR	YCPPAR	N	Mining Cash Cost (oz) - Platinum
MCS	XCS	MCSPAR	XCSPAR	N	Mining Cash Cost (oz) - Silver
MCX	SCX	MCXPAR	SCXPAR	N	Maintainance Capex
MLR	SLR	MLRPAR	SLRPAR	N	Medical Loss Ratio
MME	SME	MMEPAR	SMEPAR	N	Membership enrollment
MNC	SMN	MNCPAR	SMNPAR	N	MARKETING INCOME
MOS	ZOS	MOSPAR	ZOSPAR	N	Motorcycle Shipments
MPG	YPG	MPGPAP	YPGPAP	N	Mining Production (oz) - Gold
MPP	ZPP	MPPPAR	ZPPPAR	N	Mining Production (oz) - Platinum
MPS	XPS	MPSPAR	XPSPAR	N	Mining Production (oz) - Silver
MUP	XUP	MUPPAR	XUPPAR	N	Monthly Unique Payers
MUU	XUU	MUUPAR	XUUPAR	N	Monthly Unique Users
NAL	SNL	NALPAR	SNLPAR	N	Net Charge-offs/Average Loans
NAS	SSP	NASPAR	SSPPAR	N	Net Sales per Average Square Foot
NAV	SAV	NAVPAR	SAVPAR	N	Net Assets Value
NCR	SCR	NCRPAR	SCRPAR	N	NOI Margin
NDT	SND	NDTPAR	SNDPAR	N	Net Debt
NER	SER	NERPAR	SERPAR	N	Reported net profit
NET	SNI	NETPAR	SNIPAR	N	Net Income
NEV	SNV	NEVPAR	SNVPAR	N	Net income on EV basis
NFO	SNF	NFOPAR	SNFPAR	Y	NAREIT FFO
NGL	SGL	NGLPAR	SGLPAR	N	Net gains/losses
NIE	SIE	NIEPAR	SIEPAR	N	Non-Interest Expense
NII	SII	NIIPAR	SIIPAR	N	Net Interest Income
NIM	SIM	NIMPAR	SIMPAR	N	Net Interest Margin
NIR	STI	NIRPAR	STIPAR	N	Total non-interest Revenue
NIS	SIS	NISPAR	SISPAR	N	Net Interest Spread
NIT	SIT	NITPAR	SITPAR	N	Net Investment Income
NMV	XMV	NMVPAR	XMVPAR	N	Net Merchandise Value
NNM	SNM	NNMPAR	SNMPAR	N	Net New Money/Assets
NNV	ZAV	NNVPAR	ZAVPAR	N	Non-Periodic NAV
NOA	SNO	NOAPAR	SNOPAR	N	New Orders Average Price
NOD	ZOD	NODPAR	ZODPAR	N	Number of doctors
NOI	SOI	NOIPAR	SOIPAR	N	Net Operating Income
NOO	SOO	NOOPAR	SOOPAR	N	Number of Stores Opened

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
NOS	SNN	NOSPAR	SNNPAR	N	Number of Stores
NOU	SOU	NOUPAR	SOUPAR	N	New Orders Units
NOV	SOV	NOVPAR	SOVPAR	N	New Orders
NPA	SPA	NPAPAR	SPAPAR	N	Non-Performing Assets
NPE	SPE	NPEPAR	SPEPAR	N	Net Premiums Earned
NPL	SPL	NPLPAR	SPLPAR	N	Non-Performing Loans
NPN	SPN	NPNPAR	SPNPAR	Y	Non-Periodic NAV per share
NPP	SNP	NPPPAR	SNPPAR	N	NGL Production Per Day
NPS	SPS	NPSPAR	SPSPAR	Y	NAV per Share
NPW	SNW	NPWPAR	SNWPAR	N	Net Premiums Written
NRI	SRU	NRIPAR	SRUPAR	N	Non-recurring items
NRV	SRV	NRVPAR	SRVPAR	N	Net Revenue
NSA	XNA	NSAPAR	XNAPAR	N	Net Subscriber Additions
NSC	SSC	NSCPAR	SSCPAR	N	Number of Stores Closed/Relocated
NSO	SSO	NSOPAR	SSOPAR	N	Number of Shares Outstanding
NWC	SWC	NWCPAR	SWCPAR	N	Net Working Capital
OCR	SUR	OCRPAR	SURPAR	N	Occupancy Rate
OEA	XEA	OEAPAR	XEAPAR	N	Cost per ASK
OPD	SOD	OPDPAR	SODPAR	N	Oil Production Per Day
OPE	ZPX	OPEPAR	ZPXPAR	N	Operating Expense
OPR	SOP	OPRPAR	SOPPAR	N	Operating Profit
OPU	XPU	OPUPAR	XPUPAR	N	OPEX Per Unit
ORE	SRE	OREPAR	SREPAR	N	OREO Expenses
OSG	XSG	OSGPAR	XSGPAR	N	Organic Sales Growth
PEX	ZEX	PEXPAR	ZEXPAR	N	Production Expense
PLF	XLF	PLFPAR	XLFPAR	N	Passenger Load Factor
PMN	SPM	PMNPAR	SPMPAR	N	Premium/NAV
POC	AOE	POCPAR	AOEPAR	N	Pre-Opening Expenses
PRA	XRA	PRAPAR	XRAPAR	N	Revenue per ASK
PRE	SPR	PREPAR	SPRPAR	N	Pretax Profit
PRK	XRK	PRKPAR	XRKPAR	N	Revenue per ASM
PRN	SPV	PRNPAR	SPVPAR	N	Price/NAV
PRR	SRR	PRRPAR	SRRPAR	N	Reported Pre tax profit
PSR	SSR	PSRPAR	SSRPAR	N	Price/Sales Ratio
PTX	ZTX	PTXPAR	ZTXPAR	N	Production Tax
PVR	XVR	PVRPAR	XVRPAR	N	1P Proved Reserves
RCK	ZCK	RCKPAR	ZCKPAR	N	Revenue Cargo Tonne Kilometers
RDE	SDE	RDEPAR	SDEPAR	N	R&D Expense
REE	ZEE	REEPAR	ZEEPARE	N	Restaurant Expense
RES	SES	RESPAR	SESPAR	N	Retail/Restaurant Sales
REX	SRX	REXPARE	SRXPARE	N	Rent Expense

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
RGO	ZGO	RGOPAR	ZGOPAR	N	Realized Price - Gold
RIC	SIC	RICPAR	SICPAR	N	Return on Invested Capital
RNA	SNA	RNAPAR	SNAPAR	N	Return on Net Operating Assets
RNC	SRN	RNCPAR	SRNPAR	N	REFINING INCOME
ROA	SOA	ROAPAR	SOAPAR	N	Return on Assets
ROC	SOC	ROCPAR	SOCPAR	N	Return on Capital Employed
ROE	SOE	ROEPAR	SOEPAR	N	Return on Equity
RPC	ZPC	RPCPAR	ZPCPAR	N	Realized Price - Copper
RPG	ZPG	RPGPAR	ZPGPAR	N	Realized Price - Gas
RPK	XPK	RPKPAR	XPKPAR	N	Revenue Passenger Kilometers
RPM	XPM	RPMPAR	XPMPAR	N	Revenue Passenger Miles
RPO	ZPO	RPOPAR	ZPOPAR	N	Realized Price - Oil
RPP	XPP	RPPPAR	XPPPAR	N	Revenue per RPM
RPS	ZPS	RPSPAR	ZPSPAR	N	Realized Price - Silver
RSM	SSM	RSMPAR	SSMPAR	N	Rent per Square Foot
RTR	XTR	RTRPAR	XTRPAR	N	Revenue per RPK
RWA	SWA	RWAPAR	SWAPAR	N	Risk Weighted Assets
RZG	SZG	RZGPAR	SZGPAR	N	Realized Gains/Losses
RZP	SZP	RZPPAR	SZPPAR	N	Realized Prices (BOE)
SAC	ZSC	SACPAR	ZSCPAR	N	Subscriber Acquisition Cost (SAC)
SAL	SSA	SALPAR	SSAPAR	N	Sales
SBC	ZBC	SBCPAR	ZBCPAR	N	Stock Based Compensation
SGE	ZGE	SGEPAR	ZGEPAR	N	SG&A Expense
SHE	ZHE	SHEPAR	ZHEPAR	N	Shareholders Equity
SID	ZID	SIDPAR	ZIDPAR	N	Securities in Issue under Total Deposits
SLM	ZLM	SLMPAR	ZLMPAR	N	Solvency Margin
SMK	XMK	SMKPAR	XMKPAR	N	Selling & Marketing Expense
SUB	XUB	SUBPAR	XUBPAR	N	Subscribers/No of Users
TAC	ZTC	TACPAR	ZTCPAR	N	Traffic Acquisition Cost
TAS	SAS	TASPAR	SASPAR	N	Total Assets
TBV	SBV	TBVPAR	SBVPAR	Y	Tangible Book Value Per Share
TCE	SCE	TCEPAR	SCEPAR	N	Total Compensation Expense/Restaurant Labour
TCO	SCO	TCOPAR	SCOPAR	N	Tier 1 Capital Ratio
TDI	SDI	TDIPAR	SDIPAR	N	Trading Income
TDO	SDO	TDOPAR	SDOPAR	N	Total Deposits
TDT	ZDT	TDTPAR	ZDTPAR	N	Total Debt
TDV	NULL	NULL	NULL	N	Total Dividends
TEU	XEU	TEUPAR	XEUPAR	N	TEUs Handled
TIN	SIN	TINPAR	SINPAR	N	Total Income
TMP	XMP	TMPPAR	XMPPAR	N	Mining Production (oz) - Total

Primary	Secondary	Primary_par	Secondary_par	Per Share	Measure_desc
TNB	STB	TNBPAR	STBPAR	N	Tangible Book Value
TOC	ZOC	TOCPAR	ZOCPAR	N	Total Production - Copper (Weight)
TPC	TPT	TPCPAR	TPTPAR	N	Total Production - Total
TPD	SPD	TPDPAR	SPDPAR	N	Total Production Per Day (in BOE)
TPG	XPG	TPGPAR	XPGPAR	N	Total Production - Gas
TPI	SPI	TPIPAR	SPIPAR	N	Throughput Info
TPN	XPB	TPNPAR	XPBPAR	N	Total Production - NGL
TPO	XPO	TPOPAR	XPOPAR	N	Total Production - Oil
TPP	STP	TPPPAR	STPPAR	N	Total Production Per Day
TPV	ZPV	TPVPAR	ZPVPAR	N	Total Payment Volume
TRI	SRI	TRIPAR	SRIPAR	N	Total Revenues net of interest expense
TRL	XRL	TRLPAR	XRLPAR	N	Total Railcar Loads
TSE	ZSE	TSEPAR	ZSEPAR	N	Total Silver Equivalent Production (Weight)
TXP	STN	TXPPAR	STNPAR	N	Tax Provision
TXR	SXR	TXRPAR	SXRPAR	N	Tax Rate
UPI	SUP	UPIPAR	SUPPAR	N	Upstream Income
USS	ZSS	USSPAR	ZSSPAR	N	Unit Sales - Steel
VCR	SVR	VCRPAR	SVRPAR	N	Vacancy Rate
VNB	SNB	VNBPAR	SNBPAR	N	Value of new business
GEBI	N/A	N/A	N/A	N	EBIT (Geographic Segments)
BEBI	N/A	N/A	N/A	N	EBIT (Business Segments)
GEBT	N/A	N/A	N/A	N	EBITDA (Geographic Segments)
BEBT	N/A	N/A	N/A	N	EBITDA (Business Segments)
GEBP	N/A	N/A	N/A	N	EBITDA Reported (Geographic Segments)
BEBP	N/A	N/A	N/A	N	EBITDA Reported (Business Segments)
GNSA	N/A	N/A	N/A	N	Segment Net Subscriber Addition (Geographic Segments)
BNSA	N/A	N/A	N/A	N	Segment Net Subscriber Addition (Business Segments)
GOPR	N/A	N/A	N/A	N	Operating Profit (Geographic Segments)
BOPR	N/A	N/A	N/A	N	Operating Profit (Business Segments)
RAR	N/A	N/A	N/A	N	Revenue per Available Room
BSL	N/A	N/A	N/A	N	Revenue-Business Segment
GSL	N/A	N/A	N/A	N	Revenue-Geographical Segment
SAL*	N/A	N/A	N/A	N	Pharmaceutical Sales
UNT	N/A	N/A	N/A	N	Unit Sales
SSS	N/A	N/A	N/A	N	Same Store Sales

Appendix I: Glossary

Term	Definition
Adjustment Factor	Cumulative factor that has been applied to historical data to adjust for splits and capitalization changes.
Analyst	Person at the sell-side institution or contributing analyst making the forecast.
Analyst Code	Numeric code matched to each contributing analyst.
Activation Date (YYMMDD)	Date that the forecast/actual was recorded by Refinitiv.
Activation Time	Time that the forecast/actual was recorded by Refinitiv.
Announce Date (YYMMDD)	Date that the forecast/actual was sourced and inserted into the database
Announce Time	Time that the forecast/actual was sourced and inserted into the database
Announce Split Date	Effective split date on the Refinitiv database.
Announce Stop Date	Effective stop date of an estimate in the Refinitiv database.
Cumulative Adjustment Factor	Adjustment factors multiplied together.
Currency	3-CHAR abbreviation indicating denomination of estimate data.
Canadian Currency or Parent/Consolidated Flag	The flag has different usages in the US and non-US file. Its purpose for Canadian companies is to mark the companies whose currency is Canadian. For non-US companies it is a way to differentiate between companies reporting on a parent or consolidated basis.
CUSIP/SEDOL	CUSIPs and SEDOLs are unique alphanumeric identifiers for individual securities. Refinitiv uses the first 8 digits for each CUSIP, and Country Code followed by the first 6 digits of SEDOLs in its database.
Dilution Factor	Numeric factor used to convert non-conforming forecasts to Street convention when dilutive issues exist.
Estimator Code	Numeric code matched to each contributing estimator.
Estimator Name	Full name for each contributing estimator.
Estimator	Sell-side institution or contributor making the forecast.
Exchange Rate	Exchange rate used for currency conversions
Forecast Period Indicator	Each fiscal period (FY1, FY2, Q1, etc.) is given a numeric value. This allows for company comparison regardless of FY end. FY year-end can be cross-referenced through the Forecast Period End Date. (Please refer to Appendix).
Forecast Period End Date	Fiscal period's end date format, for which the measure/periodicity applies.
Group Abbreviation	Coded abbreviation of Group Name.
Group Name	Tertiary division based on business activity.
I/B/E/S Ticker	Unique Refinitiv identifier that allows the user to link companies over time regardless of ownership changes.
Industry Abbreviation	Abbreviation for Industry Name.
Industry Name	Secondary division based on business activity.
Measure	Data type indicator or kind of estimate being represented. Examples of measure are EPS, CPS, DPS, etc.
MSCIP Flag	Indicator for companies in the Morgan Stanley Capital International Perspective. This field is no longer used.
Official Ticker	Official trading ticker of company (limited to first four digits).

Term	Definition
Parent/Consolidated Flag	Indicates whether earnings forecasts are provided on a Parent or Consolidated basis.
Periodicity	Frequency by which a measure is recorded. Examples of periodicity are ANN, QTR, SAN, LTG. (Please refer to Appendix).
Primary/Diluted Indicator (Company Level)	Indicates whether the company is followed on a primary or diluted basis.
Primary/Diluted Flag	Indicates whether an individual estimate was received on a Primary basis. In cases where the estimate level (Estimate Level) flag differs from the company level flag, the data has been converted.
Review Date (YYMMDD)	Most recent date that an estimate was confirmed as accurate.
Review Time	Most recent time that an estimate was confirmed as accurate.
Sector Abbreviation	Coded abbreviation for Sector Name.
Sector Name	Primary division based upon business activity.
Start date (YYMMDD)	Date when variable first appeared in the Refinitiv database.
Uniform Actuals	Indicator Toggle flag indicating analysts' agreement regarding latest reported earnings. This field is no longer used.
Value	Value of the forecast or another name for an Estimate.