CSS Specificity

with Plankton, Fish and Sharks

`*` universal selector 0 - 0 - 0	`div` 1 element 0 - 0 - 1	`body div ... ul li p a` 14 elements 0 - 0 - 14	`.myClass`  1 class 0 - 1 - 0
`*.myClass`  1 universal selector 1 class 0 - 1 - 0	`*[type=checkbox]`  1 universal selector 1 attribute selector 0 - 1 - 0	`:only-of-type`  1 pseudo-class 0 - 1 - 0	`li.myClass`  1 element 1 class 0 - 1 - 1
`li[attr]`  1 element 1 attribute 0 - 1 - 1	`li:first-child`  1 element 1 pseudo-class 0 - 1 - 1	`form input[type=email]` 2 elements 1 pseudo-class 0 - 1 - 2	`li.class:nth-of-type(3n)`  1 element 1 class 1 pseudo-class 0 - 2 - 1
			`.cl:nth-child(odd) .chk[type] ...`  10 class/attribute/ pseudo-classes 0 - 10 - 0
`#myDiv li.class a[href]`  1 ID Selector 1 - 0 - 0	`#myDiv li.class a[href]`  2 types 2 class/attribute 1 ID Selector 1 - 2 - 2	`#divitis #myDiv`  2 ID Selectors 2 - 0 - 0	`#divitis #myDiv a`  2 ID Selectors 1 type selector 2 - 0 - 1

X-0-0: The number of ID selectors in the selector

0-Y-0: The number of class selectors, attributes selectors, and pseudo-classes in the selector

0-0-Z: The number of type selectors and pseudo-elements in the selector

*: The universal selector has no value

Copyright 2012

Estelle Weyl * @estellevw * www.standardista.com