

DATABASE SYSTEM ENGINEERING AND DISTRIBUTED BACKEND DEVELOPMENT


SKILL SESSION 4 — LAB RECORD

Student Name	Hansika Reddy Gunapati
Roll Number	2520030237
Section	7
Course	Database System Engineering and Distributed Backend Development (25CS1302E)
Experiment Title	Bank Transaction Management Using MongoDB Atlas Data Explorer
Platform	MongoDB Atlas — Data Explorer
Database	bankdb

3. Procedure

STEP 1: Create the Database and First Collection

Database Name : bankdb
Collection Name : customers



Step 2: Insert Customer Data (8 Documents)

Open bankdb → customers → Documents. Click Add Data → Insert Document. Insert each of the following JSON documents one at a time, then click Insert.

```
{ "customer_id": 101, "name": "Ravi Kumar", "city": "Hyderabad",  
  "account_type": "Savings", "balance": 85000, "status": "Active" }  
  
{ "customer_id": 102, "name": "Priya Sharma", "city": "Vijayawada",  
  "account_type": "Current", "balance": 125000, "status": "Active" }  
  
{ "customer_id": 103, "name": "Arjun Reddy", "city": "Hyderabad",  
  "account_type": "Savings", "balance": 45000, "status": "Active" }  
  
{ "customer_id": 104, "name": "Sneha Rao", "city": "Warangal",  
  "account_type": "Savings", "balance": 210000, "status": "Active" }  
  
{ "customer_id": 105, "name": "Kiran Kumar", "city": "Guntur",  
  "account_type": "Current", "balance": 65000, "status": "Inactive" }  
  
{ "customer_id": 106, "name": "Anjali Singh", "city": "Hyderabad",  
  "account_type": "Savings", "balance": 175000, "status": "Active" }  
  
{ "customer_id": 107, "name": "Rahul Verma", "city": "Bengaluru",  
  "account_type": "Current", "balance": 95000, "status": "Active" }  
  
{ "customer_id": 108, "name": "Meena Devi", "city": "Chennai",  
  "account_type": "Savings", "balance": 320000, "status": "Active" }
```

The screenshot displays the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar shows the hierarchy: Organization (GUNAPATI HANSIKA...), Project (Project 0), Cluster (Cluster0), and Database (bankdb). The 'customers' collection is selected. The main panel shows the 'customers' collection with 8 documents. The 'Documents' tab is active, displaying a table of documents. The table has columns: _id, customer_id, name, city, account_type, and balance. The documents are numbered 1 through 8, corresponding to the JSON documents provided in the previous block. The 'account_type' column for document 5 is highlighted as 'Savings'.

	_id	customer_id	name	city	account_type	balance
1	ObjectId('6a7c3854ecfb073...')	101	Ravi Kumar	Hyderabad	Savings	85000
2	ObjectId('6a7c3881ecfb073...')	102	Priya Sharma	Vijayawada	Current	125000
3	ObjectId('6a7c3899ecfb073...')	103	Arjun Reddy	Hyderabad	Savings	45000
4	ObjectId('6a7c38d9ecfb073...')	104	Sneha Rao	Warangal	Savings	210000
5	ObjectId('6a7c38fbecfb073...')	105	Kiran Kumar	Guntur	Current	65000
6	ObjectId('6a7c3914ecfb073...')	106	Anjali Singh	Hyderabad	Savings	175000
7	ObjectId('6a7c3925ecfb073...')	107	Rahul Verma	Bengaluru	Current	95000
8	ObjectId('6a7c3934ecfb073...')	108	Meena Devi	Chennai	Savings	320000

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

bankdb

customers

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchema

Type a query: { field: 'value' }

ADD DATA BULK EXPORT CODE

{

_id: {},

customer_id: 101,

name: "Ravi Kumar",

city: "Hyderabad",

account_type: "Savings",

balance: 85000,

status: "Active"

}

▶

{

_id: {},

customer_id: 102,

name: "Priya Sharma",

city: "Vijayawada",

account_type: "Current",

balance: 125000,

status: "Active"

}

▶

{

_id: {},

customer_id: 103,

name: "Arjun Reddy",

city: "Hyderabad",

account_type: "Savings",

balance: 45000,

status: "Active"

}

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

bankdb

customers

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchemaIndex

Type a query: { field: 'value' } or { field: 'value' }

ADD DATA BULK EXPORT CODE

{

_id: {},

customer_id: 104,

name: "Sneha Rao",

city: "Warangal",

account_type: "Savings",

balance: 210000,

status: "Active"

}

▶

{

_id: {},

customer_id: 105,

name: "Kiran Kumar",

city: "Guntur",

account_type: "Current",

balance: 65000,

status: "Inactive"

}

▶

{

_id: {},

customer_id: 106,

name: "Anjali Singh",

city: "Hyderabad",

account_type: "Savings",

balance: 175000,

status: "Active"

}

```
▼ {
  ▶ {
    "_id": {...},
    "customer_id": 107,
    "name": "Rahul Verma",
    "city": "Bengaluru",
    "account_type": "Current",
    "balance": 95000,
    "status": "Active"
  }
}
```

```
▶ {
  ▶ {
    "_id": {...},
    "customer_id": 108,
    "name": "Meena Devi",
    "city": "Chennai",
    "account_type": "Savings",
    "balance": 320000,
    "status": "Active"
  }
}
```

Step 3 : Insert Transaction Data (15 Documents)

Open bankdb → transactions → Documents. Click Add Data → Insert Document. Insert each transaction JSON one at a time.

```
{ "transaction_id": 1001, "customer_id": 101, "type": "Deposit",
  "amount": 25000, "mode": "UPI", "date": "2026-08-01", "status": "Success" }

{ "transaction_id": 1002, "customer_id": 101, "type": "Withdrawal",
  "amount": 10000, "mode": "ATM", "date": "2026-08-02", "status": "Success" }

{ "transaction_id": 1003, "customer_id": 102, "type": "Deposit",
  "amount": 50000, "mode": "NEFT", "date": "2026-08-02", "status": "Success" }

{ "transaction_id": 1004, "customer_id": 102, "type": "Withdrawal",
  "amount": 15000, "mode": "ATM", "date": "2026-08-03", "status": "Success" }

{ "transaction_id": 1005, "customer_id": 103, "type": "Deposit",
  "amount": 30000, "mode": "UPI", "date": "2026-08-03", "status": "Success" }

{ "transaction_id": 1006, "customer_id": 103, "type": "Withdrawal",
  "amount": 5000, "mode": "ATM", "date": "2026-08-04", "status": "Success" }

{ "transaction_id": 1007, "customer_id": 104, "type": "Deposit",
  "amount": 100000, "mode": "NEFT", "date": "2026-08-04", "status": "Success" }

{ "transaction_id": 1008, "customer_id": 104, "type": "Withdrawal",
  "amount": 25000, "mode": "ATM", "date": "2026-08-05", "status": "Success" }

{ "transaction_id": 1009, "customer_id": 105, "type": "Deposit",
```

```

    "amount": 15000, "mode": "UPI", "date": "2026-08-05", "status": "Success" }

{ "transaction_id": 1010, "customer_id": 106, "type": "Deposit",
  "amount": 75000, "mode": "NEFT", "date": "2026-08-06", "status": "Success" }

{ "transaction_id": 1011, "customer_id": 106, "type": "Withdrawal",
  "amount": 20000, "mode": "ATM", "date": "2026-08-06", "status": "Success" }

{ "transaction_id": 1012, "customer_id": 107, "type": "Deposit",
  "amount": 40000, "mode": "IMPS", "date": "2026-08-07", "status": "Success" }

{ "transaction_id": 1013, "customer_id": 107, "type": "Withdrawal",
  "amount": 12000, "mode": "ATM", "date": "2026-08-07", "status": "Success" }

{ "transaction_id": 1014, "customer_id": 108, "type": "Deposit",
  "amount": 150000, "mode": "NEFT", "date": "2026-08-08", "status": "Success" }

{ "transaction_id": 1015, "customer_id": 108, "type": "Withdrawal",
  "amount": 30000, "mode": "ATM", "date": "2026-08-08", "status": "Success" }

```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

bankdb customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1

Type a query: { field: 'value' } or [Generate](#)

ADD DATA BULK EXPORT CODE

```

{
  "_id": {},
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success"
}

{
  "_id": {},
  "transaction_id": 1002,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2026-08-02",
  "status": "Success"
}

{
  "_id": {},
  "transaction_id": 1003,
  "customer_id": 102,
  "type": "Deposit",
  "amount": 50000,
  "mode": "NEFT",
  "date": "2026-08-02",
  "status": "Success"
}

```

ORGANIZATION

GUNAPATI HANSIKA... ▼

PROJECT

Project 0 ▼

Data Explorer

{ } My Queries

⚙ Data Modeling

CLUSTERS (1)

▼ Cluster0

▶  admin▼  bankdb

▶ customers

▶ transactions ...

▶  local▶  sample_mflix bankdb

▶ customers

▶ transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema



+ ADD DATA ▼

 BULK ▼

</> EXPORT CO

```
{
  "_id": {...},
  "transaction_id": 1006,
  "customer_id": 103,
  "type": "Withdrawal",
  "amount": 5000,
  "mode": "ATM",
  "date": "2026-08-04",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1007,
  "customer_id": 104,
  "type": "Deposit",
  "amount": 100000,
  "mode": "NEFT",
  "date": "2026-08-04",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1008,
  "customer_id": 104,
  "type": "Withdrawal",
  "amount": 25000,
  "mode": "ATM",
  "date": "2026-08-05",
  "status": "Success"
}
```

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

bankdb

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes

Type a query: { field: 'value' } or [Generate](#)

+ ADD DATA

BULK

EXPORT CODE

```
{
  "date": "2026-08-05",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1009,
  "customer_id": 105,
  "type": "Deposit",
  "amount": 15000,
  "mode": "UPI",
  "date": "2026-08-05",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1010,
  "customer_id": 106,
  "type": "Deposit",
  "amount": 75000,
  "mode": "NEFT",
  "date": "2026-08-06",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1011,
  "customer_id": 106,
  "type": "Withdrawal",
  "amount": 20000,
  "mode": "ATM",
  "date": "2026-08-06",
  "status": "Success"
}
```

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - local
 - sample_mflix

transactions



Cluster0 > bankdb > transactions

Documents

15

Aggregations

Schem



Type a query: { field: 'valu

+ ADD DATA

BULK

EXPORT

```
{
  "_id": {...},
  "transaction_id": 1010,
  "customer_id": 106,
  "type": "Deposit",
  "amount": 75000,
  "mode": "NEFT",
  "date": "2026-08-06",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1011,
  "customer_id": 106,
  "type": "Withdrawal",
  "amount": 20000,
  "mode": "ATM",
  "date": "2026-08-06",
  "status": "Success"
}
```

```
{
  "_id": {...},
  "transaction_id": 1012,
  "customer_id": 107,
  "type": "Deposit",
  "amount": 40000,
  "mode": "IMPS",
  "date": "2026-08-07",
  "status": "Success"
}
```


ORGANIZATION

GUNAPATI HANSIKA... ▾

PROJECT

Project 0 ▾

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

▼ Cluster0

- ▶ 🗄 admin
- ▶ 🗄 bankdb
- ▶ 🗄 local
- ▶ 🗄 sample_mflix

📁 transactions +

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema



+ ADD DATA ▾

📄 BULK ▾

🔗 EXPORT CC

`"status": "Success"`

}

```
▼ {
  ▶ "_id": {...},
    "transaction_id": 1013,
    "customer_id": 107,
    "type": "Withdrawal",
    "amount": 12000,
    "mode": "ATM",
    "date": "2026-08-07",
    "status": "Success"
}
```

```
▶ ▼ {
  ▶ "_id": {...},
    "transaction_id": 1014,
    "customer_id": 108,
    "type": "Deposit",
    "amount": 150000,
    "mode": "NEFT",
    "date": "2026-08-08",
    "status": "Success"
}
```

```
▼ {
  ▶ "_id": {...},
    "transaction_id": 1015,
    "customer_id": 108,
    "type": "Withdrawal",
    "amount": 30000,
    "mode": "ATM",
    "date": "2026-08-08",
    "status": "Success"
}
```

	Object Id	customer_id	transaction_id	type	amount	mode	date	
1	ObjectId('6a7c3accecfb073...	1001	101	"Deposit"	25000	"UPI"	"2026-08-04"	
2	ObjectId('6a7c3accecfb073...	1002	101	"Withdrawal"	10000	"ATM"	"2026-08-04"	
3	ObjectId('6a7c3accecfb073...	1003	102	"Deposit"	50000	"NEFT"	"2026-08-04"	
4	ObjectId('6a7c3accecfb073...	1004	102	"Withdrawal"	15000	"ATM"	"2026-08-04"	
5	ObjectId('6a7c3accecfb073...	1005	103	"Deposit"	30000	"UPI"	"2026-08-04"	
6	ObjectId('6a7c3accecfb073...	1006	103	"Withdrawal"	5000	"ATM"	"2026-08-04"	
7	ObjectId('6a7c3accecfb073...	1007	104	"Deposit"	100000	"NEFT"	"2026-08-04"	
8	ObjectId('6a7c3accecfb073...	1008	104	"Withdrawal"	25000	"ATM"	"2026-08-04"	
9	ObjectId('6a7c3accecfb073...	1009	105	"Deposit"	15000	"UPI"	"2026-08-04"	
10	ObjectId('6a7c3accecfb073...	1010	106	"Deposit"	75000	"NEFT"	"2026-08-04"	
11	ObjectId('6a7c3accecfb073...	1011	106	"Withdrawal"	20000	"ATM"	"2026-08-04"	
12	ObjectId('6a7c3accecfb073...	1012	107	"Deposit"	40000	"IMPS"	"2026-08-04"	
13	ObjectId('6a7c3accecfb073...	1013	107	"Withdrawal"	12000	"ATM"	"2026-08-04"	
14	ObjectId('6a7c3accecfb073...	1014	108	"Deposit"	150000	"NEFT"	"2026-08-04"	
15	ObjectId('6a7c3accecfb073...	1015	108	"Withdrawal"	30000	"ATM"	"2026-08-04"	

Basic Find Queries (Q1 – Q11)

For each query below: open the collection → Documents tab → paste the filter JSON into the Filter box → click Find.

Query 1: Display All Customers

Collection: customers

```
{}
```

The screenshot shows the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar shows the 'customers' collection under the 'bankdb' database. The main area displays the 'customers' collection with a table of documents. The table has columns: _id, customer_id, name, city, account_type, balance, and status. There are 8 documents listed, each with a unique ObjectId and corresponding customer details.

_id	customer_id	name	city	account_type	balance	status
ObjectId('6a7c3854ecfb073...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
ObjectId('6a7c3881ecfb073...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
ObjectId('6a7c3899ecfb073...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
ObjectId('6a7c38d9ecfb073...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
ObjectId('6a7c38fbecfb073...')	105	"Kiran Kumar"	"Guntur"	"Current"	65000	"Inactive"
ObjectId('6a7c3914ecfb073...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
ObjectId('6a7c3925ecfb073...')	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"
ObjectId('6a7c3934ecfb073...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

Query 2: Find Active Customers

Collection: customers

```
{ "status": "Active" }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

View monitoring

Visualize Your Data

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

{ "status": "Active" }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status String	
1	ObjectId('6a7c3854ecfb073...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"	/
2	ObjectId('6a7c3881ecfb073...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"	/
3	ObjectId('6a7c389eecfb073...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"	/
4	ObjectId('6a7c38d9ecfb073...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"	/
5	ObjectId('6a7c3914ecfb073...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"	/
6	ObjectId('6a7c3925ecfb073...')	107	"Rahul Verna"	"Bengaluru"	"Current"	95000	"Active"	/
7	ObjectId('6a7c3934ecfb073...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"	/

Query 3: Find Customers with Balance > 100000

Collection: customers

```
{  
  "balance": { "$gt": 100000 }  
}
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

View monitoring

Visualize Your Data

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

{
 "balance": { "\$gt": 100000 }
}

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-4 of 4

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status String	
1	ObjectId('6a7c3881ecfb073...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"	/
2	ObjectId('6a7c38d9ecfb073...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"	/
3	ObjectId('6a7c3914ecfb073...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"	/
4	ObjectId('6a7c3934ecfb073...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"	/

Query 4: Find Hyderabad Customers

Collection: customers

```
{ "city": "Hyderabad" }
```

ORGANIZATION
GUNAPATI HANSIKA_

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankab
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

Cluster0 > bankab > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ "city": "Hyderabad" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

customers

_id	ObjectId	customer_id	name	city	account_type	balance	status
1	ObjectId('6a7c3854ecfb073...')	101	Ravi Kumar	Hyderabad	Savings	85000	Active
2	ObjectId('6a7c389eecfb073...')	103	Arjun Reddy	Hyderabad	Savings	45000	Active
3	ObjectId('6a7c3914ecfb073...')	106	Anjali Singh	Hyderabad	Savings	175000	Active

Query 5: Find Savings Account Customers

Collection: customers

```
{ "account_type": "Savings" }
```

ORGANIZATION
GUNAPATI HANSIKA_

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankab
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

Cluster0 > bankab > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ "account_type": "Savings" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

customers

_id	ObjectId	customer_id	name	city	account_type	balance	status
1	ObjectId('6a7c3854ecfb073...')	101	Ravi Kumar	Hyderabad	Savings	85000	Active
2	ObjectId('6a7c389eecfb073...')	103	Arjun Reddy	Hyderabad	Savings	45000	Active
3	ObjectId('6a7c38d9ecfb073...')	104	Sneha Rao	Marangal	Savings	210000	Active
4	ObjectId('6a7c3914ecfb073...')	106	Anjali Singh	Hyderabad	Savings	175000	Active
5	ObjectId('6a7c3934ecfb073...')	108	Meena Devi	Chennai	Savings	320000	Active

Query 6: Find Transactions Greater Than 20000

Collection: transactions

```
{ "amount": { "$gt": 20000 } }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{ "amount": { "\$gt": 20000 } }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-9 of 9

transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	date Strin
1	ObjectId('6a7c3accecfb073...	1001	101	"Deposit"	25000	"UPI"	"2026-08-01"
2	ObjectId('6a7c3accecfb073...	1003	102	"Deposit"	50000	"NEFT"	"2026-08-01"
3	ObjectId('6a7c3accecfb073...	1005	103	"Deposit"	30000	"UPI"	"2026-08-01"
4	ObjectId('6a7c3accecfb073...	1007	104	"Deposit"	100000	"NEFT"	"2026-08-01"
5	ObjectId('6a7c3accecfb073...	1008	104	"Withdrawal"	25000	"ATM"	"2026-08-01"
6	ObjectId('6a7c3accecfb073...	1010	106	"Deposit"	75000	"NEFT"	"2026-08-01"
7	ObjectId('6a7c3accecfb073...	1012	107	"Deposit"	40000	"IMPS"	"2026-08-01"
8	ObjectId('6a7c3accecfb073...	1014	108	"Deposit"	150000	"NEFT"	"2026-08-01"
9	ObjectId('6a7c3accecfb073...	1015	108	"Withdrawal"	30000	"ATM"	"2026-08-01"

Query 7: Find Deposits

Collection: transactions

```
{ "type": "Deposit" }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{ "type": "Deposit" }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-8 of 8

transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	date Strin
1	ObjectId('6a7c3accecfb073...	1001	101	"Deposit"	25000	"UPI"	"2026-08-01"
2	ObjectId('6a7c3accecfb073...	1003	102	"Deposit"	50000	"NEFT"	"2026-08-01"
3	ObjectId('6a7c3accecfb073...	1005	103	"Deposit"	30000	"UPI"	"2026-08-01"
4	ObjectId('6a7c3accecfb073...	1007	104	"Deposit"	100000	"NEFT"	"2026-08-01"
5	ObjectId('6a7c3accecfb073...	1009	105	"Deposit"	15000	"UPI"	"2026-08-01"
6	ObjectId('6a7c3accecfb073...	1010	106	"Deposit"	75000	"NEFT"	"2026-08-01"
7	ObjectId('6a7c3accecfb073...	1012	107	"Deposit"	40000	"IMPS"	"2026-08-01"
8	ObjectId('6a7c3accecfb073...	1014	108	"Deposit"	150000	"NEFT"	"2026-08-01"

Query 8: Find ATM Transactions

Collection: transactions

```
{ "mode": "ATM" }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

View monitoring

Visualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{ "mode": "ATM" }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-7 of 7

transactions

_id	ObjectId	transaction_id	customer_id	type	amount	mode	date
1	ObjectId('6a7c3accec...	1002	101	Withdrawal	10000	ATM	2026-08-...
2	ObjectId('6a7c3accec...	1004	102	Withdrawal	15000	ATM	2026-08-...
3	ObjectId('6a7c3accec...	1006	103	Withdrawal	5000	ATM	2026-08-...
4	ObjectId('6a7c3accec...	1008	104	Withdrawal	25000	ATM	2026-08-...
5	ObjectId('6a7c3accec...	1011	106	Withdrawal	20000	ATM	2026-08-...
6	ObjectId('6a7c3accec...	1013	107	Withdrawal	12000	ATM	2026-08-...
7	ObjectId('6a7c3accec...	1015	108	Withdrawal	30000	ATM	2026-08-...

Query 9: Find Deposits Greater Than 50000

Collection: transactions

```
{ "type": "Deposit", "amount": { "$gt": 50000 } }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

View monitoring

Visualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{ "type": "Deposit", "amount": { "\$gt": 50000 } }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-3 of 3

transactions

_id	ObjectId	transaction_id	customer_id	type	amount	mode	date
1	ObjectId('6a7c3accec...	1007	104	Deposit	100000	NEFT	2026-08-...
2	ObjectId('6a7c3accec...	1010	106	Deposit	75000	NEFT	2026-08-...
3	ObjectId('6a7c3accec...	1014	108	Deposit	150000	NEFT	2026-08-...

Query 10: Find Hyderabad Customers with High Balance

Collection: customers

```
{ "city": "Hyderabad", "balance": { "$gt": 100000 } }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

🔍

👤

🔔

⌵

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local

transactions

customers

+

Cluster0 > bankdb > customers

📄 Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

{ "city": "Hyderabad", "balance": { "\$gt": 100000 } }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-1 of 1

🔄

⏪

⏩

⌵

⌵

⌵

⌵

⌵

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status St	
1	ObjectId('6a7c3914ecfb073...	106	Anjali Singh	Hyderabad	Savings	175000	Active	📄🔍🗑️

Query 11: Find Customers in Multiple Cities

Collection: customers

```
{ "city": { "$in": ["Hyderabad", "Vijayawada", "Warangal"] } }
```

ORGANIZATION
GUNAPATI HANSIKA...

PROJECT
Project 0

🔍

👤

🔔

⌵

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

📄 Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

{ "city": { "\$in": ["Hyderabad", "Vijayawada", "Warangal"] } }

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-5 of 5

🔄

⏪

⏩

⌵

⌵

⌵

⌵

⌵

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status St	
1	ObjectId('6a7c3854ecfb073...	101	Ravi Kumar	Hyderabad	Savings	85000	Active	📄🔍🗑️
2	ObjectId('6a7c3881ecfb073...	102	Priya Sharma	Vijayawada	Current	125000	Active	📄🔍🗑️
3	ObjectId('6a7c3899ecfb073...	103	Arjun Reddy	Hyderabad	Savings	45000	Active	📄🔍🗑️
4	ObjectId('6a7c38d9ecfb073...	104	Sneha Rao	Warangal	Savings	210000	Active	📄🔍🗑️
5	ObjectId('6a7c3914ecfb073...	106	Anjali Singh	Hyderabad	Savings	175000	Active	📄🔍🗑️