

MCP Inspector
v1.0.0

Arguments

run dev

Environment Variables

Server Entry

Servers File

> Authentication

> * Configuration

Restart

Disconnect

● Connected

my-first-mcp
Version: 1.0.0

System



List Tools

Clear

greet



X Read-only

✓ Destructive

X Idempotent

✓ Open-world

name *

```
{
  "name": "Hanan Alawawda"
}
```

Tool-specific Metadata:

Add Pair

No metadata pairs.

Run Tool

Copy Input

Tool Result: Success

```
"Hello, {
  "name": "Hanan Alawawda"
}! Your MCP pipeline is working."
```



History

Clear

3. tools/call



Server Notifications

Clear

1. notifications/message



MCP Inspector
v1.0.0

Arguments

run dev

Environment Variables

Server EntryServers File

> Authentication

> * Configuration

RestartDisconnect

Connected

my-first-mcp
Version: 1.0.0

System ? 旗

List Tools

Clear

greet

X Read-only

✓ Destructive

X Idempotent

✓ Open-world

name *

{

}

Tool-specific Metadata:

Add Pair

No metadata pairs.

Run Tool

Copy Input

Tool Result: Success

"Hello, {

}! Your MCP pipeline is working."

History

Clear

4. tools/call

Server Notifications

Clear

1. notifications/message

MCP Inspector
v1.0.0

Arguments

run dev

Environment Variables

Server EntryServers File

> Authentication

> * Configuration

RestartDisconnect

Connected

my-first-mcp
Version: 1.0.0

Clear

greet

name *

The name of the person to greet

Add Pair

Tool-specific Metadata:
No metadata pairs.

Run Tool

Copy Input

Tool Result: Error

"MCP error -32602: Input validation error: Invalid arguments for tool greet: [{"expected": "string", "code": "invalid_type", "path": ["name"]}]"

HistoryClear

5. tools/call

Server NotificationsClear

1. notifications/message

