Creating an ACL for the Create Operation

1. Overview

The earlier **read** ACL controls who can *see* records. In this task we create a second ACL with operation **create** on **u_institution_details**. It controls who can add new records, i.e. who gets the **New** button on the list. Only users with the **bb2** role will be allowed to create records.

2. Before You Start

- Make sure the **security_admin** role is elevated (profile icon → **Elevate role** → tick security_admin → OK).
- Make sure roles **bb1** and **bb2** exist and are assigned to the EEE user.

3. Create the ACL

1. In the Application Navigator, go to **System Security** → **Access Control (ACL)**.
2. Click **New**.
3. Fill in the details shown in the table below.

Field	Value
Type	record
Operation	create
Name	u_institution_details
Active	true (checked)
Data condition	Not required - leave empty
Advanced / Script	Not required

4. Requires Role

In the **Requires role** related list, double-click **Insert a new row**, search and select **bb2** (custom role), and save the row.

5. Save the ACL

Click **Submit** (or **Save / Update**) to save the ACL record.

6. Verification

1. Click the profile icon → **Impersonate User** and choose the user who has **both bb1 and bb2** roles (the EEE user).
2. In the All menu, type **u_institution_details.list** and press Enter.
3. Confirm that only **EEE** branch records are visible (from the bb1 read ACL).
4. Confirm that the **New** button is visible on the list (from the bb2 create ACL).

5 Optionally, impersonate a user with only bb1: records are visible but the **New** button is not shown.

User	Expected Result
bb1 + bb2 roles	Can view only EEE branch records and sees the New button
bb1 role only	Can view EEE records, but no New button
No role	Cannot view any records
Admin	Can view all records and create new ones

7. Resources

No resources available for this task.