Creating an ACL for Institution Details

1. Overview

An **ACL (Access Control List)** controls who can read, write, create or delete records in a table. In this task we create a **read** ACL on **u_institution_details** so that only users with the **bb1** role can see **EEE** branch records, while admin can see everything and users without the role see nothing.

2. Elevate the security_admin Role

1. Click the **user profile icon** (top right) and select **Elevate role**.
2. Tick **security_admin** and click **OK**.
3. Without this step you cannot create or edit ACLs.

3. Create the ACL

1. In the Application Navigator, search for **System Security** → **Access Control (ACL)**.
2. Click **New**.
3. Fill in the details shown in the table below.

Field	Value
Type	record
Operation	read
Name	u_institution_details (table name; leave field as '-- None --' for table-level)
Active	true (checked)
Advanced	true (checked) - this shows the Script field

4. Requires Role

In the **Requires role** related list at the bottom of the form, double-click **Insert a new row**, search and select **bb1** (the custom role created earlier), and save the row.

5. Data Condition

In the **Data condition** section, add the condition: **Branch** | **is** | **EEE**. This restricts the ACL to EEE branch records only.

6. Script

In the **Script** field, paste the following script:

```
(function () {
    // Allow admin users full access
    if (gs.hasRole('admin')) {
        return true;
```

```
    }
    // Allow only EEE branch users to see EEE records
    if (gs.hasRole('bb1')){
        return true;
    }
    // Deny access for all others
    return false;
})();
```

Script explanation

Part	Meaning
gs.hasRole('admin')	If the logged-in user has admin role, access is allowed (return true).
gs.hasRole('bb1')	If the user has the bb1 role, access is allowed (return true).
return false	All other users are denied access.

7. Save the ACL

Click **Submit** (or **Save / Update**) to save the ACL form.

8. Testing with Impersonation

A. Impersonate the EEE user

1. Click the user profile icon and select **Impersonate User**.
2. Choose the **EEE User** (who has been assigned the bb1 role).
3. In the filter navigator (All menu), type **u_institution_details.list** and press Enter (this opens the Student Records list).
4. Check the list: only **EEE** branch records are visible.

B. Impersonate a user without the role

1. Impersonate any user who does not have bb1.
2. Open **u_institution_details.list** - no records are shown.

C. Impersonate Admin

1. Select **Impersonate User** and choose the **Admin** user (or end impersonation).
2. Open **u_institution_details.list** - all records (ECE, EEE, CSE) are visible.

9. Verification (Expected Result)

User	Expected Result
User with bb1 role (EEE user)	Can view only EEE branch records
User without the role	Cannot view any records
Admin user	Can view all records regardless of branch

10. Resources

No resources available for this task.