TorqueGeneratedMap Δ v8::internal::Map<

Map, HeapObject >

- + isolate
- + kNoConstructorFunctionIndex
- + kSlackTrackingCounterStart
- + kSlackTrackingCounterEnd
- + kNoSlackTracking + kGenerousAllocationCount
- + kPrototypeChainValid + kPrototypeChainInvalid
- + kPrototypeChainValidSmi
- + GetInObjectPropertiesStart
- InWords() SetInObjectPropertiesStart
 - InWords() + GetInObjectProperties()
 - + GetConstructorFunctionIndex()
 - + SetConstructorFunctionIndex() + instance_type()
 - + set_instance_type()
 - + UsedInstanceSize()
- + HasOutOfObjectProperties() + UnusedPropertyFields()
- and 90 more...
- + GetConstructorFunction() + GetOrCreatePrototypeInfo()
- + SetShouldBeFastPrototype
- Map()
- + TryGetValidityCellHolder Map() + GetOrCreatePrototypeChain
- ValidityCell()
 - + IsPrototypeChainInvalidated()
 - + IsMostGeneralFieldType() + GeneralizelfCanHaveTransitionable
 - FastElementsKind()
 - + PrepareForDataProperty()
 - + Normalize()
 - and 39 more... LookupElementsTransition
 - Map()
 - TryReplayPropertyTransitions()
 - EquivalentToForTransition()
 - EquivalentToForElementsKind Transition()
 - DeprecateTransitionTree()
 - ReplaceDescriptors()
 - ConnectTransition()
 - RawCopy()
 - ShareDescriptor()
 - AddMissingTransitions() InstallDescriptors()
 - CopyAddDescriptor()
 - CopyReplaceDescriptors()
 - CopyReplaceDescriptor()
 - CopyNormalized()
 - ConcurrentIsHeapObjectWith
 - Map()