```
v8::base::TemplateHashMap
                   Impl < Key, Value, MatchFun,
                         AllocationPolicy >
                   + kDefaultHashMapCapacity
                   - impl_
                   + TemplateHashMapImpl()
                   + TemplateHashMapImpl()
                   + operator=()
                   + TemplateHashMapImpl()
                   + TemplateHashMapImpl()
                   + ~TemplateHashMapImpl()
                   + operator=()
                   + Lookup()
                   + LookupOrInsert()
                   + LookupOrInsert()
                   and 11 more...
                   # Initialize()
                   map_end()
                   Probe()
                   - FillEmptyEntry()
                   - Resize()
                                   < uintptr_t, uint32
                                   t, base::KeyEqualityMatcher
                                  intptr_t >, base::DefaultAllocation
                                                Policy >
               v8::base::TemplateHashMap
               Impl < uintptr_t, uint32
               _t, base::KeyEqualityMatcher
< intptr_t >, base::DefaultAllocation
                             Policy >
               + kDefaultHashMapCapacity
               impl_
               + TemplateHashMapImpl()
               + TemplateHashMapImpl()
               + TemplateHashMapImpl()
               + TemplateHashMapImpl()
               + operator=()
               + operator=()
               + ~TemplateHashMapImpl()
               + Lookup()
               + LookupOrInsert()
               + LookupOrInsert()
               and 11 more...
               # Initialize()
               map_end()
               - Probe()
               FillEmptyEntry()
               - Resize()
                    v8::internal::PointerToIndex
                        HashMap < Type >
                    + Set()
                    + Get()
                    - Key()
                    Key()
                    - Key()
                     Hash()
                         < Address >
                                             < Tagged< HeapObject > >
v8::internal::PointerToIndex
                                   v8::internal::PointerToIndex
   HashMap< Address >
                                   HashMap < Tagged < HeapObject > >
                                   + Set()
+ Set()
                                   + Get()
+ Get()
- Key()

    Key()

                                   - Key()

    Key()

- Key()

    Key()

- Hash()

    Hash()

                                                     Д
v8::internal::AddressToIndex
                                          v8::internal::HeapObject
         HashMap
                                             ToIndexHashMap
```