```
v8::base::TimeConstants
+ kNanosecondsPerSecond
+ operator<=>()
```

```
v8::base::time_internal
::TimeBase< TimeClass >

+ IsNull()
+ IsMax()
+ IsMin()
+ ToInternalValue()
+ since_origin()
+ operator=()
+ operator-()
+ operator+()
+ operator-()
+ operator+=()
+ operator-=()
+ operator<=>()
+ Max()
+ Min()
+ FromInternalValue()
# TimeBase()
```

< TimeTicks >

```
v8::base::time_internal
::TimeBase< TimeTicks >
# us_
+ IsNull()
+ IsMax()
+ IsMin()
+ ToInternalValue()
+ since_origin()
+ operator=()
+ operator-()
+ operator-()
+ operator+()
+ operator+=()
+ operator-=()
+ operator<=>()
+ Max()
+ Min()
+ FromInternalValue()
# TimeBase()
```

```
v8::base::TimeTicks

+ TimeTicks()
+ Now()
+ IsHighResolution()
+ FromMsTicksForTesting()
- TimeTicks()
```

```
T *
```

-event_   -start_time_

```
v8::internal::metrics
::TimedScope< T, precision >

+ TimedScope()
+ ~TimedScope()
+ Start()
+ Stop()
```