

v8::internal::HeapObject
Layout

+ HeapObjectLayout()
+ map()
+ map()
+ map_word()
+ set_map()
+ set_map()
+ set_map_safe_transition()
+ map_slot()
+ set_map_safe_transition
_no_write_barrier()
+ set_map_after_allocation()
and 9 more...
- HeapObjectLayout()
- HeapObjectLayout()
- operator=()
- operator=()

TaggedMemberBase

+ kIsFull
+ kCanBeWeak
- ptr_

+ TaggedImpl()
+ TaggedImpl()
+ operator bool()
+ operator==()
+ operator!=()
+ SafeEquals()
+ operator<()
+ ptr()
+ IsObject()
+ IsSmi()
and 26 more...
ptr_location()
ptr_location()

v8::internal::PrimitiveHeap
Object

int

atomic_uint32_t

const

v8::internal::TaggedMember
< T, CompressionScheme >

+ TaggedMember()
+ load()
+ store()
+ store_no_write_barrier()
+ Relaxed_Load()
+ Relaxed_Store()
+ Relaxed_Store_no_write
_barrier()
+ Acquire_Load()
+ Release_Store()
+ Release_Store_no_write
_barrier()
+ SeqCst_Load()
+ SeqCst_Store()
+ SeqCst_Store_no_write
_barrier()
+ SeqCst_Swap()
+ SeqCst_CompareAndSwap()
- WriteBarrier()
- tagged_to_full()
- full_to_tagged()

+kArrayIndexLengthBits
+kArrayIndexValueBits
+kDoesNotContainCachedArray
IndexMask
+kDoesNotContainIntegerOrForwarding
IndexMask
+kMaxArrayIndex
+kMaxArrayIndexSize
+kMaxCachedArrayIndexLength
+kMaxIntegerIndexSize

+kEmptyHashField
+kHashNotComputedMask

-raw_hash_field_

v8::internal::Name

+ HasHashCode()
+ HasForwardingIndex()
+ HasInternalizedForwarding
Index()
+ HasExternalForwardingIndex()
+ raw_hash_field()
+ raw_hash_field()
+ set_raw_hash_field()
+ set_raw_hash_field()
+ set_raw_hash_field
_if_empty()
+ hash()
and 16 more...
+ Equals()
+ ContainsCachedArrayIndex()
+ ToFunctionName()
+ ToFunctionName()
+ IsHashFieldComputed()
+ IsHash()
+ IsIntegerIndex()
+ IsForwardingIndex()
+ IsInternalizedForwarding
Index()
+ IsExternalForwardingIndex()
+ CreateHashFieldValue()
+ CreateInternalizedForwarding
Index()
+ CreateExternalForwarding
Index()
- GetRawHashFromForwarding
Table()

v8::internal::TaggedMember
< v8::internal::PrimitiveHeapObject >

+ TaggedMember()
+ load()
+ store()
+ store_no_write_barrier()
+ Relaxed_Load()
+ Relaxed_Store()
+ Relaxed_Store_no_write
_barrier()
+ Acquire_Load()
+ Release_Store()
+ Release_Store_no_write
_barrier()
+ SeqCst_Load()
+ SeqCst_Store()
+ SeqCst_Store_no_write
_barrier()
+ SeqCst_Swap()
+ SeqCst_CompareAndSwap()
- WriteBarrier()
- tagged_to_full()
- full_to_tagged()

< v8::internal::Primitive
HeapObject >

uint32_t

-flags_

-description_

v8::internal::Symbol

+ description()
+ set_description()
+ is_private()
+ set_is_private()
+ is_well_known_symbol()
+ set_is_well_known_symbol()
+ is_interesting_symbol()
+ set_is_interesting
_symbol()
+ is_in_public_symbol
_table()
+ set_is_in_public_symbol
_table()
+ is_private_name()
+ set_is_private_name()
+ is_private_brand()
+ set_is_private_brand()
+ SymbolShortPrint()
- flags()
- set_flags()
- PrivateSymbolToName()