v8::internal::compiler ::turboshaft::Type + kind + sub_kind + set_size + reserved + bitfield + header_ # @51 payload + Type() + kind() + IsInvalid() + IsNone() + IsWord32() + IsWord64() + IsFloat32() + IsFloat64() + IsTuple() + IsAny() and 15 more... + Invalid() + None() + Any() + LeastUpperBound()

+ ParseFromString()

Δ

get_payload()

Type()

- Type()

v8::internal::compiler ::turboshaft::FloatType < Bits >

- + kMaxSetSize
- kMaxInlineSetSize
- KIND
- + is_only_special_values()
- + is_only_nan() + is_only_minus_zero()
- + is_range()
- + is set()
- + is any()
- + is_constant()
- + special_values()
- + has_special_values() + has_nan()
- and 20 more...
- + OnlySpecialValues()
- + NaN()
- + MinusZero()
- + Any()
- + Range()
- + Range()
- + Set()
- + Constant()
- + LeastUpperBound()
- + Intersect()
- sub_kind()
- FloatType()
- IdentifyMinusZero()
- ReplacedSpecialValues()

v8::internal::compiler ::turboshaft::TupleType

- + kMaxTupleSize
- KIND
- + size()
- + element()
- + elements()
- + Equals()
- + IsSubtypeOf()
- + PrintTo()
- + Tuple()
- + Tuple()
- + LeastUpperBound()
- TupleType()

v8::internal::compiler ::turboshaft::WordType < Bits >

- + kMaxSetSize
- kMaxInlineSetSize
- KIND
- + is range()
- + is set()
- + is_any()
- + is_constant()
- + is_wrapping()
- + range_from() + range_to()
- + range()
- + set size()
- + set element() and 10 more...
- + Any()
- + Range()
- + Set()
- + Set()
- + Set()
- + Set()
- + Constant()
- + LeastUpperBound()
- + Intersect()
- sub_kind()
- WordType()