```
v8::internal::AstVisitor
           < Subclass >
      + Visit()
      + VisitDeclarations()
      + VisitStatements()
      + VisitExpressions()
      # impl()
                   < BytecodeGenerator >
     v8::internal::AstVisitor
     < BytecodeGenerator >
     + Visit()
      + VisitDeclarations()
     + VisitStatements()
     + VisitExpressions()
     # impl()
                 Δ
v8::internal::interpreter
       ::BytecodeGenerator
- local isolate
- zone
- builder
- info_
ast_string_constants_
- closure_scope_- current_scope_
- eager_inner_literals

    script

- feedback_slot_cache_
and 24 more...
+ BytecodeGenerator()
+ GenerateBytecode()
+ FinalizeBytecode()
+ FinalizeSourcePositionTable()
+ VisitModuleDeclarations()
+ VisitGlobalDeclarations()
+ VisitDeclarations()
+ VisitStatements()
+ IsSameOrSubTypeHint()
+ IsStringTypeHint()

    GenerateBytecodeBody()

    GenerateBaseConstructorBody()

    GenerateDerivedConstructor

Body()
GenerateAsyncFunctionBody()

    GenerateAsyncGeneratorFunction

Body()

    GenerateBodyPrologue()

- GenerateBodyStatements()

    GenerateBodyStatementsWithout

ImplicitFinalReturn()

    AllocateDeferredConstants()

DEFINE_AST_VISITOR
 SUBCLASS_MEMBERS()
and 175 more...
 ToBooleanModeFromTypeHint()
```