```
+ TaggedImpl()
             + TaggedImpl()
             + operator bool()
             + operator==()
             + operator!=()
             + SafeEquals()
             + operator<()
             + ptr()
             + IsObject()
             + IsSmi()
             and 26 more...
             # ptr location()
             # ptr_location()
                             < HeapObjectReferenceType
                                 ::WEAK, Tagged_t >
                 TaggedMemberBase
                 + klsFull
                 + kCanBeWeak

    ptr_

                 + TaggedImpl()
                 + TaggedImpl()
                 + operator bool()
                 + operator==()
                 + operator!=()
                 + SafeEquals()
                 + operator<()
                 + ptr()
                 + IsObject()
                 + IsSmi()
                 and 26 more..
                 # ptr_location()
                 # ptr_location()
                           Д
                                  v8::internal::TaggedMember
                                   < T, CompressionScheme >
                                  + TaggedMember()
                                  + load()
                                  + store()
                                  + store_no_write_barrier()
                                  + Relaxed_Load()
                                  + Relaxed_Store()
+ Relaxed_Store_no_write
                                  _barrier()
                                 + Acquire_Load()
                                  + Release_Store()
                                  + Release_Store_no_write
                                  barrier()
                                 + SeqCst_Load()
+ SeqCst_Store()
+ SeqCst_Store_no_write
                                  barrier()
                                  + SeqCst_Swap()
                                  + SeqCst_CompareAndSwap()
                                  WriteBarrier()
                                 tagged_to_full()full_to_tagged()
                                           < v8::internal::Smi >
                 v8::internal::TaggedMember
                      < v8::internal::Smi >
                 + TaggedMember()
                 + load()
                 + store()
                 + store_no_write_barrier()
                 + Relaxed Load()
                 + Relaxed_Store()
                 + Relaxed_Store_no_write
   Super
                  barrier()
                 + Acquire_Load()
                 + Release_Store()
                 + Release Store no write
                 _barrier()
                 + SeqCst_Load()
+ SeqCst_Store()
+ SeqCst_Store_no_write
                  barrier()
                 + SeqCst_Swap()
                 + SeqCst_CompareAndSwap()
                 WriteBarrier()
                 tagged_to_full()full_to_tagged()
                       +length
v8::internal::detail
::ArrayHeaderBase< Super,
           true >
+ length()
+ length()
+ set_length()
+ set_length()
+ capacity()
+ capacity()
+ set_capacity()
+ set_capacity()
```

v8::internal::TaggedImpl < kRefType, StorageType >