```
v8::internal::torque
             ::Grammar

    lexer

    generated symbols

     - start
      + Grammar()
     + Parse()
     # Token()
     # Pattern()
     # SetWhitespace()
     # NewSymbol()
     # Sequence()
     # TryOrDefault()
     # NonemptyList()
     # List()
     # Optional()
     # CheckIf()
     # lexer()
     # MatchChar()
     # MatchChar()
     # MatchAnyChar()
     # MatchString()
     # YieldMatchedInput()
     # YieldIntegralConstant()
     # YieldDefaultValue()
     # CastParseResult()
     # MakeSingletonVector()
     # MakeExtendedVector()
v8::internal::torque
::anonymous namespace
{torque-parser.cc}::TorqueGrammar
+ expression
+ identifier
+ name
+ annotationName
+ intrinsicName
+ stringLiteral
+ externalString
+ integerLiteral
+ floatingPointLiteral
+ int32Literal
and 65 more...
+ NonemptyListAllowIfAnnotation()
+ ListAllowIfAnnotation()
+ TorqueGrammar()
+ OneOf()
+ BinaryOperator()
+ MatchWhitespace()
+ MatchIdentifier()
+ MatchAnnotation()
+ MatchIntrinsicName()
```

+ MatchStringLiteral()+ MatchHexLiteral()+ MatchIntegerLiteral()+ MatchFloatingPointLiteral()

+ MakeExtendedVectorIfAnnotation()